

## **SLOVENSKI STANDARD SIST EN 301 489-12 V3.2.1:2022**

01-januar-2022

Standard elektromagnetne združljivosti (EMC) za radijsko opremo in storitve - 12. del: Posebni pogoji za satelitske terminale z zelo majhno antensko odprtino, interaktivne satelitske zemeljske postaje, ki delujejo v frekvenčnih pasovih 4 GHz in 30 GHz fiksnih satelitskih storitev (FSS) - Harmonizirani standard za elektromagnetno združljivost

ElectroMagnetic Compatibility (EMC) standard for radio equipment and services - Part 12: Specific conditions for Very Small Aperture Terminal, Satellite Interactive Earth Stations operated in the frequency ranges between 4 GHz and 30 GHz in the Fixed Satellite Service (FSS) - Harmonised Standard for ElectroMagnetic Compatibility (Standards.iten.al)

SIST EN 301 489-12 V3.2.1:2022 https://standards.iteh.ai/catalog/standards/sist/f850abc1-61a5-446f-ada8-8144b3df59b7/sist-en-301-489-12-v3-2-1-2022

Ta slovenski standard je istoveten z: ETSI EN 301 489-12 V3.2.1 (2021-11)

### ICS:

33.060.30	•	Radio relay and fixed satellite communications systems
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general

SIST EN 301 489-12 V3.2.1:2022 en

SIST EN 301 489-12 V3.2.1:2022

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 301 489-12 V3.2.1:2022 https://standards.iteh.ai/catalog/standards/sist/f850abc1-61a5-446f-ada8-8144b3dt59b7/sist-en-301-489-12-v3-2-1-2022 SIST EN 301 489-12 V3.2.1:2022

## ETSI EN 301 489-12 V3.2.1 (2021-11)



ElectroMagnetic Compatibility (EMC)
standard for radio equipment and services;
Part 12: Specific conditions for Very Small Aperture
Terminal, Satellite Interactive Earth Stations operated
in the frequency ranges between 4 GHz and 30 GHz
in the Fixed Satellite Service (FSS);
Harmonised Standard for ElectroMagnetic Compatibility

#### Reference

### REN/ERM-EMC-404

### Keywords

earth station, EMC, FSS, harmonised standard, radio, regulation, satellite, SNG, testing, VSAT

#### **ETSI**

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° w061004871

### Important notice

The present document can be downloaded from: http://www.etsi.org/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in/print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at <a href="https://www.etsi.org/deliver">www.etsi.org/deliver</a>.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<a href="https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx">https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx</a>

If you find errors in the present document, please send your comment to one of the following services: https://portal.etsi.org/People/CommitteeSupportStaff.aspx

### Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied. In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

### **Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2021. All rights reserved.

## Contents

Intell	ectual Property Rights	5
Forev	word	5
Moda	al verbs terminology	6
1	Scope	7
2	References	7
2.1	Normative references	
2.2	Informative references	8
3	Definition of terms, symbols and abbreviations	
3.1	Terms	
3.2	Symbols	
3.3	Abbreviations	
4	Test conditions	
4.1	General	
4.2 4.2.0	Arrangements for test signals	
4.2.1	Arrangements for test signals at the input of transmitters	
4.2.2	Arrangements for test signals at the output of transmitters	
4.2.3	Arrangements for test signals at the input of receivers	11
4.2.4	Arrangements for test signals at the output of receivers	11
4.3	Exclusion bands	11
4.3.1 4.3.2	Exclusion band for transmitters or the transmitter part of transceivers  Exclusion band for receivers or the receiver part of transceivers	
5	Performance assessment.	11
5.1	General SIST EN 301 489-12 V3 2 1 2022  Equipment configuration(s) rds, itch.ai/catalog/standards/sist/f850abc1-61a5-446f-ada8-	
5.2 5.3	Equipment configuration(s)tios.ternarcataridystatifiatissist/to.htmlct-cfta.html-ana-a-to-ana	1212 12
6	Performance criteria	
6.0 6.1	General  Performance criteria for Continuous phenomena applied to the EUT	
6.2	Performance criteria for Transient phenomena applied to a class A EUT	13
6.3	Performance criteria for Transient phenomena applied to a class B EUT	
7	Requirements	12
, 7.1	Emission	
7.1.1	General	
7.1.2	Special conditions	
7.2	Immunity	
7.2.1	General	
7.2.2	Special conditions	13
Anne	ex A (informative): Relationship between the present document and the essential requirements of Directive 2014/53/EU	17
<b>A</b>	Definitions of Catallita Fouth Ctations (FCs) within the same of the	
Anne	ex B (informative): Definitions of Satellite Earth Stations (ESs) within the scope of the present document	
<b>D</b> 0	•	
B.0	General	
B.1	Transmit only and Transmit and receive Ku band VSATs	
B.2	Receive-only Ku band VSATs	19
B.3	Transmit only and Transmit and receive C band VSATs	
B.4	Receive-only C band VSATs	20

ETSI EN 301 489-12 V3.2.1 (2021-11)
-------------------------------------

B.5	Satellite News Gatherin	ng (SNG) Ku band Transportable Earth Stations (TESs)	21
B.6		minals (SIT)	
B.7		s (SUT) transmitting in the frequency range 29,5 GHz to 30,0 GHz	
B.8	Satellite User Terminal	s (SUT) transmitting in the frequency range 27,5 GHz to 29,5 GHz	23
B.9	Satellite Earth Station of	on Trains (EST) transmitting in the frequency range 14,0 GHz to 14,5 GHz.	23
B.10		ile Platforms (ESOMP) transmitting in the frequency range 27,5 GHz to	24
Anne	x C (informative):	Bibliography	
Anne	x D (informative):	Change history	27
Histor	°V		

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 301 489-12 V3.2.1.2022 https://standards.iteh.ai/catalog/standards/sist/f850abc1-61a5-446f-ada8-8144b3df59b7/sist-en-301-489-12-v3-2-1-2022

## Intellectual Property Rights

### **Essential patents**

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

### **Trademarks**

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT**<sup>TM</sup>, **PLUGTESTS**<sup>TM</sup>, **UMTS**<sup>TM</sup> and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP**<sup>TM</sup> and **LTE**<sup>TM</sup> are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M**<sup>TM</sup> logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM**<sup>®</sup> and the GSM logo are trademarks registered and owned by the GSM Association.

### <del>(standards.iteh.ai)</del>

### **Foreword**

SIST EN 301 489-12 V3.2.1:2022

This Harmonised European Standard (EN) has been produced by ETSI/Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM)/7/sist-en-301-489-12-v3-2-1-2022

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.6] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.5].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive and associated EFTA regulations.

The present document is part 12 of a multi-part deliverable. Full details of the entire series can be found in part 1 [1].

National transposition dates	
Date of adoption of this EN:	19 November 2021
Date of latest announcement of this EN (doa):	28 February 2022
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 August 2022
Date of withdrawal of any conflicting National Standard (dow):	31 August 2023

6

## Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the <a href="ETSI Drafting Rules">ETSI Drafting Rules</a> (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 301 489-12 V3.2.1:2022 https://standards.iteh.ai/catalog/standards/sist/f850abc1-61a5-446f-ada8-8144b3df59b7/sist-en-301-489-12-v3-2-1-2022

### 1 Scope

The present document specifies technical characteristics and methods of measurement for the Earth Stations (ESs) operating in the frequency ranges between 3,625 GHz and 30 GHz in the Fixed Satellite Service (FSS) bands, and associated ancillary equipment in respect of ElectroMagnetic Compatibility (EMC).

Technical specifications related to the antenna port and emissions from the enclosure port of the Earth Stations (ESs) are not included in the present document. Such technical specifications are found in the relevant product standards for the effective use of the radio spectrum, see table 1.

Emissions requirements in the present document are only specified for frequencies above 9 kHz.

Table 1: Radio Technologies in the scope of the present document

Technology	ETSI Standard
VSAT for Transmit-only, transmit/receive or receive-only satellite Earth Stations	ETSI EN 301 428 [i.7]
operating in the 11/12/14 GHz frequency bands.	
ES for Satellite News Gathering Transportable Earth Stations (SNG TESs) operating	ETSI EN 301 430 [i.8]
in the 11 GHz to 12 GHz and 13 GHz to 14 GHz frequency bands.	
VSAT for Transmit-only, transmit-and-receive, receive-only satellite Earth Stations	ETSI EN 301 443 [i.9]
operating in the 4 GHz to 6 GHz frequency bands.	
ES for Satellite Interactive Terminals (SIT) and Satellite User Terminals (SUT)	ETSI EN 301 459 [i.10]
transmitting towards satellites in geostationary orbit in the 29,5 GHz to 30 GHz	
frequency bands.	
Satellite Interactive Terminals (SIT) and Satellite User Terminals (SUT) transmitting	ETSI EN 301 360 [i.11]
towards satellites in geostationary orbit, operating in the 27,5 GHz to 29,5 GHz	
frequency bands.	
	ETSI EN 303 978 [i.12]
geostationary orbit, operating in the 27,5 GHz to 30 GHz frequency bands.	* *

### (standards.iteh.ai)

Definitions of the type of Earth Stations (ESs) operating in the frequency ranges between 3,625 GHz and 30 GHz in the Fixed Satellite Service (FSS) covered by the present document are given in annex B. The environmental classification used in the present document is a stated in ETSI EN 301489-1/[1]/850abc1-61a5-446f-ada8-

8144b3df59b7/sist-en-301-489-12-v3-2-1-2022

NOTE: The relationship between the present document and essential requirements of article 3.1(b) of Directive 2014/53/EU [i.5] is given in annex A.

### 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <a href="https://docbox.etsi.org/Reference/">https://docbox.etsi.org/Reference/</a>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI EN 301 489-1 (V2.2.3) (11-2019): "ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility".
- [2] Void.

### 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

[i.1]	Void.
[i.2]	Void.
[i.3]	ERC/DEC(00)08: "ERC Decision of 19 October 2000 on the use of the band 10.7 - 12.5 GHz by the fixed service and Earth stations of the broadcasting-satellite and fixed-satellite Service (space-to-Earth)".
[i.4]	Void.
[i.5]	Directive 2014/53/EU of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.
[i.6]	Commission Implementing Decision C(2015) 5376 final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.
[i.7]	ETSI EN 301 428: "Satellite Earth Stations and Systems (SES); Harmonized EN for Very Small Aperture Terminal (VSAT); Transmit-only, transmit/receive or receive-only satellite earth stations operating in the 11/12/14 GHz frequency bands covering essential requirements under article 3.2 of the R&TTE directive," catalog standards/sist/850abc1-61a5-446f-add8-814465db59b7/sist-en-301-489-12-v3-2-1-2022
[i.8]	ETSI EN 301 430: "Satellite Earth Stations and Systems (SES); Harmonised Standard for Satellite News Gathering Transportable Earth Stations (SNG TES) operating in the 11 GHz to 12 GHz/13 GHz to 14 GHz frequency bands covering the essential requirements of article 3.2 of the Directive 2014/53/EU".
[i.9]	ETSI EN 301 443: "Satellite Earth Stations and Systems (SES); Harmonised Standard for Very Small Aperture Terminal (VSAT); Transmit-only, transmit-and-receive, receive-only satellite earth stations operating in the 4 GHz and 6 GHz frequency bands covering the essential requirements of article 3.2 of the Directive 2014/53/EU".
[i.10]	ETSI EN 301 459: "Satellite Earth Stations and Systems (SES); Harmonised Standard for Satellite Interactive Terminals (SIT) and Satellite User Terminals (SUT) transmitting towards satellites in geostationary orbit, operating in the 29,5 GHz to 30,0 GHz frequency bands covering the essential requirements of article 3.2 of the Directive 2014/53/EU".
[i.11]	ETSI EN 301 360: "Satellite Earth Stations and Systems (SES); Harmonised Standard for Satellite Interactive Terminals (SIT) and Satellite User Terminals (SUT) transmitting towards satellites in geostationary orbit, operating in the 27,5 GHz to 29,5 GHz frequency bands covering the essential requirements of article 3.2 of the Directive 2014/53/EU".
[i.12]	ETSI EN 303 978: "Satellite Earth Stations and Systems (SES); Harmonised Standard for Earth Stations on Mobile Platforms (ESOMP) transmitting towards satellites in geostationary orbit, operating in the 27,5 GHz to 30,0 GHz frequency bands covering the essential requirements of article 3.2 of the Directive 2014/53/EU".
[i.13]	ITU Radio Regulations (2020).

## 3 Definition of terms, symbols and abbreviations

### 3.1 Terms

For the purposes of the present document, the terms given in ETSI EN 301 489-1 [1] and the following apply:

ancillary equipment: electrical or electronic equipment, that is intended to be used with a receiver or transmitter

NOTE 1: It is considered as an ancillary equipment if:

- the equipment is intended for use with a receiver or transmitter to provide additional operational and/or control features to the radio equipment (e.g. to extend control to another position or location);
- the ancillary equipment cannot be used without being connected to radio equipment to provide user functions independently of a receiver or transmitter; and
- the receiver or transmitter, to which it is connected, is capable of providing some intended operation such as transmitting and/or receiving without the ancillary equipment (i.e. it is not a sub-unit of the main equipment essential to the main equipment basic functions).

NOTE 2: An example of ancillary equipment would be a docking station for radio equipment whose interface is dedicated to a particular product or range of products.

**carrier-off state:** state in which the ES is authorized to transmit, and when it does not transmit any signal, either authorized by a Centralized Control and Monitoring Functions (CCMF) or a Network Control Facility (NCF) when designed for unattended operation or by local control when designed for attended operation

NOTE: The existence of a carrier-off state depends on the system of transmission used. For ES designed for continuous transmission mode there may be no carrier-off state.

carrier-on state: state in which the ES is authorized to transmit, and when it transmits a signal, either authorized by a CCMF or a NCF when designed for unattended operation or by local control when designed for attended operation

**critical stored data:** data that is essential for an EUT to perform a primary function in accordance with that EUT's specification

NOTE: This may include data previously stored by the user.

drive equipment: equipment used to enable the EUT to operate as intended during the test process

terrestrial port: port for interconnecting earth-based equipment

**transmission disabled state:** state in which the ES is not authorized to transmit either by a CCMF or a NCF respectively when designed for unattended operation or by local control when designed for attended operation

### 3.2 Symbols

For the purposes of the present document, the following symbols apply:

P<sub>min</sub> minimum power required to establish a communication link

### 3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

AC Alternating Current

AMSS Aeronautical Mobile Satellite Service

BSS Broadcast Satellite Service

CCMF Centralized Control and Monitoring Functions

CEPT European Conference of Postal and Telecommunications administrations

10

DC Direct Current

EFTA European Free Trade Association
EIRP Equivalent Isotropically Radiated Power

EMC ElectroMagnetic Compatibility EME Externally Mounted Equipment

ERC European Radiocommunications Committee

ES Earth Station

ESOMP Earth Stations On Mobile Platforms

EST Earth Station on Trains
EUT Equipment Under Test

FS Fixed Services FSS Fixed Satellite Service

IME Internally Mounted Equipment

kV kilo Volt

LMSS Land Mobile Satellite Service
LNB Low Noise Block converter
MMSS Marine Mobile Satellite Service
MSS Mobile Satellite Service

MSS Mobile Satellite Service NCF Network Control Facility

QTMA Quality of Transmission Measurement Apparatus

RF Radio Frequency

SIT Satellite Interactive Terminals
SNG Satellite News Gathering
SUT Satellite User Terminals
TES Transportable Earth Station
VSAT Very Small Aperture Terminal

### iTeh STANDARD PREVIEW

## 4 Test condition standards.iteh.ai)

### SIST EN 301 489-12 V3.2.1:2022

## **4.1 General**tps://standards.iteh.ai/catalog/standards/sist/f850abc1-61a5-446f-ada8-8144b3df59b7/sist-en-301-489-12-v3-2-1-2022

For the purposes of the present document, the test conditions of ETSI EN 301 489-1 [1], clause 4 shall apply with the following additions. Further product type related test conditions for Earth Stations are specified in the present document.

For Earth Stations with or without ancillary equipment, and/or various terrestrial ports, the selection of test configurations shall be determined. The assessment shall include sufficient representative configurations of the ES to adequately exercise the equipment. These configurations shall be recorded in the test report.

In clauses 4.2 and 4.3, the Equipment Under Test (EUT) is an ES with the selected configuration of ancillary equipment.

### 4.2 Arrangements for test signals

### 4.2.0 General

The provisions of ETSI EN 301 489-1 [1], clause 4.2.0 shall apply with the following additions.

In order to measure the system emissions and electromagnetic immunity under operational conditions, the following arrangements shall be provided:

- a) a drive equipment to put the ES terminal in its normal operating mode, and providing the ES with a receive signal to emulate the operational conditions of reception. This equipment shall control the EUT, when it is capable of transmission, so that it switches between the transmission disabled, carrier-on and carrier-off states;
- b) a Quality of Transmission Measurement Apparatus (QTMA).