

SLOVENSKI STANDARD oSIST prEN 301 489-20 V2.1.2:2021

01-junij-2021

Standard elektromagnetne združljivosti (EMC) za radijsko opremo in storitve - 20. del: Posebni pogoji za mobilne zemeljske postaje (MES) v okviru mobilnih satelitskih storitev (MSS) - Harmonizirani standard za elektromagnetno združljivost

ElectroMagnetic Compatibility (EMC) standard for radio equipment and services - Part 20: Specific conditions for Mobile Earth Stations (MES) used in the Mobile Satellite Services (MSS) - Harmonised Standard for ElectroMagnetic Compatibility

iTeh STANDARD PREVIEW (standards.iteh.ai)

oSIST prEN 301 489-20 V2.1.2:2021 https://standards.iteh.ai/catalog/standards/sist/8a0913d0-7a7d-4d0b-8391-

Ta slovenski standard je istoveten z: ETSI EN 301 489-20 V2.1.2 (2021-03)

ICS:

33.060.01	Radijske komunikacije na splošno	Radiocommunications in general
33.070.40	Satelit	Satellite
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general

oSIST prEN 301 489-20 V2.1.2:2021 en

oSIST prEN 301 489-20 V2.1.2:2021

iTeh STANDARD PREVIEW (standards.iteh.ai)

oSIST prEN 301 489-20 V2.1.2:2021 https://standards.iteh.ai/catalog/standards/sist/8a0913d0-7a7d-4d0b-8391-b37acdba0a55/osist-pren-301-489-20-v2-1-2-2021 oSIST prEN 301 489-20 V2.1.2:2021

Draft ETSI EN 301 489-20 V2.1.2 (2021-03)



Reference

REN/ERM-EMC-405

Keywords

earth station, EMC, harmonised standard, MSS, radio, regulation, satellite, testing

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la

Teh Sous-Préfecture de Grasse (06) N° 7803/88/ IEW

(standards.iteh.ai)

Important notice

https://standards.iteh.ai/catalog/standards/sist/8a0913d0-7a7d-4d0b-8391-The present document can be downloaded from: 03/actil 1/2009/standards-search 2-2021 http://www.etsi.org/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx

If you find errors in the present document, please send your comment to one of the following services: https://portal.etsi.org/People/CommiteeSupportStaff.aspx

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2021. All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M[™] logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intell	lectual Property Rights	5
Forev	word	5
Moda	al verbs terminology	5
1	Scope	6
2	References	6
2.1	Normative references	
2.2	Informative references	
3 3.1	Definition of terms, symbols and abbreviations Terms	
3.2	Symbols	9
3.3	Abbreviations	
4	Test conditions	
4.1 4.2	General	
4.2.0	General	10
4.2.1	Arrangements for test signals at the input of transmitters	
4.2.2 4.2.3	Arrangements for test signals at the output of transmitters	
4.2.4		
4.3	Arrangements for test signals at the output of receivers	11
4.3.0	General	11
4.3.1 4.3.2	Transmitter exclusion band (standards.iteh.ai) Receiver exclusion band	12 12
5	Performance assessment OSIST prEN 301.489-20.V2.1.2:2021	
5 5.1	Void https://standards.itch.ai/catalog/standards/sist/8a0913d0-7a7d-4d0b-8391-	
5.2	MES connected to host equipment0a55/osist-pren-301-489-20-v2-1-2-2021	
5.2.0	General	12
5.2.1	Alternative A: combined equipment	
5.2.2 5.3	Alternative B: use of a test jig	
5.4	Equipment classification	
6	Performance criteria	13
6.1	General	13
6.2	Performance criteria for Continuous Phenomena	
6.3	Performance criteria for Transient Phenomena	
7	Requirements	
7.1 7.1.1	Emission	
7.1.1	Special conditions	
7.2	Immunity	
7.2.1	General	14
7.2.2	Special conditions	16
Anne	ex A (informative): Relationship between the present document and the essential requirements of Directive 2014/53/EU	
Anne	ex B (informative): Definitions of MESs within the scope of the present docume	nt19
B.0	General	
B.1	MESs operating within 1,6 GHz/2,4 GHz band	
B.2	MESs operating within the 1,5 GHz/1,6 GHz	
₽ .∠	111200 operating within the 1,0 OH2/1,0 OH2	

oSIST prEN 301 489-20 V2.1.2:2021

Draft ETSI EN 301 489-20 V2.1.2 (2021-03)

B.3	MESs operating within	2,0 GHz band	19
B.4	MESs operating below	1 GHz	20
B.5	MESs operating in the	11 GHz/12 GHz/14 GHz frequency bands	20
Anne	ex C (informative):	Change history	21

iTeh STANDARD PREVIEW (standards.iteh.ai)

oSIST prEN 301 489-20 V2.1.2:2021 https://standards.iteh.ai/catalog/standards/sist/8a0913d0-7a7d-4d0b-8391-b37acdba0a55/osist-pren-301-489-20-v2-1-2-2021

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This draft Harmonised European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI standards EN Approval Procedure. ards.iteh.ai)

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.2] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.1]. b37acdba0a55/osist-pren-301-489-20-v2-1-2-2021

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive and associated EFTA regulations.

The present document is part 20 of a multi-part deliverable. Full details of the entire series can be found in part 1 [1].

Proposed national transposition dates		
Date of latest announcement of this EN (doa):	3 months after ETSI publication	
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa	
Date of withdrawal of any conflicting National Standard (dow):	18 months after doa	

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the <u>ETSI Drafting Rules</u> (Verbal forms for the expression of provisions).

[&]quot;must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document specifies technical characteristics and methods of measurement for Mobile Earth Stations (MESs) operating in the Mobile Satellite Services (MSSs) as defined in annex B, and ancillary equipment in respect of ElectroMagnetic Compatibility (EMC).

Technical specifications related to the antenna port and emissions from the enclosure port of the equipment are not included in the present document. Such technical specifications are found in the relevant product standards for the effective use of the radio spectrum, see table 1.

Table 1: Radio Technologies in scope of the present document

Technology	ETSI Standard
Low data rate Land Mobile satellite Earth Stations (LMES) and Maritime Mobile satellite Earth Stations (MMES) operating in the 1 518 MHz to 1 675 MHz	ETSI EN 301 426 [i.3]
frequency bands	
Low data rate Land Mobile satellite Earth Stations (LMES) operating in the 11/12/14 GHz frequency bands	ETSI EN 301 427 [i.4]
Mobile Earth Stations (MESs), including handheld earth stations, for Satellite	
Personal Communications Networks (S-PCN) in the 1 610 MHz to 2 500 MHz	ETSI EN 301 441 [i.5]
frequency bands under the Mobile Satellite Service (MSS)	
Mobile Earth Stations (MESs), including handheld earth stations, for Satellite	
Personal Communications Networks (S-PCN) in the 1 980 MHz to 2 200 MHz	ETSI EN 301 442 [i.6]
frequency bands under the Mobile Satellite Service (MSS)	
Land Mobile Earth Stations (LMES) and Maritime Mobile Earth Stations (MMES)	
operating in the 1 518 MHz to 1 675 MHz frequency bands providing voice and/or	ETSI EN 301 444 [i.7]
data communications	
Mobile Earth Stations (MES) providing Low Bit Rate Data Communications	W
(LBRDC) using Low Earth Orbiting (LEO) satellites operating in the 137 MHz to	ETSI EN 301 721 [i.8]
401 MHz frequency bands (standards itch ai)	
Land Mobile Earth Stations (LMES) and Maritime Mobile Earth Stations (MMES)	
of Geostationary mobile satellite systems, including handheld earth stations, for	ETSI EN 301 681 [i.9]
Satellite Personal Communications Networks (SIPCN) under the Mobile Satellite	
Service (MSS), operating in the 11518 MHz to 1 675 MHz frequency bands 7 a 7 d - 4 d	lb-8391-
Aircraft Earth Stations (AES) providing Aeronautical Mobile Satellite Service 2021	
(AMSS)/Mobile Satellite Service (MSS) and/or the Aeronautical Mobile Satellite	ETSI EN 301 473 [i.10]
on Route Service (AMS(R)S)/Mobile Satellite Service (MSS), operating in the	
1 518 MHz to 2 500 MHz frequency bands	

The environmental classification used in the present document are as stated in ETSI EN 301 489-1 [1].

For a multimode radio station, the present document only applies to the radio station when operated in the Mobile Satellite Service mode.

NOTE: The relationship between the present document and essential requirements of article 3.1(b) of Directive 2014/53/EU [i.1] is given in annex A.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at https://docbox.etsi.org/Reference/.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

7

The following referenced documents are necessary for the application of the present document.

- [1] ETSI EN 301 489-1 (V2.2.3) (11-2019): "ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility".
- [2] Void.
- [3] Void.
- [4] ITU-R Radio Regulations (2020).
- [5] Void.
- [6] EN 61000-3-3 (2013) +A1 (2019): "Electromagnetic compatibility (EMC) Part 3-3: Limits Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection" (produced by CENELEC).

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject areastandards.iteh.ai)

- [i.1] Directive 2014/53/EU of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC3d0-7a7d-4d0b-8391-b37acdba0a55/osist-pren-301-489-20-v2-1-2-2021
- [i.2] Commission Implementing Decision C(2015) 5376 final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.
- [i.3] ETSI EN 301 426: "Satellite Earth Stations and Systems (SES); Harmonised Standard for Low data rate Land Mobile satellite Earth Stations (LMES) and Maritime Mobile satellite Earth Stations (MMES) not intended for distress and safety communications operating in the 1,5 GHz/1,6 GHz frequency bands covering the essential requirements of article 3.2 of the Directive 2014/53/EU".
- [i.4] ETSI EN 301 427: "Satellite Earth Stations and Systems (SES); Harmonised Standard for low data rate Mobile satellite Earth Stations (MES) except aeronautical mobile satellite earth stations, operating in the 11/12/14 GHz frequency bands covering the essential requirements of article 3.2 of the Directive 2014/53/EU".
- [i.5] ETSI EN 301 441: "Satellite Earth Stations and Systems (SES); Harmonised Standard for Mobile Earth Stations (MES), including handheld earth stations, for Satellite Personal Communications Networks (S-PCN) operating in the 1,6 GHz/2,4 GHz frequency band under the Mobile Satellite Service (MSS) covering the essential requirements of article 3.2 of the Directive 2014/53/EU".
- [i.6] ETSI EN 301 442: "Satellite Earth Stations and Systems (SES); Harmonised Standard for NGSO Mobile Earth Stations (MES) including handheld earth stations, for Satellite Personal Communications Networks (S-PCN) operating in the 1 980 MHz to 2 010 MHz (earth-to-space) and 2 170 MHz to 2 200 MHz (space-to-earth) frequency bands under the Mobile Satellite Service (MSS) covering the essential requirements of article 3.2 of the Directive 2014/53/EU".

- 8
- [i.7] ETSI EN 301 444: "Satellite Earth Stations and Systems (SES); Land Mobile Earth Stations (LMES) and Maritime Mobile Earth Stations (MMES) providing voice and/or data communications, operating in the 1,5 GHz and 1,6 GHz frequency bands; Harmonised Standard for access to radio spectrum".
- [i.8] ETSI EN 301 721: "Satellite Earth Stations and Systems (SES); Harmonised Standard for Mobile Earth Stations (MES) providing Low Bit Rate Data Communications (LBRDC) using Low Earth Orbiting (LEO) satellites operating below 1 GHz frequency band covering the essential requirements of article 3.2 of the Directive 2014/53/EU".
- [i.9] ETSI EN 301 681: "Satellite Earth Stations and Systems (SES); Harmonised Standard for Mobile Earth Stations (MES) of Geostationary mobile satellite systems, including handheld earth stations, for Satellite Personal Communications Networks (S-PCN) under the Mobile Satellite Service (MSS), operating in the 1,5 GHz and 1,6 GHz frequency bands covering the essential requirements of article 3.2 of the Directive 2014/53/EU".
- [i.10] ETSI EN 301 473: "Satellite Earth Stations and Systems (SES); Harmonised Standard for Aircraft Earth Stations (AES) providing Aeronautical Mobile Satellite Service (AMSS)/Mobile Satellite Service (MSS) and/or the Aeronautical Mobile Satellite on Route Service (AMS(R)S)/Mobile Satellite Service (MSS), operating in the frequency band below 3 GHz covering the essential requirements of article 3.2 of the Directive 2014/53/EU".

3 Definition of terms, symbols and abbreviations

3.1 Terms iTeh STANDARD PREVIEW

For the purposes of the present document, the terms given in ETSI EN 301 489-1 [1] and the following apply:

ancillary equipment: electrical or electronic equipment, that is intended to be used with a receiver or transmitter oSIST prEN 301 489-20 V2.1.2:2021

NOTE 1: It is considered as am ancillary, equipment affiliards/sist/8a0913d0-7a7d-4d0b-8391-

- b37acdba0a55/osist-pren-301-489-20-v2-1-2-2021
 the equipment is intended for use with a receiver or transmitter to provide additional operational and/or control features to the radio equipment (e.g. to extend control to another position or location);
- the ancillary equipment cannot be used without being connected to radio equipment to provide user functions independently of a receiver or transmitter; and
- the receiver or transmitter, to which it is connected, is capable of providing some intended operation such as transmitting and/or receiving without the ancillary equipment (i.e. it is not a sub-unit of the main equipment essential to the main equipment basic functions).

NOTE 2: An example of ancillary equipment would be a docking station for radio equipment whose interface is dedicated to a particular product or range of products.

carrier-off state (idle mode): state of an MES when it is powered-on but not transmitting a signal, i.e. not in a carrier-on state

carrier-on state (allocated a channel): state of an MES when it is transmitting a signal in a continuous or a non-continuous mode

critical stored data: data that is essential for an EUT to perform a primary function in accordance with that EUT's specification

NOTE: This may include data previously stored by the user.

drive equipment: equipment used to enable the EUT to operate as intended during the test process

Externally Mounted Equipment (EME): equipment consisting of those of the modules of the Installable Equipment (IE) which are intended to be mounted externally to the vehicle as stated by the manufacturer

Draft ETSI EN 301 489-20 V2.1.2 (2021-03)

host equipment: any equipment which has complete user functionality when not connected to the MES, and to which connection is necessary for the MES to offer additional functionality

Installable Equipment (IE): equipment which is intended to be fitted to a vehicle

An IE may consist of one or several interconnected modules.

integral antenna: antenna designed for permanent connection to the equipment and considered part of the enclosure port

Internally Mounted Equipment (IME): IE modules which are not defined as EME

multimode MES: equipment that accommodates radio stations of different radio systems

occupied bandwidth: See ITU-R Radio Regulations [4], part A, chapter 1, Terminology RR 147.

Portable Equipment (PE): radio equipment intended for portable use and powered by integral batteries or battery

NOTE 1: A PE would normally consist of a single module, but may consist of several interconnected modules.

NOTE 2: More than one of the equipment classifications can apply to certain equipment, as described in clause 5.4, dependent upon the manufacturer's declaration of normal intended use.

transmission disabled state: state of an MES when it is not authorized to transmit by the Network Control Facilities (NCF)

Symbols 3.2

For the purposes of the present document, the following symbols apply:

minimum power required to establish a communication link Pmin

oSIST prEN 301 489-20 V2.1.2:2021 Abbreviations OSIST PILAT SOLT TO SERVICE ABOUT A STATE OF THE ABOUT A S 3.3

b37acdba0a55/osist-pren-301-489-20-v2-1-2-2021 For the purposes of the present document, the following abbreviations apply:

AC Alternating Current **AES** Aeronautical Earth Station

BER Bit Error Ratio DC Direct Current

European Free Trade Association **EFTA** ElectroMagnetic Compatibility **EMC Externally Mounted Equipment EME**

Equipment Under Test EUT

Fixed MES F-MES

ΙE Installable Equipment

IME Internally Mounted Equipment LBRDC Low Bit Rate Data Communication

LEO Low Earth Orbit

LMES Land Mobile Earth Station **MES** Mobile Earth Station

Maritime Mobile Earth Station **MMES MSS** Mobile Satellite Service **NCF Network Control Facilities** Portable Equipment PE Peak Envelope Power PEP

P-MES Portable MES

Quality of Transmission Measurement Apparatus OTMA

Radio Frequency RF

S-PCN Satellite Personal Communications Network

V-MES Vehicle mounted MES