

ETSI TS 124 379 V13.13.0 (2019-07)



LTE;
Mission Critical Push To Talk (MCPTT) call control;
Protocol specification
(3GPP TS 24.379 version 13.13.0 Release 13)

Full Standard Preview
https://standards.iteh.ai/catalog/standards/sis/552e8fb6-5ed9-4abc-9a7d-e152e64c7251/etsi-ts-124-379-v13-13-0-2019-07



ReferenceRTS/TSGC-0124379vdd0

KeywordsLTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

| | |
|--|----|
| Intellectual Property Rights | 2 |
| Legal Notice | 2 |
| Modal verbs terminology..... | 2 |
| Foreword..... | 21 |
| 1 Scope | 22 |
| 2 References | 22 |
| 3 Definitions, symbols and abbreviations | 25 |
| 3.1 Definitions | 25 |
| 3.2 Abbreviations | 26 |
| 4 General | 27 |
| 4.1 MCPTT overview..... | 27 |
| 4.2 URI and address assignments..... | 28 |
| 4.3 MCPTT speech..... | 28 |
| 4.4 Warning Header Field | 29 |
| 4.4.1 General..... | 29 |
| 4.4.2 Warning texts..... | 29 |
| 4.5 MCPTT session identity | 32 |
| 4.6 MCPTT priority calls and alerts | 33 |
| 4.6.1 MCPTT emergency group calls..... | 33 |
| 4.6.2 MCPTT emergency private calls | 34 |
| 4.6.3 MCPTT emergency alerts..... | 35 |
| 4.6.4 MCPTT imminent peril group call..... | 36 |
| 4.7 End-to-end communication security..... | 37 |
| 4.8 Protection of sensitive application data..... | 38 |
| 4.9 Pre-established session | 41 |
| 4.10 MCPTT client ID | 42 |
| 4.11 Off-network MCPTT..... | 42 |
| 5 Functional entities | 43 |
| 5.1 Introduction | 43 |
| 5.2 MCPTT client..... | 43 |
| 5.3 MCPTT server..... | 44 |
| 5.3.1 General..... | 44 |
| 5.3.2 Functional connectivity models | 45 |
| 6 Common procedures..... | 47 |
| 6.1 Introduction | 47 |
| 6.2 MCPTT client procedures | 47 |
| 6.2.0 Distinction of requests at the MCPTT client | 47 |
| 6.2.0.1 SIP MESSAGE request..... | 47 |
| 6.2.1 SDP offer generation | 47 |
| 6.2.2 SDP answer generation..... | 48 |
| 6.2.3 Commencement modes..... | 49 |
| 6.2.3.1 Automatic commencement mode..... | 49 |
| 6.2.3.1.1 Automatic commencement mode for private calls | 49 |
| 6.2.3.1.2 Automatic commencement mode for group calls | 49 |
| 6.2.3.2 Manual commencement mode | 49 |
| 6.2.3.2.1 Manual commencement mode for private calls..... | 49 |
| 6.2.3.2.2 Manual commencement mode for group calls..... | 50 |
| 6.2.4 Leaving an MCPTT session initiated by MCPTT client..... | 50 |
| 6.2.4.1 On-demand session case | 50 |
| 6.2.4.2 Pre-established session case..... | 51 |
| 6.2.5 Releasing an MCPTT session initiated by MCPTT client | 51 |
| 6.2.5.1 On-demand session case | 51 |

| | | |
|-------------|--|----|
| 6.2.5.2 | Pre-established session case | 51 |
| 6.2.6 | Receiving an MCPTT session release request | 52 |
| 6.2.7 | Receiving a SIP MESSAGE request..... | 52 |
| 6.2.8 | Priority call conditions..... | 52 |
| 6.2.8.1 | MCPTT emergency group call conditions | 52 |
| 6.2.8.1.1 | SIP INVITE request or SIP REFER request for originating MCPTT emergency group calls | 52 |
| 6.2.8.1.2 | Resource-Priority header field for MCPTT emergency group calls | 53 |
| 6.2.8.1.3 | SIP re-INVITE request for cancelling MCPTT in-progress emergency group state | 54 |
| 6.2.8.1.4 | Receiving a SIP 2xx response to a SIP request for a priority call | 55 |
| 6.2.8.1.5 | Receiving a SIP 4xx response, SIP 5xx response or SIP 6xx response to a SIP request for a priority group call | 55 |
| 6.2.8.1.6 | Determining authorisation for initiating or cancelling an MCPTT emergency alert | 56 |
| 6.2.8.1.7 | Determining authorisation for cancelling the in-progress emergency state of an MCPTT group..... | 56 |
| 6.2.8.1.8 | Determining authorisation for originating a priority group call | 56 |
| 6.2.8.1.9 | SIP request for originating MCPTT imminent peril group calls | 57 |
| 6.2.8.1.10 | Determining authorisation for cancelling an imminent peril group call | 58 |
| 6.2.8.1.11 | SIP re-INVITE request for cancelling MCPTT in-progress imminent peril group state | 58 |
| 6.2.8.1.12 | Resource-Priority header field for MCPTT imminent peril group calls | 58 |
| 6.2.8.1.13 | Receiving a SIP INFO request in the dialog of a SIP request for a priority group call | 59 |
| 6.2.8.1.14 | SIP re-INVITE request for cancelling the in-progress emergency group state of a group by a third-party | 59 |
| 6.2.8.1.15 | Retrieving Resource-Priority header field values | 60 |
| 6.2.8.1.16 | Handling receipt of a SIP re-INVITE request for priority group call origination status within a pre-established session..... | 61 |
| 6.2.8.1.17 | Priority group call conditions upon receiving call release..... | 61 |
| 6.2.8.1.18 | Emergency private call conditions upon receiving call release | 62 |
| 6.2.8.2 | Request for an originating broadcast group call..... | 62 |
| 6.2.8.3 | MCPTT emergency private call conditions..... | 62 |
| 6.2.8.3.1 | Authorisations | 62 |
| 6.2.8.3.1.1 | Determining authorisation for initiating an MCPTT emergency private call | 62 |
| 6.2.8.3.1.2 | Determining authorisation for cancelling an MCPTT emergency private call | 63 |
| 6.2.8.3.1.3 | Determining authorisation for initiating or cancelling an MCPTT emergency alert to a MCPTT user | 63 |
| 6.2.8.3.2 | SIP request for originating MCPTT emergency private calls..... | 63 |
| 6.2.8.3.3 | Resource-Priority header field for MCPTT emergency private calls | 64 |
| 6.2.8.3.4 | Receiving a SIP 2xx response to a SIP request for an MCPTT emergency private call..... | 64 |
| 6.2.8.3.5 | Receiving a SIP 4xx response, SIP 5xx response or SIP 6xx response to a SIP request for an MCPTT emergency private call..... | 64 |
| 6.2.8.3.6 | SIP re-INVITE request for cancelling MCPTT emergency private call state..... | 65 |
| 6.2.8.3.7 | Receiving a SIP INFO request in the dialog of a SIP request for a priority private call..... | 66 |
| 6.2.8.3.8 | SIP re-INVITE request for cancelling the MCPTT emergency private call state by a third-party..... | 66 |
| 6.2.9 | Location information | 67 |
| 6.2.9.1 | Location information for location reporting..... | 67 |
| 6.3 | MCPTT server procedures | 68 |
| 6.3.1 | Distinction of requests sent to the MCPTT server | 68 |
| 6.3.1.1 | SIP INVITE request | 68 |
| 6.3.1.2 | SIP REFER request | 68 |
| 6.3.1.3 | SIP MESSAGE request..... | 68 |
| 6.3.1.4 | SIP SUBSCRIBE request..... | 69 |
| 6.3.2 | Participating MCPTT Function..... | 69 |
| 6.3.2.1 | Requests initiated by the served MCPTT user | 69 |
| 6.3.2.1.1 | SDP offer generation | 69 |
| 6.3.2.1.1.1 | On-demand session | 69 |
| 6.3.2.1.1.2 | Pre-established session..... | 70 |
| 6.3.2.1.2 | SDP answer generation..... | 70 |
| 6.3.2.1.2.1 | On-demand session | 70 |
| 6.3.2.1.2.2 | Pre-established session establishment..... | 71 |
| 6.3.2.1.3 | Sending an INVITE request on receipt of an INVITE request | 71 |
| 6.3.2.1.4 | Sending an INVITE request on receipt of a REFER request..... | 72 |
| 6.3.2.1.5 | Response to an INVITE request | 72 |

| | | |
|--------------|--|----|
| 6.3.2.1.5.1 | Provisional responses..... | 72 |
| 6.3.2.1.5.2 | Final response | 73 |
| 6.3.2.1.6 | Sending a SIP BYE request on receipt of a SIP BYE request | 73 |
| 6.3.2.1.7 | Sending a SIP BYE request on receipt of a SIP REFER request..... | 74 |
| 6.3.2.1.8 | Priority call conditions | 74 |
| 6.3.2.1.8.1 | Determining authorisation for originating a priority group call..... | 74 |
| 6.3.2.1.8.2 | Determining authorisation for initiating or cancelling an MCPTT emergency alert..... | 75 |
| 6.3.2.1.8.3 | Validate priority request parameters | 76 |
| 6.3.2.1.8.4 | Retrieving Resource-Priority header field values | 76 |
| 6.3.2.1.8.5 | Generating a SIP re-INVITE request for priority group call origination within a pre-established session | 76 |
| 6.3.2.1.8.6 | Generating a SIP re-INVITE request for emergency private call origination within a pre-established session | 77 |
| 6.3.2.1.9 | Generating a SIP re-INVITE request on receipt of a SIP re-INVITE request | 78 |
| 6.3.2.1.10 | Sending a SIP INVITE request on receipt of SIP 3xx response | 78 |
| 6.3.2.2 | Requests terminated to the served MCPTT user | 79 |
| 6.3.2.2.1 | SDP offer generation | 79 |
| 6.3.2.2.2 | SDP answer generation..... | 79 |
| 6.3.2.2.2.1 | On-demand session | 79 |
| 6.3.2.2.2.2 | Pre-established session..... | 79 |
| 6.3.2.2.3 | SIP INVITE request towards the terminating MCPTT client..... | 80 |
| 6.3.2.2.4 | Response to a SIP INVITE request | 80 |
| 6.3.2.2.4.1 | Provisional response | 80 |
| 6.3.2.2.4.2 | Final response | 80 |
| 6.3.2.2.5 | Automatic Commencement Mode..... | 81 |
| 6.3.2.2.5.1 | General..... | 81 |
| 6.3.2.2.5.2 | Automatic commencement for On-Demand session..... | 81 |
| 6.3.2.2.5.3 | Automatic commencement for pre-established session | 83 |
| 6.3.2.2.6 | Manual Commencement Mode | 84 |
| 6.3.2.2.6.1 | General..... | 84 |
| 6.3.2.2.6.2 | Manual commencement for On-Demand session | 84 |
| 6.3.2.2.6.3 | Manual commencement for Pre-established session..... | 85 |
| 6.3.2.2.7 | SIP MESSAGE request towards the terminating MCPTT client | 87 |
| 6.3.2.2.8 | SIP BYE request towards the terminating MCPTT client..... | 87 |
| 6.3.2.2.8.1 | On-demand..... | 87 |
| 6.3.2.2.8.2 | Using pre-established session..... | 88 |
| 6.3.2.2.9 | Populate MIME bodies..... | 88 |
| 6.3.2.2.10 | Generating a SIP re-INVITE request towards the terminating MCPTT client..... | 88 |
| 6.3.2.2.11 | Generating a SIP MESSAGE request towards the terminating MCPTT client..... | 88 |
| 6.3.2.3 | Processing I_MESSAGES containing MKFC and MKFC-ID | 89 |
| 6.3.2.3.1 | General | 89 |
| 6.3.2.3.2 | Processing an I_MESSAGE containing MKFC and MKFC-ID..... | 89 |
| 6.3.3 | Controlling MCPTT function | 90 |
| 6.3.3.1 | Request initiated by the controlling MCPTT function | 90 |
| 6.3.3.1.1 | SDP offer generation | 90 |
| 6.3.3.1.2 | Sending an INVITE request | 90 |
| 6.3.3.1.3 | Receipt of a SIP response to a SIP INVITE request..... | 91 |
| 6.3.3.1.3.1 | Final response | 91 |
| 6.3.3.1.4 | Sending a SIP MESSAGE request | 91 |
| 6.3.3.1.5 | Sending a SIP BYE request..... | 91 |
| 6.3.3.1.6 | Sending a SIP re-INVITE request for MCPTT emergency group call..... | 92 |
| 6.3.3.1.7 | Sending a SIP INVITE request for MCPTT emergency group call | 92 |
| 6.3.3.1.8 | Sending a SIP UPDATE request for Resource-Priority header field correction..... | 94 |
| 6.3.3.1.9 | Generating a SIP re-INVITE request..... | 94 |
| 6.3.3.1.10 | Generating a SIP re-INVITE request to cancel an in-progress emergency | 95 |
| 6.3.3.1.11 | Generating a SIP MESSAGE request for notification of in-progress emergency or imminent peril status change | 95 |
| 6.3.3.1.12 | Populate mcptt-info and location-info MIME bodies for emergency alert..... | 95 |
| 6.3.3.1.13 | Authorisations | 96 |
| 6.3.3.1.13.1 | Determining authorisation for initiating an MCPTT emergency alert | 96 |
| 6.3.3.1.13.2 | Determining authorisation for initiating an MCPTT emergency group or private call..... | 97 |
| 6.3.3.1.13.3 | Determining authorisation for cancelling an MCPTT emergency alert | 98 |

| | | |
|--------------|--|-----|
| 6.3.3.1.13.4 | Determining authorisation for cancelling an MCPTT emergency call | 98 |
| 6.3.3.1.13.5 | Determining authorisation for initiating an MCPTT imminent peril call | 98 |
| 6.3.3.1.13.6 | Determining authorisation for cancelling an MCPTT imminent peril call | 99 |
| 6.3.3.1.13.7 | Sending a SIP OPTIONS request to authorise an MCPTT user at a non-controlling MCPTT function of a MCPTT group | 99 |
| 6.3.3.1.14 | Generating a SIP 403 response for priority call request rejection | 101 |
| 6.3.3.1.15 | Sending a SIP re-INVITE request for MCPTT imminent peril group call | 101 |
| 6.3.3.1.16 | Handling the expiry of timer TNG2 (in-progress emergency group call timer) | 102 |
| 6.3.3.1.17 | Validate priority request parameters | 102 |
| 6.3.3.1.18 | Sending a SIP INFO request in the dialog of a SIP request for a priority call | 103 |
| 6.3.3.1.19 | Retrieving Resource-Priority header field values | 103 |
| 6.3.3.1.20 | Generating a SIP MESSAGE request to indicate successful receipt of an emergency alert or emergency cancellation | 104 |
| 6.3.3.2 | Requests terminated by the controlling MCPTT function | 104 |
| 6.3.3.2.1 | SDP answer generation | 104 |
| 6.3.3.2.2 | Receipt of a SIP INVITE request | 105 |
| 6.3.3.2.3 | Sending a SIP response to a SIP INVITE request | 105 |
| 6.3.3.2.3.1 | Provisional response | 105 |
| 6.3.3.2.3.2 | Final response | 105 |
| 6.3.3.2.4 | Receiving a SIP BYE request | 106 |
| 6.3.3.3 | Handling of the acknowledged call setup timer (TNG1) | 106 |
| 6.3.3.4 | Generating a SIP NOTIFY request | 108 |
| 6.3.3.5 | Handling of the group call timer (TNG3) | 109 |
| 6.3.3.5.1 | General | 109 |
| 6.3.3.5.2 | Interaction with the in-progress emergency group call timer (TNG2) | 110 |
| 6.3.3.6 | Generation of I_MESSAGES containing MKFC and MKFC-ID | 110 |
| 6.3.3.6.1 | General | 110 |
| 6.3.3.6.2 | Creation of an I_MESSAGE containing MKFC | 110 |
| 6.3.4 | Non-controlling MCPTT function of an MCPTT group | 111 |
| 6.3.4.1 | Request initiated by the non-controlling MCPTT function of an MCPTT group | 111 |
| 6.3.4.1.1 | SDP offer generation | 111 |
| 6.3.4.1.2 | Sending an INVITE request towards the MCPTT client | 111 |
| 6.3.4.1.3 | Sending a SIP INFO request | 112 |
| 6.3.4.1.4 | Sending an INVITE request towards the controlling MCPTT function | 113 |
| 6.3.4.2 | Requests terminated by the non-controlling MCPTT function of an MCPTT group | 114 |
| 6.3.4.2.1 | SDP answer generation | 114 |
| 6.3.4.2.2 | Sending a SIP response to the SIP INVITE request | 114 |
| 6.3.4.2.2.1 | Sending a SIP 183 (Session Progress) response | 114 |
| 6.3.4.2.2.2 | Sending a SIP 200 (OK) response | 114 |
| 6.3.4.3 | Generating a SIP NOTIFY request | 115 |
| 6.3.4.4 | Generating an I_MESSAGE containing MKFC | 115 |
| 6.3.4.4.1 | General | 115 |
| 6.3.4.4.2 | Creation of an I_MESSAGE containing MKFC | 116 |
| 6.3.5 | Retrieving and processing a group document | 116 |
| 6.3.5.1 | General | 116 |
| 6.3.5.2 | Rules for retrieving Group Document(s) | 117 |
| 6.3.5.3 | Rules for joining a group session | 120 |
| 6.3.5.4 | Rules for initiating a prearranged group session | 120 |
| 6.3.5.5 | Determining the group members to invite | 121 |
| 6.3.6 | Affiliation check | 121 |
| 6.3.7 | Error handling | 122 |
| 6.3.7.1 | Public service identity does not exist | 122 |
| 6.3.8 | Session release policy | 122 |
| 6.3.8.1 | Session release policy for group call | 122 |
| 6.3.8.2 | Session release policy for private call | 122 |
| 6.4 | Implicit floor request | 122 |
| 6.5 | Handling of MIME bodies in a SIP message | 123 |
| 6.6 | Confidentiality and Integrity Protection | 124 |
| 6.6.1 | General | 124 |
| 6.6.1.1 | Applicability and exclusions | 124 |
| 6.6.1.2 | Performing XML content encryption | 124 |
| 6.6.1.3 | Performing integrity protection on an XML body | 124 |

| | | |
|-----------|--|-----|
| 6.6.1.4 | Verifying integrity of an XML body and decrypting XML elements | 124 |
| 6.6.2 | Confidentiality Protection | 125 |
| 6.6.2.1 | General | 125 |
| 6.6.2.2 | Keys used in confidentiality protection procedures | 125 |
| 6.6.2.3 | Procedures for sending confidentiality protected content | 125 |
| 6.6.2.3.1 | MCPTT client | 125 |
| 6.6.2.3.2 | MCPTT server | 126 |
| 6.6.2.3.3 | Content Encryption in XML elements | 126 |
| 6.6.2.3.4 | Attribute URI Encryption | 126 |
| 6.6.2.4 | Procedures for receiving confidentiality protected content | 127 |
| 6.6.2.4.1 | Determination of confidentiality protected content | 127 |
| 6.6.2.4.2 | Decrypting confidentiality protected content in XML elements | 127 |
| 6.6.2.4.3 | Decrypting confidentiality protected URIs in XML attributes | 127 |
| 6.6.2.5 | MCPTT server copying received XML content | 128 |
| 6.6.3 | Integrity Protection of XML documents | 128 |
| 6.6.3.1 | General | 128 |
| 6.6.3.2 | Keys used in integrity protection procedures | 130 |
| 6.6.3.3 | Sending integrity protected content | 131 |
| 6.6.3.3.1 | MCPTT client | 131 |
| 6.6.3.3.2 | MCPTT server | 131 |
| 6.6.3.3.3 | Integrity protection procedure | 131 |
| 6.6.3.4 | Receiving integrity protected content | 132 |
| 6.6.3.4.1 | Determination of integrity protected content | 132 |
| 6.6.3.4.2 | Verification of integrity protected content | 132 |
| 6.7 | Priority sharing | 132 |
| 7 | Registration and service authorisation | 132 |
| 7.1 | General | 132 |
| 7.2 | MCPTT client procedures | 132 |
| 7.2.1 | SIP REGISTER request for service authorisation | 132 |
| 7.2.1AA | SIP REGISTER request without service authorisation | 134 |
| 7.2.1A | Common SIP PUBLISH procedure | 134 |
| 7.2.2 | SIP PUBLISH request for service authorisation and MCPTT service settings | 134 |
| 7.2.3 | Sending SIP PUBLISH for MCPTT service settings only | 135 |
| 7.3 | MCPTT server procedures | 136 |
| 7.3.1 | General | 136 |
| 7.3.1A | Confidentiality and Integrity Protection | 136 |
| 7.3.2 | SIP REGISTER request for service authorisation | 138 |
| 7.3.3 | SIP PUBLISH request for service authorisation and service settings | 138 |
| 7.3.4 | Receiving SIP PUBLISH request for MCPTT service settings only | 139 |
| 7.3.5 | Receiving SIP PUBLISH request with "Expires=0" | 140 |
| 8 | Pre-established session | 140 |
| 8.1 | General | 140 |
| 8.1A | Participating MCPTT function use of resource sharing | 141 |
| 8.2 | Session establishment | 141 |
| 8.2.1 | MCPTT client procedures | 141 |
| 8.2.2 | Participating MCPTT function procedures | 142 |
| 8.3 | Session modification | 143 |
| 8.3.1 | MCPTT client procedures | 143 |
| 8.3.1.1 | MCPTT client initiated | 143 |
| 8.3.1.2 | Participating MCPTT function initiated | 144 |
| 8.3.2 | Participating MCPTT function procedures | 144 |
| 8.3.2.1 | MCPTT client initiated | 144 |
| 8.3.2.2 | Participating MCPTT function initiated | 144 |
| 8.4 | Session release | 145 |
| 8.4.1 | MCPTT client procedures | 145 |
| 8.4.1.1 | MCPTT client initiated | 145 |
| 8.4.1.2 | Participating MCPTT function initiated | 145 |
| 8.4.2 | Participating MCPTT function procedures | 145 |
| 8.4.2.1 | MCPTT client initiated | 145 |
| 8.4.2.2 | Participating MCPTT function initiated | 146 |

| | | |
|--------------|--|-----|
| 9 | Affiliation | 146 |
| 9.1 | General | 146 |
| 9.2 | Procedures | 147 |
| 9.2.1 | MCPTT client procedures..... | 147 |
| 9.2.1.1 | General | 147 |
| 9.2.1.2 | Affiliation status change procedure..... | 147 |
| 9.2.1.3 | Affiliation status determination procedure..... | 148 |
| 9.2.1.4 | Procedure for sending affiliation status change request in negotiated mode to target MCPTT user... | 149 |
| 9.2.1.5 | Procedure for receiving affiliation status change request in negotiated mode from authorized MCPTT user..... | 150 |
| 9.2.2 | MCPTT server procedures..... | 150 |
| 9.2.2.1 | General | 150 |
| 9.2.2.2 | Procedures of MCPTT server serving the MCPTT user | 150 |
| 9.2.2.2.1 | General | 150 |
| 9.2.2.2.2 | Stored information..... | 151 |
| 9.2.2.2.3 | Receiving affiliation status change from MCPTT client procedure | 151 |
| 9.2.2.2.4 | Receiving subscription to affiliation status procedure | 154 |
| 9.2.2.2.5 | Sending notification of change of affiliation status procedure | 155 |
| 9.2.2.2.6 | Sending affiliation status change towards MCPTT server owning MCPTT group procedure | 155 |
| 9.2.2.2.7 | Affiliation status determination from MCPTT server owning MCPTT group procedure | 157 |
| 9.2.2.2.8 | Procedure for authorizing affiliation status change request in negotiated mode sent to served MCPTT user | 159 |
| 9.2.2.2.9 | Forwarding affiliation status change towards another MCPTT user procedure | 160 |
| 9.2.2.2.10 | Forwarding subscription to affiliation status towards another MCPTT user procedure | 161 |
| 9.2.2.2.11 | Affiliation status determination | 161 |
| 9.2.2.2.12 | Affiliation status change by implicit affiliation | 162 |
| 9.2.2.2.13 | Implicit affiliation status change completion..... | 163 |
| 9.2.2.2.14 | Implicit affiliation status change cancellation | 163 |
| 9.2.2.2.15 | Implicit affiliation to configured groups procedure | 164 |
| 9.2.2.3 | Procedures of MCPTT server owning the MCPTT group | 165 |
| 9.2.2.3.1 | General | 165 |
| 9.2.2.3.2 | Stored information..... | 166 |
| 9.2.2.3.3 | Receiving group affiliation status change procedure..... | 166 |
| 9.2.2.3.4 | Receiving subscription to affiliation status procedure..... | 168 |
| 9.2.2.3.5 | Sending notification of change of affiliation status procedure | 168 |
| 9.2.2.3.6 | Implicit affiliation eligibility check procedure | 169 |
| 9.2.2.3.7 | Affiliation status change by implicit affiliation procedure | 169 |
| 9.3 | Coding | 170 |
| 9.3.1 | Extension of application/pidf+xml MIME type..... | 170 |
| 9.3.1.1 | Introduction..... | 170 |
| 9.3.1.2 | Syntax | 170 |
| 9.3.2 | Extension of application/simple-filter+xml MIME type..... | 172 |
| 9.3.2.1 | Introduction..... | 172 |
| 9.3.2.2 | Syntax | 172 |
| 10 | Group call..... | 173 |
| 10.0 | General | 173 |
| 10.1 | On-network group call..... | 174 |
| 10.1.1 | Prearranged group call | 174 |
| 10.1.1.1 | General | 174 |
| 10.1.1.2 | MCPTT client procedures | 174 |
| 10.1.1.2.1 | On-demand prearranged group call | 174 |
| 10.1.1.2.1.1 | Client originating procedures..... | 174 |
| 10.1.1.2.1.2 | Client terminating procedures..... | 175 |
| 10.1.1.2.1.3 | MCPTT upgrade to in-progress emergency or imminent peril | 177 |
| 10.1.1.2.1.4 | MCPTT in-progress emergency cancel..... | 178 |
| 10.1.1.2.1.5 | MCPTT in-progress imminent peril cancel..... | 179 |
| 10.1.1.2.1.6 | MCPTT client receives SIP re-INVITE request | 180 |
| 10.1.1.2.2 | Prearranged group call using pre-established session..... | 182 |
| 10.1.1.2.2.1 | Client originating procedures..... | 182 |
| 10.1.1.2.2.2 | Client terminating procedures | 182 |
| 10.1.1.2.3 | End group call | 182 |

| | | |
|--------------|--|-----|
| 10.1.1.2.3.1 | Client originating procedures on-demand | 182 |
| 10.1.1.2.3.2 | Client originating procedures using pre-established session | 182 |
| 10.1.1.2.3.3 | Client terminating procedures | 183 |
| 10.1.1.2.4 | Re-join procedure | 183 |
| 10.1.1.2.4.1 | On demand session establishment | 183 |
| 10.1.1.2.4.2 | Pre-established session | 183 |
| 10.1.1.3 | Participating MCPTT function procedures | 183 |
| 10.1.1.3.1 | Originating procedures | 183 |
| 10.1.1.3.1.1 | On demand prearranged group call | 183 |
| 10.1.1.3.1.2 | Prearranged group call using pre-established session | 186 |
| 10.1.1.3.1.3 | Reception of a SIP re-INVITE request from served MCPTT client | 189 |
| 10.1.1.3.2 | Terminating Procedures | 190 |
| 10.1.1.3.3 | End group call at the originating participating MCPTT function | 191 |
| 10.1.1.3.3.1 | Receipt of SIP BYE request for ending group call on-demand | 191 |
| 10.1.1.3.3.2 | Receipt of SIP REFER "BYE" request for ending group call using pre-established session | 191 |
| 10.1.1.3.4 | End group call at the terminating participating MCPTT function | 191 |
| 10.1.1.3.4.1 | Receipt of SIP BYE request for private call on-demand | 191 |
| 10.1.1.3.4.2 | Receipt of SIP BYE request when ongoing pre-established session | 191 |
| 10.1.1.3.5 | Re-join procedures | 191 |
| 10.1.1.3.5.1 | Originating procedures - on demand prearranged group call | 191 |
| 10.1.1.3.5.2 | Originating procedures - prearranged group call using pre-established session | 191 |
| 10.1.1.3.6 | Reception of a SIP re-INVITE request for terminating MCPTT client for priority call | 192 |
| 10.1.1.4 | Controlling MCPTT function procedures | 192 |
| 10.1.1.4.1 | Originating Procedures | 192 |
| 10.1.1.4.1.1 | INVITE targeted to an MCPTT client | 192 |
| 10.1.1.4.1.2 | INVITE targeted to the non-controlling MCPTT function of an MCPTT group | 194 |
| 10.1.1.4.2 | Terminating Procedures | 195 |
| 10.1.1.4.3 | End group call at the terminating controlling MCPTT function | 203 |
| 10.1.1.4.4 | End group call initiated by the controlling MCPTT function | 203 |
| 10.1.1.4.4.1 | General | 203 |
| 10.1.1.4.4.2 | SIP BYE request for releasing MCPTT session for a group call | 203 |
| 10.1.1.4.4.3 | SIP BYE request toward a MCPTT client | 204 |
| 10.1.1.4.5 | Re-join procedures | 204 |
| 10.1.1.4.5.1 | Terminating procedures | 204 |
| 10.1.1.4.6 | Late call entry initiated by controlling MCPTT function | 205 |
| 10.1.1.4.7 | Receipt of a SIP re-INVITE request | 205 |
| 10.1.1.4.8 | Handling of a SIP re-INVITE request for imminent peril session | 208 |
| 10.1.1.5 | Non-controlling function of an MCPTT group procedures | 210 |
| 10.1.1.5.1 | Originating procedures | 210 |
| 10.1.1.5.2 | Terminating procedures | 211 |
| 10.1.1.5.2.1 | General | 211 |
| 10.1.1.5.2.2 | Initiating a prearranged group call | 211 |
| 10.1.1.5.2.3 | Joining an ongoing prearranged group call | 213 |
| 10.1.1.5.2.4 | Splitting an ongoing prearranged group call | 214 |
| 10.1.1.5.3 | Rejoin procedures | 214 |
| 10.1.1.5.3.1 | Terminating procedures | 214 |
| 10.1.1.5.3.2 | Late call entry initiated by non-controlling MCPTT function | 215 |
| 10.1.1.5.4 | SIP OPTIONS request authorization procedure | 215 |
| 10.1.1.5.5 | Initiating a temporary group session | 216 |
| 10.1.2 | Chat group (restricted) call | 217 |
| 10.1.2.1 | General | 217 |
| 10.1.2.2 | MCPTT client procedures | 217 |
| 10.1.2.2.1 | On-demand chat group call | 217 |
| 10.1.2.2.1.1 | MCPTT client joins a chat MCPTT group session | 217 |
| 10.1.2.2.1.2 | MCPTT client receives SIP re-INVITE request | 219 |
| 10.1.2.2.1.3 | MCPTT in-progress emergency cancel | 220 |
| 10.1.2.2.1.4 | MCPTT upgrade to in-progress emergency or imminent peril | 221 |
| 10.1.2.2.1.5 | MCPTT in-progress imminent peril cancel | 222 |
| 10.1.2.2.1.6 | MCPTT client receives a SIP INVITE request for an MCPTT group call | 223 |
| 10.1.2.2.2 | Chat group call within a pre-established session | 225 |
| 10.1.2.2.2.1 | MCPTT client joins a chat MCPTT group session | 225 |
| 10.1.2.2.3 | End chat session | 227 |

| | | |
|--------------|---|-----|
| 10.1.2.2.3.1 | Client originating procedures on-demand..... | 227 |
| 10.1.2.2.3.2 | Client originating procedures using pre-established session..... | 227 |
| 10.1.2.2.3.3 | Client terminating procedures..... | 227 |
| 10.1.2.3 | Participating MCPTT function procedures..... | 227 |
| 10.1.2.3.1 | On-demand chat group call..... | 227 |
| 10.1.2.3.1.1 | MCPTT chat session establishment..... | 227 |
| 10.1.2.3.1.2 | Reception of a SIP re-INVITE request from served MCPTT client..... | 229 |
| 10.1.2.3.1.3 | Reception of a SIP INVITE request for terminating MCPTT client..... | 230 |
| 10.1.2.3.1.4 | Reception of a SIP re-INVITE request for terminating MCPTT client..... | 231 |
| 10.1.2.3.2 | Chat group call within a pre-established session..... | 232 |
| 10.1.2.3.2.1 | MCPTT chat session establishment..... | 232 |
| 10.1.2.3.2.2 | MCPTT chat session establishment for terminating user within a pre-established session..... | 235 |
| 10.1.2.3.3 | End group call at the originating participating MCPTT function..... | 236 |
| 10.1.2.3.3.1 | Receipt of SIP BYE request for ending on-demand chat session..... | 236 |
| 10.1.2.3.3.2 | Receipt of SIP REFER "BYE" request for ending chat session using pre-established session..... | 236 |
| 10.1.2.3.4 | End group call at the terminating participating MCPTT function..... | 236 |
| 10.1.2.3.4.1 | Receipt of SIP BYE request for on-demand chat session..... | 236 |
| 10.1.2.3.4.2 | Receipt of SIP BYE request for ongoing pre-established session..... | 236 |
| 10.1.2.4 | Controlling MCPTT function procedures..... | 236 |
| 10.1.2.4.1 | On-demand chat group call..... | 236 |
| 10.1.2.4.1.1 | MCPTT chat session establishment..... | 236 |
| 10.1.2.4.1.2 | Receipt of a SIP re-INVITE request..... | 240 |
| 10.1.2.4.1.3 | Handling of a SIP re-INVITE request for imminent peril session..... | 244 |
| 10.1.2.4.2 | End group call at the terminating controlling MCPTT function..... | 246 |
| 10.1.2.4.3 | End group call initiated by the controlling MCPTT function..... | 246 |
| 10.1.2.4.3.1 | General..... | 246 |
| 10.1.2.4.3.2 | SIP BYE request for releasing MCPTT session for a group call..... | 246 |
| 10.1.2.4.3.3 | SIP BYE request toward a MCPTT client..... | 246 |
| 10.1.2.5 | Non-controlling function of an MCPTT group procedures..... | 247 |
| 10.1.2.5.1 | Terminating procedures..... | 247 |
| 10.1.2.5.1.1 | General..... | 247 |
| 10.1.2.5.1.2 | Initiating a chat group session..... | 247 |
| 10.1.2.5.1.3 | Joining an ongoing chat group call..... | 248 |
| 10.1.2.5.1.4 | Splitting an ongoing chat group call..... | 248 |
| 10.1.2.5.1.5 | MCPTT client joining the temporary group chat session..... | 249 |
| 10.1.2.5.1.6 | Receipt of a SIP re-INVITE request from an MCPTT client..... | 249 |
| 10.1.2.5.1.7 | SIP OPTIONS request authorization procedure..... | 249 |
| 10.1.2.5.1.8 | Initiating a temporary group session..... | 249 |
| 10.1.3 | Subscription to the conference event package..... | 250 |
| 10.1.3.1 | General..... | 250 |
| 10.1.3.2 | MCPTT client..... | 251 |
| 10.1.3.3 | Participating MCPTT function..... | 252 |
| 10.1.3.4 | Controlling MCPTT function..... | 253 |
| 10.1.3.4.1 | Receiving a subscription to the conference event package..... | 253 |
| 10.1.3.4.2 | Sending notifications to the conference event package..... | 253 |
| 10.1.3.4.3 | Sending subscriptions to the conference event package..... | 254 |
| 10.1.3.4.4 | Terminating a subscription..... | 255 |
| 10.1.3.5 | Non-controlling MCPTT function..... | 255 |
| 10.1.3.5.1 | Receiving subscriptions to the conference event package..... | 255 |
| 10.1.3.5.2 | Sending notifications to the conference event package..... | 256 |
| 10.1.3.5.3 | Sending a subscription to the conference event package..... | 256 |
| 10.1.3.5.4 | Terminating a subscription..... | 257 |
| 10.2 | Off-network group call..... | 257 |
| 10.2.1 | General..... | 257 |
| 10.2.1.1 | Common Procedures..... | 257 |
| 10.2.1.1.1 | MONP message transport..... | 257 |
| 10.2.1.1.2 | Session description..... | 257 |
| 10.2.2 | Basic call control..... | 258 |
| 10.2.2.1 | General..... | 258 |
| 10.2.2.2 | Basic call control state machine..... | 259 |
| 10.2.2.3 | Call Control states..... | 259 |

| | | |
|----------------|---|-----|
| 10.2.2.3.1 | S1: start-stop..... | 259 |
| 10.2.2.3.2 | S2: waiting for call announcement | 260 |
| 10.2.2.3.3 | S3: part of ongoing call | 260 |
| 10.2.2.3.4 | S4: pending user action without confirm indication | 260 |
| 10.2.2.3.5 | S5: pending user action with confirm indication | 260 |
| 10.2.2.3.6 | S6: ignoring incoming call announcements..... | 260 |
| 10.2.2.3.7 | S7: waiting for call announcement after call release | 260 |
| 10.2.2.4 | Procedures..... | 260 |
| 10.2.2.4.1 | General | 260 |
| 10.2.2.4.1.1 | Call announcement timer calculation..... | 260 |
| 10.2.2.4.1.1.1 | Periodic call announcement timer calculation..... | 260 |
| 10.2.2.4.1.1.2 | Call announcement timer calculation after CALL PROBE..... | 260 |
| 10.2.2.4.1.2 | Max duration timer calculation | 261 |
| 10.2.2.4.2 | Call Probe | 261 |
| 10.2.2.4.2.1 | Call probe initiation | 261 |
| 10.2.2.4.2.2 | Call probe retransmission | 261 |
| 10.2.2.4.2.3 | Receiving GROUP CALL PROBE message when participating in the ongoing call..... | 261 |
| 10.2.2.4.3 | Call setup..... | 262 |
| 10.2.2.4.3.1 | Not receiving any response to GROUP CALL PROBE message..... | 262 |
| 10.2.2.4.3.2 | Receiving a GROUP CALL ANNOUNCEMENT message..... | 262 |
| 10.2.2.4.3.3 | Receiving a GROUP CALL ANNOUNCEMENT message when not participating in the ongoing call..... | 263 |
| 10.2.2.4.3.4 | MCPTT user accepts the terminating call with confirm indication | 264 |
| 10.2.2.4.3.5 | MCPTT user accepts the terminating call without confirm indication | 264 |
| 10.2.2.4.3.6 | Receiving GROUP CALL ACCEPT message..... | 265 |
| 10.2.2.4.3.7 | MCPTT user rejects the terminating call..... | 265 |
| 10.2.2.4.3.8 | MCPTT user does not act on terminating call | 265 |
| 10.2.2.4.4 | Periodic group call announcement | 265 |
| 10.2.2.4.4.1 | Sending periodic call announcement | 265 |
| 10.2.2.4.4.2 | Receiving periodic call announcement..... | 266 |
| 10.2.2.4.5 | Call release | 266 |
| 10.2.2.4.5.1 | MCPTT user leaves the call when GROUP CALL ANNOUNCEMENT was sent or received..... | 266 |
| 10.2.2.4.5.2 | Receiving GROUP CALL ANNOUNCEMENT message for rejected or released call | 266 |
| 10.2.2.4.5.3 | MCPTT user initiates originating call for rejected or released call..... | 267 |
| 10.2.2.4.5.4 | No GROUP CALL ANNOUNCEMENT messages for rejected or released call..... | 267 |
| 10.2.2.4.5.5 | MCPTT user leaves the call when GROUP CALL PROBE was sent | 267 |
| 10.2.2.4.5.6 | MCPTT user initiates originating call for released call | 268 |
| 10.2.2.4.5.7 | Receiving GROUP CALL ANNOUNCEMENT message for released call..... | 268 |
| 10.2.2.4.5.8 | No GROUP CALL ANNOUNCEMENT messages for released call..... | 268 |
| 10.2.2.4.5.9 | Max duration reached | 268 |
| 10.2.2.4.6 | Merge of calls..... | 269 |
| 10.2.2.4.6.1 | Merge of two calls | 269 |
| 10.2.2.4.7 | Error handling..... | 270 |
| 10.2.2.4.7.1 | Unexpected MONP message received | 270 |
| 10.2.2.4.7.2 | Unexpected indication from MCPTT user..... | 270 |
| 10.2.2.4.7.3 | Unexpected expiration of a timer..... | 270 |
| 10.2.3. | Call type control | 270 |
| 10.2.3.1 | General | 270 |
| 10.2.3.2 | Call type control state machine | 270 |
| 10.2.3.3 | Call type control states | 272 |
| 10.2.3.3.1 | T0: waiting for call to establish | 272 |
| 10.2.3.3.2 | T1: in-progress emergency group call | 272 |
| 10.2.3.3.3 | T2: in-progress basic group call | 272 |
| 10.2.3.3.4 | T3: in-progress imminent peril group call | 272 |
| 10.2.3.4 | Procedures..... | 272 |
| 10.2.3.4.1 | General | 272 |
| 10.2.3.4.1.1 | Implicit downgrade (emergency) timer calculation | 272 |
| 10.2.3.4.1.2 | Implicit downgrade (imminent peril) timer calculation | 272 |
| 10.2.3.4.2 | User initiated the call probe..... | 272 |
| 10.2.3.4.3 | Received GROUP CALL ANNOUNCEMENT message as a response to GROUP CALL PROBE message..... | 273 |

| | | |
|---------------|--|-----|
| 10.2.3.4.4 | Received GROUP CALL ANNOUNCEMENT with MCPTT user acknowledgement required.. | 274 |
| 10.2.3.4.5 | Received GROUP CALL ANNOUNCEMENT without MCPTT user acknowledgement required..... | 275 |
| 10.2.3.4.6 | Call started..... | 275 |
| 10.2.3.4.7 | Upgrade call | 276 |
| 10.2.3.4.7.1 | Originating user upgrading the call..... | 276 |
| 10.2.3.4.7.2 | Terminating UE receiving a GROUP CALL ANNOUNCEMENT message when participating in the ongoing call..... | 277 |
| 10.2.3.4.8 | Downgrade call..... | 279 |
| 10.2.3.4.8.1 | Originating user downgrading emergency group call | 279 |
| 10.2.3.4.8.2 | Retransmitting GROUP CALL EMERGENCY END | 280 |
| 10.2.3.4.8.3 | Terminating user downgrading emergency group call | 280 |
| 10.2.3.4.8.4 | Originating user downgrading imminent peril group call | 280 |
| 10.2.3.4.8.5 | Retransmitting GROUP CALL IMMINENT PERIL END | 281 |
| 10.2.3.4.8.6 | Terminating user downgrading imminent peril group call..... | 281 |
| 10.2.3.4.8.7 | Void | 282 |
| 10.2.3.4.8.8 | Implicit emergency priority end..... | 282 |
| 10.2.3.4.8.9 | Implicit imminent peril priority end..... | 282 |
| 10.2.3.4.9 | Merge of two calls | 282 |
| 10.2.3.4.10 | Call release after call establishment | 283 |
| 10.2.3.4.11 | Call release or reject before call establishment | 283 |
| 10.2.3.4.12 | Error handling..... | 284 |
| 10.2.3.4.12.1 | Unexpected MONP message received | 284 |
| 10.2.3.4.12.2 | Unexpected indication from MCPTT user..... | 284 |
| 10.2.3.4.12.3 | Unexpected expiration of a timer..... | 284 |
| 10.3 | Off-network Broadcast group call | 284 |
| 10.3.1 | General..... | 284 |
| 10.3.2 | Basic call control | 284 |
| 10.3.2.1 | General | 284 |
| 10.3.2.2 | Broadcast group call control state machine | 284 |
| 10.3.2.3 | Broadcast group call Control states..... | 285 |
| 10.3.2.3.1 | B1: start-stop | 285 |
| 10.3.2.3.2 | B2: in-progress broadcast group call | 285 |
| 10.3.2.3.3 | B3: pending user action | 285 |
| 10.3.2.3.4 | B4: ignoring same call ID..... | 285 |
| 10.3.2.4 | Procedures..... | 286 |
| 10.3.2.4.1 | User initiating a broadcast group call | 286 |
| 10.3.2.4.2 | Terminating UE receiving a GROUP CALL BROADCAST message when not participating in the in-progress broadcast group call..... | 286 |
| 10.3.2.4.3 | MCPTT user accepts the terminating call..... | 287 |
| 10.3.2.4.4 | MCPTT user rejects the terminating call..... | 287 |
| 10.3.2.4.5 | MCPTT user does not act on terminating call | 287 |
| 10.3.2.4.6 | Terminating user releasing the call..... | 287 |
| 10.3.2.4.7 | Originating user releasing the call | 288 |
| 10.3.2.4.8 | Receiving GROUP CALL BROADCAST END message | 288 |
| 10.3.2.4.9 | Originating UE retransmitting GROUP CALL BROADCAST message..... | 288 |
| 10.3.2.4.10 | Ignoring same call ID | 289 |
| 10.3.2.4.11 | Releasing the call..... | 289 |
| 10.3.2.4.12 | Restarting TFB1 | 289 |
| 10.3.2.4.13 | Receiving GROUP CALL BROADCAST END message | 289 |
| 10.3.2.4.14 | Error handling..... | 290 |
| 10.3.2.4.14.1 | Unexpected MONP message received | 290 |
| 10.3.2.4.14.2 | Unexpected indication from MCPTT user..... | 290 |
| 10.3.2.4.14.3 | Unexpected expiration of a timer..... | 290 |
| 11 | Private call..... | 290 |
| 11.0 | General | 290 |
| 11.1 | On-network private call..... | 290 |
| 11.1.1 | Private call with floor control | 290 |
| 11.1.1.1 | General | 290 |
| 11.1.1.2 | MCPTT client procedures | 290 |
| 11.1.1.2.1 | On-demand private call | 290 |