

ETSI TS 126 346 V15.4.0 (2019-07)



**Universal Mobile Telecommunications System (UMTS);
LTE;
Multimedia Broadcast/Multicast Service (MBMS);
Protocols and codecs
(3GPP TS 26.346 version 15.4.0 Release 15)**



Reference

RTS/TSGS-0426346vf40

Keywords

LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	13
Introduction	13
1 Scope	14
2 References	14
3 Definitions and abbreviations.....	20
3.1 Definitions	20
3.2 Abbreviations	21
4 MBMS system description	22
4.1 MBMS functional layers	22
4.2 MBMS User Service Entities	23
4.3 MBMS bearer service architecture.....	24
4.4 Functional Entities to support MBMS User Services.....	24
4.4.1 MBMS User Service Architecture.....	24
4.4.1a Content Provider / Multicast Broadcast Source.....	27
4.4.1b Group Communication Service Application Server (GCS AS).....	27
4.4.2 MBMS Key Management Function.....	27
4.4.3 MBMS Session and Transmission Function.....	27
4.4.4 User Service Discovery / Announcement function.....	28
4.4.5 Interactive Announcement Function.....	28
4.4.6 MBMS UE.....	28
4.5 Usage of identity of MBMS session.....	28
4.6 Time Synchronization between the BM-SC and MBMS UEs	29
5 Procedures and protocols.....	30
5.1 Introduction	30
5.2 User Service Discovery/Announcement.....	30
5.2.1 Introduction.....	30
5.2.2 MBMS User Service Description Metadata Fragments.....	30
5.2.2.1 Introduction.....	30
5.2.2.2 Session Description.....	33
5.2.2.3 Associated Delivery Procedure Description.....	34
5.2.2.3A Consumption Reporting Description.....	34
5.2.2.4 Security Description.....	34
5.2.2.5 FEC Repair Stream Description.....	34
5.2.2.6 Media Presentation Description	34
5.2.2.7 Schedule Description	35
5.2.2.8 Filter Description	35
5.2.2.9 Application Service Description	36
5.2.3 User Service Announcement over a MBMS bearer.....	36
5.2.3.1 General.....	36
5.2.3.1.1 Service Announcement for Receive-Only-Mode Services	37
5.2.3.1.2 Service Announcement for non Receive-Only-Mode Services	37
5.2.3.2 Metadata Envelope Transport	38
5.2.3.3 Metadata Envelope and Metadata Fragment Association with FLUTE.....	38
5.2.4 User Service Announcement using Interactive Announcement Function.....	38
5.2.5 User Service Announcement over point-to-point push bearers.....	38
5.2.5.1 General.....	38
5.2.5.2 Supported Metadata Syntaxes	39
5.2.5.3 Consistency Control and Syntax Independence	39
5.2.5.4 Metadata Envelope Definition	39

5.2.5.5	Delivery of the Metadata Envelope.....	39
5.2.5.6	Void.....	39
5.2.5.7	User service announcement over SMS bearers	39
5.2.5.8	User service announcement over HTTP push bearers.....	39
5.2.6	Metadata Fragment Encapsulation to aggregate Service Announcement Documents	39
5.2.7	Registration and Deregistration Procedure for MBMS User Service Consumption	40
5.3	User Service Initiation/Termination	41
5.3.1	Initiation of MBMS Bearer Service based Services	41
5.3.2	Termination of MBMS Bearer Service based Services	41
5.3.3	Initiation of Unicast Bearer Service based Services	42
5.3.4	Termination of Unicast Bearer Service based Services	42
5.3.5	Scalable Service Initiation and Termination for MBMS Services	43
5.3.5.1	General	43
5.3.5.2	Randomization of Service Initiation over Time	43
5.3.5.3	Randomization of Service Termination over Time	43
5.4	MBMS Data Transfer Procedure.....	44
5.4.1	MBMS Data Transfer Procedure using MBMS Bearer Services.....	44
5.4.2	MBMS Data Transfer Procedure using other UMTS Bearer Services	45
5.4A	Procedures between Content Provider and BM-SC.....	45
5.4A.1	General.....	45
5.4A.2	xMB reference point	45
5.4A.3	Authentication and Authorization.....	46
5.4A.3.1	Introduction.....	46
5.4A.3.2	Authentication Procedure.....	46
5.4A.3.3	Authorization Procedure	47
5.4A.4	Service Management Procedures	48
5.4A.4.1	Introduction.....	48
5.4A.4.2	Create Service	48
5.4A.4.3	Get Service Properties.....	48
5.4A.4.4	Update Service Properties	48
5.4A.4.5	Terminate a Service.....	49
5.4A.4.6	Service Notifications	49
5.4A.4.7	List of Service Properties	50
5.4A.5	Session Management Procedures.....	53
5.4A.5.1	Introduction.....	53
5.4A.5.2	Create Session	54
5.4A.5.3	Get Session Properties.....	54
5.4A.5.4	Update Session Properties.....	54
5.4A.5.5	Terminate a Session	55
5.4A.5.6	Session Properties	55
5.4A.6	User Plane Procedures	66
5.4A.6.1	Introduction.....	66
5.4A.6.2	File Distribution	67
5.4A.6.3	RTP Streaming.....	67
5.4A.6.4	Transport.....	67
5.4A.6.5	Notification Messages.....	67
5.5	MBMS Protocols.....	69
5.6	3GP-DASH and MBMS	69
5.7	Generic Application Service.....	71
6	Introduction on Delivery Methods	72
7	Download Delivery Method.....	72
7.1	Introduction	72
7.2	FLUTE usage for MBMS download	73
7.2.0	General.....	73
7.2.1	Fragmentation of Files	73
7.2.2	Symbol Encoding Algorithm	73
7.2.3	Blocking Algorithm	74
7.2.4	Congestion Control	74
7.2.5	Content Encoding of Files for Transport	74
7.2.6	Transport File Grouping	74

7.2.7	Signalling of Parameters with Basic ALC/FLUTE Headers.....	74
7.2.8	Signalling of Parameters with FLUTE Extension Headers.....	75
7.2.9	Signalling of Parameters with FDT Instances.....	75
7.2.10	FDT Schema.....	76
7.2.10.1	Extended FLUTE FDT Schema.....	76
7.2.10.2	3GPP FDT Extension Type Schema.....	78
7.2.10.3	IETF FDT Schema.....	79
7.2.10.4	Example of FDT.....	80
7.2.10.5	3GPP FDT Extensions.....	81
7.2.10.6	FEC Redundancy Level Extension.....	81
7.2.11	MBMS Session Identity.....	81
7.2.12	FEC Scheme definition.....	81
7.2.12.1	General.....	81
7.2.13	Caching Directives.....	81
7.2.14	Indicating a full FDT snapshot.....	82
7.2.15	Decryption key indicating of protected download data.....	82
7.3	SDP for Download Delivery Method.....	83
7.3.1	Introduction.....	83
7.3.2	SDP Parameters for MBMS download session.....	83
7.3.2.1	Sender IP address.....	83
7.3.2.2	Number of channels.....	84
7.3.2.3	Destination IP address and port number for channels.....	84
7.3.2.4	Transport Session Identifier (TSI) of the session.....	84
7.3.2.5	Multiple objects transport indication.....	84
7.3.2.6	Session Timing Parameters.....	85
7.3.2.7	Mode of MBMS bearer per media.....	85
7.3.2.8	FEC capabilities and related parameters.....	85
7.3.2.9	Service-language(s) per media.....	86
7.3.2.10	Bandwidth Specification.....	86
7.3.2.11	FEC Redundancy Level.....	86
7.3.2.12	Alternative TMGI.....	87
7.3.3	SDP Examples for FLUTE Session.....	87
7.4	OMA Push usage for MBMS Download.....	88
7.4.1	Introduction.....	88
7.4.2	HTTP registration and deregistration procedure.....	88
7.4.3	MBMS Download Delivery Method over OMA push bearers.....	89
7.5	FLUTE session setup and control with RTSP.....	90
7.5.1	Introduction.....	90
7.5.2	SDP handling.....	90
7.5.3	RTSP SETUP Method.....	90
7.5.4	RTSP PLAY Method.....	90
7.5.5	RTSP PAUSE Method.....	90
7.5.6	RTSP TEARDOWN Method.....	90
7.6	Hybrid Service Offerings for DASH-over-MBMS User Service and Generic Application Service.....	90
7.6.1	Introduction.....	90
7.6.2	Extension of the <i>deliveryMethod</i> element.....	91
7.6.2.1	Broadcast Resource Specific Metadata.....	91
7.6.2.2	Redundant Unicast Resource Specific Metadata.....	92
7.6.2.2A	Supplementary Unicast Resource Specific Metadata.....	92
7.6.2.3	Additional Points.....	92
7.6.3	Extension of the <i>userServiceDescription</i> element.....	92
7.6.3.0	General.....	92
7.6.3.1	Identical Content.....	93
7.6.3.2	Alternative Content.....	93
7.6.3.3	Reference to Unified MPD and other Application Service Documents.....	93
7.7	Keep-Updated Service.....	93
7.7.1	Registration Procedure.....	93
7.7.2	Client Notification about Updates.....	94
7.8	Location-specific <i>deliveryMethod</i>	94
7.9	Partial File handling.....	95
7.9.1	General.....	95
7.9.2	Partial File Handling with HTTP GET Method.....	95

7.9.2.1	Partial-File-Accept Request	95
7.9.2.2	HTTP Request Response Format for Partial Files	96
7.9.2.3	Example Client and Server Implementation for DASH-over-MBMS	96
7.9.3	Signaling Independent Units	98
7.9.3.1	Introduction	98
7.9.3.2	FDT Instance Signaling	98
7.10	File Delivery Manifest	98
7.10.1	General	98
8	Streaming delivery method	101
8.1	Introduction	101
8.2	Transport protocol	101
8.2.1	RTP payload formats for media	102
8.2.2	FEC mechanism for RTP	102
8.2.2.0	General	102
8.2.2.1	Sending Terminal Operation (Informative)	103
8.2.2.2	Receiving Terminal Operation (Informative)	104
8.2.2.3	(Void)	104
8.2.2.4	Packet format for FEC source packets	104
8.2.2.5	Packet Format for Repair packets	105
8.2.2.6	Void	105
8.2.2.7	FEC block Construction algorithm and example (informative)	105
8.2.2.8	Void	106
8.2.2.9	Source FEC Payload ID	106
8.2.2.10	Repair FEC payload ID	106
8.2.2.10a	FEC Object Transmission information	106
8.2.2.11	Hypothetical FEC Decoder	107
8.2.2.12	Void	107
8.2.2.13	Signalling	107
8.2.2.13a	SDP for FEC source packet streams	108
8.2.2.14	SDP for FEC repair packet streams	108
8.2.2.15	Signalling example for FEC	108
8.2.3	General RTP Header Extension Mechanism	111
8.2.3.1	Introduction	111
8.2.3.2	Timestamp Offset	111
8.3	Session description	112
8.3.1	SDP Parameters for MBMS streaming session	112
8.3.1.1	Sender IP address	112
8.3.1.2	Destination IP address and port number for channels	112
8.3.1.3	Media Description	113
8.3.1.4	Session Timing Parameters	113
8.3.1.5	Mode of MBMS bearer per media	113
8.3.1.6	Service-language(s) per media	113
8.3.1.7	Bandwidth specification	113
8.3.1.8	FEC Parameters	113
8.3.1.9	FEC Flow ID attribute	114
8.3.1.10	Buffer Requirement Signaling	115
8.3.1.11	Interleaving Signaling	115
8.3.2	SDP Example for Streaming Session	115
8.3.2.1	SDP Description for QoE Metrics	116
8.3.2.2	OMA-DM Configuration of QoE Metrics	117
8.3.3	SDP Examples for Transparent Session	121
8.4	Quality of Experience	121
8.4.1	General	121
8.4.2	QoE Metrics	122
8.4.2.1	Corruption duration metric	122
8.4.2.2	Rebuffering duration metric	123
8.4.2.3	Initial buffering duration metric	123
8.4.2.4	Successive loss of RTP packets	124
8.4.2.5	Frame rate deviation	124
8.4.2.6	Jitter duration	124
8.4.2.7	Content Access/Switch Time	125

8.4.2.8	Network Resource	125
8.4.2.9	Average codec bitrate	125
8.4.2.10	Codec information	126
8.4.2.11	Loss of Objects.....	126
8.4.2.12	Distribution of Symbol Count Underrun for Failed Blocks	126
8.4.3	Example metrics initiation with SDP.....	127
8.5	Using MBMS Streaming delivery on Unicast.....	128
8A	Group Communication Delivery Method.....	128
8A.1	Overview	128
8A.2	Transport Method.....	129
8A.3	Signalling of GCS application service content.....	129
8A.3.2	Void	129
8A.4	ROHC for GC Delivery Method	130
8A.4.1	General.....	130
8A.5	SDP Exchange for FEC support with the Group Communication delivery method.....	130
8B	Transparent Delivery Method	131
8B.1	Introduction	131
8B.2	Transport protocol	131
8B.2.1	General.....	131
8B.3	Session Description	132
8B.3.1	Introduction	132
8B.3.2	SDP Parameters	132
8B.3.2.1	General	132
8B.3.2.2	Sender IP address	133
8B.3.2.3	Destination IP address and port number.....	133
8B.3.2.4	Session Timing Parameters	133
8B.3.2.5	Mode of MBMS bearer per media	133
8B.3.2.6	MBMS Bearer Information	133
8B.3.2.7	Bandwidth Specification.....	133
8B.3.2.8	Transport Framing Protocol	134
8B.4	ROHC for Transparent Delivery Method.....	134
8B.4.1	General.....	134
8B.4.2	ROHC Negotiation	134
8B.4.3	ROHC Operation	134
8B.5	FEC	135
8B.5.1	General.....	135
9	Associated delivery procedures.....	135
9.1	Introduction	135
9.2	Associated Procedure Description.....	136
9.3	File Repair Procedure.....	136
9.3.1	Introduction.....	136
9.3.2	Starting Time of the Associated Delivery Procedure for MBMS Download Delivery.....	137
9.3.3	Identification of Missing Data from an MBMS Download	138
9.3.4	Back-off Timing the Procedure Initiation Messaging for Scalability	138
9.3.4.1	Offset time.....	139
9.3.4.2	Random Time Period	139
9.3.4.3	Back-off Time	139
9.3.4.4	Reset of the Back-off Timer.....	139
9.3.5	File Repair Server Selection	139
9.3.5.1	List of Server URIs	139
9.3.5.2	Selection from the Server URI List.....	140
9.3.6	File Repair Request Messages	140
9.3.6.0	General	140
9.3.6.1	Symbol-Based File Repair Request Message Format	140
9.3.6.2	Byte-Range-Based File Repair Request Message Format.....	142
9.3.7	File Repair Response Message	144
9.3.7.1	Symbol-Based File Repair Response Messages Codes.....	145
9.3.7.2	Symbol-Based File Repair Response Message Format for HTTP Carriage of Repair Data	146
9.3.7.2a	Byte-Range-Based File Repair Response Message Format for HTTP Carriage of Repair Data.....	148
9.3.7.3	File Repair Response for Broadcast/Multicast of Repair Data.....	148

9.3.7.4	File Repair Response Message Format for HTTP carriage of Complete Files	148
9.3.8	Server Not Responding Error Case	149
9.3.9	Full File Repair Without the FDT	149
9.3.9.1	Introduction	149
9.3.9.2	File Repair Using the <i>FileSchedule</i>	149
9.3.9.3	File Repair Using the <i>FDTInstanceURI</i> in the Session Schedule	149
9.4	The Reception Reporting Procedure	150
9.4.0	Generic Reception Reporting Procedure Description	150
9.4.1	Identifying Complete File Reception from MBMS Download and Determining Download Status	151
9.4.2	Identifying Complete MBMS Delivery Session Reception	151
9.4.3	Determining Whether a Reception Report Is Required	151
9.4.4	Request Time Selection	152
9.4.5	Reception Report Server Selection	153
9.4.6	Reception Report Message	153
9.4.7	Reception Report Response Message	155
9.4.8	Combining DASH Quality Measurements with Reception Reporting	155
9.4.8.1	Introduction	155
9.4.8.2	Whether and What DASH QoE Metrics to Include in Reception Report	155
9.4.8.3	Multipart MIME Aggregation of Reception Report and DASH QoE Metrics Report	156
9.4A	MBMS User Service Consumption Reporting	157
9.4A.1	Introduction	157
9.4A.2	Whether and How Consumption Report Is to be Performed	157
9.4A.3	Consumption Report Server Selection	159
9.4A.4	Back-Off Timing in Consumption Reporting	159
9.4A.5	Consumption Report Request Message	160
9.4A.6	Consumption Report Response Message	161
9.5	XML-Schema for Associated Delivery Procedures	161
9.5.1	Generic Associated Delivery Procedure Description	161
9.5.2	Example Associated Delivery Procedure Description Instance	163
9.5.3	XML Syntax for a Reception Report Request	164
9.5.3.1	Use of Specific Values	165
9.5.3.2	Example XML for the Reception Report Request	165
9.5.4	XML Syntax for a Consumption Report Request	166
9.5.4.1	Example XML for the Consumption Report Request	167
10	Media codecs and formats	167
10.1	General	167
10.2	Speech	167
10.3	Audio	168
10.4	Synthetic audio	168
10.5	Video	168
10.5.1	General video decoder requirements	168
10.5.2	Stereoscopic 3D Video	169
10.5.3	Decoder parameter sets	169
10.5.4	Decoder timing	170
10.5.5	Television services	170
10.6	Still images	170
10.7	Bitmap graphics	170
10.8	Vector graphics	171
10.9	Text	171
10.10	Timed text	171
10.11	3GPP file format	171
10.12	Scene Description	171
10.13	Timed graphics	172
10.14	360 video and 3D audio for VR (Virtual Reality)	172
10.14.1	Video	172
10.14.1.1	Operation Points	172
10.14.1.2	DASH-over-MBMS	172
10.14.2	Audio	172
10.14.2.1	Operation Points	172
10.14.2.2	DASH-over-MBMS	172

11	MBMS Metadata	173
11.1	The MBMS Metadata Envelope	173
11.1.1	Supported Metadata Syntaxes	173
11.1.2	Consistency Control and Syntax Independence	173
11.1.3	Metadata Envelope Definition	173
11.1.4	Delivery of the Metadata Envelope	174
11.2	MBMS User Service Description Metadata Fragment	175
11.2.1	Definition of the MBMS User Service Bundle Description	175
11.2.1.1	Initial Definition	175
11.2.1.2	Extensions to the User Service Bundle Description	176
11.2.2	Example MBMS User Service Description Instances	184
11.2A	Schedule Description Metadata Fragment	190
11.2A.1	Procedures for Schedule Description Metadata Fragment	190
11.2A.1.1	Initial Definition	190
11.2A.1.2	Extension to the Schedule Description Fragment	192
11.2A.2	XML-Schema for the Schedule Description Meta Data Fragment	193
11.2A.2.1	Main XML Schema	193
11.2A.2.2	Release 11 Extension to Schedule Description Schema	194
11.2A.2.3	Release 12 Extension to Schedule Description schema	195
11.2A.3	Examples of the Schedule Description Meta Data Fragment	195
11.2B	Filter Description Metadata Fragment	198
11.2B.1	Introduction	198
11.2B.2	Procedures for Filter Description Metadata Fragment	198
11.2B.3	Usage of Location Filter	199
11.2B.3A	Usage of Group Filter	200
11.2B.4	XML Schema for the Filter Description Metadata Fragment	200
11.3	Security Description Metadata Fragment	202
11.3.1	Definition of the Security Description	202
11.3.2	Example of a Security Description	204
11.4	Service Protection Registration Format	204
11.4.1	Data Format	204
11.4.2	Example	204
11.5	Service Protection De-Registration Format	205
11.5.1	Data Format	205
11.5.2	Example	205
11.6	Service Protection MSK Request Format	205
11.6.1	Data Format	205
11.6.2	Example	206
11.7	Service Protection Registration and De-Registration Response Format	206
11.7.1	Data Format	206
11.7.2	Example	207
11.8	Service Protection MSK Response Format	207
11.8.1	Data Format	207
11.8.2	Example	207
11.9	MBMS Feature Requirements	208
12	MBMS operation on Demand (MooD)	209
12.1	Introduction	209
12.2	UE-Elected Offloading	210
12.2.0	General Procedures	210
12.2.1	MooD Header Field	210
12.2.1.1	MooD Header in HTTP-based Unicast Content Access	211
12.2.2	MooD Configuration Management Object	212
12.3	Network-Elected Offloading	216
Annex A (normative):	FLUTE Support Requirements	217
Annex B (normative):	FEC encoder specification	219
B.1	Void	219
B.2	Void	219

B.3	File download.....	219
B.3.1	Void.....	219
B.3.2	Void.....	219
B.3.3	Void.....	219
B.3.4	Example parameters.....	219
B.3.4.1	Parameter derivation algorithm.....	219
B.3.4.2	Examples.....	219
B.4	Streaming.....	220
B.4.1	Void.....	220
B.4.2	Void.....	220
B.4.3	Void.....	220
B.4.4	Example parameters.....	220
B.4.4.1	Parameter derivation algorithm.....	220
B.4.4.2	Examples.....	221
B.5	Void.....	221
B.6	Void.....	221
B.7	Void.....	221
B.8	Void.....	221
Annex C (informative):	IANA registration.....	222
C.1	Registration of SDP Protocol Identifiers for Source packet.....	222
C.2	Registration of SDP Protocol identifier for repair packets.....	222
C.3	Registration of MIME type "application/simpleSymbolContainer".....	222
C.4	Registration of MIME type "application/mbms-user-service-description+xml".....	223
C.5	Registration of MIME type "application/mbms-envelope+xml".....	224
C.6	Registration of MIME type "application/mbms-protection-description+xml".....	225
C.7	Registration of MIME type "application/mbms-associated-procedure-description+xml".....	227
C.8	Registration of MIME type "application/mbms-msk+xml".....	228
C.9	Registration of MIME type "application/mbms-register+xml".....	229
C.10	Registration of MIME type "application/mbms-deregister+xml".....	230
C.11	Registration of MIME type "application/mbms-reception-report+xml".....	231
C.12	Registration of MIME type "application/mbms-msk-response+xml".....	232
C.13	Registration of MIME type "application/mbms-register-response+xml".....	233
C.14	Registration of MIME type "application/mbms-schedule+xml".....	234
C.15	Registration of Media Type "application/mbms-filter-description+xml".....	235
C.16	Registration of Media Type "application/mbms-consumption-report+xml".....	236
C.17	Registration of IPv4 Multicast Address as session parameter of Service Announcement service which indicates availability of ROM service.....	237
C.18	Registration of IPv6 Multicast Address as session parameter of Service Announcement service which indicates availability of ROM service.....	239
C.19	Registration of UDP Destination Port number as session parameter of Service Announcement service which indicates availability of ROM service.....	240
Annex D (informative):	RTP packetization guidelines.....	242
Annex E (informative):	Void.....	243

Annex F (informative):	Hybrid Streaming Delivery	244
F.1	Introduction	244
F.2	Switching between MBMS and PSS Access	244
F.2.1	Synchronization of Flows	244
F.2.2	Switching from MBMS to PSS Access	244
F.2.3	Switching from PSS to MBMS Access	245
Annex G (informative):	Guidelines for Channel Tune-in and Switch Time Reduction	246
G.1	Interleaving for Tune-in Time Reduction of FEC protected MBMS Services	246
G.1.1	Timestamp Offsets	246
G.1.2	Early Playback	247
G.2	FEC Stream & Channel Bundling	247
G.2.1	Introduction	247
G.2.1.1	Full Channel Bundling (All flows of several user services)	247
G.2.1.2	No Bundling	248
G.2.1.3	Partial Channel Bundling (Some flows of several user services)	248
G.2.1.4	Stream Bundling (All flows of a single user services)	248
Annex H (informative):	QoE Reporting Management Object Device Description Framework ...	249
Annex I (informative):	Void	254
Annex J (normative):	Schema	255
J.1	User Service Description schema	255
J.2	Version and Delimiter schema	258
Annex K (informative):	Guidelines for linear audio/video streaming using DASH over MBMS broadcast	259
K.1	Introduction	259
K.2	Guidelines	259
K.2.1	General	259
K.2.2	Content Authoring	259
K.2.2.1	General	259
K.2.2.2	Media coding	259
K.2.2.3	DASH formatting	259
K.2.3	User Service Description (USD) and Media Presentation Description (MPD)	261
K.2.4	Transport	262
K.2.5	Minimizing tune-in times, switching times and presentation delay	262
K.2.6	Robust DASH service offering	263
K.2.6.1	Introduction	263
K.2.6.2	Client Server Synchronization Issues	263
K.2.6.3	Synchronization Loss of Segmenter	264
K.2.6.4	Encoder Clock Drift	264
K.2.6.5	Segment Unavailability	264
K.2.6.6	Swapping across Redundant Tools	264
Annex L (Normative):	MBMS Profiles	266
L.1	Introduction and Scope	266
L.2	MBMS User Service Discovery / Announcement Profile 1a	266
L.2.1	Introduction	266
L.2.2	Definition of a Service Announcement Channel (SACH)	266
L.2.3	Service Announcement (SA) File structure	267
L.2.4	Metadata Envelope	268
L.2.5	User Service Bundle Description Fragment	269
L.2.6	Schedule Description Fragment	271
L.2.7	Associated Delivery Procedure Description Fragment	272

L.2.8	In-Band Fragments	273
L.2.9	SACH bootstrapping	274
L.2.10	Example Service Announcement File	274
L.3	MBMS User Service Discovery / Announcement Profile 1b.....	276
L.4	MBMS Download Profile	277
L.4.1	Introduction	277
L.4.2	Common FDT-Instance and File Attributes	277
L.4.3	FDT-Instance specific Elements and Attributes	277
L.4.4	FDT File specific Elements and Attributes	278
L.4.5	Version and Delimiter Schema.....	278
L.4.6	RTSP Control of FLUTE Sessions.....	279
L.4.7	Other Aspects of FLUTE Delivery.....	279
L.5	MBMS User Service Discovery / Announcement Profile for Transparent Delivery Services.....	279
Annex M (informative): Change history		280
History		287

iTeh STANDARD PREVIEW
 (standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/2bda2377-6825-4409-9a53-45373f66dabf/etsi-ts-126-346-v15.4.0-2019-07>