

Designation: D 4701 - 00

# **Standard Specification for** Technical Grade Methylene Chloride<sup>1</sup>

This standard is issued under the fixed designation D 4701; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon  $(\epsilon)$  indicates an editorial change since the last revision or reapproval.

This standard has been approved for use by agencies of the Department of Defense.

## 1. Scope

- 1.1 This specification covers technical grade methylene
- 1.2 This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

Note 1-See Practices D 3844 and D 4276 and STP 403A2 for additional important information on solvent handling and solvent properties.

#### 2. Referenced Documents

- 2.1 ASTM Standards:
- D 2108 Test Method for Color of Halogenated Organic Solvents and Their Admixtures (Platinum-Cobalt Scale)<sup>3</sup>
- D 2109 Test Methods for Nonvolatile Matter in Halogenated Organic Solvents and Their Admixtures<sup>3</sup>
- D 2111 Test Methods for Specific Gravity of Halogenated Organic Solvents and Their Admixtures<sup>3</sup>
- D 2989 Test Method for Acidity-Alkalinity of Halogenated Organic Solvents and Their Admixtures<sup>3</sup>
- D 3401 Test Methods for Water in Halogenated Organic Solvents and Their Admixtures<sup>3</sup>
- D 3741 Test Method for Appearance of Admixtures Containing Halogenated Organic Solvents<sup>3</sup>

D 4276 Practice for Confined Area Entry<sup>3</sup>

D 3844 Practice for Labeling Halogenated Hydrocarbon

- D 4755 Test Method for Free Halogens in Halogenated Organic Solvents and Their Admixtures<sup>3</sup>
- E 300 Practice for Sampling Industrial Chemicals<sup>3</sup>
- 2.2 Federal Documents:

Solvent Containers<sup>3</sup>

- 29 CFR, Section 1910.1200 Department of Labor, OSHA Regulations on Hazard Communication<sup>4</sup>
- 49 CFR, Sections 100 to 199 Department of Transportation Hazardous Materials Regulations<sup>4</sup>

#### 3. Chemical Properties

3.1 Technical grade methylene chloride shall conform to the requirements prescribed in Table 1.

### 4. Sampling

4.1 Conduct sampling by any of the appropriate procedures for simple liquids as specified in Practice E 300.

## 5. Packaging and Package Marking

5.1 Package and label industrial or commercial quantities in accordance with DOT regulations in 49 CFR 100 to 199, in accordance with state and local regulations, and with OSHA regulations found in 29 CFR 1910.1200.

#### 6. Keywords

6.1 dichloromethane; methylene chloride

<sup>&</sup>lt;sup>1</sup> This specification is under the jurisdiction of ASTM Committee D-26 on Halogenated Organic Solvents and Fire Extinguishing Agents and is the direct responsibility of Subcommittee D26.03 on Cold Cleaning.

Current edition approved Jan. 10, 2000. Published April 2000. Originally published as D 4701 - 87. Last previous edition D 4701 - 95.

<sup>&</sup>lt;sup>2</sup> Cold Cleaning with Halogenated Solvents, ASTM STP 403 A, ASTM, 1981.

<sup>&</sup>lt;sup>3</sup> Annual Book of ASTM Standards, Vol 15.05.

<sup>&</sup>lt;sup>4</sup> The Code of Federal Regulations, is available from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.