

ETSI TS 138 413 V15.4.0 (2019-07)



**5G;
NG-RAN;
NG Application Protocol (NGAP)
(3GPP TS 38.413 version 15.4.0 Release 15)**

iTeh 5G X-MAX PREVIEW
(Standards.iteh.ai)
Full Standard
<https://standards.iteh.ai/catalog/etsi-standards/sist/0614d8ea-0702-4ba4-b045-f11b2eb16d3e/etsi-ts-138-413-v15.4.0-2019-07>



Reference

RTS/TSGR-0338413vf40

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and

of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and
of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	13
1 Scope	14
2 References	14
3 Definitions and abbreviations.....	15
3.1 Definitions	15
3.2 Abbreviations	16
4 General	16
4.1 Procedure Specification Principles.....	16
4.2 Forwards and Backwards Compatibility	17
4.3 Specification Notations	17
5 NGAP Services	17
6 Services Expected from Signalling Transport.....	17
7 Functions of NGAP	18
8 NGAP Procedures	18
8.1 List of NGAP Elementary Procedures.....	18
8.2 PDU Session Management Procedures.....	19
8.2.1 PDU Session Resource Setup	19
8.2.1.1 General	19
8.2.1.2 Successful Operation.....	20
8.2.1.3 Unsuccessful Operation	22
8.2.1.4 Abnormal Conditions	22
8.2.2 PDU Session Resource Release	23
8.2.2.1 General	23
8.2.2.2 Successful Operation.....	23
8.2.2.3 Unsuccessful Operation	24
8.2.2.4 Abnormal Conditions	24
8.2.3 PDU Session Resource Modify	24
8.2.3.1 General	24
8.2.3.2 Successful Operation.....	24
8.2.3.3 Unsuccessful Operation	26
8.2.3.4 Abnormal Conditions	26
8.2.4 PDU Session Resource Notify	26
8.2.4.1 General	26
8.2.4.2 Successful Operation.....	27
8.2.4.3 Abnormal Conditions	27
8.2.5 PDU Session Resource Modify Indication	27
8.2.5.1 General	27
8.2.5.2 Successful Operation.....	28
8.2.5.3 Unsuccessful Operation	29
8.2.5.4 Abnormal Conditions	29
8.3 UE Context Management Procedures.....	29
8.3.1 Initial Context Setup	29
8.3.1.1 General	29
8.3.1.2 Successful Operation.....	29
8.3.1.3 Unsuccessful Operation	31
8.3.1.4 Abnormal Conditions	32
8.3.2 UE Context Release Request (NG-RAN node initiated)	32
8.3.2.1 General	32

8.3.2.2	Successful Operation.....	32
8.3.2.3	Abnormal Conditions	32
8.3.3	UE Context Release (AMF initiated).....	32
8.3.3.1	General.....	32
8.3.3.2	Successful Operation.....	33
8.3.3.3	Unsuccessful Operation	33
8.3.3.4	Abnormal Conditions	33
8.3.4	UE Context Modification.....	33
8.3.4.1	General.....	33
8.3.4.2	Successful Operation.....	34
8.3.4.3	Unsuccessful Operation	35
8.3.4.4	Abnormal Conditions	35
8.3.5	RRC Inactive Transition Report	35
8.3.5.1	General.....	35
8.3.5.2	Successful Operation.....	36
8.3.5.3	Abnormal Conditions	36
8.4	UE Mobility Management Procedures	36
8.4.1	Handover Preparation	36
8.4.1.1	General.....	36
8.4.1.2	Successful Operation.....	36
8.4.1.3	Unsuccessful Operation	38
8.4.1.4	Abnormal Conditions	38
8.4.2	Handover Resource Allocation.....	38
8.4.2.1	General.....	38
8.4.2.2	Successful Operation.....	39
8.4.2.3	Unsuccessful Operation	41
8.4.2.4	Abnormal Conditions	41
8.4.3	Handover Notification	42
8.4.3.1	General.....	42
8.4.3.2	Successful Operation.....	42
8.4.3.3	Abnormal Conditions	42
8.4.4	Path Switch Request	42
8.4.4.1	General.....	42
8.4.4.2	Successful Operation.....	42
8.4.4.3	Unsuccessful Operation	44
8.4.4.4	Abnormal Conditions	44
8.4.5	Handover Cancellation	44
8.4.5.1	General.....	44
8.4.5.2	Successful Operation.....	45
8.4.5.3	Unsuccessful Operation	45
8.4.5.4	Abnormal Conditions	45
8.4.6	Uplink RAN Status Transfer.....	45
8.4.6.1	General.....	45
8.4.6.2	Successful Operation.....	45
8.4.6.3	Abnormal Conditions	46
8.4.7	Downlink RAN Status Transfer.....	46
8.4.7.1	General.....	46
8.4.7.2	Successful Operation.....	46
8.4.7.3	Abnormal Conditions	46
8.5	Paging Procedures	46
8.5.1	Paging	46
8.5.1.1	General.....	46
8.5.1.2	Successful Operation.....	47
8.5.1.3	Abnormal Conditions	47
8.6	Transport of NAS Messages Procedures	47
8.6.1	Initial UE Message.....	47
8.6.1.1	General.....	47
8.6.1.2	Successful Operation.....	48
8.6.1.3	Abnormal Conditions	48
8.6.2	Downlink NAS Transport.....	48
8.6.2.1	General.....	48
8.6.2.2	Successful Operation.....	49

8.6.2.3	Abnormal Conditions	49
8.6.3	Uplink NAS Transport.....	50
8.6.3.1	General	50
8.6.3.2	Successful Operation.....	50
8.6.3.3	Abnormal Conditions	50
8.6.4	NAS Non Delivery Indication	50
8.6.4.1	General	50
8.6.4.2	Successful Operation.....	50
8.6.4.3	Abnormal Conditions	51
8.6.5	Reroute NAS Request.....	51
8.6.5.1	General	51
8.6.5.2	Successful Operation.....	51
8.6.5.3	Abnormal Conditions	51
8.7	Interface Management Procedures	51
8.7.1	NG Setup	51
8.7.1.1	General.....	51
8.7.1.2	Successful Operation.....	52
8.7.1.3	Unsuccessful Operation	52
8.7.1.4	Abnormal Conditions	52
8.7.2	RAN Configuration Update	52
8.7.2.1	General	52
8.7.2.2	Successful Operation.....	53
8.7.2.3	Unsuccessful Operation	53
8.7.2.4	Abnormal Conditions	53
8.7.3	AMF Configuration Update.....	54
8.7.3.1	General	54
8.7.3.2	Successful Operation.....	54
8.7.3.3	Unsuccessful Operation	55
8.7.3.4	Abnormal Conditions	55
8.7.4	NG Reset.....	55
8.7.4.1	General	55
8.7.4.2	Successful Operation.....	55
8.7.4.2.1	NG Reset initiated by the AMF	55
8.7.4.2.2	NG Reset initiated by the NG-RAN node	56
8.7.4.3	Unsuccessful Operation	57
8.7.4.4	Abnormal Conditions	57
8.7.4.4.1	Abnormal Condition at the 5GC	57
8.7.4.4.2	Abnormal Condition at the NG-RAN	57
8.7.4.4.3	Crossing of NG RESET Messages	57
8.7.5	Error Indication.....	58
8.7.5.1	General	58
8.7.5.2	Successful Operation.....	58
8.7.5.3	Abnormal Conditions	58
8.7.6	AMF Status Indication.....	58
8.7.6.1	General	58
8.7.6.2	Successful Operation.....	59
8.7.6.3	Abnormal Conditions	59
8.7.7	Overload Start	59
8.7.7.1	General	59
8.7.7.2	Successful Operation.....	59
8.7.7.3	Abnormal Conditions	60
8.7.8	Overload Stop	60
8.7.8.1	General	60
8.7.8.2	Successful Operation.....	61
8.7.8.3	Abnormal Conditions	61
8.8	Configuration Transfer Procedures	61
8.8.1	Uplink RAN Configuration Transfer	61
8.8.1.1	General	61
8.8.1.2	Successful Operation.....	61
8.8.1.3	Abnormal Conditions	62
8.8.2	Downlink RAN Configuration Transfer	62
8.8.2.1	General	62

8.8.2.2	Successful Operation.....	62
8.8.2.3	Abnormal Conditions	62
8.9	Warning Message Transmission Procedures.....	63
8.9.1	Write-Replace Warning	63
8.9.1.1	General	63
8.9.1.2	Successful Operation.....	63
8.9.1.3	Unsuccessful Operation	64
8.9.1.4	Abnormal Conditions	64
8.9.2	PWS Cancel.....	64
8.9.2.1	General	64
8.9.2.2	Successful Operation.....	64
8.9.2.3	Unsuccessful Operation	65
8.9.2.4	Abnormal Conditions	65
8.9.3	PWS Restart Indication.....	65
8.9.3.1	General	65
8.9.3.2	Successful Operation.....	65
8.9.3.3	Abnormal Conditions	66
8.9.4	PWS Failure Indication.....	66
8.9.4.1	General	66
8.9.4.2	Successful Operation.....	66
8.9.4.3	Abnormal Conditions	66
8.10	NRPPa Transport Procedures.....	66
8.10.1	General.....	66
8.10.2	Successful Operations.....	67
8.10.2.1	DOWNLINK UE ASSOCIATED NRPPA TRANSPORT	67
8.10.2.2	UPLINK UE ASSOCIATED NRPPA TRANSPORT	67
8.10.2.3	DOWNLINK NON UE ASSOCIATED NRPPA TRANSPORT	67
8.10.2.4	UPLINK NON UE ASSOCIATED NRPPA TRANSPORT.....	68
8.10.3	Unsuccessful Operations.....	68
8.10.4	Abnormal Conditions.....	68
8.11	Trace Procedures	68
8.11.1	Trace Start.....	68
8.11.1.1	General	68
8.11.1.2	Successful Operation.....	68
8.11.1.3	Abnormal Conditions	69
8.11.2	Trace Failure Indication.....	69
8.11.2.1	General	69
8.11.2.2	Successful Operation.....	69
8.11.2.3	Abnormal Conditions	69
8.11.3	Deactivate Trace	69
8.11.3.1	General	69
8.11.3.2	Successful Operation.....	70
8.11.3.3	Abnormal Conditions	70
8.11.4	Cell Traffic Trace.....	70
8.11.4.1	General	70
8.11.4.2	Successful Operation.....	70
8.11.4.3	Abnormal Conditions	70
8.12	Location Reporting Procedures	71
8.12.1	Location Reporting Control	71
8.12.1.1	General	71
8.12.1.2	Successful Operation.....	71
8.12.1.3	Abnormal Conditions	71
8.12.2	Location Reporting Failure Indication.....	71
8.12.2.1	General	71
8.12.2.2	Successful Operation.....	72
8.12.2.3	Abnormal Conditions	72
8.12.3	Location Report	72
8.12.3.1	General	72
8.12.3.2	Successful Operation.....	72
8.12.3.3	Abnormal Conditions	72
8.13	UE TNLA Binding Procedures	73
8.13.1	UE TNLA Binding Release	73

8.13.1.1	General	73
8.13.1.2	Successful Operation.....	73
8.13.1.3	Abnormal Conditions	73
8.14	UE Radio Capability Management Procedures	73
8.14.1	UE Radio Capability Info Indication	73
8.14.1.1	General	73
8.14.1.2	Successful Operation.....	74
8.14.1.3	Abnormal Conditions	74
8.14.2	UE Radio Capability Check.....	74
8.14.2.1	General	74
8.14.2.2	Successful Operation.....	74
8.14.2.3	Unsuccessful Operation	75
8.14.2.4	Abnormal Conditions	75
8.15	Data Usage Reporting Procedures	75
8.15.1	Secondary RAT Data Usage Report	75
8.15.1.1	General	75
8.15.1.2	Successful Operation.....	75
8.15.1.3	Abnormal Conditions	75
9	Elements for NGAP Communication	76
9.0	General	76
9.1	Tabular Format Contents.....	76
9.1.1	Presence	76
9.1.2	Criticality	76
9.1.3	Range	76
9.1.4	Assigned Criticality	77
9.2	Message Functional Definition and Content	77
9.2.1	PDU Session Management Messages	77
9.2.1.1	PDU SESSION RESOURCE SETUP REQUEST	77
9.2.1.2	PDU SESSION RESOURCE SETUP RESPONSE	77
9.2.1.3	PDU SESSION RESOURCE RELEASE COMMAND	78
9.2.1.4	PDU SESSION RESOURCE RELEASE RESPONSE	79
9.2.1.5	PDU SESSION RESOURCE MODIFY REQUEST	79
9.2.1.6	PDU SESSION RESOURCE MODIFY RESPONSE	81
9.2.1.7	PDU SESSION RESOURCE NOTIFY	81
9.2.1.8	PDU SESSION RESOURCE MODIFY INDICATION	82
9.2.1.9	PDU SESSION RESOURCE MODIFY CONFIRM	83
9.2.2	UE Context Management Messages	83
9.2.2.1	INITIAL CONTEXT SETUP REQUEST	83
9.2.2.2	INITIAL CONTEXT SETUP RESPONSE	85
9.2.2.3	INITIAL CONTEXT SETUP FAILURE	85
9.2.2.4	UE CONTEXT RELEASE REQUEST	86
9.2.2.5	UE CONTEXT RELEASE COMMAND	86
9.2.2.6	UE CONTEXT RELEASE COMPLETE	87
9.2.2.7	UE CONTEXT MODIFICATION REQUEST	87
9.2.2.8	UE CONTEXT MODIFICATION RESPONSE	88
9.2.2.9	UE CONTEXT MODIFICATION FAILURE	88
9.2.2.10	RRC INACTIVE TRANSITION REPORT	88
9.2.3	UE Mobility Management Messages	89
9.2.3.1	HANDOVER REQUIRED	89
9.2.3.2	HANDOVER COMMAND	89
9.2.3.3	HANDOVER PREPARATION FAILURE	90
9.2.3.4	HANDOVER REQUEST	91
9.2.3.5	HANDOVER REQUEST ACKNOWLEDGE.....	92
9.2.3.6	HANDOVER FAILURE	93
9.2.3.7	HANDOVER NOTIFY	93
9.2.3.8	PATH SWITCH REQUEST	94
9.2.3.9	PATH SWITCH REQUEST ACKNOWLEDGE	95
9.2.3.10	PATH SWITCH REQUEST FAILURE	96
9.2.3.11	HANDOVER CANCEL	96
9.2.3.12	HANDOVER CANCEL ACKNOWLEDGE	96
9.2.3.13	UPLINK RAN STATUS TRANSFER	97

9.2.3.14	DL RAN STATUS TRANSFER	97
9.2.4	Paging Messages.....	97
9.2.4.1	PAGING	97
9.2.5	NAS Transport Messages	98
9.2.5.1	INITIAL UE MESSAGE	98
9.2.5.2	DL NAS TRANSPORT.....	98
9.2.5.3	UL NAS TRANSPORT.....	98
9.2.5.4	NAS NON DELIVERY INDICATION.....	99
9.2.5.5	REROUTE NAS REQUEST	99
9.2.6	Interface Management Messages.....	99
9.2.6.1	NG SETUP REQUEST.....	99
9.2.6.2	NG SETUP RESPONSE.....	100
9.2.6.3	NG SETUP FAILURE.....	101
9.2.6.4	RAN CONFIGURATION UPDATE	101
9.2.6.5	RAN CONFIGURATION UPDATE ACKNOWLEDGE	101
9.2.6.6	RAN CONFIGURATION UPDATE FAILURE	102
9.2.6.7	AMF CONFIGURATION UPDATE.....	102
9.2.6.8	AMF CONFIGURATION UPDATE ACKNOWLEDGE.....	104
9.2.6.9	AMF CONFIGURATION UPDATE FAILURE	104
9.2.6.10	AMF STATUS INDICATION.....	104
9.2.6.11	NG RESET.....	105
9.2.6.12	NG RESET ACKNOWLEDGE.....	105
9.2.6.13	ERROR INDICATION.....	105
9.2.6.14	OVERLOAD START	106
9.2.6.15	OVERLOAD STOP	106
9.2.7	Configuration Transfer Messages	106
9.2.7.1	UL RAN CONFIGURATION TRANSFER.....	106
9.2.7.2	DL RAN CONFIGURATION TRANSFER.....	107
9.2.8	Warning Message Transmission Messages	107
9.2.8.1	WRITE-REPLACE WARNING REQUEST.....	107
9.2.8.2	WRITE-REPLACE WARNING RESPONSE	108
9.2.8.3	PWS CANCEL REQUEST.....	108
9.2.8.4	PWS CANCEL RESPONSE.....	108
9.2.8.5	PWS RESTART INDICATION	108
9.2.8.6	PWS FAILURE INDICATION	109
9.2.9	NRPPa Transport Messages.....	110
9.2.9.1	DL UE ASSOCIATED NRPPA TRANSPORT	110
9.2.9.2	UL UE ASSOCIATED NRPPA TRANSPORT	110
9.2.9.3	DL NON UE ASSOCIATED NRPPA TRANSPORT	110
9.2.9.4	UL NON UE ASSOCIATED NRPPA TRANSPORT	110
9.2.10	Trace Messages.....	111
9.2.10.1	TRACE START	111
9.2.10.2	TRACE FAILURE INDICATION	111
9.2.10.3	DEACTIVATE TRACE	111
9.2.10.4	CELL TRAFFIC TRACE	111
9.2.11	Location Reporting Messages	112
9.2.11.1	LOCATION REPORTING CONTROL	112
9.2.11.2	LOCATION REPORTING FAILURE INDICATION	112
9.2.11.3	LOCATION REPORT	112
9.2.12	UE TNLA Binding Messages	113
9.2.12.1	UE TNLA BINDING RELEASE REQUEST	113
9.2.13	UE Radio Capability Management Messages	113
9.2.13.1	UE RADIO CAPABILITY INFO INDICATION	113
9.2.13.2	UE RADIO CAPABILITY CHECK REQUEST	113
9.2.13.3	UE RADIO CAPABILITY CHECK RESPONSE	114
9.2.14	Data Usage Reporting Messages	114
9.2.14.1	SECONDARY RAT DATA USAGE REPORT	114
9.3	Information Element Definitions.....	114
9.3.1	Radio Network Layer Related IEs	114
9.3.1.1	Message Type	114
9.3.1.2	Cause	115
9.3.1.3	Criticality Diagnostics.....	119

9.3.1.4	Bit Rate	120
9.3.1.5	Global RAN Node ID.....	120
9.3.1.6	Global gNB ID	121
9.3.1.7	NR CGI	121
9.3.1.8	Global ng-eNB ID	121
9.3.1.9	E-UTRA CGI	122
9.3.1.10	GBR QoS Flow Information	122
9.3.1.11	Void.....	122
9.3.1.12	QoS Flow Level QoS Parameters.....	122
9.3.1.13	QoS Flow List with Cause	123
9.3.1.14	Trace Activation.....	123
9.3.1.15	Core Network Assistance Information for RRC INACTIVE.....	124
9.3.1.16	User Location Information	124
9.3.1.17	Slice Support List.....	125
9.3.1.18	Dynamic 5QI Descriptor	125
9.3.1.19	Allocation and Retention Priority	126
9.3.1.20	Source to Target Transparent Container	127
9.3.1.21	Target to Source Transparent Container	128
9.3.1.22	Handover Type.....	128
9.3.1.23	MICO Mode Indication.....	128
9.3.1.24	S-NSSAI	128
9.3.1.25	Target ID	128
9.3.1.26	Emergency Fallback Indicator	129
9.3.1.27	Security Indication	129
9.3.1.28	Non Dynamic 5QI Descriptor	130
9.3.1.29	Source NG-RAN Node to Target NG-RAN Node Transparent Container	131
9.3.1.30	Target NG-RAN Node to Source NG-RAN Node Transparent Container	132
9.3.1.31	Allowed NSSAI	133
9.3.1.32	Relative AMF Capacity.....	133
9.3.1.33	DL Forwarding.....	133
9.3.1.34	DRBs to QoS Flows Mapping List.....	133
9.3.1.35	Message Identifier.....	134
9.3.1.36	Serial Number	134
9.3.1.37	Warning Area List.....	134
9.3.1.38	Number of Broadcasts Requested	134
9.3.1.39	Warning Type	135
9.3.1.40	Warning Security Information	135
9.3.1.41	Data Coding Scheme	135
9.3.1.42	Warning Message Contents.....	135
9.3.1.43	Broadcast Completed Area List	135
9.3.1.44	Broadcast Cancelled Area List	136
9.3.1.45	Number of Broadcasts	138
9.3.1.46	Concurrent Warning Message Indicator.....	138
9.3.1.47	Cancel-All Warning Messages Indicator	138
9.3.1.48	Emergency Area ID.....	138
9.3.1.49	Repetition Period.....	138
9.3.1.50	PDU Session ID	139
9.3.1.51	QoS Flow Identifier	139
9.3.1.52	PDU Session Type	139
9.3.1.53	DRB ID	139
9.3.1.54	Masked IMEISV	139
9.3.1.55	New Security Context Indicator.....	140
9.3.1.56	Time to Wait	140
9.3.1.57	Global N3IWF ID	140
9.3.1.58	UE Aggregate Maximum Bit Rate	140
9.3.1.59	Security Result	141
9.3.1.60	User Plane Security Information	141
9.3.1.61	Index to RAT/Frequency Selection Priority.....	141
9.3.1.62	Data Forwarding Accepted.....	141
9.3.1.63	Data Forwarding Not Possible	141
9.3.1.64	Direct Forwarding Path Availability	142
9.3.1.65	Location Reporting Request Type.....	142

9.3.1.66	Area of Interest.....	143
9.3.1.67	UE Presence in Area of Interest List.....	143
9.3.1.68	UE Radio Capability for Paging.....	143
9.3.1.69	Assistance Data for Paging	143
9.3.1.70	Assistance Data for Recommended Cells	144
9.3.1.71	Recommended Cells for Paging.....	144
9.3.1.72	Paging Attempt Information.....	144
9.3.1.73	NG-RAN CGI	145
9.3.1.74	UE Radio Capability	145
9.3.1.75	Time Stamp	145
9.3.1.76	Location Reporting Reference ID	145
9.3.1.77	Data Forwarding Response DRB List.....	146
9.3.1.78	Paging Priority	146
9.3.1.79	Packet Loss Rate	146
9.3.1.80	Packet Delay Budget.....	146
9.3.1.81	Packet Error Rate	146
9.3.1.82	Averaging Window	147
9.3.1.83	Maximum Data Burst Volume	147
9.3.1.84	Priority Level	147
9.3.1.85	Mobility Restriction List	147
9.3.1.86	UE Security Capabilities	149
9.3.1.87	Security Key.....	150
9.3.1.88	Security Context.....	151
9.3.1.89	IMS Voice Support Indicator	151
9.3.1.90	Paging DRX	151
9.3.1.91	RRC Inactive Transition Report Request	151
9.3.1.92	RRC State.....	151
9.3.1.93	Expected UE Behaviour	152
9.3.1.94	Expected UE Activity Behaviour.....	152
9.3.1.95	UE History Information	153
9.3.1.96	Last Visited Cell Information.....	153
9.3.1.97	Last Visited NG-RAN Cell Information	154
9.3.1.98	Cell Type.....	154
9.3.1.99	Associated QoS Flow List.....	154
9.3.1.100	Information on Recommended Cells and RAN Nodes for Paging.....	154
9.3.1.101	Recommended RAN Nodes for Paging.....	155
9.3.1.102	PDU Session Aggregate Maximum Bit Rate	155
9.3.1.103	Maximum Integrity Protected Data Rate.....	155
9.3.1.104	Overload Response.....	156
9.3.1.105	Overload Action.....	156
9.3.1.106	Traffic Load Reduction Indication	156
9.3.1.107	Slice Overload List.....	156
9.3.1.108	RAN Status Transfer Transparent Container	157
9.3.1.109	COUNT Value for PDCP SN Length 12.....	160
9.3.1.110	COUNT Value for PDCP SN Length 18.....	160
9.3.1.111	RRC Establishment Cause	160
9.3.1.112	Warning Area Coordinates.....	161
9.3.1.113	Network Instance	161
9.3.1.114	Secondary RAT Usage Information	161
9.3.1.115	Volume Timed Report List	162
9.3.1.116	Redirection for Voice EPS Fallback	162
9.3.1.117	UE Retention Information.....	162
9.3.1.118	UL Forwarding.....	162
9.3.1.119	CN Assisted RAN Parameters Tuning	163
9.3.1.120	Common Network Instance.....	163
9.3.2	Transport Network Layer Related IEs	163
9.3.2.1	QoS Flow per TNL Information List	163
9.3.2.2	UP Transport Layer Information.....	163
9.3.2.3	E-RAB ID	164
9.3.2.4	Transport Layer Address	164
9.3.2.5	GTP-TEID.....	164
9.3.2.6	CP Transport Layer Information.....	164

9.3.2.7	TNL Association List	164
9.3.2.8	QoS Flow per TNL Information.....	165
9.3.2.9	TNL Association Usage	165
9.3.2.10	TNL Address Weight Factor	165
9.3.2.11	UP Transport Layer Information Pair List	165
9.3.2.12	UP Transport Layer Information List.....	166
9.3.2.13	QoS Flow List with Data Forwarding	166
9.3.3	NAS Related IEs.....	166
9.3.3.1	AMF UE NGAP ID	166
9.3.3.2	RAN UE NGAP ID	167
9.3.3.3	GUAMI	167
9.3.3.4	NAS-PDU	167
9.3.3.5	PLMN Identity	167
9.3.3.6	SON Configuration Transfer	167
9.3.3.7	SON Information.....	168
9.3.3.8	SON Information Reply	168
9.3.3.9	Xn TNL Configuration Info	168
9.3.3.10	TAC.....	169
9.3.3.11	TAI.....	169
9.3.3.12	AMF Set ID.....	169
9.3.3.13	Routing ID.....	170
9.3.3.14	NRPPa-PDU.....	170
9.3.3.15	RAN Paging Priority	170
9.3.3.16	EPS TAC.....	170
9.3.3.17	EPS TAI	170
9.3.3.18	UE Paging Identity	170
9.3.3.19	AMF Pointer	171
9.3.3.20	5G-S-TMSI	171
9.3.3.21	AMF Name	171
9.3.3.22	Paging Origin	171
9.3.3.23	UE Identity Index Value	171
9.3.3.24	Periodic Registration Update Timer	172
9.3.3.25	UE-associated Logical NG-connection List	172
9.3.3.26	NAS Security Parameters from NG-RAN	172
9.3.4	SMF Related IEs.....	173
9.3.4.1	PDU Session Resource Setup Request Transfer	173
9.3.4.2	PDU Session Resource Setup Response Transfer	173
9.3.4.3	PDU Session Resource Modify Request Transfer	174
9.3.4.4	PDU Session Resource Modify Response Transfer	175
9.3.4.5	PDU Session Resource Notify Transfer	175
9.3.4.6	PDU Session Resource Modify Indication Transfer	176
9.3.4.7	PDU Session Resource Modify Confirm Transfer	176
9.3.4.8	Path Switch Request Transfer	177
9.3.4.9	Path Switch Request Acknowledge Transfer	178
9.3.4.10	Handover Command Transfer	178
9.3.4.11	Handover Request Acknowledge Transfer	179
9.3.4.12	PDU Session Resource Release Command Transfer	181
9.3.4.13	PDU Session Resource Notify Released Transfer	181
9.3.4.14	Handover Required Transfer	181
9.3.4.15	Path Switch Request Setup Failed Transfer	181
9.3.4.16	PDU Session Resource Setup Unsuccessful Transfer	181
9.3.4.17	PDU Session Resource Modify Unsuccessful Transfer	181
9.3.4.18	Handover Preparation Unsuccessful Transfer	181
9.3.4.19	Handover Resource Allocation Unsuccessful Transfer	182
9.3.4.20	Path Switch Request Unsuccessful Transfer	182
9.3.4.21	PDU Session Resource Release Response Transfer	182
9.3.4.22	PDU Session Resource Modify Indication Unsuccessful Transfer	182
9.3.4.23	Secondary RAT Data Usage Report Transfer	182
9.4	Message and Information Element Abstract Syntax (with ASN.1)	182
9.4.1	General.....	182
9.4.2	Usage of private message mechanism for non-standard use	183
9.4.3	Elementary Procedure Definitions	184

9.4.4	PDU Definitions	195
9.4.5	Information Element Definitions	236
9.4.6	Common Definitions.....	300
9.4.7	Constant Definitions	301
9.4.8	Container Definitions.....	307
9.5	Message Transfer Syntax	312
9.6	Timers	312
10	Handling of Unknown, Unforeseen and Erroneous Protocol Data	313
10.1	General	313
10.2	Transfer Syntax Error.....	313
10.3	Abstract Syntax Error.....	313
10.3.1	General.....	313
10.3.2	Criticality Information	314
10.3.3	Presence Information	314
10.3.4	Not comprehended IE/IE group	315
10.3.4.1	Procedure Code	315
10.3.4.1A	Type of Message	315
10.3.4.2	IEs other than the Procedure Code and Type of Message	315
10.3.5	Missing IE or IE group	316
10.3.6	IEs or IE groups received in wrong order or with too many occurrences or erroneously present	317
10.4	Logical Error	318
10.5	Exceptions	318
10.6	Handling of AP ID	319
Annex A (informative):	Change history	320
History		323

iTeh STANDARD PREVIEW
(Standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/0614deea-0782-4ba4-b045-f11b2eb16d3e/etsi-ts-138-413-v15.4.0-2019-07>