

ETSI TS 101 154 V2.6.1 (2019-09)



**Digital Video Broadcasting (DVB);
Specification for the use of Video and
Audio Coding in Broadcast and Broadband Applications**

ITEH STANDARD PREVIEW
(standards.iteh.ai)
Full standard available on
<https://standards.iteh.ai/catalog/standards/sis/101154-v2.6.1-2019-09>
4239-b5a7-89356c6c2dde/etsi-ts-101154-v2.6.1-2019-09

EBU DVB®

Reference

RTS/JTC-DVB-385

Keywordsbroadcasting, digital, DVB, MPEG, TV, UHDTV,
video**ETSI**

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

© European Broadcasting Union 2019.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	17
Foreword.....	17
Modal verbs terminology.....	18
Introduction	18
1 Scope	21
2 References	21
2.1 Normative references	21
2.2 Informative references.....	23
3 Definition of terms, symbols and abbreviations.....	25
3.1 Terms.....	25
3.2 Symbols.....	34
3.3 Abbreviations	34
4 Systems layer.....	37
4.0 Introduction	37
4.1 Broadcast bitstreams and Baseline IRDs.....	37
4.1.0 General.....	37
4.1.1 Introduction (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1 Introduction).....	37
4.1.2 Packetized Elementary Stream (PES) (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause Intro.4)	38
4.1.3 Transport stream system target decoder (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.4.2).....	38
4.1.4 Transport packet layer (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.4.3.2).....	38
4.1.4.1 Null packets.....	38
4.1.4.2 Transport packet header	38
4.1.4.2.1 Transport_error_indicator.....	38
4.1.4.2.2 Transport_priority.....	38
4.1.4.2.3 Transport_scrambling_control.....	38
4.1.4.2.4 Void.....	38
4.1.5 Adaptation field (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.4.3.4)	39
4.1.5.1 Random_access_indicator.....	39
4.1.5.2 Elementary_stream_priority_indicator.....	40
4.1.5.3 Program Clock Reference (PCR)	41
4.1.5.4 Other fields.....	41
4.1.6 Packetized Elementary Stream (PES) Packet (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.4.3.6)	42
4.1.6.1 stream_id and stream_type.....	42
4.1.6.2 PES_scrambling_control.....	43
4.1.6.3 PES_priority.....	43
4.1.6.4 Copyright and original_or_copy	43
4.1.6.5 Trick mode fields	43
4.1.6.6 additional_copy_info.....	44
4.1.6.7 Optional fields.....	44
4.1.6.8 PES_extension_field	44
4.1.6.9 Multiple video pictures per PES packet	45
4.1.6.10 Presentation Time Stamp and Decoding Time Stamp occurrence	46
4.1.6.11 STD audio buffer size	47
4.1.7 Program Specific Information (PSI) (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.4.4).....	48
4.1.8 Use of program and elementary stream descriptors (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.6).....	48
4.1.8.0 Introduction.....	48
4.1.8.1 video_stream_descriptor and audio_stream_descriptor	48
4.1.8.2 hierarchy_descriptor.....	48
4.1.8.3 registration_descriptor.....	49

4.1.8.4	data_stream_alignment_descriptor.....	49
4.1.8.5	target_background_grid_descriptor.....	49
4.1.8.6	video_window_descriptor.....	49
4.1.8.7	Conditional Access CA_descriptor.....	49
4.1.8.8	ISO_639_Language_descriptor.....	49
4.1.8.9	system_clock_descriptor.....	50
4.1.8.10	multiplex_buffer_utilization_descriptor.....	50
4.1.8.11	copyright_descriptor.....	50
4.1.8.12	maximum_bitrate_descriptor.....	50
4.1.8.13	private_data_indicator_descriptor.....	50
4.1.8.14	smoothing_buffer_descriptor.....	50
4.1.8.15	STD_descriptor.....	50
4.1.8.16	IBP_descriptor.....	50
4.1.8.17	MPEG-4_audio_descriptor.....	51
4.1.8.18	AVC_video_descriptor.....	51
4.1.8.19	SVC_extension_descriptor.....	51
4.1.8.19a	HEVC_video_descriptor.....	52
4.1.8.20	Void.....	52
4.1.8.21	Void.....	52
4.1.8.22	Void.....	52
4.1.8.23	Void.....	52
4.1.8.24	Void.....	52
4.1.8.24.1	Void.....	52
4.1.8.24.2	Void.....	52
4.1.8.24.3	Void.....	52
4.1.8.25	Void.....	52
4.1.8.26	Void.....	52
4.1.8.27	MPEG-4 audio extension descriptor.....	52
4.1.8.28	MVC_extension_descriptor.....	53
4.1.8.29	Void.....	53
4.1.8.30	Void.....	53
4.1.8.31	MPEG-H_3dAudio_descriptor.....	53
4.1.8.32	Void.....	54
4.1.9	Compatibility with ISO/IEC 11172-1 (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.8).....	54
4.1.10	Storage Media Interoperability.....	54
4.2	Bitstreams from storage applications and IRDs with digital interfaces.....	54
4.2.0	Scope.....	54
4.2.1	Partial Transport Streams.....	54
4.2.2	Decoding of Trick Play data (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.4.3.7).....	54
5	Video.....	55
5.0	Introduction.....	55
5.1	25 Hz MPEG-2 SDTV IRDs and Bitstreams.....	56
5.1.0	General.....	56
5.1.1	Profile and level.....	56
5.1.2	Frame rate.....	56
5.1.3	Aspect ratio.....	57
5.1.4	Luminance resolution.....	57
5.1.5	Chromaticity Parameters.....	59
5.1.6	Chrominance.....	59
5.1.7	Video sequence header.....	59
5.2	25 Hz MPEG-2 HDTV IRDs and Bitstreams.....	59
5.2.0	General.....	59
5.2.1	Profile and level.....	60
5.2.2	Frame rate.....	60
5.2.3	Aspect ratio.....	60
5.2.4	Luminance resolution.....	60
5.2.5	Chromaticity Parameters.....	61
5.2.6	Chrominance.....	62
5.2.7	Video sequence header.....	62

5.2.8	Backwards Compatibility	62
5.3	30 Hz MPEG-2 SDTV IRDs and Bitstreams	62
5.3.0	General.....	62
5.3.1	Profile and level.....	62
5.3.2	Frame rate	63
5.3.3	Aspect ratio.....	63
5.3.4	Luminance resolution	64
5.3.5	Chromaticity Parameters.....	65
5.3.6	Chrominance.....	66
5.3.7	Video sequence header	66
5.4	30 Hz MPEG-2 HDTV IRDs and Bitstreams.....	66
5.4.0	General.....	66
5.4.1	Profile and level.....	66
5.4.2	Frame rate	66
5.4.3	Aspect ratio.....	67
5.4.4	Luminance resolution	67
5.4.5	Chromaticity Parameters.....	68
5.4.6	Chrominance.....	68
5.4.7	Video sequence header	68
5.4.8	Backwards Compatibility	68
5.5	Specifications Common to all H.264/AVC IRDs and Bitstreams	69
5.5.0	Scope	69
5.5.1	General.....	69
5.5.2	Sequence Parameter Set and Picture Parameter Set.....	69
5.5.2.0	General.....	69
5.5.2.1	pic_width_in_mbs_minus1 and pic_height_in_map_units_minus1.....	69
5.5.3	Video Usability Information.....	70
5.5.3.0	General.....	70
5.5.3.1	Aspect Ratio Information.....	70
5.5.3.2	Colour Parameter Information.....	70
5.5.3.3	Chrominance Information.....	70
5.5.3.4	Timing Information.....	70
5.5.3.5	Picture Structure Information.....	71
5.5.4	Supplemental Enhancement Information.....	71
5.5.4.0	General.....	71
5.5.4.1	Picture Timing SEI Message.....	71
5.5.4.2	Pan-Scan Rectangle SEI Message.....	72
5.5.4.3	Still pictures	72
5.5.5	Random Access Point.....	72
5.5.5.0	General.....	72
5.5.5.1	Time Interval Between RAPs.....	73
5.6	H.264/AVC SDTV IRDs and Bitstreams	73
5.6.1	Specifications Common to all H.264/AVC SDTV IRDs and Bitstreams	73
5.6.1.0	Scope.....	73
5.6.1.1	Sequence Parameter Set and Picture Parameter Set.....	73
5.6.1.2	Profile and level	74
5.6.1.3	Aspect ratio	74
5.6.2	25 Hz H.264/AVC SDTV IRD and Bitstream.....	74
5.6.2.0	General.....	74
5.6.2.1	Colour Parameter Information	74
5.6.2.2	Frame rate	75
5.6.2.3	Luminance resolution.....	75
5.6.3	30 Hz H.264/AVC SDTV IRD and Bitstream.....	76
5.6.3.0	General.....	76
5.6.3.1	Colour Parameter Information	76
5.6.3.2	Frame rate	77
5.6.3.3	Luminance resolution.....	77
5.7	H.264/AVC HDTV IRDs and Bitstreams	78
5.7.1	Specifications common to all H.264/AVC HDTV IRDs and Bitstreams	78
5.7.1.0	Scope.....	78
5.7.1.1	Sequence Parameter Set and Picture Parameter Set.....	78
5.7.1.2	Aspect ratio	79

5.7.1.3	Colour Parameter Information	79
5.7.1.4	Luminance resolution	79
5.7.2	25 Hz H.264/AVC HDTV IRD and Bitstream	80
5.7.2.0	General	80
5.7.2.1	Profile and level	80
5.7.2.2	Frame rate	80
5.7.2.3	Backwards Compatibility	81
5.7.3	30 Hz H.264/AVC HDTV IRD and Bitstream	81
5.7.3.0	General	81
5.7.3.1	Profile and level	81
5.7.3.2	Frame rate	81
5.7.3.3	Backwards Compatibility	81
5.7.4	50 Hz H.264/AVC HDTV IRD and Bitstream	82
5.7.4.0	General	82
5.7.4.1	Profile and level	82
5.7.4.2	Frame rate	82
5.7.4.3	Backwards Compatibility	82
5.7.5	60 Hz H.264/AVC HDTV IRD and Bitstream	82
5.7.5.0	General	82
5.7.5.1	Profile and level	82
5.7.5.2	Frame rate	83
5.7.5.3	Backwards Compatibility	83
5.8	SVC HDTV IRDs and Bitstreams	83
5.8.1	Specifications common to all SVC HDTV IRDs and Bitstreams	83
5.8.1.0	Introduction	83
5.8.1.1	Classes of SVC operation	83
5.8.1.1.0	General	83
5.8.1.1.1	Class S Bitstream	84
5.8.1.1.2	Class Q Bitstream	84
5.8.1.1.3	Class M Bitstream	84
5.8.1.2	System Considerations	85
5.8.1.3	SVC Sequence Parameter Set and Picture Parameter Set	85
5.8.1.3.0	General	85
5.8.1.3.1	pic_width_in_mbs_minus1 and pic_height_in_map_units_minus1	85
5.8.1.3.2	Subset Sequence Parameter Set	86
5.8.1.4	Video Usability Information	86
5.8.1.4.0	General	86
5.8.1.4.1	Aspect Ratio Information	87
5.8.1.4.2	Colour Parameter Information	87
5.8.1.4.3	Chrominance Information	87
5.8.1.4.4	Timing Information	88
5.8.1.4.5	Picture Structure Information	88
5.8.1.5	Supplemental Enhancement Information	88
5.8.1.5.0	General	88
5.8.1.5.1	Picture Timing SEI Message	89
5.8.1.5.2	Pan-Scan Rectangle SEI Message	89
5.8.1.5.3	Scalable Nesting SEI Message	89
5.8.1.5.4	Still pictures	90
5.8.1.6	SVC Random Access Point	90
5.8.1.6.0	General	90
5.8.1.6.1	Time Interval Between SVC RAPs	91
5.8.2	25 Hz SVC HDTV IRD and Bitstream	91
5.8.2.0	General	91
5.8.2.1	Profile and level	91
5.8.2.2	25 Hz SVC base layer bitstream	92
5.8.2.3	Frame rate	92
5.8.2.4	Luminance resolution	92
5.8.2.5	Aspect Ratio Information	93
5.8.2.6	Backwards Compatibility	93
5.8.3	30 Hz SVC HDTV IRD and Bitstream	93
5.8.3.0	General	93
5.8.3.1	Profile and level	93

5.8.3.2	30 Hz SVC base layer bitstream	94
5.8.3.3	Frame rate	94
5.8.3.4	Luminance resolution	95
5.8.3.5	Aspect Ratio Information	95
5.8.3.6	Backwards Compatibility	95
5.8.4	50 Hz SVC HDTV IRD and Bitstream	95
5.8.4.0	General	95
5.8.4.1	Profile and level	96
5.8.4.2	50 Hz SVC base layer bitstream	96
5.8.4.3	Frame rate	96
5.8.4.4	Luminance resolution	97
5.8.4.5	Aspect Ratio Information	97
5.8.4.6	Backwards Compatibility	97
5.8.5	60 Hz SVC HDTV IRD and Bitstream	98
5.8.5.0	General	98
5.8.5.1	Profile and level	98
5.8.5.2	60 Hz SVC base layer bitstream	98
5.8.5.3	Frame rate	98
5.8.5.4	Luminance resolution	99
5.8.5.5	Aspect Ratio Information	99
5.8.5.6	Backwards Compatibility	100
5.9	25 Hz VC-1 SDTV IRDs and Bitstreams	100
5.9.0	General	100
5.9.1	Profile, Level and Colour Difference Format	100
5.9.2	Frame rate	100
5.9.3	Aspect ratio	100
5.9.4	Luminance resolution	101
5.9.5	Colour Parameter Information	101
5.9.6	Random Access Point	102
5.10	25 Hz VC-1 HDTV IRDs and Bitstreams	102
5.10.0	General	102
5.10.1	Profile, Level and Colour Difference Format	102
5.10.2	Frame rate	102
5.10.3	Aspect ratio	102
5.10.4	Luminance resolution	103
5.10.5	Colour Parameter Information	103
5.10.6	Random Access Point	103
5.10.7	Backwards Compatibility	104
5.11	30 Hz VC-1 SDTV IRDs and Bitstreams	104
5.11.0	General	104
5.11.1	Profile and level	104
5.11.2	Frame rate	104
5.11.3	Aspect ratio	104
5.11.4	Luminance resolution	105
5.11.5	Colour Parameter Information	105
5.11.6	Random Access Point	106
5.12	30 Hz VC-1 HDTV IRDs and Bitstreams	106
5.12.0	General	106
5.12.1	Profile, Level and Colour Difference Format	106
5.12.2	Frame rate	106
5.12.3	Aspect ratio	106
5.12.4	Luminance resolution	107
5.12.5	Colour Parameter Information	107
5.12.6	Random Access Point	107
5.12.7	Backwards Compatibility	108
5.13	MVC Stereo HDTV IRDs and Bitstreams	108
5.13.1	Specifications common to all MVC Stereo HDTV IRDs and Bitstreams	108
5.13.1.0	General	108
5.13.1.1	Introduction	108
5.13.1.2	Composition of MVC Stereo HDTV Bitstreams	108
5.13.1.3	MVC Sequence Parameter Set and Picture Parameter Set	109
5.13.1.4	pic_width_in_mbs_minus1 and pic_height_in_map_units_minus1	109

5.13.1.5	Subset Sequence Parameter Set.....	109
5.13.1.6	Video Usability Information	110
5.13.1.6.0	General	110
5.13.1.6.1	MVC VUI parameters	110
5.13.1.6.2	Aspect Ratio	110
5.13.1.6.3	Colour Parameter Information.....	111
5.13.1.6.4	Luminance Resolution.....	111
5.13.1.7	HRD Conformance.....	111
5.13.1.8	Supplemental Enhancement Information	112
5.13.1.8.0	General	112
5.13.1.8.1	Prohibited SEI messages	112
5.13.1.8.2	Order of SEI Messages.....	113
5.13.1.8.3	Multiview View Position SEI message	113
5.13.1.9	Random Access Point	113
5.13.1.9.0	General	113
5.13.1.9.1	Time Interval Between RAPs	114
5.13.1.10	Additional constraints	114
5.13.1.10.1	Constraints Common to Base and Dependent Views	114
5.13.1.10.2	MVC Stereo Base view constraints.....	115
5.13.1.10.3	MVC Stereo Dependent view constraints.....	115
5.13.1.11	Access Unit Structure.....	116
5.13.2	25 Hz MVC Stereo HDTV IRD and Bitstream	117
5.13.2.0	General	117
5.13.2.1	Profile and level	117
5.13.2.2	Frame rate	117
5.13.2.3	Backwards Compatibility.....	118
5.13.3	30 Hz MVC Stereo HDTV IRD and Bitstream	118
5.13.3.0	General	118
5.13.3.1	Profile and level	118
5.13.3.2	Frame rate	118
5.13.3.3	Backwards Compatibility.....	118
5.14	HEVC IRDs and Bitstreams	118
5.14.1	Specifications Common to all HEVC IRDs and Bitstreams	118
5.14.1.0	Scope.....	118
5.14.1.1	General.....	120
5.14.1.2	Video Parameter Set.....	120
5.14.1.3	Sequence Parameter Set	120
5.14.1.4	Picture Parameter Set	121
5.14.1.5	Video Usability Information	121
5.14.1.5.0	General	121
5.14.1.5.1	Aspect Ratio and Overscan Information.....	121
5.14.1.5.2	Video Range	122
5.14.1.5.3	Colour Parameter Information.....	122
5.14.1.5.4	Chrominance Information.....	122
5.14.1.5.5	Picture Structure Information	123
5.14.1.5.6	Default Display Window	123
5.14.1.5.7	Timing Information	124
5.14.1.6	Supplemental Enhancement Information	124
5.14.1.6.0	General	124
5.14.1.6.1	Picture Timing SEI Message	124
5.14.1.6.2	Recovery Point SEI Message	125
5.14.1.7	Frame rate	125
5.14.1.8	Random Access Point	127
5.14.1.8.0	General	127
5.14.1.8.1	Time Interval Between Random Access Points.....	128
5.14.1.9	Scalability.....	128
5.14.1.9.0	General	128
5.14.1.9.1	Temporal sub-layers	128
5.14.1.9.2	Layer Sets	129
5.14.1.10	HEVC Seamless splicing	129
5.14.2	HEVC HDTV IRDs and Bitstreams	129
5.14.2.0	General	129

5.14.2.1	Profile, tier and level	129
5.14.2.2	Luminance resolution	130
5.14.2.3	Colour Parameter Information	131
5.14.3	HEVC UHD TV IRDs and Bitstreams	131
5.14.3.0	General	131
5.14.3.1	Profile, tier and level	131
5.14.3.2	Luminance resolution	132
5.14.3.3	Colour Parameter Information	133
5.14.3.4	Backwards Compatibility	133
5.14.4	HEVC HDR UHD TV IRDs and Bitstreams	134
5.14.4.1	General	134
5.14.4.2	Profiles, Tiers and Levels	134
5.14.4.3	Luminance Resolutions	134
5.14.4.4	High Dynamic Range and Colour Parameter Information	135
5.14.4.4.1	Signalling of colour primaries and matrix coefficients	135
5.14.4.4.2	HEVC HDR UHD TV IRDs and Bitstreams using HLG10	135
5.14.4.4.3	HEVC HDR UHD TV IRDs and Bitstreams using PQ10	136
5.14.4.5	Frame Rates	142
5.14.4.6	Backwards Compatibility	142
5.14.5	HEVC HDR HFR UHD TV IRDs and Bitstreams and HEVC HFR UHD TV Bitstreams	142
5.14.5.1	General	142
5.14.5.2	Profiles, Tiers and Levels	143
5.14.5.2.1	Common	143
5.14.5.2.2	HFR Bitstreams using dual PID and temporal scalability	143
5.14.5.2.3	HFR Bitstreams using single PID	144
5.14.5.3	Luminance Resolutions	144
5.14.5.4	Colour Parameter Information	144
5.14.5.5	High Frame Rates	144
5.14.5.5.1	General	144
5.14.5.5.2	Dynamic Changes in Frame Rate	146
5.14.5.6	HEVC temporal sub-layers for HFR Bitstreams using dual PID and temporal scalability	146
5.14.5.7	HEVC encoding structure for HFR Bitstreams using dual PID and temporal scalability	146
5.14.5.8	Constraint on Temporal Id	147
5.14.5.9	Backwards Compatibility	148
6	Audio	148
6.0	Introduction	148
6.1	MPEG-1 and MPEG-2 backward compatible audio	149
6.1.0	General	149
6.1.1	Audio mode	150
6.1.2	Layer	150
6.1.3	Bitrate	150
6.1.4	Sampling frequency	151
6.1.5	Emphasis	151
6.1.6	Cyclic redundancy code	151
6.1.7	Prediction	151
6.1.8	Multilingual	151
6.1.9	Extension Stream	151
6.1.10	Ancillary Data	151
6.1.11	MPEG Surround configurations, profiles and levels	152
6.2	AC-3 and Enhanced AC-3 audio	152
6.2.0	General	152
6.2.1	AC-3 and Enhanced AC-3 PES constraints	153
6.2.1.1	Encoding	153
6.2.1.2	Decoding	153
6.2.1.3	Byte-alignment	154
6.2.2	Enhanced AC-3 with multiple independent substreams - PES constraints	154
6.2.2.1	Encoding	154
6.2.2.2	Decoding	155
6.3	DTS Audio	155
6.3.0	General	155
6.3.1	DTS Audio and DTS-HD PES Constraints	155

6.3.1.1	Encoding	155
6.3.1.2	Decoding	156
6.3.1.3	Byte-alignment	156
6.4	MPEG-4 AAC, MPEG-4 HE AAC and MPEG-4 HE AAC v2 audio	156
6.4.0	Introduction	156
6.4.1	LATM/LOAS formatting	157
6.4.2	Profiles and Levels	158
6.4.2.1	Profiles and Levels for AAC, HE AAC and HE AAC v2	158
6.4.2.2	Profiles and Levels for MPEG Surround in combination AAC, HE AAC and HE AAC v2	159
6.4.3	Dynamic Range Control	159
6.5	Random Access Points with MPEG-4 Audio	160
6.5.0	General	160
6.5.1	Definition of RAP with MPEG-4 Audio	160
6.5.1.0	Introduction	160
6.5.1.1	RAP with the LATM/LOAS transport header	160
6.5.1.2	RAP with the AAC Profile	160
6.5.1.3	RAP with the HE AAC Profile	160
6.5.1.4	RAP with the HE AAC v2 Profile	161
6.5.1.5	RAP with AAC-LC / HE AAC plus MPEG Surround	161
6.5.1.6	RAP with Dynamic Range Control and MPEG-4 Audio ancillary data	161
6.5.2	Time interval Between RAPs	162
6.6	AC-4 channel-based audio	162
6.6.0	Introduction	162
6.6.1	General	162
6.6.2	PES packaging for AC-4 elementary streams	163
6.6.3	PES packaging for AC-4 for receiver mix audio	163
6.6.4	DRC and Loudness	164
6.6.5	Dialogue Enhancement	165
6.6.6	Audio/Video Synchronization	165
6.6.7	AC-4 Sync Frame Format	166
6.7	AC-4 for channel-based, immersive and personalized audio	166
6.7.1	AC-4 specific NGA concepts	166
6.7.2	General requirements	166
6.7.3	PES packaging for AC-4 elementary streams	168
6.7.4	Multiple audio programme components	168
6.7.4.1	General	168
6.7.4.2	Single-stream delivery	169
6.7.4.3	Multi-stream delivery	169
6.7.5	DRC and Loudness	170
6.7.6	Dialogue Enhancement	171
6.7.7	Audio/Video frame rate matching	171
6.8	MPEG-H Audio	172
6.8.1	Introduction	172
6.8.2	Profiles and Levels for MPEG-H Audio	172
6.8.3	MHAS elementary stream formatting	173
6.8.4	Random Access Points with MPEG-H Audio	174
6.8.4.1	Definition of RAP with MPEG-H Audio	174
6.8.4.2	Time interval Between RAPs	174
6.8.4.3	Tune-In at a RAP	174
6.8.5	Configuration Change and Audio/Video Alignment	175
6.8.6	Metadata Audio Elements and Audio Preselections	175
6.8.7	MPEG-H Multi-Stream Audio	176
6.8.7.1	Encoding and Decoding of MPEG-H Multi-Stream Audio	176
6.8.7.2	Example of MPEG-H Multi-Stream Audio	176
6.8.8	Loudness and Dynamic Range Control	177
6.8.9	User Interactivity and Personalization	178
6.8.9.1	Audio Scene and User Interactivity Information	178
6.8.9.2	User Interface Examples (informative)	178
6.8.9.2.1	Introduction	178
6.8.9.2.2	MPEG-H Audio Decoder API for User Interface	178
6.8.9.2.3	User Interface on Systems Level	179
6.9	DTS-UHD Audio	180

6.9.1	Overview	180
6.9.1.1	DTS-UHD Stream Structure	180
6.9.1.2	Decoders and Renderers	181
6.9.1.3	Sync Intervals	181
6.9.2	Multi-stream Playback	182
6.9.3	Detailed Requirements	183
6.9.3.1	DTS-UHD BroadcastChunk	183
6.9.3.2	Requirements for including the DTS-UHD BroadcastChunk	184
6.9.4	General Requirements for DTS-UHD	185
6.9.5	DTS-UHD PES Packaging	185
6.9.6	Loudness	186
6.9.7	Dynamic Range Personalization	186

Annex A (informative):	Examples of Full screen luminance resolutions for SDTV and 25 Hz/30 Hz HDTV	187
-------------------------------	--	------------

Annex B (normative):	Auxiliary Data in the Video Elementary Stream	190
-----------------------------	--	------------

B.1	Overview	190
B.2	Common Syntax and Semantics	190
B.3	Active Format Description (AFD)	191
B.3.0	Introduction	191
B.3.1	Coded Frame in MPEG-2 Video	192
B.3.2	Coded Frame in H264/AVC Video	192
B.3.3	Coded Frame in VC-1 Video	192
B.3.4	Common Semantics of AFD	192
B.3.5	Relationship with Pan Vectors	195
B.3.6	Coded Frame in HEVC Video	195
B.4	Bar data	195
B.4.0	Syntax and semantics	195
B.4.1	Recommended Receiver Response to Bar Data	197
B.4.2	Relationship Between Bar Data and AFD	197
B.5	Closed Captions	197
B.5.0	Introduction	197
B.5.1	Syntax and Semantics of cc_data()	197
B.6	Auxiliary Data and MPEG-2 video	198
B.6.1	Coding	198
B.6.2	Syntax and Semantics	199
B.7	Auxiliary Data and H264/AVC, MVC Stereo or SVC video	199
B.7.1	Coding	199
B.7.2	Syntax and Semantics	199
B.7.3	Auxiliary Data in MVC Stereo HDTV Bitstreams	200
B.8	Auxiliary Data and VC-1 video	200
B.8.1	Coding	200
B.8.2	Syntax and Semantics	201
B.8a	Auxiliary Data and HEVC video	201
B.8a.1	Coding	201
B.8a.2	Syntax and Semantics	201
B.9	Relationship with Wide Screen Signalling (WSS)	202
B.10	Aspect Ratio Ranges	202
B.11	Multi Region Disparity	202
B.11.0	Introduction	202
B.11.1	Syntax and Semantics of Multi Region Disparity	203

Annex C (normative):	Implementation of Ancillary Data for MPEG Audio	207
-----------------------------	--	------------

C.1	Scope	207
C.2	Introduction	207
C.3	DVB Compliance	207
C.4	Detailed specification for MPEG1 and MPEG2	207
C.4.1	DVD-Video Ancillary Data	207
C.4.2	Extended ancillary data syntax	208
C.4.2.0	Syntax	208
C.4.2.1	ancillary_data_sync	209
C.4.2.2	bs_info	209
C.4.2.3	mpeg_audio_type	209
C.4.2.4	dolby_surround_mode	209
C.4.2.5	ancillary_data_bytes	209
C.4.2.6	ancillary_data_status	210
C.4.2.7	advanced_dynamic_range_control	210
C.4.2.8	dialog_normalization	211
C.4.2.8.0	Syntax	211
C.4.2.8.1	dialog_normalization_on	211
C.4.2.8.2	dialog_normalization_value	211
C.4.2.9	reproduction_level	211
C.4.2.9.0	Syntax	211
C.4.2.9.1	surround_reproduction_level	212
C.4.2.9.2	production_roomtype	212
C.4.2.9.3	reproduction_level_value	212
C.4.2.10	downmixing_levels_MPEG2	212
C.4.2.10.0	Syntax	212
C.4.2.10.1	center_mix_level_on	212
C.4.2.10.2	surround_mix_level_on	213
C.4.2.10.3	mix_level_value	213
C.4.2.11	audio_coding_mode	213
C.4.2.11.0	Syntax	213
C.4.2.11.1	compression_on	213
C.4.2.12	compression_value	214
C.4.2.13	coarse_grain_timecode	214
C.4.2.14	fine_grain_timecode	214
C.4.2.15	scale_factor_CRC	214
C.4.2.16	Void	215
C.4.2.17	Void	215
C.4.2.18	Void	215
C.4.3	Announcement Switching Data	215
C.4.4	Scale Factor Error Check	216
C.4.5	RDS data via UECP protocol	216
C.5	Detailed specification for MPEG4 AAC, HE AAC and HE AAC v2 Audio	217
C.5.1	Transmission of MPEG4 Audio ancillary data	217
C.5.2	MPEG4 Audio ancillary data syntax	218
C.5.2.0	Syntax	218
C.5.2.1	ancillary_data_sync	218
C.5.2.2	bs_info	218
C.5.2.2.0	Syntax	218
C.5.2.2.1	mpeg_audio_type	218
C.5.2.2.2	dolby_surround_mode	219
C.5.2.2.3	drc_presentation_mode	219
C.5.2.3	ancillary_data_status	219
C.5.2.4	downmixing_levels_MPEG4	220
C.5.2.4.0	General	220
C.5.2.4.1	center_mix_level_on	220
C.5.2.4.2	surround_mix_level_on	220
C.5.2.4.3	mix_level_value	221
C.5.2.5	audio_coding_mode	221
C.5.2.5.0	Syntax	221

C.5.2.5.1	compression_on	222
C.5.2.5.2	compression_value	222
C.5.2.6	coarse_grain_timecode	222
C.5.2.7	fine_grain_timecode	222
C.5.2.8	Persistence of MPEG4 ancillary data	222
C.5.3	Announcement Switching Data	223
C.5.4	DRC Presentation Mode	223

Annex D (normative): Coding of Data Fields in the Private Data Bytes of the Adaptation Field.....226

D.1	Introduction	226
D.2	Private data bytes detailed specification.....	226
D.2.0	General	226
D.2.0a	DVB Compliance	227
D.2.1	Announcement Switching Data	227
D.2.2	AU_information	227
D.3	PVR assistance	232
D.3.1	Introduction (informative)	232
D.3.2	Encoding of PVR assist information (normative)	232
D.3.3	Tier framework.....	233
D.3.3.0	Introduction.....	233
D.3.3.1	Background (informative).....	233
D.3.3.2	Specification for H.264/AVC (normative).....	233
D.3.3.2a	Specification for HEVC (normative)	234
D.3.3.3	Examples of tier number assignment for H.264/AVC and HEVC (informative)	235
D.3.4	Sub-stream framework	237
D.3.4.1	Background (informative).....	237
D.3.4.2	Tier Signalling (normative).....	237
D.3.4.3	Playback speed information (normative)	238
D.3.4.4	Sub-stream associated with a Playback speed (normative).....	238
D.3.4.5	Examples of sub-streams (informative)	239
D.3.5	Segmentation signalling	239
D.3.6	PVR Assistance Signalling Syntax.....	240

Annex E (normative): Supplementary Audio Services.....245

E.1	Overview	245
E.2	Syntax and semantics	245
E.3	Coding for Audio Description SA services	247
E.4	Coding for Clean Audio SA services	248
E.5	Decoder behaviour	249
E.6	Decoder user indicators	250
E.7	Advanced Clean Audio Services.....	250
E.7.0	Introduction	250
E.7.1	Basic Principle.....	250
E.7.2	Control Information.....	251
E.7.3	Coding for Dialogue Enhancement SA services	253
E.7.3.0	General.....	253
E.7.3.1	Supplementary SAOC-DE stream	254
E.7.4	Decoder and Renderer behaviour	254
E.7.4.0	Scope	254
E.7.4.1	Mono/Stereo service with Dialogue Enhancement	254
E.7.4.2	Multichannel service with Dialogue Enhancement.....	255
E.7.4.3	Loudness compensation	257

Annex F (informative): Encoding Guidelines to Enable Trick Play Support of H.264/AVC Streams258