

ETSI TS 124 282 V14.8.0 (2019-10)



LTE;
Mission Critical Data (MCData) signalling control;
Protocol specification
(3GPP TS 24.282 version 14.8.0 Release 14)

Full Standard Preview
https://standards.iteh.ai/catalog/standards/sis/cc1acd1f-cdef-4833-ac41-52f3f6c05a4/etsi-ts-124-282-v14-8-0-2019-10



ReferenceRTS/TSGC-0124282ve80

KeywordsLTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

| | |
|--|----|
| Intellectual Property Rights | 2 |
| Legal Notice | 2 |
| Modal verbs terminology..... | 2 |
| Foreword..... | 11 |
| 1 Scope | 12 |
| 2 References | 12 |
| 3 Definitions, symbols and abbreviations | 14 |
| 3.1 Definitions | 14 |
| 3.2 Abbreviations | 14 |
| 4 General | 14 |
| 4.1 MCDData overview | 14 |
| 4.2 Identity, URI and address assignments..... | 15 |
| 4.2.1 Public Service identities..... | 15 |
| 4.2.2 MCDData session identity | 15 |
| 4.2.3 MCDData client ID | 16 |
| 4.3 Pre-established sessions | 16 |
| 4.4 Emergency Alerts | 16 |
| 4.5 MCDData Protocol..... | 16 |
| 4.6 Protection of sensitive XML application data | 16 |
| 4.7 Protection of TLV signalling and media content..... | 19 |
| 4.8 MCDData client ID | 19 |
| 4.9 Warning Header Field | 20 |
| 4.9.1 General..... | 20 |
| 4.9.2 Warning texts..... | 20 |
| 5 Functional entities | 23 |
| 5.1 Introduction | 23 |
| 5.2 MCDData client | 23 |
| 5.3 MCDData server | 24 |
| 6 Common procedures..... | 25 |
| 6.1 Introduction | 25 |
| 6.2 MCDData client procedures..... | 25 |
| 6.2.1 Distinction of requests at the MCDData client | 25 |
| 6.2.1.1 SIP MESSAGE request..... | 25 |
| 6.2.2 MCDData conversation items..... | 26 |
| 6.2.2.1 Generating an SDS Message | 26 |
| 6.2.2.2 Generating an FD Message for FD using HTTP | 27 |
| 6.2.2.3 Generating an FD Message for FD using media plane..... | 28 |
| 6.2.3 Disposition Notifications | 28 |
| 6.2.3.1 Generating an SDS Notification..... | 28 |
| 6.2.3.2 Generating an FD Notification..... | 29 |
| 6.2.4 Sending SIP requests and receiving SIP responses..... | 30 |
| 6.2.4.1 Generating a SIP MESSAGE request towards the originating participating MCDData function..... | 30 |
| 6.3 MCDData server procedures | 30 |
| 6.3.1 Distinction of requests at the MCDData server | 30 |
| 6.3.1.1 SIP MESSAGE request..... | 30 |
| 6.3.1.2 SIP INVITE request | 31 |
| 6.3.2 Sending SIP requests and receiving SIP responses..... | 33 |
| 6.3.2.1 Generating a SIP MESSAGE request towards the terminating MCDData client | 33 |
| 6.3.3 Retrieving a group document..... | 33 |
| 6.3.4 Determining targeted group members for MCDData communications | 33 |
| 6.3.5 Affiliation check | 34 |
| 6.4 Handling of MIME bodies in a SIP message..... | 34 |

| | | |
|-----------|--|----|
| 6.5 | Confidentiality and Integrity Protection of sensitive XML content | 34 |
| 6.5.1 | General..... | 34 |
| 6.5.1.1 | Applicability and exclusions | 34 |
| 6.5.1.2 | Performing XML content encryption | 35 |
| 6.5.1.3 | Performing integrity protection on an XML body | 35 |
| 6.5.1.4 | Verifying integrity of an XML body and decrypting XML elements | 35 |
| 6.5.2 | Confidentiality Protection..... | 35 |
| 6.5.2.1 | General | 35 |
| 6.5.2.2 | Keys used in confidentiality protection procedures | 36 |
| 6.5.2.3 | Procedures for sending confidentiality protected content | 36 |
| 6.5.2.3.1 | MCDData client | 36 |
| 6.5.2.3.2 | MCDData server..... | 36 |
| 6.5.2.3.3 | Content Encryption in XML elements..... | 37 |
| 6.5.2.3.4 | Attribute URI Encryption | 37 |
| 6.5.2.4 | Procedures for receiving confidentiality protected content | 37 |
| 6.5.2.4.1 | Determination of confidentiality protected content | 37 |
| 6.5.2.4.2 | Decrypting confidentiality protected content in XML elements | 38 |
| 6.5.2.4.3 | Decrypting confidentiality protected URIs in XML attributes | 38 |
| 6.5.2.5 | MCDData server copying received XML content | 38 |
| 6.5.3 | Integrity Protection of XML documents..... | 39 |
| 6.5.3.1 | General | 39 |
| 6.5.3.2 | Keys used in integrity protection procedures | 40 |
| 6.5.3.3 | Sending integrity protected content..... | 41 |
| 6.5.3.3.1 | MCDData client | 41 |
| 6.5.3.3.2 | MCDData server..... | 41 |
| 6.5.3.3.3 | Integrity protection procedure | 41 |
| 6.5.3.4 | Receiving integrity protected content..... | 42 |
| 6.5.3.4.1 | Determination of integrity protected content..... | 42 |
| 6.5.3.4.2 | Verification of integrity protected content..... | 42 |
| 6.6 | Confidentiality and Integrity Protection of TLV messages..... | 42 |
| 6.6.1 | General..... | 42 |
| 6.6.2 | Derivation of master keys for media and media control | 43 |
| 6.6.3 | Protection of MCDData Data signalling and MCDData Data messages..... | 43 |
| 6.6.3.1 | General | 43 |
| 6.6.3.2 | The MCDData client..... | 44 |
| 6.6.3.3 | The participating MCDData function..... | 44 |
| 6.6.3.4 | The controlling MCDData function..... | 44 |
| 7 | Registration and service authorisation | 44 |
| 7.1 | General | 44 |
| 7.2 | MCDData client procedures..... | 45 |
| 7.2.1 | SIP REGISTER request for service authorisation | 45 |
| 7.2.1AA | SIP REGISTER request without service authorisation..... | 46 |
| 7.2.1A | Common SIP PUBLISH procedure | 46 |
| 7.2.2 | SIP PUBLISH request for service authorisation and MCDData service settings | 47 |
| 7.2.3 | Sending SIP PUBLISH for MCDData service settings only | 48 |
| 7.2.4 | Determination of MCDData service settings..... | 48 |
| 7.3 | MCDData server procedures..... | 49 |
| 7.3.1 | General..... | 49 |
| 7.3.1A | Confidentiality and Integrity Protection | 49 |
| 7.3.2 | SIP REGISTER request for service authorisation | 51 |
| 7.3.3 | SIP PUBLISH request for service authorisation and service settings..... | 52 |
| 7.3.4 | Receiving SIP PUBLISH request for MCDData service settings only..... | 53 |
| 7.3.5 | Receiving SIP PUBLISH request with "Expires=0"..... | 53 |
| 7.3.6 | Subscription to and notification of MCDData service settings..... | 54 |
| 7.3.6.1 | Receiving subscription to MCDData service settings..... | 54 |
| 7.3.6.2 | Sending notification of change of MCDData service settings | 54 |
| 8 | Affiliation | 55 |
| 8.1 | General | 55 |
| 8.2 | MCDData client procedures..... | 55 |
| 8.2.1 | General..... | 55 |

| | | |
|-----------|--|----|
| 8.2.2 | Affiliation status change procedure | 55 |
| 8.2.3 | Affiliation status determination procedure | 56 |
| 8.2.4 | Procedure for sending affiliation status change request in negotiated mode to target MCDData user | 57 |
| 8.2.5 | Procedure for receiving affiliation status change request in negotiated mode from authorized MCDData user | 58 |
| 8.3 | MCDData server procedures | 58 |
| 8.3.1 | General | 58 |
| 8.3.2 | Procedures of MCDData server serving the MCDData user | 58 |
| 8.3.2.1 | General | 58 |
| 8.3.2.2 | Stored information | 59 |
| 8.3.2.3 | Receiving affiliation status change from MCDData client procedure | 59 |
| 8.3.2.4 | Receiving subscription to affiliation status procedure | 62 |
| 8.3.2.5 | Sending notification of change of affiliation status procedure | 63 |
| 8.3.2.6 | Sending affiliation status change towards MCDData server owning MCDData group procedure | 64 |
| 8.3.2.7 | Affiliation status determination from MCDData server owning MCDData group procedure | 65 |
| 8.3.2.8 | Procedure for authorizing affiliation status change request in negotiated mode sent to served MCDData user | 67 |
| 8.3.2.9 | Forwarding affiliation status change towards another MCDData user procedure | 68 |
| 8.3.2.10 | Forwarding subscription to affiliation status towards another MCDData user procedure | 69 |
| 8.3.2.11 | Affiliation status determination | 69 |
| 8.3.2.12 | Affiliation status change by implicit affiliation | 70 |
| 8.3.2.13 | Implicit affiliation status change completion | 71 |
| 8.3.2.14 | Implicit affiliation status change cancellation | 71 |
| 8.3.2.15 | Implicit affiliation to configured groups procedure | 72 |
| 8.3.3 | Procedures of MCDData server owning the MCDData group | 73 |
| 8.3.3.1 | General | 73 |
| 8.3.3.2 | Stored information | 74 |
| 8.3.3.3 | Receiving group affiliation status change procedure | 74 |
| 8.3.3.4 | Receiving subscription to affiliation status procedure | 75 |
| 8.3.3.5 | Sending notification of change of affiliation status procedure | 76 |
| 8.3.3.6 | Implicit affiliation eligibility check procedure | 77 |
| 8.3.3.7 | Affiliation status change by implicit affiliation procedure | 77 |
| 8.4 | Coding | 78 |
| 8.4.1 | Extension of application/pidf+xml MIME type | 78 |
| 8.4.1.1 | Introduction | 78 |
| 8.4.1.2 | Syntax | 78 |
| 8.4.2 | Extension of application/simple-filter+xml MIME type | 80 |
| 8.4.2.1 | Introduction | 80 |
| 8.4.2.2 | Syntax | 80 |
| 9 | Short Data Service (SDS) | 81 |
| 9.1 | General | 81 |
| 9.2 | On-network SDS | 81 |
| 9.2.1 | General | 81 |
| 9.2.1.1 | Sending an SDS message | 81 |
| 9.2.1.2 | Handling of received SDS messages with or without disposition requests | 82 |
| 9.2.1.3 | Handling of disposition requests | 83 |
| 9.2.2 | Standalone SDS using signalling control plane | 83 |
| 9.2.2.1 | General | 83 |
| 9.2.2.2 | MCDData client procedures | 84 |
| 9.2.2.2.1 | MCDData client originating procedures | 84 |
| 9.2.2.2.2 | MCDData client terminating procedures | 85 |
| 9.2.2.3 | Participating MCDData function procedures | 85 |
| 9.2.2.3.1 | Originating participating MCDData function procedures | 85 |
| 9.2.2.3.2 | Terminating participating MCDData function procedures | 87 |
| 9.2.2.4 | Controlling MCDData function procedures | 87 |
| 9.2.2.4.1 | Originating controlling MCDData function procedures | 87 |
| 9.2.2.4.2 | Terminating controlling MCDData function procedures | 88 |
| 9.2.3 | Standalone SDS using media plane | 90 |
| 9.2.3.1 | General | 90 |
| 9.2.3.2 | MCDData client procedures | 90 |
| 9.2.3.2.1 | SDP offer generation | 90 |

| | | |
|------------|---|-----|
| 9.2.3.2.2 | SDP answer generation..... | 91 |
| 9.2.3.2.3 | MCDData client originating procedures..... | 91 |
| 9.2.3.2.4 | MCDData client terminating procedures..... | 93 |
| 9.2.3.3 | Participating MCDData function procedures..... | 94 |
| 9.2.3.3.1 | SDP offer generation | 94 |
| 9.2.3.3.2 | SDP answer generation..... | 95 |
| 9.2.3.3.3 | Originating participating MCDData function procedures | 95 |
| 9.2.3.3.4 | Terminating participating MCDData function procedures | 97 |
| 9.2.3.4 | Controlling MCDData function procedures..... | 98 |
| 9.2.3.4.1 | SDP offer generation | 98 |
| 9.2.3.4.2 | SDP answer generation..... | 99 |
| 9.2.3.4.3 | Originating controlling MCDData function procedures..... | 99 |
| 9.2.3.4.4 | Terminating controlling MCDData function procedures..... | 100 |
| 9.2.4 | SDS session | 102 |
| 9.2.4.1 | General..... | 102 |
| 9.2.4.2 | MCDData client procedures..... | 102 |
| 9.2.4.2.1 | SDP offer generation | 102 |
| 9.2.4.2.2 | SDP answer generation..... | 103 |
| 9.2.4.2.3 | MCDData client originating procedures..... | 103 |
| 9.2.4.2.4 | MCDData client terminating procedures..... | 105 |
| 9.2.4.3 | Participating MCDData function procedures..... | 106 |
| 9.2.4.3.1 | SDP offer generation | 106 |
| 9.2.4.3.2 | SDP answer generation..... | 106 |
| 9.2.4.3.3 | Originating participating MCDData function procedures | 107 |
| 9.2.4.3.4 | Terminating participating MCDData function procedures | 108 |
| 9.2.4.4 | Controlling MCDData function procedures..... | 110 |
| 9.2.4.4.1 | SDP offer generation | 110 |
| 9.2.4.4.2 | SDP answer generation..... | 110 |
| 9.2.4.4.3 | Originating controlling MCDData function procedures..... | 111 |
| 9.2.4.4.4 | Terminating controlling MCDData function procedures..... | 112 |
| 9.3 | Off-network SDS..... | 114 |
| 9.3.1 | General..... | 114 |
| 9.3.1.1 | Message transport to a MCDData Client | 114 |
| 9.3.1.2 | Message transport to a MCDData Group..... | 114 |
| 9.3.2 | Standalone SDS using signalling control plane | 114 |
| 9.3.2.1 | General..... | 114 |
| 9.3.2.2 | Sending SDS message..... | 114 |
| 9.3.2.3 | Retransmitting SDS message | 116 |
| 9.3.2.4 | Receiving SDS message..... | 117 |
| 9.3.2.5 | SDS Read while TFS3 (delivery and read) is running | 117 |
| 9.3.2.6 | Timer TFS3 (delivery and read) expires | 117 |
| 10 | File Distribution (FD)..... | 117 |
| 10.1 | General | 117 |
| 10.2 | On-network FD | 118 |
| 10.2.1 | General..... | 118 |
| 10.2.1.1 | Sending an FD message | 118 |
| 10.2.1.2 | Handling of received FD messages | 118 |
| 10.2.1.2.1 | Initial processing of the received FD message | 118 |
| 10.2.1.2.2 | Mandatory Download..... | 118 |
| 10.2.1.2.3 | Non-Mandatory download..... | 119 |
| 10.2.1.3 | Discovery of the Absolute URI of the media storage function | 120 |
| 10.2.1.3.1 | General | 120 |
| 10.2.1.3.2 | MCDData client procedures..... | 121 |
| 10.2.1.3.3 | Participating MCDData function procedures | 121 |
| 10.2.1.3.4 | Controlling MCDData function procedures | 122 |
| 10.2.2 | File upload using HTTP..... | 124 |
| 10.2.2.1 | Media storage client procedures..... | 124 |
| 10.2.2.2 | Media storage function procedures | 125 |
| 10.2.3 | File download using HTTP..... | 126 |
| 10.2.3.1 | Media storage client procedures..... | 126 |
| 10.2.3.2 | Media storage function procedures | 126 |

| | | |
|------------|---|-----|
| 10.2.4 | FD using HTTP..... | 126 |
| 10.2.4.1 | General..... | 126 |
| 10.2.4.2 | MCDATA client procedures..... | 127 |
| 10.2.4.2.1 | MCDATA client originating procedures..... | 127 |
| 10.2.4.2.2 | MCDATA client terminating procedures..... | 127 |
| 10.2.4.3 | Participating MCDATA function procedures..... | 128 |
| 10.2.4.3.1 | Originating participating MCDATA function procedures..... | 128 |
| 10.2.4.3.2 | Terminating participating MCDATA function procedures..... | 129 |
| 10.2.4.4 | Controlling MCDATA function procedures..... | 130 |
| 10.2.4.4.1 | Originating controlling MCDATA function procedures..... | 130 |
| 10.2.4.4.2 | Terminating controlling MCDATA function procedures..... | 130 |
| 10.2.5 | FD using media plane..... | 133 |
| 10.2.5.1 | General..... | 133 |
| 10.2.5.2 | MCDATA client procedures..... | 133 |
| 10.2.5.2.1 | SDP offer generation..... | 133 |
| 10.2.5.2.2 | SDP answer generation..... | 134 |
| 10.2.5.2.3 | MCDATA client originating procedures..... | 134 |
| 10.2.5.2.4 | MCDATA client terminating procedures..... | 136 |
| 10.2.5.3 | Participating MCDATA function procedures..... | 138 |
| 10.2.5.3.1 | SDP offer generation..... | 138 |
| 10.2.5.3.2 | SDP answer generation..... | 138 |
| 10.2.5.3.3 | Originating participating MCDATA function procedures..... | 138 |
| 10.2.5.3.4 | Terminating participating MCDATA function procedures..... | 140 |
| 10.2.5.4 | Controlling MCDATA function procedures..... | 142 |
| 10.2.5.4.1 | SDP offer generation..... | 142 |
| 10.2.5.4.2 | SDP answer generation..... | 142 |
| 10.2.5.4.3 | Originating controlling MCDATA function procedures..... | 143 |
| 10.2.5.4.4 | Terminating controlling MCDATA function procedures..... | 144 |
| 11 | Transmission and Reception Control..... | 147 |
| 11.1 | General..... | 147 |
| 11.2 | Auto-receive for File Distribution..... | 148 |
| 12 | Dispositions and Notifications..... | 148 |
| 12.1 | General..... | 148 |
| 12.2 | On-network disposition notifications..... | 149 |
| 12.2.1 | MCDATA client procedures..... | 149 |
| 12.2.1.1 | MCDATA client sends a disposition notification message..... | 149 |
| 12.2.1.2 | MCDATA client receives a disposition notification message..... | 149 |
| 12.2.2 | Participating MCDATA function procedures..... | 150 |
| 12.2.2.1 | Participating MCDATA function receives disposition notification from a MCDATA user..... | 150 |
| 12.2.2.2 | Participating MCDATA function receives disposition notification from a Controlling MCDATA function..... | 151 |
| 12.2.3 | Controlling MCDATA function procedures..... | 152 |
| 12.3 | Off-network dispositions..... | 154 |
| 12.3.1 | General..... | 154 |
| 12.3.2 | Sending off-network SDS delivery notification..... | 154 |
| 12.3.3 | Sending off-network SDS read notification..... | 155 |
| 12.3.4 | Sending off-network SDS delivered and read notification..... | 155 |
| 12.3.5 | Off-network SDS notification retransmission..... | 156 |
| 12.4 | Network-triggered notifications for FD..... | 156 |
| 12.4.1 | General..... | 156 |
| 12.4.1.1 | File availability expiry..... | 156 |
| 12.4.2 | Controlling MCDATA function procedures..... | 156 |
| 12.4.2.1 | Generation of a SIP MESSAGE request for notification..... | 156 |
| 12.4.2.1 | Expiry of timer TDC2 (file availability timer)..... | 157 |
| 12.4.3 | Participating MCDATA function procedures..... | 157 |
| 12.4.4 | MCDATA client terminating procedures..... | 157 |
| 13 | Communication Release..... | 158 |
| 13.1 | General..... | 158 |
| 13.2 | On-network..... | 158 |
| 13.2.1 | General..... | 158 |

| | | |
|--------------|--|-----|
| 13.2.2 | MCDATA originating user initiated communication release | 158 |
| 13.2.2.1 | General | 158 |
| 13.2.2.2 | Release of MCDATA communication over media plane | 158 |
| 13.2.2.2.1 | General | 158 |
| 13.2.2.2.2 | MCDATA client procedures | 158 |
| 13.2.2.2.2.1 | MCDATA client originating procedures | 158 |
| 13.2.2.2.2.2 | MCDATA client terminating procedures | 159 |
| 13.2.2.2.3 | Participating MCDATA function procedures | 159 |
| 13.2.2.2.3.1 | Originating participating MCDATA function procedures | 159 |
| 13.2.2.2.3.2 | Terminating participating MCDATA function procedures | 159 |
| 13.2.2.2.4 | Controlling MCDATA function procedures | 159 |
| 13.2.2.2.4.1 | Communication release policy for group MCDATA communication | 159 |
| 13.2.2.2.4.2 | Communication release policy for one-to-one MCDATA communication | 160 |
| 13.2.2.2.4.3 | Receiving a SIP BYE request | 160 |
| 13.2.2.2.4.4 | Sending a SIP BYE request | 160 |
| 13.2.3 | MCDATA server initiated communication release without prior indication | 160 |
| 13.2.3.1 | General | 160 |
| 13.2.3.2 | Release of MCDATA communication over media plane | 161 |
| 13.2.3.2.1 | General | 161 |
| 13.2.3.2.2 | MCDATA client procedures | 161 |
| 13.2.3.2.3 | Participating MCDATA function procedures | 161 |
| 13.2.3.2.4 | Controlling MCDATA function procedures | 161 |
| 13.2.4 | MCDATA server initiated communication release with prior indication | 161 |
| 13.2.4.1 | General | 161 |
| 13.2.4.2 | MCDATA client procedures | 161 |
| 13.2.4.2.1 | Receiving intent to release the communication | 161 |
| 13.2.4.2.2 | Request for extension of communication | 162 |
| 13.2.4.2.3 | Receiving response to communication extension request | 162 |
| 13.2.4.3 | Participating MCDATA function procedures | 163 |
| 13.2.4.3.1 | Receiving SIP INFO request from the controlling MCDATA function | 163 |
| 13.2.4.3.2 | Receiving SIP INFO request from the MCDATA client | 163 |
| 13.2.4.4 | Controlling MCDATA function procedures | 163 |
| 13.2.4.4.1 | Sending intent to release a communication | 163 |
| 13.2.4.4.2 | Receiving more information | 164 |
| 13.2.4.4.3 | Receiving request for extension of communication | 164 |
| 13.2.4.4.4 | Sending response to communication extension request | 164 |
| 14 | Enhanced Status (ES) | 165 |
| 14.1 | General | 165 |
| 14.2 | On-network ES | 165 |
| 14.3 | Off-network ES | 165 |
| 15 | Message Formats | 165 |
| 15.1 | MCDATA message functional definitions and contents | 165 |
| 15.1.1 | General | 165 |
| 15.1.2 | SDS SIGNALLING PAYLOAD message | 166 |
| 15.1.2.1 | Message definition | 166 |
| 15.1.3 | FD SIGNALLING PAYLOAD message | 166 |
| 15.1.3.1 | Message definition | 166 |
| 15.1.4 | DATA PAYLOAD message | 167 |
| 15.1.4.1 | Message definition | 167 |
| 15.1.5 | SDS NOTIFICATION message | 168 |
| 15.1.5.1 | Message definition | 168 |
| 15.1.6 | FD NOTIFICATION message | 168 |
| 15.1.6.1 | Message definition | 168 |
| 15.1.7 | SDS OFF-NETWORK MESSAGE message | 169 |
| 15.1.7.1 | Message definition | 169 |
| 15.1.8 | SDS OFF-NETWORK NOTIFICATION message | 169 |
| 15.1.8.1 | Message definition | 169 |
| 15.1.9 | FD NETWORK NOTIFICATION message | 170 |
| 15.1.9.1 | Message definition | 170 |
| 15.1.10 | COMMUNICATION RELEASE message | 170 |

| | | |
|-------------------------------|--|------------|
| 15.1.10.1 | Message definition | 170 |
| 15.2 | General message format and information elements coding | 171 |
| 15.2.1 | General | 171 |
| 15.2.2 | Message type | 171 |
| 15.2.3 | SDS disposition request type | 172 |
| 15.2.4 | FD disposition request type | 172 |
| 15.2.5 | SDS disposition notification type | 173 |
| 15.2.6 | FD disposition notification type | 173 |
| 15.2.7 | Application ID | 174 |
| 15.2.8 | Date and time | 174 |
| 15.2.9 | Conversation ID | 174 |
| 15.2.10 | Message ID | 175 |
| 15.2.11 | InReplyTo message ID | 175 |
| 15.2.12 | Number of payloads | 175 |
| 15.2.13 | Payload | 176 |
| 15.2.14 | MCData group ID | 176 |
| 15.2.15 | MCData user ID | 177 |
| 15.2.16 | Mandatory download | 177 |
| 15.2.17 | Metadata | 178 |
| 15.2.18 | Notification type | 178 |
| 15.2.19 | Data query type | 179 |
| 15.2.20 | Comm release Information type | 179 |
| 15.2.21 | Extension response type | 179 |
| Annex A (informative): | Signalling flows | 181 |
| Annex B (normative): | Media feature tags within the current document | 182 |
| B.2 | Definition of media feature tag for Mission Critical Data (MCData) communications Short Data Service (SDS) | 182 |
| B.3 | Definition of media feature tag for Mission Critical Data (MCData) communications File Distribution (FD) | 182 |
| Annex C (normative): | ICSI values defined within the current document | 184 |
| C.2 | Definition of ICSI value for the Mission Critical Data (MCData) service | 184 |
| C.2.1 | URN | 184 |
| C.2.2 | Description | 184 |
| C.2.3 | Reference | 184 |
| C.2.4 | Contact | 184 |
| C.2.5 | Registration of subtype | 184 |
| C.2.6 | Remarks | 184 |
| C.3 | Definition of ICSI value for the Mission Critical Data (MCData) communications Short Data Service (SDS) | 185 |
| C.3.1 | URN | 185 |
| C.3.2 | Description | 185 |
| C.3.3 | Reference | 185 |
| C.3.4 | Contact | 185 |
| C.3.5 | Registration of subtype | 185 |
| C.3.6 | Remarks | 185 |
| C.4 | Definition of ICSI value for Mission Critical Data (MCData) communications File Distribution (FD) | 185 |
| C.4.1 | URN | 185 |
| C.4.2 | Description | 185 |
| C.4.3 | Reference | 186 |
| C.4.4 | Contact | 186 |
| C.4.5 | Registration of subtype | 186 |
| C.4.6 | Remarks | 186 |
| Annex D (normative): | XML schemas | 187 |

| | | |
|---|--|------------|
| D.1 | XML schema for transporting MCDData identities and general services information..... | 187 |
| D.1.1 | General | 187 |
| D.1.2 | XML schema | 187 |
| D.1.3 | Semantic | 188 |
| D.1.4 | IANA registration template | 189 |
| D.2 | Void..... | 191 |
| D.3 | XML schema for MCDData (de)-affiliation requests | 191 |
| D.3.1 | General | 191 |
| D.3.2 | XML schema | 191 |
| D.3.3 | Semantic | 192 |
| D.3.4 | IANA registration template | 192 |
| Annex E (normative): IANA registration forms | | 194 |
| E.1 | MIME type for transporting MCDData signalling content | 194 |
| E.2 | MIME type for transporting MCDData payload content | 195 |
| Annex F (normative): Timers | | 198 |
| F.1 | General | 198 |
| F.2 | On-network timers..... | 198 |
| F.2.1 | Timers in the participating MCDData function..... | 198 |
| F.2.2 | Timers in the controlling MCDData function | 199 |
| F.2.3 | Timers in the MCDData UE..... | 200 |
| F.3 | Off-network timers | 200 |
| F.3.1 | Timers in off-network SDS | 200 |
| Annex G (normative): Counters..... | | 202 |
| G.1 | General | 202 |
| G.2 | On-network counters | 202 |
| G.3 | Off-network counters | 202 |
| G.3.1 | Counters in off-network SDS | 202 |
| Annex H (informative): INFO packages defined in the present document | | 203 |
| H.1 | Info package for indication of communication release | 203 |
| H.1.1 | Scope | 203 |
| H.1.2 | g.3gpp.mcdata-com-release info package | 203 |
| H.1.2.1 | Overall description..... | 203 |
| H.1.2.2 | Applicability | 203 |
| H.1.2.3 | Appropriateness of INFO Package Usage | 203 |
| H.1.2.4 | Info package name | 203 |
| H.1.2.5 | Info package parameters | 204 |
| H.1.2.6 | SIP options tags | 204 |
| H.1.2.7 | INFO message body parts..... | 204 |
| H.1.2.8 | Info package usage restrictions..... | 204 |
| H.1.2.9 | Rate of INFO Requests | 204 |
| H.1.2.10 | Info package security considerations | 204 |
| H.1.2.11 | Implementation details and examples | 204 |
| Annex I (informative): Change history | | 205 |
| History | | 207 |

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard d:
<https://standards.iteh.ai/catalog/standards/sist/cc1aed1f-cdef-4833-ac41-52f3f6c05a4/etsi-ts-124-282-v14.8.0-2019-10>

1 Scope

The present document specifies the signalling control protocols needed to support Mission Critical Data (MCData) communications as specified by 3GPP TS 23.282 [2]. The present document specifies both on-network and off-network protocols.

The present document utilises the common functional architecture to support mission critical services as specified in 3GPP TS 23.280 [3], in support of MCData communications.

The MCData service can be used for public safety applications and also for general commercial applications e.g. utility companies and railways.

The present document is applicable to User Equipment (UE) supporting the MCData client functionality, and to application servers supporting the MCData server functionality.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 23.282: "Functional architecture and information flows to support Mission Critical Data (MCData); Stage 2";
- [3] 3GPP TS 23.280: "Common functional architecture to support mission critical services; Stage 2";
- [4] IETF RFC 3261 (June 2002): "SIP: Session Initiation Protocol".
- [5] 3GPP TS 24.229: "IP multimedia call control protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); Stage 3".
- [6] IETF RFC 3428 (December 2002): "Session Initiation Protocol (SIP) Extension for Instant Messaging".
- [7] IETF RFC 6050 (November 2010): "A Session Initiation Protocol (SIP) Extension for the Identification of Services".
- [8] IETF RFC 3841 (August 2004): "Caller Preferences for the Session Initiation Protocol (SIP)".
- [9] IETF RFC 4826 (May 2007): "Extensible Markup Language (XML) Formats for Representing Resource Lists".
- [10] 3GPP TS 24.379: "Mission Critical Push To Talk (MCPTT) call control Protocol specification".
- [11] 3GPP TS 24.481: "Mission Critical Services (MCS) group management Protocol specification".
- [12] 3GPP TS 24.484: "Mission Critical Services (MCS) configuration management Protocol specification".
- [13] IETF RFC 4483 (May 2006): "A Mechanism for Content Indirection in Session Initiation Protocol (SIP) Messages".
- [14] IETF RFC 4122 (July 2005): "A Universally Unique Identifier (UUID) URN Namespace".