

ETSI TS 124 282 V15.7.0 (2019-10)



LTE;
Mission Critical Data (MCData) signalling control;
Protocol specification
(3GPP TS 24.282 version 15.7.0 Release 15)

Standard PREVIEW
(standard: 124282)
Full standard: https://standards.iteh.ai/catalog/standards/sis/4489c458-4617-4fa3-9f6a-556d528f2635/etsi-ts-124-282-v15-7-0-2019-10



Reference

RTS/TSGC-0124282vf70

Keywords

LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	13
1 Scope	14
2 References	14
3 Definitions, symbols and abbreviations	16
3.1 Definitions	16
3.2 Abbreviations	16
4 General	16
4.1 MCDData overview	16
4.2 Identity, URI and address assignments.....	17
4.2.1 Public Service identities.....	17
4.2.2 MCDData session identity	17
4.2.3 MCDData client ID	18
4.3 Pre-established sessions	18
4.4 Emergency Alerts	18
4.5 MCDData Protocol.....	18
4.6 Protection of sensitive XML application data	18
4.7 Protection of TLV signalling and media content.....	21
4.8 MCDData client ID	21
4.9 Warning Header Field	22
4.9.1 General.....	22
4.9.2 Warning texts.....	22
5 Functional entities	25
5.1 Introduction	25
5.2 MCDData client	25
5.3 MCDData server	26
5.3.1 General.....	26
5.3.1 SIP failure case	27
6 Common procedures.....	28
6.1 Introduction	28
6.2 MCDData client procedures.....	28
6.2.1 Distinction of requests at the MCDData client	28
6.2.1.1 SIP MESSAGE request.....	28
6.2.2 MCDData conversation items.....	28
6.2.2.1 Generating an SDS Message	28
6.2.2.2 Generating an FD Message for FD using HTTP	30
6.2.2.3 Generating an FD Message for FD using media plane.....	30
6.2.2.4 Client generating message to terminate FD over HTTP.....	31
6.2.3 Disposition Notifications	31
6.2.3.1 Generating an SDS Notification.....	31
6.2.3.2 Generating an FD Notification.....	32
6.2.4 Sending SIP requests and receiving SIP responses.....	33
6.2.4.1 Generating a SIP MESSAGE request towards the originating participating MCDData function.....	33
6.3 MCDData server procedures	33
6.3.1 Distinction of requests at the MCDData server	33
6.3.1.1 SIP MESSAGE request.....	33
6.3.1.2 SIP INVITE request	35
6.3.2 Sending SIP requests and receiving SIP responses.....	36
6.3.2.1 Generating a SIP MESSAGE request towards the terminating MCDData client	36
6.3.3 Retrieving a group document.....	36

6.3.4	Determining targeted group members for MCDATA communications	37
6.3.5	Affiliation check	37
6.3.6	MCDATA conversation items	37
6.3.6.1	Server generating a FD HTTP TERMINATION message for FD over HTTP	37
6.4	Handling of MIME bodies in a SIP message.....	37
6.5	Confidentiality and Integrity Protection of sensitive XML content	38
6.5.1	General.....	38
6.5.1.1	Applicability and exclusions	38
6.5.1.2	Performing XML content encryption	38
6.5.1.3	Performing integrity protection on an XML body	38
6.5.1.4	Verifying integrity of an XML body and decrypting XML elements	39
6.5.2	Confidentiality Protection.....	39
6.5.2.1	General	39
6.5.2.2	Keys used in confidentiality protection procedures	39
6.5.2.3	Procedures for sending confidentiality protected content	39
6.5.2.3.1	MCDATA client	39
6.5.2.3.2	MCDATA server.....	40
6.5.2.3.3	Content Encryption in XML elements.....	40
6.5.2.3.4	Attribute URI Encryption	40
6.5.2.4	Procedures for receiving confidentiality protected content.....	41
6.5.2.4.1	Determination of confidentiality protected content	41
6.5.2.4.2	Decrypting confidentiality protected content in XML elements	41
6.5.2.4.3	Decrypting confidentiality protected URIs in XML attributes	41
6.5.2.5	MCDATA server copying received XML content	42
6.5.3	Integrity Protection of XML documents.....	42
6.5.3.1	General.....	42
6.5.3.2	Keys used in integrity protection procedures	44
6.5.3.3	Sending integrity protected content.....	44
6.5.3.3.1	MCDATA client	44
6.5.3.3.2	MCDATA server.....	44
6.5.3.3.3	Integrity protection procedure.....	45
6.5.3.4	Receiving integrity protected content.....	45
6.5.3.4.1	Determination of integrity protected content.....	45
6.5.3.4.2	Verification of integrity protected content.....	45
6.6	Confidentiality and Integrity Protection of TLV messages	46
6.6.1	General.....	46
6.6.2	Derivation of master keys for media and media control	47
6.6.3	Protection of MCDATA Data signalling and MCDATA Data messages	47
6.6.3.1	General	47
6.6.3.2	The MCDATA client.....	47
6.6.3.3	The participating MCDATA function	47
6.6.3.4	The controlling MCDATA function	48
7	Registration and service authorisation	48
7.1	General	48
7.2	MCDATA client procedures.....	48
7.2.1	SIP REGISTER request for service authorisation	48
7.2.1AA	SIP REGISTER request without service authorisation.....	49
7.2.1A	Common SIP PUBLISH procedure	50
7.2.2	SIP PUBLISH request for service authorisation and MCDATA service settings	50
7.2.3	Sending SIP PUBLISH for MCDATA service settings only	51
7.2.4	Determination of MCDATA service settings.....	52
7.3	MCDATA server procedures.....	53
7.3.1	General.....	53
7.3.1A	Confidentiality and Integrity Protection	53
7.3.2	SIP REGISTER request for service authorisation	55
7.3.3	SIP PUBLISH request for service authorisation and service settings.....	55
7.3.4	Receiving SIP PUBLISH request for MCDATA service settings only.....	56
7.3.5	Receiving SIP PUBLISH request with "Expires=0"	57
7.3.6	Subscription to and notification of MCDATA service settings.....	57
7.3.6.1	Receiving subscription to MCDATA service settings.....	57
7.3.6.2	Sending notification of change of MCDATA service settings	58

8	Affiliation	58
8.1	General	58
8.2	MCDData client procedures	59
8.2.1	General	59
8.2.2	Affiliation status change procedure	59
8.2.3	Affiliation status determination procedure	60
8.2.4	Procedure for sending affiliation status change request in negotiated mode to target MCDData user	61
8.2.5	Procedure for receiving affiliation status change request in negotiated mode from authorized MCDData user	61
8.3	MCDData server procedures	62
8.3.1	General	62
8.3.2	Procedures of MCDData server serving the MCDData user	62
8.3.2.1	General	62
8.3.2.2	Stored information	62
8.3.2.3	Receiving affiliation status change from MCDData client procedure	63
8.3.2.4	Receiving subscription to affiliation status procedure	66
8.3.2.5	Sending notification of change of affiliation status procedure	66
8.3.2.6	Sending affiliation status change towards MCDData server owning MCDData group procedure	67
8.3.2.7	Affiliation status determination from MCDData server owning MCDData group procedure	68
8.3.2.8	Procedure for authorizing affiliation status change request in negotiated mode sent to served MCDData user	71
8.3.2.9	Forwarding affiliation status change towards another MCDData user procedure	71
8.3.2.10	Forwarding subscription to affiliation status towards another MCDData user procedure	72
8.3.2.11	Affiliation status determination	73
8.3.2.12	Affiliation status change by implicit affiliation	73
8.3.2.13	Implicit affiliation status change completion	75
8.3.2.14	Implicit affiliation status change cancellation	75
8.3.2.15	Implicit affiliation to configured groups procedure	75
8.3.3	Procedures of MCDData server owning the MCDData group	77
8.3.3.1	General	77
8.3.3.2	Stored information	77
8.3.3.3	Receiving group affiliation status change procedure	77
8.3.3.4	Receiving subscription to affiliation status procedure	79
8.3.3.5	Sending notification of change of affiliation status procedure	80
8.3.3.6	Implicit affiliation eligibility check procedure	80
8.3.3.7	Affiliation status change by implicit affiliation procedure	81
8.4	Coding	82
8.4.1	Extension of application/pidf+xml MIME type	82
8.4.1.1	Introduction	82
8.4.1.2	Syntax	82
8.4.2	Extension of application/simple-filter+xml MIME type	83
8.4.2.1	Introduction	83
8.4.2.2	Syntax	83
9	Short Data Service (SDS)	85
9.1	General	85
9.2	On-network SDS	85
9.2.1	General	85
9.2.1.1	Sending an SDS message	85
9.2.1.2	Handling of received SDS messages with or without disposition requests	86
9.2.1.3	Handling of disposition requests	87
9.2.2	Standalone SDS using signalling control plane	87
9.2.2.1	General	87
9.2.2.2	MCDData client procedures	87
9.2.2.2.1	MCDData client originating procedures	87
9.2.2.2.2	MCDData client terminating procedures	88
9.2.2.3	Participating MCDData function procedures	89
9.2.2.3.1	Originating participating MCDData function procedures	89
9.2.2.3.2	Terminating participating MCDData function procedures	91
9.2.2.4	Controlling MCDData function procedures	91
9.2.2.4.1	Originating controlling MCDData function procedures	91
9.2.2.4.2	Terminating controlling MCDData function procedures	92

9.2.3	Standalone SDS using media plane	94
9.2.3.1	General	94
9.2.3.2	MCDATA client procedures	94
9.2.3.2.1	SDP offer generation	94
9.2.3.2.2	SDP answer generation	95
9.2.3.2.3	MCDATA client originating procedures	95
9.2.3.2.4	MCDATA client terminating procedures	97
9.2.3.3	Participating MCDATA function procedures	98
9.2.3.3.1	SDP offer generation	98
9.2.3.3.2	SDP answer generation	99
9.2.3.3.3	Originating participating MCDATA function procedures	99
9.2.3.3.4	Terminating participating MCDATA function procedures	101
9.2.3.4	Controlling MCDATA function procedures	102
9.2.3.4.1	SDP offer generation	102
9.2.3.4.2	SDP answer generation	103
9.2.3.4.3	Originating controlling MCDATA function procedures	103
9.2.3.4.4	Terminating controlling MCDATA function procedures	104
9.2.4	SDS session	106
9.2.4.1	General	106
9.2.4.2	MCDATA client procedures	106
9.2.4.2.1	SDP offer generation	106
9.2.4.2.2	SDP answer generation	107
9.2.4.2.3	MCDATA client originating procedures	107
9.2.4.2.4	MCDATA client terminating procedures	109
9.2.4.3	Participating MCDATA function procedures	110
9.2.4.3.1	SDP offer generation	110
9.2.4.3.2	SDP answer generation	110
9.2.4.3.3	Originating participating MCDATA function procedures	111
9.2.4.3.4	Terminating participating MCDATA function procedures	112
9.2.4.4	Controlling MCDATA function procedures	114
9.2.4.4.1	SDP offer generation	114
9.2.4.4.2	SDP answer generation	114
9.2.4.4.3	Originating controlling MCDATA function procedures	115
9.2.4.4.4	Terminating controlling MCDATA function procedures	116
9.3	Off-network SDS	118
9.3.1	General	118
9.3.1.1	Message transport to a MCDATA Client	118
9.3.1.2	Message transport to a MCDATA Group	118
9.3.2	Standalone SDS using signalling control plane	118
9.3.2.1	General	118
9.3.2.2	Sending SDS message	118
9.3.2.3	Retransmitting SDS message	120
9.3.2.4	Receiving SDS message	121
9.3.2.5	SDS Read while TFS3 (delivery and read) is running	121
9.3.2.6	Timer TFS3 (delivery and read) expires	121
10	File Distribution (FD)	122
10.1	General	122
10.2	On-network FD	122
10.2.1	General	122
10.2.1.1	Sending an FD message	122
10.2.1.2	Handling of received FD messages	122
10.2.1.2.1	Initial processing of the received FD message	122
10.2.1.2.2	Mandatory Download	123
10.2.1.2.3	Non-Mandatory download	123
10.2.1.3	Discovery of the Absolute URI of the media storage function	125
10.2.1.3.1	General	125
10.2.1.3.2	MCDATA client procedures	125
10.2.1.3.3	Participating MCDATA function procedures	125
10.2.1.3.4	Controlling MCDATA function procedures	127
10.2.2	File upload using HTTP	128
10.2.2.1	Media storage client procedures	128

10.2.2.2	Media storage function procedures	129
10.2.3	File download using HTTP	130
10.2.3.1	Media storage client procedures	130
10.2.3.2	Media storage function procedures	130
10.2.4	FD using HTTP	130
10.2.4.1	General	130
10.2.4.2	MCDATA client procedures	131
10.2.4.2.1	MCDATA client originating procedures	131
10.2.4.2.2	MCDATA client terminating procedures	131
10.2.4.3	Participating MCDATA function procedures	132
10.2.4.3.1	Originating participating MCDATA function procedures	132
10.2.4.3.2	Terminating participating MCDATA function procedures	133
10.2.4.4	Controlling MCDATA function procedures	134
10.2.4.4.1	Originating controlling MCDATA function procedures	134
10.2.4.4.2	Terminating controlling MCDATA function procedures	135
10.2.5	FD using media plane	139
10.2.5.1	General	139
10.2.5.2	MCDATA client procedures	139
10.2.5.2.1	SDP offer generation	139
10.2.5.2.2	SDP answer generation	139
10.2.5.2.3	MCDATA client originating procedures	140
10.2.5.2.4	MCDATA client terminating procedures	142
10.2.5.3	Participating MCDATA function procedures	143
10.2.5.3.1	SDP offer generation	143
10.2.5.3.2	SDP answer generation	143
10.2.5.3.3	Originating participating MCDATA function procedures	144
10.2.5.3.4	Terminating participating MCDATA function procedures	146
10.2.5.4	Controlling MCDATA function procedures	147
10.2.5.4.1	SDP offer generation	147
10.2.5.4.2	SDP answer generation	148
10.2.5.4.3	Originating controlling MCDATA function procedures	148
10.2.5.4.4	Terminating controlling MCDATA function procedures	149
11	Transmission and Reception Control	152
11.1	General	152
11.2	Auto-receive for File Distribution	153
11.3	Accessing list of deferred data group communications	154
11.3.1	General	154
11.3.2	MCDATA client procedures	154
11.3.2.1	Sending a request to access a list of deferred group communications	154
11.3.2.2	Receiving a list of deferred group communications	154
11.3.3	Participating MCDATA function procedures	154
11.3.3.1	Receiving a request to access a list of deferred group communications	154
11.3.3.2	Sending a list of deferred group communications	154
12	Dispositions and Notifications	155
12.1	General	155
12.2	On-network disposition notifications	155
12.2.1	MCDATA client procedures	155
12.2.1.1	MCDATA client sends a disposition notification message	155
12.2.1.2	MCDATA client receives a disposition notification message	156
12.2.2	Participating MCDATA function procedures	156
12.2.2.1	Participating MCDATA function receives disposition notification from a MCDATA user	156
12.2.2.2	Participating MCDATA function receives disposition notification from a Controlling MCDATA function	158
12.2.3	Controlling MCDATA function procedures	158
12.3	Off-network dispositions	161
12.3.1	General	161
12.3.2	Sending off-network SDS delivery notification	161
12.3.3	Sending off-network SDS read notification	161
12.3.4	Sending off-network SDS delivered and read notification	162
12.3.5	Off-network SDS notification retransmission	162

12.4	Network-triggered notifications for FD.....	163
12.4.1	General.....	163
12.4.1.1	File availability expiry	163
12.4.2	Controlling MCDData function procedures.....	163
12.4.2.1	Generation of a SIP MESSAGE request for notification	163
12.4.2.1	Expiry of timer TDC2 (file availability timer)	164
12.4.3	Participating MCDData function procedures.....	164
12.4.4	MCDData client terminating procedures	164
13	Communication Release.....	165
13.1	General	165
13.2	On-network.....	165
13.2.1	General.....	165
13.2.1.1	Server generating message for release of communication over HTTP towards participating MCDData function.....	165
13.2.1.2	Authorised user generating FD HTTP TERMINATION MESSAGE towards participating MCDData function.....	166
13.2.2	MCDData originating user initiated communication release	166
13.2.2.1	General	166
13.2.2.2	Release of MCDData communication over media plane	166
13.2.2.2.1	General	166
13.2.2.2.2	MCDData client procedures	166
13.2.2.2.2.1	MCDData client originating procedures	166
13.2.2.2.2.2	MCDData client terminating procedures	167
13.2.2.2.3	Participating MCDData function procedures	167
13.2.2.2.3.1	Originating participating MCDData function procedures.....	167
13.2.2.2.3.2	Terminating participating MCDData function procedures	167
13.2.2.2.4	Controlling MCDData function procedures	167
13.2.2.2.4.1	Communication release policy for group MCDData communication.....	167
13.2.2.2.4.2	Communication release policy for one-to-one MCDData communication.....	168
13.2.2.2.4.3	Receiving a SIP BYE request	168
13.2.2.2.4.4	Sending a SIP BYE request	168
13.2.2.3	Release of MCDData communication over HTTP.....	168
13.2.2.3.1	General	168
13.2.2.3.2	MCDData client procedures	169
13.2.2.3.2.1	MCDData client originating procedures	169
13.2.2.3.2.1.1	Initiating Release.....	169
13.2.2.3.2.1.2	Receiving Release Response Type from server	169
13.2.2.3.2.2	MCDData client terminating procedures	169
13.2.2.3.3	Participating MCDData function procedures	170
13.2.2.3.3.1	Originating participating MCDData function procedures.....	170
13.2.2.3.3.2	Terminating participating MCDData function procedures	170
13.2.2.3.4	Controlling MCDData function procedures	170
13.2.3	MCDData server initiated communication release without prior indication	170
13.2.3.1	General	170
13.2.3.2	Release of MCDData communication over media plane	170
13.2.3.2.1	General	170
13.2.3.2.2	MCDData client procedures	170
13.2.3.2.3	Participating MCDData function procedures	170
13.2.3.2.4	Controlling MCDData function procedures	170
13.2.3.3	Release of MCDData communication over HTTP.....	171
13.2.3.3.1	General	171
13.2.3.3.2	MCDData client procedures.....	171
13.2.3.3.2.1	MCDData client originating procedure.....	171
13.2.3.3.2.2	MCDData client terminating procedure.....	171
13.2.3.3.3	Participating MCDData function procedures	171
13.2.3.3.4	Controlling MCDData function procedures	171
13.2.4	MCDData server initiated communication release with prior indication	172
13.2.4.1	General	172
13.2.4.2	MCDData client procedures for communication over media plane	172
13.2.4.2.1	Receiving intent to release the communication	172
13.2.4.2.2	Request for extension of communication	172

13.2.4.2.3	Receiving response to communication extension request	173
13.2.4.3	Participating MCDData function procedures for communication over media plane	173
13.2.4.3.1	Receiving SIP INFO request from the controlling MCDData function	173
13.2.4.3.2	Receiving SIP INFO request from the MCDData client	173
13.2.4.4	Controlling MCDData function procedures for communication over media plane	174
13.2.4.4.1	Sending intent to release a communication	174
13.2.4.4.2	Receiving more information	174
13.2.4.4.3	Receiving request for extension of communication.....	175
13.2.4.4.4	Sending response to communication extension request.....	175
13.2.4.5	Release of MCDData communication over HTTP.....	176
13.2.4.5.1	General	176
13.2.4.5.2	MCDData client procedures	176
13.2.4.5.2.1	Receiving intent to release the communication.....	176
13.2.4.5.2.2	Request for extension of communication.....	176
13.2.4.5.2.3	Receiving response to communication extension request.....	176
13.2.4.5.3	Participating MCDData function procedures	177
13.2.4.5.3.1	Originating participating MCDData function procedures.....	177
13.2.4.5.3.2	Terminating participating MCDData function procedures	177
13.2.4.5.4	Controlling MCDData function procedures	177
13.2.4.5.4.1	Sending intent to release a communication.....	177
13.2.4.5.4.2	Receiving request for extension of communication	177
13.2.4.5.4.3	Sending response to communication extension request.....	178
13.2.5	Authorized MCDData user initiated communication release without prior indication.....	178
13.2.5.1	General	178
13.2.5.2	Release of MCDData communication over media plane	178
13.2.5.2.1	General	178
13.2.5.2.2	Authorized MCDData client procedures	178
13.2.5.2.2.1	Sending communication release request	178
13.2.5.2.3	Participating MCDData function procedures	179
13.2.5.2.3.1	Receiving SIP INFO request from the authorized MCDData client.....	179
13.2.5.2.4	Controlling MCDData function procedures	179
13.2.5.2.4.1	Receiving request to release the communication from authorized MCDData user	179
13.2.5.3	Release of MCDData communication over HTTP.....	180
13.2.5.3.1	General	180
13.2.5.3.2	Authorized MCDData client procedures	180
13.2.5.3.2.1	Sending communication release request	180
13.2.5.3.2.2	Receiving Release Response Type from server	180
13.2.5.3.3	Participating MCDData function procedures	180
13.2.5.3.3.1	Originating participating MCDData function procedures.....	180
13.2.5.3.3.2	Terminating participating MCDData function procedures	180
13.2.5.3.4	Controlling MCDData function procedures	181
13.2.5.3.4.1	Receiving request to release the communication from authorized MCDData user	181
13.2.6	Authorized MCDData user initiated communication release with prior indication.....	181
13.2.6.1	General	181
13.2.6.2	Release of MCDData communication over media plane	182
13.2.6.2.1	General	182
13.2.6.2.2	Authorized MCDData client procedures	182
13.2.6.2.2.1	Sending intent to release a communication.....	182
13.2.6.2.2.2	Receiving more information	182
13.2.6.2.2.3	Receiving request for extension of communication.....	183
13.2.6.2.2.4	Sending response to communication extension request.....	183
13.2.6.2.3	Participating MCDData function procedures	183
13.2.6.2.3.1	Receiving SIP INFO request from the authorized MCDData client.....	183
13.2.6.2.3.2	Receiving SIP INFO request from the controlling MCDData function.....	184
13.2.6.2.4	Controlling MCDData function procedures	184
13.2.6.2.4.1	Receiving request to release the communication from authorized MCDData user	184
13.2.6.2.4.2	Receiving more information	184
13.2.6.2.4.3	Receiving request for extension of communication.....	185
13.2.6.2.4.4	Receiving response to communication extension request.....	185
13.2.6.3	Release of MCDData communication over HTTP.....	186
13.2.6.3.1	General	186
13.2.6.3.2	Authorized MCDData client procedures	186

13.2.6.3.2.1	Sending intent to release a communication.....	186
13.2.6.3.2.2	Receiving request for extension of communication.....	187
13.2.6.3.2.3	Sending response to communication extension request.....	187
13.2.6.3.2.4	Receiving Release Response from server.....	187
13.2.6.3.3	Participating MCDData function procedures.....	187
13.2.6.3.3.1	Originating participating MCDData function procedures.....	187
13.2.6.3.3.2	Terminating participating MCDData function procedures.....	187
13.2.6.3.4	Controlling MCDData function procedures.....	188
13.2.6.3.4.1	Receiving request to release the communication from authorized MCDData user.....	188
13.2.6.3.4.2	Receiving request for extension of communication.....	188
13.2.6.3.4.3	Receiving response to communication extension request.....	189
14.	Enhanced Status (ES).....	190
14.1	General.....	190
14.2	On-network ES.....	190
14.2.1	MCDData client procedures.....	190
14.2.1.1	MCDData client originating procedures.....	190
14.2.1.2	MCDData client terminating procedures.....	190
14.2.2	Participating MCDData function procedures.....	190
14.2.2.1	Originating participating MCDData function procedures.....	190
14.2.2.2	Terminating participating MCDData function procedures.....	190
14.2.3	Controlling MCDData function procedures.....	190
14.2.3.1	Originating controlling MCDData function procedures.....	190
14.2.3.2	Terminating controlling MCDData function procedures.....	190
14.3	Off-network ES.....	191
14.3.1	Sending enhanced status message.....	191
14.3.2	Receiving enhanced status message.....	191
15	Message Formats.....	191
15.1	MCDData message functional definitions and contents.....	191
15.1.1	General.....	191
15.1.2	SDS SIGNALLING PAYLOAD message.....	191
15.1.2.1	Message definition.....	191
15.1.3	FD SIGNALLING PAYLOAD message.....	192
15.1.3.1	Message definition.....	192
15.1.4	DATA PAYLOAD message.....	193
15.1.4.1	Message definition.....	193
15.1.5	SDS NOTIFICATION message.....	193
15.1.5.1	Message definition.....	193
15.1.6	FD NOTIFICATION message.....	194
15.1.6.1	Message definition.....	194
15.1.7	SDS OFF-NETWORK MESSAGE message.....	194
15.1.7.1	Message definition.....	194
15.1.8	SDS OFF-NETWORK NOTIFICATION message.....	195
15.1.8.1	Message definition.....	195
15.1.9	FD NETWORK NOTIFICATION message.....	196
15.1.9.1	Message definition.....	196
15.1.10	COMMUNICATION RELEASE message.....	196
15.1.10.1	Message definition.....	196
15.1.11	DEFERRED DATA REQUEST message.....	196
15.1.11.1	Message definition.....	196
15.1.12	DEFERRED DATA RESPONSE message.....	197
15.1.12.1	Message definition.....	197
15.1.13	FD HTTP TERMINATION.....	197
15.1.13.1	Message definition.....	197
15.2	General message format and information elements coding.....	198
15.2.1	General.....	198
15.2.2	Message type.....	199
15.2.3	SDS disposition request type.....	199
15.2.4	FD disposition request type.....	200
15.2.5	SDS disposition notification type.....	200
15.2.6	FD disposition notification type.....	200

15.2.7	Application ID	201
15.2.8	Date and time	201
15.2.9	Conversation ID	201
15.2.10	Message ID	202
15.2.11	InReplyTo message ID	202
15.2.12	Number of payloads	202
15.2.13	Payload	203
15.2.14	MCDData group ID	204
15.2.15	MCDData user ID	204
15.2.16	Mandatory download	205
15.2.17	Metadata	205
15.2.18	Notification type	206
15.2.19	Data query type	206
15.2.20	Comm release Information type	207
15.2.21	Extension response type	207
15.2.22	Termination Information type	208
15.2.23	Release Response Type	208
15.2.24	Extended application ID	208
Annex A (informative): Signalling flows		210
Annex B (normative): Media feature tags within the current document.....		211
B.2	Definition of media feature tag for Mission Critical Data (MCDData) communications Short Data Service (SDS)	211
B.3	Definition of media feature tag for Mission Critical Data (MCDData) communications File Distribution (FD)	211
Annex C (normative): ICSI values defined within the current document		213
C.2	Definition of ICSI value for the Mission Critical Data (MCDData) service	213
C.2.1	URN	213
C.2.2	Description	213
C.2.3	Reference	213
C.2.4	Contact	213
C.2.5	Registration of subtype	213
C.2.6	Remarks	213
C.3	Definition of ICSI value for the Mission Critical Data (MCDData) communications Short Data Service (SDS)	214
C.3.1	URN	214
C.3.2	Description	214
C.3.3	Reference	214
C.3.4	Contact	214
C.3.5	Registration of subtype	214
C.3.6	Remarks	214
C.4	Definition of ICSI value for Mission Critical Data (MCDData) communications File Distribution (FD)	214
C.4.1	URN	214
C.4.2	Description	214
C.4.3	Reference	215
C.4.4	Contact	215
C.4.5	Registration of subtype	215
C.4.6	Remarks	215
Annex D (normative): XML schemas.....		216
D.1	XML schema for transporting MCDData identities and general services information	216
D.1.1	General	216
D.1.2	XML schema	216
D.1.3	Semantic	217
D.1.4	IANA registration template	218

D.2	Void.....	220
D.3	XML schema for MCDATA (de)-affiliation requests	220
D.3.1	General	220
D.3.2	XML schema.....	220
D.3.3	Semantic.....	221
D.3.4	IANA registration template	221
Annex E (normative): IANA registration forms		223
E.1	MIME type for transporting MCDATA signalling content	223
E.2	MIME type for transporting MCDATA payload content	224
Annex F (normative): Timers		227
F.1	General	227
F.2	On-network timers.....	227
F.2.1	Timers in the participating MCDATA function.....	227
F.2.2	Timers in the controlling MCDATA function	228
F.2.3	Timers in the MCDATA UE.....	229
F.3	Off-network timers	229
F.3.1	Timers in off-network SDS	229
Annex G (normative): Counters.....		231
G.1	General	231
G.2	On-network counters	231
G.3	Off-network counters	231
G.3.1	Counters in off-network SDS	231
Annex H (informative): INFO packages defined in the present document		232
H.1	Info package for indication of communication release	232
H.1.1	Scope.....	232
H.1.2	g.3gpp.mcdata-com-release info package	232
H.1.2.1	Overall description.....	232
H.1.2.2	Applicability	232
H.1.2.3	Appropriateness of INFO Package Usage	232
H.1.2.4	Info package name	232
H.1.2.5	Info package parameters	233
H.1.2.6	SIP options tags	233
H.1.2.7	INFO message body parts.....	233
H.1.2.8	Info package usage restrictions.....	233
H.1.2.9	Rate of INFO Requests	233
H.1.2.10	Info package security considerations	233
H.1.2.11	Implementation details and examples	233
Annex I (informative): Change history		234
	History	237