



**Universal Mobile Telecommunications System (UMTS);
LTE;
IP Multimedia (IM) Core Network (CN)
subsystem IP Multimedia Subsystem (IMS) service continuity;
Stage 3
(3GPP TS 24.237 version 15.6.0 Release 15)**



ReferenceRTS/TSGC-0124237vf60

KeywordsLTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	15
1 Scope	16
2 References	16
3 Definitions and abbreviations.....	20
3.1 Definitions	20
3.2 Abbreviations	23
4 Overview of IP Multimedia (IM) Core Network (CN) subsystem Service Continuity.....	24
4.1 General	24
4.2 Underlying network capabilities.....	25
4.2.1 General.....	25
4.2.2 PS-CS session continuity, Single Radio	25
4.2.3 PS to CS and CS to PS session continuity, dual radio access transfer	26
4.3 URI and address assignments.....	26
4.4 Support of session continuity in enterprise scenarios.....	27
4.5 Guidelines for use of media feature tags or feature capability indicators.....	27
5 Functional entities	27
5.1 Introduction	27
5.2 User Equipment (UE).....	27
5.3 Application Server (AS).....	28
5.4 MSC server.....	28
5.5 EATF.....	29
5.6 Access Transfer Control Function (ATCF).....	30
5.7 Access Transfer Gateway (ATGW)	30
6 Roles for registration in the IM CN subsystem for service continuity.....	31
6.1 Introduction	31
6.2 SC UE.....	31
6.2.1 Distinction of requests	31
6.2.2 General.....	31
6.2.3 SC UE receiving the ATGW information for CS to PS SRVCC.....	31
6.3 SCC AS	32
6.3.1 General.....	32
6.3.2 Triggers for the SCC AS providing information to ATCF	32
6.3.3 SCC AS providing the PS to CS SRVCC related information to the ATCF	33
6.3.4 Triggers for the SCC AS providing information to MSC server	34
6.3.5 SCC AS providing the CS to PS SRVCC information to the MSC server	35
6.4 MSC server.....	35
6.4.1 Distinction of requests	35
6.4.2 General.....	35
6.4.3 MSC server receiving the MSC information for CS to PS SRVCC	35
6.5 Access Transfer Control Function (ATCF)	36
6.5.1 Distinction of requests	36
6.5.2 Registration related procedures in the ATCF	36
6.5.3 ATCF receiving the SRVCC-related information.....	38
6.5.4 ATCF sending the ATGW information for CS to PS SRVCC	39
6.5.5 ATCF receiving the UE information for CS to PS SRVCC	39
6A Roles for General Capabilities	39
6A.1 Introduction	39
6A.2 UE roles.....	40
6A.2.1 Operator policy enforcement	40

6A.2.2	Signalling elements.....	40
6A.2.2.1	Common SIP message set up procedures.....	40
6A.2.2.2	SIP INVITE request.....	40
6A.3	ATCF.....	41
6A.3.1	SRVCC information bound to the registration path.....	41
6A.4	SCC AS.....	42
6A.4.1	Common SIP message set up procedures.....	42
6A.4.2	SIP INVITE request.....	42
6A.4.3	SIP INVITE responses towards the SC UE.....	42
6A.4.3A	SIP INVITE responses towards the MSC server.....	44
6A.4.4	Handling of OMR specific attributes.....	45
6A.4.5	Target refresh request for a dialog and associated responses.....	45
6A.4.6	Rejecting malicious SIP REFER requests from remote UE.....	46
6A.4.7	Protecting from malicious SIP INFO requests with remote leg information from remote UE.....	46
6A.4.8	Precondition and access transfer.....	46
6A.5	SDP media description conflict between target and remote access leg.....	47
6A.6	Indicating traffic leg.....	47
6A.6.1	The SCC AS server procedure for indicating traffic leg.....	47
6A.6.2	The MSC server procedure for indicating traffic leg.....	47
6A.6.3	The ATCF server procedure for indicating traffic leg.....	47
6A.7	MSC server.....	48
6A.7.1	Precondition and access transfer.....	48
7	Roles for call origination for service continuity.....	48
7.1	Introduction.....	48
7.2	SC UE.....	48
7.2.1	General.....	48
7.2.2	Additional procedures with MSC server assisted mid-call feature.....	49
7.3	SCC AS.....	49
7.3.1	Distinction of requests sent to the SCC AS.....	49
7.3.2	Call origination procedures at the SCC AS.....	49
7.3.3	Subscription related procedures in the SCC AS.....	50
7.4	EATF.....	50
7.4.1	Distinction of requests sent to the EATF.....	50
7.4.2	Call origination procedures at the EATE.....	51
7.5	Access Transfer Control Function (ATCF).....	52
7.5.1	Distinction of requests.....	52
7.5.2	Call origination procedures in the ATCF.....	52
7.5.2.1	General.....	52
7.5.2.2	Sessions originated in PS domain.....	52
7.5.2.3	Sessions originated in CS domain.....	53
7.5.3	Procedures in the ATCF for originating requests not related to a call.....	55
7.6	MSC server.....	55
7.6.1	Call origination procedures.....	55
8	Roles for call termination for service continuity.....	56
8.1	Introduction.....	56
8.2	SC UE.....	56
8.3	SCC AS.....	57
8.3.1	Distinction of requests sent to the SCC AS.....	57
8.3.2	Call termination procedures in the SCC AS.....	57
8.4	Access Transfer Control Function (ATCF).....	59
8.4.1	Distinction of requests.....	59
8.4.2	Call termination procedures in the ATCF.....	59
8.4.2.1	General.....	59
8.4.2.2	Sessions terminated in PS domain.....	59
8.4.2.3	Sessions terminated in CS domain.....	60
8.5	MSC server.....	62
8.5.1	Distinction of requests.....	62
8.5.2	Call termination procedures.....	62
8.5.2.1	SIP INVITE request from home network.....	62
8.5.2.2	SIP INVITE request from ATCF.....	62

9	Roles for PS-CS access transfer	63
9.1	Introduction	63
9.1A	Additional procedures with MSC Server assisted mid-call feature	63
9.2	SC UE.....	64
9.2.0	General.....	64
9.2.1	SC UE not using ICS procedures for PS to CS access transfer.....	64
9.2.1AAA	SC UE not using ICS procedures for PS to CS access transfer of emergency session	66
9.2.1AA	SC UE using ICS procedures for PS to CS access transfer.....	66
9.2.1A	SC UE procedures for PS to CS access transfer with MSC server assisted mid-call feature.....	67
9.2.1B	SC UE procedures for PS to CS access transfer with MSC server assisted mid-call feature for speech and video session	70
9.2.2	SC UE procedures for CS to PS access transfer	71
9.2.2.1	Distinction of request	71
9.2.2.2	SC UE procedure for transferring the first CS call.....	71
9.2.3	SC UE procedures for CS to PS access transfer with MSC server assisted mid-call feature.....	72
9.2.4	SC UE procedures for selecting a session in an early dialog phase to be transferred using PS to CS dual radio access transfer procedure	73
9.2.5	SC UE procedures for CS to PS dual radio access transfer of calls in an early phase	74
9.2.5.1	Conditions for CS to PS dual radio access transfer of calls in originating pre-alerting or in the alerting phase	74
9.2.5.2	SC UE procedure for CS to PS dual radio access transfer of calls in originating pre-alerting or in the alerting phase	75
9.2.5.3	SC UE procedures for transferring an additional CS session in an early phase	76
9.3	SCC AS	77
9.3.0	General.....	77
9.3.1	Distinction of requests sent to the SCC AS	77
9.3.2	SCC AS procedures for PS to CS access transfer	77
9.3.2A	SCC AS procedures for PS to CS access transfer with MSC server assisted mid-call feature	81
9.3.3	SCC AS procedures for CS to PS access transfer	85
9.3.4	SCC AS procedures for CS to PS access transfer with MSC server assisted mid-call feature	86
9.3.5	SCC AS procedures for PS to CS dual radio access transfer of calls in an early dialog phase.....	88
9.3.5.1	Conditions for selecting a sessions in an early dialog phase	88
9.3.5.2	SCC AS procedures for PS to CS dual radio access transfer of a originating session in the alerting phase	89
9.3.5.3	SCC AS procedures for PS to CS dual radio, access transfer of a originating session in the pre-alerting phase	91
9.3.5.4	SCC AS procedures for PS to CS dual radio access transfer of an additional session in an early dialog phase.....	93
9.3.5.5	SCC AS procedures for PS to CS dual radio access transfer of a terminating session in the alerting phase	94
9.3.6	Removal of non-transferred audio media components and release of source access legs.....	95
9.3.7	SCC AS procedures for CS to PS dual radio access transfer for calls in an early phase	96
9.3.7.1	Conditions for transferring dialog(s) in the originating pre-alerting or the alerting dialog phase.....	96
9.3.7.2	SCC AS procedures for CS to PS dual radio access transfer for originating calls in pre-alerting phase or in alerting phase on the originating side	96
9.3.7.3	SCC AS procedures for CS to PS dual radio access transfer for a call in the alerting phase on the terminating side.....	98
9.3.7.4	SCC AS procedures for PS to CS dual radio access transfer of an additional session in an early dialog phase.....	99
9.4	MSC server enhanced for ICS	102
9.4.1	Void	102
9.4.1A	Void	102
9.5	PS to CS session continuity with MSC server assisted mid-call feature	102
9.6	PS to CS session continuity with MSC server assisted mid-call feature for speech and video session.....	105
9.7	MSC procedures for PS to CS dual radio access transfer of calls in an early phase	105
9.8	MSC server enhanced for dual radio access transfer using a SIP interface	107
9.8.1	General.....	107
9.9	EATF.....	108
9.9.1	EATF procedures for PS to CS session continuity, dual radio session transfer of emergency session.....	108
10	Roles for PS-PS access transfer.....	108
10.1	Introduction	108

10.2	SC UE.....	108
10.2.0	General.....	108
10.2.1	Full session transfer	109
10.2.1A	Void	113
10.2.2	Partial session transfer	113
10.2.3	Void	114
10.3	SCC AS	114
10.3.1	Distinction of requests sent to the SCC AS	114
10.3.2	PS to PS access transfer procedures at the SCC AS	114
10.3.3	Void	119
10.3.4	S-CSCF releasing the source access leg during PS to PS access transfer	119
10.3.5	P-CSCF releasing the source access leg during PS to PS access transfer	119
10.3.6	P-CSCF releasing early dialog during PS to PS access transfer	119
11	Roles for PS-PS access transfer in conjunction with PS-CS access transfer.....	120
11.1	Introduction	120
11.2	SC UE.....	120
11.2.1	SC UE procedures for PS to PS+CS access transfer.....	120
11.2.1.1	General	120
11.2.1.2	SC UE procedures for PS to PS+CS access transfer using ICS	120
11.2.1.3	SC UE procedures for PS to PS+CS access transfer not using ICS	121
11.2.1.4	SC UE procedures for PS to PS+CS access transfer not using ICS with MSC server assisted mid-call feature.....	121
11.2.2	SC UE procedures for PS+CS to PS access transfer.....	122
11.2.2.1	General	122
11.2.2.2	SC UE procedures for PS+CS to PS access transfer using ICS	122
11.2.2.3	SC UE procedures for PS+CS to PS access transfer not using ICS	122
11.3	SCC AS	123
11.3.1	Distinction of requests sent to the SCC AS	123
11.3.2	SCC AS procedures for PS to PS+CS access transfer.....	123
11.3.3	SCC AS procedures for PS+CS to PS access transfer	123
12	Roles for PS-CS access transfer, Single Radio.....	124
12.1	Introduction	124
12.2	SC UE procedures for PS to CS access transfer, PS to CS SRVCC.....	125
12.2.1	General.....	125
12.2.2	ICS-based.....	125
12.2.3	Not based on ICS	126
12.2.3A	Not based on ICS with MSC Server assisted mid-call feature.....	126
12.2.3B	Call in alerting phase	128
12.2.3B.1	General	128
12.2.3B.1A	Considerations for MSC server assisted mid-call feature	131
12.2.3B.2	Assignment of Transaction Identifiers to the transferred sessions	132
12.2.3B.3	Single call in alerting phase or pre-alerting phase.....	132
12.2.3B.3.1	Terminating call in alerting phase	132
12.2.3B.3.2	Originating call in alerting phase.....	133
12.2.3B.3.3	PS to CS SRVCC for originating calls in pre-alerting phase.....	133
12.2.3B.3.4	PS to CS SRVCC for terminating calls in pre-alerting phase.....	133
12.2.3B.4	Established call with a session in alerting phase or in pre-alerting phase	133
12.2.3B.4.1	Active session with incoming call in alerting phase	133
12.2.3B.4.2	Held session with new outgoing call in alerting phase or in pre-alerting phase	134
12.2.4	Abnormal cases.....	134
12.2.4.1	Confirmed dialog	134
12.2.4.2	Early dialog	134
12.2.4.3	Moving from a 3GPP access to non-3GPP access colliding with SRVCC access transfer.....	135
12.2A	SC UE procedures for PS to CS access transfer, vSRVCC	135
12.2A.1	General.....	135
12.2A.2	ICS-based.....	135
12.2A.3	Not based on ICS	136
12.2A.4	Void	136
12.2A.5	Call in alerting phase	136
12.2A.5A	Call in pre-alerting phase	137

12.2A.6	Abnormal cases.....	137
12.2B	SC UE procedures for CS to PS SRVCC	137
12.2B.1	Distinction of requests	137
12.2B.2	First call transfer	138
12.2B.2.1	General	138
12.2B.2.2	Transfer of call with active speech media component	139
12.2B.2.3	Transfer of call with inactive speech media component	139
12.2B.2.4	Transfer of originating call in alerting phase	139
12.2B.2.5	Transfer of terminating call in alerting phase.....	139
12.2B.3	Additional call transfer	140
12.2B.3.1	General	140
12.2B.3.2	Transfer of call with active speech media component	141
12.2B.3.3	Transfer of call with inactive speech media component	141
12.2B.3.4	Transfer of originating call in alerting phase	141
12.2B.3.5	Transfer of terminating call in alerting phase.....	141
12.2B.4	Procedures after calls are transferred	141
12.3	SCC AS	142
12.3.0	General.....	142
12.3.0A	Distinction of requests sent to the SCC AS	142
12.3.0B	Determine the transferable session set	143
12.3.1	SCC AS procedures for PS to CS access transfer, PS to CS SRVCC.....	143
12.3.2	SCC AS procedures for PS to CS access transfer with MSC server assisted mid-call feature, PS to CS SRVCC	144
12.3.2.1	General	144
12.3.2.2	Transfer of the first session	145
12.3.2.3	Transfer of an additional session.....	146
12.3.3	SCC AS procedures for PS to CS SRVCC, abnormal case	149
12.3.3.1	PS to CS SRVCC cancelled by MME/SGSN or failure by UE to transition to CS domain for ongoing session	149
12.3.3.1A	PS to CS SRVCC cancelled by MME/SGSN or failure by UE to transition to CS domain for session in early dialog state.....	150
12.3.3.2	P-CSCF releasing the source access leg during PS to CS SRVCC	151
12.3.3.3	P-CSCF releasing the source access leg when call is in alerting phase.....	151
12.3.3.4	PS to CS SRVCC cancelled by MME/SGSN or release of the target access leg for an ongoing session	151
12.3.3.5	PS to CS SRVCC cancelled by MME/SGSN or release of the target access leg for a session in an early dialog phase.....	152
12.3.3.5.1	SCC AS serving an originating user.....	152
12.3.3.5.2	SCC AS serving a terminating user.....	153
12.3.4	SCC AS procedures for PS to CS access transfer when call is in alerting phase or pre-alerting phase ...	154
12.3.4.1	General	154
12.3.4.2	SCC AS procedures for PS to CS access transfer for terminating call in alerting phase or pre-alerting phase using PS to CS SRVCC procedure.....	158
12.3.4.3	SCC AS procedures for PS to CS access transfer for originating call in alerting phase or pre-alerting phase using PS to CS SRVCC procedure.....	160
12.3.4.4	SCC AS procedures for PS to CS access transfer of additional call	164
12.3.5	SCC AS procedures for PS to CS access transfer: PS to CS SRVCC enhancement using ATCF	169
12.3.6	SCC AS procedures for PS to CS access transfer, vSRVCC	170
12.3.6.0	Determine the transferable session set	170
12.3.6.1	General	171
12.3.6.2	SCC AS procedures for PS to CS access transfer when call is in alerting phase, vSRVCC	171
12.3.6.3	SCC AS procedures for PS to CS access transfer: vSRVCC enhancement using ATCF.....	172
12.3.6.4	SCC AS procedures for vSR-VCC, abnormal case	172
12.3.7	SCC AS procedures for handling of SIP OPTIONS request	172
12.3.8	Removal of non-transferred audio media components and superfluous sessions	172
12.3.9	Charging correlation	173
12.3.10	SCC AS procedures for CS to PS SRVCC	173
12.3.10.1	Distinction of requests.....	173
12.3.10.2	First session transfer.....	173
12.3.10.2.1	General	173
12.3.10.2.2	Transfer of session with active speech media component	174
12.3.10.2.3	Transfer of session with inactive speech media component	175

12.3.10.2.4	Transfer of originating session in alerting phase	175
12.3.10.2.5	Transfer of terminating alerting session	176
12.3.10.3	Additional session transfer	177
12.3.10.3.1	General	177
12.3.10.3.2	Additional session transfer initiation	178
12.3.10.3.3	Transfer of session with inactive speech media component	179
12.3.10.3.4	Transfer of originating session in alerting phase	179
12.3.10.3.5	Transfer of terminating session in alerting phase	180
12.3.10.4	Removal of non-transferred sessions	181
12.3.11	SCC AS procedures when the access transfer is completed	181
12.4	MSC server enhanced for ICS	182
12.4.0	MSC server enhanced for ICS supporting PS to CS SRVCC	182
12.4.0.1	General	182
12.4.0.2	PS to CS SRVCC access transfer	182
12.4.0A	MSC server enhanced for ICS procedures for Emergency Session Transfer	184
12.4.0B	MSC server enhanced for ICS supporting vSRVCC	184
12.4.1	Void	185
12.4.2	MSC server enhanced for ICS supporting CS to PS SRVCC	185
12.4.2.1	Distinction of requests	185
12.4.2.2	General	185
12.4.2.3	Transfer of session without MSC server redirecting the speech media component	186
12.4.2.4	Transfer of session with MSC server redirecting the speech media component	186
12.4.2.5	Abnormal cases	187
12.4.3	Abnormal cases	187
12.4.3.1	Permanent response codes	187
12.4.3.2	PS to CS SRVCC cancelled by MME/SGSN or failure of the access transfer procedure in the MSC server	187
12.4.3.3	Guard timer for the CC CONNECT request elapses	188
12.4A	MSC server assisted mid-call feature	188
12.5	EATF	192
12.5.1	EATF procedures for PS to CS session continuity, E-SR-VCC	192
12.5.2	EATF procedures for PS to CS SRVCC, abnormal case	193
12.5.2.1	PS to CS SRVCC cancelled by MME/SGSN or release of the target access leg for ongoing emergency session	193
12.5.2.2	PS to CS SRVCC cancelled by MME/SGSN or failure by UE to transition to CS domain for ongoing session	193
12.5.2.3	P-CSCF releasing the source access leg during PS to CS SRVCC	194
12.5.2.3	PS to CS SRVCC cancelled by MME/SGSN or failure by UE to transition to CS domain for session in early dialog state	194
12.5.3	EATF procedures for PS to CS access transfer when emergency session is in alerting phase or pre- alerting phase	194
12.5.3.1	General	194
12.5.3.2	EATF procedures for PS to CS access transfer for originating call in alerting phase or pre- alerting phase using PS to CS SRVCC procedure	195
12.5.4	Removal of non-transferred audio media components and superfluous sessions	198
12.6	MSC server enhanced for SRVCC using SIP interface	199
12.6.0	General	199
12.6.0A	Codec inquiry prior to PS to CS SRVCC access transfer	199
12.6.0B	Codec re-negotiation after session transfer	200
12.6.1	Session transfer from MSC server enhanced for SRVCC using SIP interface	200
12.6.1.1	Session transfer from MSC server enhanced for SRVCC using SIP interface supporting PS to CS SRVCC	200
12.6.1.2	Session transfer from MSC server enhanced for SRVCC using SIP interface supporting vSRVCC	201
12.6.2	Emergency session transfer from MSC server enhanced for SRVCC using SIP interface	202
12.6.3	MSC server enhanced for SRVCC using SIP interface procedures for PS to CS access transfer for calls in alerting phase or pre-alerting phase	203
12.6.4	Abnormal cases	208
12.6.4.1	Permanent response codes	208
12.6.4.2	PS to CS SRVCC cancelled by MME/SGSN or failure of the access transfer procedure in the MSC server	208
12.6.4.3	Guard timer for the CC CONNECT request elapses	208

12.6.5	Interworking of CC messages and SIP messages when PS to CS SRVCC access transfer is completed.....	208
12.7	Access Transfer Control Function (ATCF)	209
12.7.1	Distinction of requests	209
12.7.2	ATCF procedures for PS to CS access transfer, PS to CS SRVCC	210
12.7.2.1	General	210
12.7.2.1A	Determination of session being transferred when only a held session or only a session in originating pre-alerting phase or a session in alerting phase exist	211
12.7.2.2	Active session transfer	212
12.7.2.3	Abnormal procedures	216
12.7.2.3.1	P-CSCF releasing the source access leg during PS to CS SRVCC	216
12.7.2.3.2	No transferable session exists	216
12.7.2.4	Transfer when only a held session or a session in originating pre-alerting phase or a session in alerting phase exist.....	218
12.7.2.5	Transfer of additional session	220
12.7.2.6	Codec inquiry prior to PS to CS SRVCC access transfer.....	222
12.7.3	ATCF procedures for CS to PS SRVCC.....	223
12.7.3.1	General	223
12.7.3.2	Transfer of session with active speech media component anchored in ATGW	224
12.7.3.3	Transfer of session with active speech media component not anchored in ATGW	227
12.7.3.4	Transfer when only held session or session in alerting phase exist.....	231
13	Roles for media adding/deleting for access transfer.....	233
13.1	Introduction	233
13.2	SC UE.....	233
13.2.1	Adding or removing media through Gm.....	233
13.2.2	Adding Gm control to existing CS session	233
13.3	SCC AS	234
13.3.1	Adding or removing media through Gm.....	234
13.3.2	Adding Gm control to existing CS session	234
14	Void.....	235
15	Void.....	235
16	Void.....	235
17	Void.....	235
18	Void.....	235
19	Void.....	235
20	Service continuity and MMTEL interactions	235
20.1	Roles for access transfer and supplementary services interaction	235
20.1.1	Introduction.....	235
20.1.2	Originating Identification Presentation (OIP).....	235
20.1.3	Originating Identification Restriction (OIR).....	235
20.1.4	Terminating Identification Presentation (TIP).....	235
20.1.5	Terminating Identification Restriction (TIR).....	235
20.1.6	Communication Diversion (CDIV).....	236
20.1.7	Communication Hold (HOLD).....	236
20.1.8	Communication Barring (CB).....	236
20.1.9	Message Waiting Indication (MWI)	236
20.1.10	Conference (CONF).....	236
20.1.11	Explicit Communication Transfer (ECT)	238
20.1.12	Advice of Charge (AOC).....	238
20.1.13	Closed User Groups (CUG).....	238
20.1.14	Three-Party (3PTY)	238
20.1.15	Flexible Alerting (FA)	238
20.1.16	Communication Waiting (CW).....	238
20.1.17	Completion of Communications to Busy Subscriber (CCBS)/Completion of Communications by No Reply (CCNR)	238
20.1.18	Customized Alerting Tones (CAT).....	238
20.1.19	Malicious Communication IDentification (MCID)	239

20.1.20	Reverse Charging.....	239
20.1.21	Personal Network Management (PNM).....	239
20.1.22	Customized Ringing Signal (CRS)	239
20.2	Void.....	239
21	Void.....	240
22	Roles for detection of remote leg information	240
22.1	Introduction	240
22.2	MSC server enhanced for ICS.....	240
22.2.1	Distinction of requests	240
22.2.2	Discover remote leg information	240
22.3	SCC AS.....	241
22.3.1	Distinction of requests	241
22.3.2	Providing remote leg information.....	241
Annex A (informative): Example signalling flows.....		242
A.1	Scope of signalling flows	242
A.2	Introduction	242
A.2.1	General	242
A.2.2	Key required to interpret signalling flows.....	242
A.3	Signalling flows for registration.....	243
A.3.1	Introduction	243
A.3.2	Signalling flows for multiple registration for service continuity.....	243
A.3.3	Signalling flows for registration with SRVCC enhancements	248
A.3.4	Signalling flows for registration with SRVCC enhancements from UE supporting CS to PS SRVCC.....	255
A.3.5	Signalling flows for UE attaching to CS domain when MSC server is enhanced for ICS and for CS to PS SRVCC and when UE is not registered with IMS in PS access network yet.....	264
A.3.6	Signalling flows for UE attaching to CS domain when MSC server is enhanced for ICS and for CS to PS SRVCC and when UE is already registered with IMS in PS access network.....	265
A.4	Signalling flows for call origination for service continuity.....	267
A.4.1	Session origination for CS calls	267
A.4.2	Session origination with PS to CS SRVCC enhancements	267
A.4.3	Call origination prior to CS to PS SRVCC.....	273
A.5	Signalling flows for call termination for service continuity.....	278
A.5.1	Session termination using CS media.....	278
A.5.2	Call termination prior to CS to PS SRVCC.....	278
A.6	Signalling flows for PS-CS access transfer.....	285
A.6.1	PS-CS access transfer: CS-PS	285
A.6.2	PS-CS access transfer: PS-CS	289
A.7	Signalling flows for PS-PS access transfer	292
A.7.1	Introduction	292
A.7.2	PS-PS access transfer with full media transfer.....	292
A.7.3	PS-PS access transfer with partial media transfer	299
A.7.4	PS-PS Access Transfer with full media transfer for an outgoing call in alerting phase	307
A.7.5	PS-PS Access Transfer with full media transfer for an incoming call in alerting phase	311
A.8	Signalling flows for PS-PS access transfer in conjunction with PS-CS access transfer	316
A.8.1	Introduction	316
A.8.2	PS - PS in conjunction with PS - CS Access Transfer: PS to CS	316
A.8.3	PS - PS in conjunction with PS - CS Access Transfer: CS to PS	323
A.9	Signalling flows for media adding/deleting for access transfer	327
A.10	Void.....	331
A.11	Void.....	331
A.12	Void.....	331

A.13	Void.....	331
A.14	Void.....	331
A.15	Signalling flows for MSC server assisted mid-call feature.....	331
A.15.1	Introduction.....	331
A.15.2	CS to PS access transfer with MSC server assisted mid-call feature.....	331
A.15.3	PS to CS access transfer with MSC server assisted mid-call feature.....	337
A.15.4	PS to CS access transfer with MSC server assisted mid-call feature with an incoming waiting call in alerting phase.....	343
A.16	Signalling flows for PS to CS SRVCC session transfer for IMS emergency session.....	351
A.16.1	Introduction.....	351
A.16.2	UE initiating an emergency session in IMS.....	351
A.16.3	Session transfer for emergency session using PS to CS SRVCC procedure: PS-CS.....	357
A.17	Signalling flows for the PS to CS SRVCC for calls in alerting phase.....	361
A.17.1	Introduction.....	361
A.17.2	Session transfer for incoming call is in alerting phase using PS to CS SRVCC procedure: PS to CS.....	361
A.17.3	Session transfer for originating call is in alerting phase using PS to CS SRVCC procedure: PS to CS.....	366
A.17.4	User answers in PS domain; Handover to CS successful.....	371
A.17.5	User answers in PS domain; Handover to CS not successful.....	373
A.17.6	Session transfer for originating call is in alerting phase with forked responses using PS to CS SRVCC procedure: PS to CS.....	375
A.17.7	Session transfer for originating call is in alerting phase using SRVCC procedure with ATCF: PS to CS.....	382
A.17.8	Session transfer for terminating call is in alerting phase using SRVCC procedure with ATCF: PS to CS.....	386
A.18	Signalling flows for PS to CS Access Transfer: PS to CS SRVCC enhancements using ATCF.....	391
A.18.1	Introduction.....	391
A.18.2	Signalling flows for PS to CS Access Transfer: PS to CS SRVCC enhancements using ATCF and without media anchored.....	391
A.18.3	Signalling flows for PS to CS Access Transfer: PS to CS SRVCC enhancements using ATCF and media anchored.....	394
A.18.4	Session transfer for originating call is in alerting phase using PS to CS SRVCC procedure with ATCF: PS to CS.....	398
A.18.5	Signalling flows for PS to CS Access Transfer: SRVCC enhancements using ATCF with MSC server assisted mid-call feature and ATCF anchored.....	404
A.18.6	Signalling flows for PS to CS Access Transfer: PS to CS SRVCC enhancements using ATCF and session traverses IBCF.....	409
A.19	Signalling flows for vSRVCC.....	413
A.19.1	Introduction.....	413
A.19.2	Session transfer for active call with speech and video using vSRVCC procedure: PS to CS.....	413
A.20	Signalling flows for CS to PS Access Transfer: using CS to PS SRVCC.....	415
A.20.1	Introduction.....	415
A.20.2	Signalling flows for CS to PS Access Transfer: CS to PS SRVCC occurs during an active call.....	415
A.20.3	Signalling flows for CS to PS Access Transfer without CS media anchored in ATGW: CS to PS SRVCC occurs during an active call.....	422
Annex B (informative):	Void.....	430
Annex C (normative):	Media feature tags and feature-capability indicators defined within the current document.....	431
C.1	General.....	431
C.2	Definition of media feature tag g.3gpp.mid-call.....	431
C.2A	Definition of feature-capability indicator g.3gpp.mid-call.....	431
C.3	Void.....	432
C.4	Definition of feature-capability indicator g.3gpp.atcf.....	432
C.5	Definition of media feature tag g.3gpp.srvcc-alerting.....	432

C.5A	Definition of feature-capability indicator g.3gpp.srvcc-alerting	433
C.6	Definition of feature-capability indicator g.3gpp.atcf-mgmt-uri.....	433
C.7	Definition of feature-capability indicator g.3gpp.srvcc.....	434
C.8	Definition of feature-capability indicator g.3gpp.atcf-path.....	434
C.9	Definition of media feature tag g.3gpp.cs2ps-srvcc	435
C.9A	Definition of feature-capability indicator g.3gpp.cs2ps-srvcc	435
C.10	Void.....	436
C.11	Definition of media feature tag g.3gpp.path.....	436
C.12	Definition of media feature tag g.3gpp.ti	436
C.12A	Definition of feature-capability indicator g.3gpp.ti	437
C.13	Definition of media feature tag g.3gpp.cs2ps-srvcc-alerting	437
C.14	Definition of media feature tag g.3gpp.pstops-sti	438
C.15	Definition of media feature tag g.3gpp.drsvcc-alerting	438
C.16	Definition of feature-capability indicator g.3gpp.drsvcc-alerting.....	439
C.17	Definition of feature-capability indicator g.3gpp.dynamic-stn	439
C.18	Definition of media feature tag g.3gpp.dynamic-stn.....	440
C.19	Definition of media feature tag g.3gpp.ps2cs-drsvcc-orig-pre-alerting	440
C.20	Definition of feature-capability indicator g.3gpp.ps2cs-drsvcc-orig-pre-alerting	441
C.21	Definition of media feature tag g.3gpp.ps2cs-srvcc-orig-pre-alerting	441
C.22	Definition of feature-capability indicator g.3gpp.ps2cs-srvcc-orig-pre-alerting.....	441
C.23	Definition of media feature tag g.3gpp.cs2ps-drsvcc-alerting.....	442
C.24	Definition of feature-capability indicator g.3gpp.cs2ps-drsvcc-alerting	442
C.25	Definition of media feature tag g.3gpp.cs2ps-drsvcc-orig-pre-alerting.....	443
C.26	Definition of feature-capability indicator g.3gpp.cs2ps-drsvcc-orig-pre-alerting	443
C.27	Definition of feature-capability indicator g.3gpp.remote-leg-info	444
C.28	Definition of feature-capability indicator g.3gpp.dynamic-e-stn-drsvcc	444
C.29	Definition of media feature tag g.3gpp.dynamic-e-stn-drsvcc.....	445
C.30	Definition of media feature tag g.3gpp.ps2cs-srvcc-mid-call-emergency.....	445
C.31	Definition of media feature tag g.3gpp.ps2cs-srvcc-term-pre-alerting	446
C.32	Definition of feature-capability indicator g.3gpp.ps2cs-srvcc-term-pre-alerting.....	446
Annex D (informative): XML schemas.....		448
D.1	MSC server assisted mid-call feature XML schema	448
D.1.1	General	448
D.1.2	XML schema	448
D.1.3	IANA registration template	448
D.2	state-and-event-info XML schema	450
D.2.1	General	450
D.2.2	XML schema	450
D.2.3	XML schema description	451
D.2.4	IANA registration template	452
D.3	SRVCC enhancement related XML schema	453