

ETSI TS 129 514 V15.5.0 (2019-10)



**5G;
5G System;
Policy Authorization Service;
Stage 3**
(3GPP TS 29.514 version 15.5.0 Release 15)

Full Standard Preview
<https://standards.iteh.a.../4c6f973-286fb5c959/authors/etsi-ts/129/514/15.5.0-2019-10>



Reference

RTS/TSGC-0329514vf50

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and
of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	6
1 Scope	7
2 References	7
3 Definitions and abbreviations.....	8
3.1 Definitions	8
3.2 Abbreviations	8
4 Npcf_PolicyAuthorization Service.....	9
4.1 Service Description	9
4.1.1 Overview	9
4.1.2 Service Architecture	9
4.1.3 Network Functions.....	10
4.1.3.1 Policy Control Function (PCF)	10
4.1.3.2 NF Service Consumers.....	10
4.2 Service Operations	11
4.2.1 Introduction.....	11
4.2.2 Npcf_PolicyAuthorization_Create service operation.....	11
4.2.2.1 General	11
4.2.2.2 Initial provisioning of service information.....	12
4.2.2.3 Gate control.....	15
4.2.2.4 Initial Background Data Transfer policy indication	15
4.2.2.5 Initial provisioning of sponsored connectivity information	15
4.2.2.6 Subscriptions to Service Data Flow QoS notification control.....	16
4.2.2.7 Subscription to Service Data Flow Deactivation.....	16
4.2.2.8 Initial provisioning of traffic routing information.....	17
4.2.2.9 Void.....	18
4.2.2.10 Subscription to resources allocation outcome	18
4.2.2.11 Void.....	18
4.2.2.12 Invocation of Multimedia Priority Services	18
4.2.2.13 Support of content versioning.....	19
4.2.3 Npcf_PolicyAuthorization_Update service operation	19
4.2.3.1 General	19
4.2.3.2 Modification of service information.....	19
4.2.3.3 Gate control.....	21
4.2.3.4 Background Data Transfer policy indication at policy authorization update	22
4.2.3.5 Modification of sponsored connectivity information	22
4.2.3.6 Modification of Subscription to Service Data Flow QoS notification control	23
4.2.3.7 Modification of Subscription to Service Data Flow Deactivation.....	23
4.2.3.8 Update of traffic routing information.....	24
4.2.3.9 Void.....	24
4.2.3.10 Modification of subscription to resources allocation outcome	24
4.2.3.11 Void.....	24
4.2.3.12 Modification of Multimedia Priority Services	24
4.2.3.13 Support of content versioning	25
4.2.4 Npcf_PolicyAuthorization_Delete service operation	25
4.2.4.1 General	25
4.2.4.2 AF application session context termination	25
4.2.4.3 Reporting usage for sponsored data connectivity.....	26
4.2.4.4 Void.....	26
4.2.4.5 Termination of Multimedia Priority Services	26
4.2.5 Npcf_PolicyAuthorization_Notify service operation	27
4.2.5.1 General	27
4.2.5.2 Notification about application session context event	27
4.2.5.3 Notification about application session context termination	28

4.2.5.4	Notification about Service Data Flow QoS notification control	29
4.2.5.5	Notification about Service Data Flow Deactivation.....	29
4.2.5.6	Reporting usage for sponsored data connectivity.....	30
4.2.5.7	Void.....	30
4.2.5.8	Notification about resources allocation outcome	30
4.2.5.9	Void.....	31
4.2.6	Npcf_PolicyAuthorization_Subscribe service operation	31
4.2.6.1	General.....	31
4.2.6.2	Handling of subscription to events for the existing application session context	31
4.2.6.3	Initial subscription to events without provisioning of service information.....	33
4.2.6.4	Subscription to usage monitoring of sponsored data connectivity	34
4.2.6.5	Void.....	34
4.2.7	Npcf_PolicyAuthorization_Unsubscribe service operation	34
4.2.7.1	General	34
4.2.7.2	Unsubscription to events	35
5	Npcf_PolicyAuthorization Service API	35
5.1	Introduction	35
5.2	Usage of HTTP.....	36
5.2.1	General.....	36
5.2.2	HTTP standard headers.....	36
5.2.2.1	General.....	36
5.2.2.2	Content type	36
5.2.3	HTTP custom headers.....	36
5.3	Resources	37
5.3.1	Resource Structure	37
5.3.2	Resource: Application Sessions (Collection).....	38
5.3.2.1	Description	38
5.3.2.2	Resource definition	38
5.3.2.3	Resource Standard Methods.....	38
5.3.2.3.1	POST	38
5.3.2.4	Resource Custom Operations	38
5.3.3	Resource: Individual Application Session Context (Document)	39
5.3.3.1	Description	39
5.3.3.2	Resource definition	39
5.3.3.3	Resource Standard Methods.....	39
5.3.3.3.1	GET	39
5.3.3.3.2	PATCH.....	39
5.3.3.4	Resource Custom Operations.....	40
5.3.3.4.1	Overview	40
5.3.3.4.2	Operation: delete	40
5.3.3.4.2.1	Description.....	40
5.3.3.4.2.2	Operation Definition	40
5.3.4	Resource: Events Subscription (Document)	41
5.3.4.1	Description	41
5.3.4.2	Resource definition	41
5.3.4.3	Resource Standard Methods.....	41
5.3.4.3.1	PUT	41
5.3.4.3.2	DELETE.....	42
5.3.3.4	Resource Custom Operations	42
5.4	Custom Operations without associated resources.....	42
5.5	Notifications	43
5.5.1	General.....	43
5.5.2	Event Notification.....	43
5.5.2.1	Description	43
5.5.2.2	Target URI	43
5.5.2.3	Standard Methods	43
5.5.2.3.1	POST	43
5.5.3	Termination Request.....	44
5.5.3.1	Description	44
5.5.3.2	Target URI	44
5.5.3.3	Standard Methods	44

5.5.3.3.1	POST	44
5.6	Data Model	44
5.6.1	General	44
5.6.2	Structured data types	48
5.6.2.1	Introduction	48
5.6.2.2	Type AppSessionContext	49
5.6.2.3	Type AppSessionContextReqData	50
5.6.2.4	Type AppSessionContextRespData	51
5.6.2.5	Type AppSessionContextUpdateData	51
5.6.2.6	Type EventsSubscReqData	51
5.6.2.7	Type MediaComponent	52
5.6.2.8	Type MediaSubComponent	53
5.6.2.9	Type EventsNotification	53
5.6.2.10	Type AfEventSubscription	54
5.6.2.11	Type AfEventNotification	54
5.6.2.12	Type TerminationInfo	54
5.6.2.13	Type AfRoutingRequirement	54
5.6.2.14	Type ResourcesAllocationInfo	55
5.6.2.15	Type QosNotificationControlInfo	55
5.6.2.16	Type SpatialValidity	55
5.6.2.17	Type EthFlowDescription	56
5.6.2.18	Void	56
5.6.2.19	Void	56
5.6.2.20	Type AnGwAddress	57
5.6.2.21	Type Flows	57
5.6.2.22	Type TemporalValidity	57
5.6.2.23	Void	57
5.6.2.24	Type AfRoutingRequirementRm	57
5.6.2.25	Type EventsSubscReqDataRm	58
5.6.2.26	Type MediaComponentRm	58
5.6.2.27	Type MediaSubcomponentRm	59
5.6.2.28	Type SpatialValidityRm	60
5.6.3	Simple data types and enumerations	60
5.6.3.1	Introduction	60
5.6.3.2	Simple data types	60
5.6.3.3	Enumeration: MediaType	60
5.6.3.4	Enumeration: ReservPriority	61
5.6.3.5	Enumeration: ServAuthInfo	61
5.6.3.6	Enumeration: SponsoringStatus	61
5.6.3.7	Enumeration: AfEvent	61
5.6.3.8	Enumeration: AfNotifMethod	62
5.6.3.9	Enumeration: QosNotifType	62
5.6.3.10	Enumeration: TerminationCause	62
5.6.3.11	Void	62
5.6.3.12	Enumeration: FlowStatus	62
5.6.3.13	Enumeration: MediaComponentResourcesStatus	63
5.6.3.14	Enumeration: FlowUsage	63
5.7	Error handling	63
5.7.1	General	63
5.7.2	Protocol Errors	64
5.7.3	Application Errors	64
5.8	Feature negotiation	64
5.9	Security	65
Annex A (normative):	OpenAPI specification	66
A.1	General	66
A.2	Npcf_PolicyAuthorization API	66
Annex B (informative):	Change history	82
History	85	

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/233eff4d8-fac8-4c6f-9773-286fb5c959ad/etsi-ts-129-514-v15.5.0-2019-10>

1 Scope

The present specification provides the stage 3 definition of the Policy Authorization Service of the 5G System.

The 5G System Architecture is defined in 3GPP TS 23.501 [2]. The stage 2 definition and related procedures for the Npcf Policy Authorization Service are specified in 3GPP TS 23.502 [3] and 3GPP TS 23.503 [4].

The 5G System stage 3 call flows are provided in 3GPP TS 29.513 [7].

The Technical Realization of the Service Based Architecture and the Principles and Guidelines for Services Definition are specified in 3GPP TS 29.500 [5] and 3GPP TS 29.501 [6].

The Policy Authorization Service is provided by the Policy Control Function (PCF). This service creates policies as requested by the authorised AF for the PDU Session to which the AF session is bound.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 23.501: "System Architecture for the 5G System; Stage 2".
- [3] 3GPP TS 23.502: "Procedures for the 5G System; Stage 2".
- [4] 3GPP TS 23.503: "Policy and Charging Control Framework for the 5G System; Stage 2".
- [5] 3GPP TS 29.500: "5G System; Technical Realization of Service Based Architecture; Stage 3".
- [6] 3GPP TS 29.501: "5G System; Principles and Guidelines for Services Definition; Stage 3".
- [7] 3GPP TS 29.513: "5G System; Policy and Charging Control signalling flows and QoS parameter mapping; Stage 3".
- [8] 3GPP TS 29.512: "5G System; Session Management Policy Control Service; Stage 3".
- [9] IETF RFC 7540: "Hypertext Transfer Protocol Version 2 (HTTP/2)".
- [10] IETF RFC 8259: "The JavaScript Object Notation (JSON) Data Interchange Format".
- [11] OpenAPI: "OpenAPI 3.0.0 Specification", <https://github.com/OAI/OpenAPI-Specification/blob/master/versions/3.0.0.md>.
- [12] 3GPP TS 29.571: "5G System; Common Data Types for Service Based Interfaces; Stage 3".
- [13] 3GPP TS 29.508: "5G System; Session Management Event Exposure Service; Stage 3".
- [14] 3GPP TS 29.554: "5G System; Background Data Transfer Policy Control Service; Stage 3".
- [15] 3GPP TS 29.122: "T8 reference point for Northbound APIs".
- [16] IEEE 802.3-2015: "IEEE Standard for Ethernet".
- [17] IEEE 802.1Q-2014: "Bridges and Bridged Networks".

- [18] IETF RFC 7042: "IANA Considerations and IETF Protocol and Documentation Usage for IEEE 802 Parameters".
- [19] IETF RFC 3986: "Uniform Resource Identifier (URI): Generic Syntax".
- [20] 3GPP TS 29.214: "Policy and Charging Control over Rx reference point".
- [21] IETF RFC 7396: "JSON Merge Patch".
- [22] Void.
- [23] 3GPP TS 22.153: "5G System; Multimedia Priority Service".
- [24] IETF RFC 7807: "Problem Details for HTTP APIs".
- [25] 3GPP TS 33.501: "Security architecture and procedures for 5G system".
- [26] IETF RFC 6749: "The OAuth 2.0 Authorization Framework".
- [27] 3GPP TS 29.510: "5G System; Network Function Repository Services; Stage 3".
- [28] 3GPP TR 21.900: "Technical Specification Group working methods".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in 3GPP TR 21.905 [1].

Application Function (AF): Element offering application(s) that use PDU session resources.

AF application session context: Application level session context established by an application level signalling protocol offered by the AF that requires a session context set-up with explicit session context description before the use of the service.

MPS session: A session for which priority treatment is applied for allocating and maintaining radio and network resources to support the Multimedia Priority Service (MPS). MPS is defined in 3GPP TS 22.153 [23].

PCC rule: Set of information enabling the detection of a service data flow and providing parameters for policy control and/or charging control.

Service information: Set of information conveyed from the AF/NEF to the PCF by the Npcf_PolicyAuthorization service to be used as a basis for PCC decisions at the PCF, including information about the AF/NEF application session context (e.g. application identifier, type of media, bandwidth, IP address and port number).

Service data flow: An aggregate set of packet flows.

3.2 Abbreviations

For the purposes of the present document, the abbreviations given in 3GPP TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in 3GPP TR 21.905 [1].

AF	Application Function
DEI	Drop Eligible Indicator
DNAI	DN Access Identifier
DNN	Data Network Name
E-UTRA	Evolved Universal Terrestrial Radio Access
H-PCF	PCF in the HPLMN

JSON	JavaScript Object Notation
MPS	Multimedia Priority Service
NEF	Network Exposure Function
NR	New Radio
NRF	Network Repository Function
NWDAF	Network Data Analytics Function
PCC	Policy and Charging Control
PCF	Policy Control Function
PCP	Priority Code Point
PRA	Presence Reporting Area
QoS	Quality of Service
RFSP	RAT Frequency Selection Priority
RTCP	Real Time Control Protocol
SDF	Service Data Flow
SMF	Session Management Function
S-NSSAI	Single Network Slice Selection Assistance Information
SUPI	Subscription Permanent Identifier
UDR	Unified Data Repository
UPF	User Plane Function
URSP	UE Route Selection Policy
VID	VLAN Identifier
VLAN	Virtual Local Area Network
V-PCF	PCF in the VPLMN

4 Npcf_PolicyAuthorization Service

4.1 Service Description

4.1.1 Overview

The Npcf_PolicyAuthorization Service, as defined in 3GPP TS 23.502 [3] and in 3GPP TS 23.503 [4], is provided by the Policy Control Function (PCF).

The Npcf_PolicyAuthorization service authorises an AF request and creates policies as requested by the authorised NF service consumer for the PDU session to which the AF session is bound to. This service allows the NF service consumer to subscribe/unsubscribe to the notification of events (e.g. Access Type and RAT type, PLMN identifier, usage report).

4.1.2 Service Architecture

The 5G System Architecture is defined in 3GPP TS 23.501 [2]. The Policy and Charging control related 5G architecture is also described in 3GPP TS 23.503 [4] and 3GPP TS 29.513 [7].

The only known NF service consumers of the Npcf_PolicyAuthorization service are the Application Function (AF) and the Network Exposure Function (NEF).

The Npcf_PolicyAuthorization service is provided by the PCF and consumed by the AF and the NEF, as shown in figure 4.1.2-1 for the SBI representation model and in figure 4.1.2-2 for the reference point representation model.




Figure 4.1.2-1: Npcf_PolicyAuthorization service Architecture, SBI representation



Figure 4.1.2-2: Npcf_PolicyAuthorization service Architecture, reference point representation

The NEF can act as an AF using N5 reference point.

4.1.3 Network Functions

4.1.3.1 Policy Control Function (PCF)

The PCF (Policy Control Function) is a functional element that encompasses policy control decision and flow based charging control functionalities, access and mobility policy decisions for the control of the UE Service Area Restrictions and RAT/RFSP control, and UE Policy for the Access network discovery and selection policy and UE Route Selection Policy (URSP).

The policy control decision and flow based charging control functionalities enable the PCF to provide network control regarding the service data flow detection, gating, QoS and flow based charging (except credit management) towards the SMF/UPF.

The PCF receives session and media related information from the Npcf_PolicyAuthorization service consumers and notifies them of subscribed traffic plane events.

The PCF checks that the service information provided by the NF service consumer is consistent with the operator defined policy rules before storing the service information.

The PCF uses the received service information and the subscription information when it applies as basis for the policy and charging control decisions.

The PCF derives PCC rules and provisions them to the SMF via the Npcf_SMPolicyControl service and subscribes to traffic plane events via policy control request triggers as described in 3GPP TS 29.512 [8].

4.1.3.2 NF Service Consumers

The known NF service consumers are the AF and the NEF, as defined in 3GPP TS 23.502 [3].

The AF is an element offering applications that require the Policy and Charging Control of traffic plane resources. The AF uses the Npcf_PolicyAuthorization service to provide service information to the PCF.

The AFs can be deployed by the same operator offering the access services or can be provided by external third-party service provider. If the AF is not allowed by the operator to access directly the PCF, the AF uses the external exposure framework via NEF to interact with the PCF, as described in subclause 5.20 of 3GPP TS 23.501 [2].

The Network Exposure Function (NEF) supports external exposure of capabilities of network functions.

4.2 Service Operations

4.2.1 Introduction

Service operations defined for the Npcf_PolicyAuthorization Service are shown in table 4.2.1-1.

Table 4.2.1-1: Npcf_PolicyAuthorization Service Operations

Service Operation Name	Description	Initiated by
Npcf_PolicyAuthorization_Create	Determines and installs the policy according to the service information provided by an authorized NF service consumer.	AF, NEF
Npcf_PolicyAuthorization_Update	Determines and updates the policy according to the modified service information provided by an authorized NF service consumer.	AF, NEF
Npcf_PolicyAuthorization_Delete	Provides means to delete the application session context of the NF service consumer.	AF, NEF
Npcf_PolicyAuthorization_Notify	Notifies NF service consumer of the subscribed events.	PCF
Npcf_PolicyAuthorization_Subscribe	Allows NF service consumers to subscribe to the notification of events.	AF, NEF
Npcf_PolicyAuthorization_Unsubscribe	Allows NF service consumers to unsubscribe to the notification of events.	AF, NEF

NOTE: The NEF and the AF use the Npcf_PolicyAuthorization service in the same way. To improve the readability of the service procedures, only the AF is mentioned in the following subclauses.

4.2.2 Npcf_PolicyAuthorization_Create service operation

4.2.2.1 General

The Npcf_PolicyAuthorization_Create service operation authorizes the request from the NF service consumer, and optionally communicates with Npcf_SMPolicyControl service to determine and install the policy according to the information provided by the NF service consumer.

The Npcf_PolicyAuthorization_Create service operation creates an application session context in the PCF.

The following procedures using the Npcf_PolicyAuthorization_Create service operation are supported:

- Initial provisioning of service information.
- Gate control.
- Initial Background Data Transfer policy indication.
- Initial provisioning of sponsored connectivity information.
- Subscription to Service Data Flow QoS notification control.
- Subscription to Service Data Flow Deactivation.
- Initial provisioning of traffic routing information.

- Subscription to resources allocation outcome.
 - Invocation of Multimedia Priority Services.
 - Support of content versioning.

4.2.2.2 Initial provisioning of service information

This procedure is used to set up an AF application session context for the service as defined in 3GPP TS 23.501 [2], 3GPP TS 23.502 [3] and 3GPP TS 23.503 [4].

Figure 4.2.2.2-1 illustrates the initial provisioning of service information.




Figure 4.2.2.2-1: Initial provisioning of service information

When a new AF application session context is being established and media information for this application session context is available at the AF and the related media requires PCC control, the AF shall invoke the `Npcf_PolicyAuthorization_Create` service operation by sending the HTTP POST request to the resource URI representing the "Application Sessions" collection resource of the PCF, as shown in figure 4.2.2.2-1, step 1.

The AF shall include in the "AppSessionContext" data type in the payload body of the HTTP POST request a partial representation of the "Individual Application Session Context" resource by providing the "AppSessionContextReqData" data type. The "Individual Application Session Context" resource and the "Events Subscription" sub-resource are created as described below.

The AE shall provide in the body of the ~~HTTP POST~~ request:

- for IP type PDU sessions, the IP address (IPv4 or IPv6) of the UE in the "ueIPv4" or "ueIPv6" attribute; and
 - for Ethernet type PDU sessions, the MAC address of the UE in the "ueMac" attribute.

The AF shall provide the corresponding service information in the "medComponents" attribute if available. The AF shall indicate to the PCF as part of the "medComponents" attribute whether the service data flow(s) (IP or Ethernet) should be enabled or disabled with the "fStatus" attribute.

The AF may include the AF application identifier in the "afAppId" attribute into the body of the HTTP POST request in order to indicate the particular service that the AF session belongs to.

The AF application identifier may be provided at both "AppSessionContextReqData" data type level, and "MediaComponent" data type level. When provided at both levels, the AF application identifier provided at "MediaComponent" data type level shall have precedence.

The AF application identifier at the "AppSessionContextReqData" data type level may be used to trigger the PCF to indicate to the SMF/UPF to perform the application detection based on the operator's policy as defined in 3GPP TS 29.512 [8].

The AF may also include the "evSubsc" attribute of "EventsSubscReqData" data type to request the notification of certain user plane events. The AF shall include the events to subscribe to in the "events" attribute, and the notification