

SLOVENSKI STANDARD SIST ISO 1269:1996

01-junij-1996

Polimerni materiali - Homo- in kopolimeri vinilklorida - Določanje vsebnosti hlapnih komponent (vključno z vodo)

Plastics -- Homopolymer and copolymer resins of vinyl chloride -- Determination of volatile matter (including water)

iTeh STANDARD PREVIEW

Plastiques -- Résines d'homopolymères et de copolymères de chlorure de vinyle -- Détermination des matières volatiles (y compris l'eau)

SIST ISO 1269:1996

Ta slovenski standard je istoveten z: dog/standards/sist/504eb0e2-152e-4820-b659-100225d8374/ISO-1269:1980

ICS:

83.080.20 Plastomeri Thermoplastic materials

SIST ISO 1269:1996 en

SIST ISO 1269:1996

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ISO 1269:1996 https://standards.iteh.ai/catalog/standards/sist/504eb0e2-152e-4820-b659-f00c2b3d8374/sist-iso-1269-1996

International Standard



1269

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION●MEЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО CTAHДAPTИЗАЦИИ●ORGANISATION INTERNATIONALE DE NORMALISATION

Plastics — Homopolymer and copolymer resins of vinyl chloride — Determination of volatile matter (including water)

Plastiques — Résines d'homopolymères et de copolymères de chlorure de vinyle — Détermination des matières volatiles (y compris l'eau) **iTeh STANDARD PREVIEW**

Second edition — **1980-11-01**

(standards.iteh.ai)

SIST ISO 1269:1996

https://standards.iteh.ai/catalog/standards/sist/504eb0e2-152e-4820-b659-f00c2b3d8374/sist-iso-1269-1996

UDC 678.743-22-13:543.81

Ref. No. ISO 1269-1980 (E)

SO 1269-1980 (E)

Descriptors: plastics, homopolymers, copolymers, vinyl chloride, resins, tests, determination, volatile matters.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO member bodies). The work of developing International Standards is carried out through ISO technical committees. Every member body interested in a subject for which a technical committee has been set up has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 1269 was developed by Technical Committee ISO/TC 61, Plastics. (standards.iteh.ai)

This second edition was submitted directly to the ISO Council, in accordance with clause 5.10.1 of part 1 of the Directives for the technical work of ISO, It cancels and replaces the first edition (i.e. ISO 1269-1975), which had been approved by the member bodies of the following countries:

152e-4820-b659-

Austria India Belgium Iran Bulgaria Israel Canada

Romania

Italy Czechoslovakia Japan

South Africa, Rep. of Spain

Egypt, Arab Rep. of France

Korea, Dem. P. Rep. of

Turkey United Kingdom

Germany, F. R. Greece

Korea, Rep. of Netherlands New Zealand

USA Yugoslavia

Sweden

Hungary Poland

The member bodies of the following countries had expressed disapproval of the document on technical grounds:

> Australia Switzerland

Plastics — Homopolymer and copolymer resins of vinyl chloride — Determination of volatile matter (including water)

1 Scope and field of application

This International Standard specifies a method of determining the volatile matter (including water) in homopolymer and copolymer resins of vinyl chloride.

2 Principle

Heating at 110 \pm 2 °C, to constant mass, of a test portion of resin spread out in a weighing dish of specified dimensions.

3 Apparatus

https://standards.iteh.ai/catalog/standard 3.1 Oven, capable of being controlled at 110 ±0220 with 4/sist-slight natural draught.

3.2 Weighing dish, shallow, about 80 mm in diameter and 30 mm in height, of glass, aluminium or, preferably, stainless steel, with lid.

3.3 Balance, accurate to 0,000 1 g.

3.4 Desiccator, containing a suitable desiccant.

4 Procedure

Weigh the dish (3.2) with its lid to the nearest 0,000 5 g, after heating it in the oven (3.1) controlled at 110 \pm 2 °C for 1 h and cooling it to room temperature in the desiccator (3.4).

Spread evenly over the bottom of the dish a mass m_0 (about 5 g) of resin, replace the lid and weigh to the nearest 0,000 5 g.

Place the assembly in the oven (3.1) at 110 \pm 2 °C, remove the cover, leave it in the oven and close the oven door.

After 1 h remove the assembly from the oven, allow to cool in the desiccator and weigh to the nearest 0,000 5 g. Heat for further half-hour periods until constant mass is obtained i.e. until the difference between the results of two successive weighings does not exceed 0,000 5 g (the lid must be kept on during transfer and weighing). From this calculate the mass m_1 of the residue.

Carry out two determinations.

Calculate the values of the percentage of volatile matter from the formula given in clause 5.

If these two percentages differ by less than 0,10 % in absolute value, use them for the calculation.

If not, carry out further determinations until two values satisfying this requirement are obtained.

However, if the two values obtained are each less than 0,30 %

— no matter what the difference between them — new deterSIST ISO 12/minations are not necessary.

NOTE — In certain special cases it may be necessary to conduct the test at the lower temperature of 105 \pm 2 °C. In reporting the results give the reasons for choosing 105 °C.

5 Expression of results

For each of the determinations, calculate the percentage of volatile matter (including water) to two decimal places from the formula

$$\frac{m_0-m_1}{m_0}\times 100$$

where

 m_0 is the mass, in grams, of the test portion before heating;

 m_1 is the mass, in grams, of the test portion after heating.

Calculate the mean, to two decimal places (to the nearest 0,05), of the two values finally retained.

In the test report, give this mean as the value of the percentage of volatile matter (including water).

NOTES

- 1 For ordinary use, for example the designation of a resin, the expression of the result to one decimal place only is generally sufficient.
- 2 Co-operative tests have shown reproducibility between different laboratories, on the values thus determined, of \pm 0,10 %.

ISO 1269-1980 (E)

6 Test report

The test report shall include the following particulars:

- a) reference to this International Standard;
- b) complete identification of the product tested;
- c) if appropriate, the reason for carrying out the test at 105 $^{\circ}\text{C};$
- d) the result expressed according to clause 5;
- e) any circumstances which may have affected the result.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST ISO 1269:1996</u> https://standards.iteh.ai/catalog/standards/sist/504eb0e2-152e-4820-b659-f00c2b3d8374/sist-iso-1269-1996