

ETSI TS 133 108 V15.6.0 (2019-10)



**Universal Mobile Telecommunications System (UMTS);
LTE;
Digital cellular telecommunications system (Phase 2+) (GSM);
3G security;
Handover interface for Lawful Interception (LI)
(3GPP TS 33.108 version 15.6.0 Release 15)**

45a7-a29d-ce464d5a1a3e3-3-2-e0cb-
https://standards.etsi.org/standards/etSI/standards/sist/che/33-108/v15.6.0-2019-10



Reference

RTS/TSGS-0333108vf60

Keywords

GSM,LTE,SECURITY,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and

of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and
of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	13
Introduction	13
1 Scope	14
2 References	14
3 Definitions and abbreviations.....	18
3.1 Definitions	18
3.2 Abbreviations	20
4 General	22
4.0 Introduction	22
4.1 Basic principles for the handover interface	22
4.2 Legal requirements	22
4.3 Functional requirements	23
4.4 Overview of handover interface	23
4.4.0 Introduction.....	23
4.4.1 Handover interface port 2 (HI2)	24
4.4.2 Handover interface port 3 (HI3)	24
4.5 HI2: Interface port for intercept related information.....	25
4.5.0 General.....	25
4.5.1 Data transmission protocols	25
4.5.2 Application for IRI (HI2 information).....	25
4.5.3 Types of IRI records	26
4.6 Reliability	26
5 Circuit-switch domain	27
5.0 General	27
5.1 Specific identifiers for LI	27
5.1.0 Introduction.....	27
5.1.1 Lawful Interception IDentifier (LIID)	27
5.1.2 Communication IDentifier (CID)	27
5.1.2.0 General.....	27
5.1.2.1 Network Identifier (NID)	28
5.1.2.2 Communication Identity Number (CIN) - optional.....	28
5.1.3 CC link identifier (CCLID).....	28
5.1.4 Correlation of CC and IRI	28
5.1.5 Usage of Identifiers.....	29
5.2 HI2: interface port for IRI	30
5.2.1 Definition of Intercept Related Information	30
5.2.2 Structure of IRI records	30
5.2.2.0 General.....	30
5.2.2.1 Control Information for HI2.....	30
5.2.2.2 Basic call information	31
5.2.2.3 Information on supplementary services, related to a call in progress.....	31
5.2.2.4 Information on non-call related supplementary services.....	32
5.2.3 Delivery of IRI.....	32
5.3 HI3: interface port for Content of Communication	36
5.3.0 General.....	36
5.3.1 CS-based Delivery of Content of Communication	37
5.3.2 Control information for Content of Communication	38
5.3.3 Security requirements at the interface port of HI3.....	39
5.3.3.0 General.....	39

5.3.3.1	LI access verification	39
5.3.3.2	Access protection	40
5.3.3.3	Authentication	40
5.4	LI procedures for supplementary services	40
5.4.1	General.....	40
5.4.2	CC link Impact.....	43
5.4.3	IRI Impact, General Principle for Sending IRI records	43
5.4.4	Multi party calls - general principles, options A, B	43
5.4.4.0	General.....	43
5.4.4.1	CC links for active and non-active calls (option A)	43
5.4.4.2	Reuse of CC links for active calls (option B).....	44
5.4.5	Subscriber Controlled Input (SCI): Activation / Deactivation / Interrogation of Services	45
5.5	Detailed procedures for supplementary services	45
5.5.1	Advice of Charge services (AOC)	45
5.5.2	Call Waiting (CW).....	45
5.5.2.1	Call Waiting at target: CC links	45
5.5.2.2	Call Waiting: IRI records	45
5.5.2.2.1	Target is served user	45
5.5.2.2.2	Other party is served user	45
5.5.3	Call Hold/Retrieve	45
5.5.3.1	CC links for active and non-active calls (option A)	45
5.5.3.2	Reuse of CC links for active calls (option B).....	45
5.5.3.3	IRI records.....	46
5.5.3.3.1	Invocation of Call Hold or Retrieve by target	46
5.5.3.3.2	Invocation of Call Hold or Retrieve by other parties	46
5.5.4	Explicit Call Transfer (ECT)	46
5.5.4.1	Explicit Call Transfer, CC link	46
5.5.4.2	Explicit Call Transfer, IRI records	46
5.5.5	Calling Line Identification Presentation (CLIP) (IRI Records)	46
5.5.5.1	Call originated by target (target is served user).....	46
5.5.5.2	Call terminated at target (other party is served user).....	46
5.5.6	Calling Line Identification Restriction (CLIR)	46
5.5.7	Connected Line identification Presentation (COLP)	47
5.5.7.1	Call terminated at target (target is served user).....	47
5.5.7.2	Call originated by target (other party is served user)	47
5.5.8	Connected Line identification Restriction (COLR)	47
5.5.9	Closed User Group (CUG)	47
5.5.10	Completion of Call to Busy Subscriber (CCBS)	47
5.5.11	Multi ParTY call (MPTY).....	47
5.5.11.1	General.....	47
5.5.11.2	IRI records.....	47
5.5.12	DIVersion Services (DIV)	47
5.5.12.0	General.....	47
5.5.12.1	Call Diversion by Target	48
5.5.12.1.1	Call Diversion by Target, CC links	48
5.5.12.1.2	Call Diversion by Target, IRI records	48
5.5.12.2	Forwarded Call Terminated at Target	48
5.5.12.3	Call from Target Forwarded.....	48
5.5.13	Variants of call diversion services	48
5.5.14	SUBaddressing (SUB)	49
5.5.15	User-to-User Signalling (UUS).....	49
5.5.16	Incoming Call Barring (ICB).....	49
5.5.17	Outgoing Call Barring (OCB).....	49
5.5.18	Tones, Announcements.....	49
5.6	Functional architecture	49
5.7	IP-based handover interface for CC	50
5.7.1	General.....	50
5.7.2	Identifiers	51
5.7.3	Voice Content Direction	52
5.7.4	Payload Description.....	52
5.7.5	Sequence Number	52

6	Packet data domain.....	53
6.1	Identifiers	53
6.1.0	Introduction.....	53
6.1.1	Lawful interception identifier	53
6.1.2	Network identifier.....	53
6.1.3	Correlation number	53
6.2	Timing and quality	54
6.2.1	Timing	54
6.2.2	Quality	54
6.2.3	Void	54
6.3	Security aspects	54
6.4	Quantitative aspects.....	54
6.5	IRI for packet domain.....	55
6.5.0	Introduction.....	55
6.5.1	Events and information	61
6.5.1.0	General	61
6.5.1.1	REPORT record information	61
6.5.1.2	BEGIN record information	70
6.5.1.3	CONTINUE record information	72
6.5.1.4	END record information	74
6.6	IRI reporting for packet domain at GGSN	75
6.7	Content of communication interception for packet domain at GGSN.....	75
7	Multi-media domain	76
7.0	Introduction	76
7.1	Identifiers	77
7.1.0	General.....	77
7.1.1	Lawful Interception Identifier (LIID)	77
7.1.2	Network identifier.....	78
7.1.3	Correlation number	78
7.2	Timing and quality	79
7.2.1	Timing	79
7.2.2	Quality	79
7.2.3	Void	79
7.3	Security aspects	79
7.4	Quantitative aspects.....	79
7.5	IRI for IMS.....	80
7.5.0	Introduction.....	80
7.5.1	Events and information	84
7.6	Correlation indications of IMS IRI with GSN CC at the LEMF	88
7.7	Void.....	88
8	3GPP WLAN Interworking.....	88
8.0	General	88
8.1	Identifiers	88
8.1.1	Overview	88
8.1.2	Lawful interception identifier	88
8.1.3	Network identifier.....	89
8.1.4	Correlation number	89
8.2	Timing and quality	89
8.2.1	Timing	89
8.2.2	Quality	89
8.2.3	Void	90
8.3	Security aspects	90
8.4	Quantitative aspects.....	90
8.5	IRI for I-WLAN	90
8.5.0	Introduction.....	90
8.5.1	Events and information	94
8.5.1.1	Overview.....	94
8.5.1.2	REPORT record information	94
8.5.1.3	BEGIN record information	99
8.5.1.4	END record information	101

8.6	CC for I-WLAN	102
9	Interception of Multimedia Broadcast/MultiCast Service (MBMS)	102
9.1	Identifiers	102
9.1.1	Overview	102
9.1.2	Lawful interception identifier	102
9.1.3	Network identifier	103
9.1.4	Correlation number	103
9.2	Timing and quality	103
9.2.1	Timing	103
9.2.2	Quality	103
9.2.3	Void	103
9.3	Security aspects	103
9.4	Quantitative aspects	104
9.5	IRI for MBMS	104
9.5.0	General	104
9.5.1	Events and information	106
9.5.1.1	Overview	106
9.5.1.2	REPORT record information	106
9.5.1.3	BEGIN record information	107
9.5.1.4	END record information	108
9.6	CC for MBMS	109
10	Evolved Packet System (EPS)	109
10.0	Introduction	109
10.1	Identifiers	110
10.1.0	Introduction	110
10.1.1	Lawful interception identifier	110
10.1.2	Network identifier	110
10.1.3	Correlation number	111
10.2	Timing and quality	111
10.2.1	Timing	111
10.2.2	Quality	111
10.2.3	Void	111
10.3	Security aspects	111
10.4	Quantitative aspects	112
10.5	IRI for evolved packet domain	112
10.5.0	Introduction	112
10.5.1	Events and information	118
10.5.1.0	Introduction	118
10.5.1.1	REPORT record information	119
10.5.1.2	BEGIN record information	131
10.5.1.3	CONTINUE record information	134
10.5.1.4	END record information	138
10.6	IRI reporting for evolved packet domain at PDN-GW	141
10.7	Content of communication interception for evolved packet domain at PDN-GW	141
11	3GPP IMS Conference Services	142
11.1	Identifiers	142
11.1.1	Overview	142
11.1.2	Lawful interception identifier	142
11.1.3	Network identifier	142
11.1.4	Correlation number	143
11.2	Timing and quality	143
11.2.1	Timing	143
11.2.2	Quality	143
11.2.3	Void	143
11.3	Security aspects	143
11.4	Quantitative aspects	143
11.5	IRI for IMS Conference Services	144
11.5.0	Introduction	144
11.5.1	Events and information	147
11.5.1.1	Overview	147

11.5.1.2	BEGIN record information	147
11.5.1.3	CONTINUE record information	148
11.5.1.4	END record information	151
11.5.1.5	REPORT record information	152
11.6	CC for IMS Conference Services	153
12	3GPP IMS-based VoIP Services	154
12.1	Identifiers	154
12.1.1	Overview	154
12.1.2	Lawful Interception Identifier	154
12.1.3	Network Identifier	154
12.1.4	Correlation Number	154
12.2	Timing and quality	155
12.3	Security aspects	155
12.4	Quantitative aspects	155
12.5	IRI for IMS-based VoIP	155
12.6	CC for IMS-based VoIP	155
12.7	VoLTE Roaming	156
12.7.1	General	156
12.7.2	LI in HPLMN	156
12.7.2.1	With S8HR	156
12.7.2.2	With LBO	156
12.7.3	LI in VPLMN with S8HR	156
12.7.4	LI in VPLMN with LBO	157
12.8	Roaming Constraints to IMS VoIP/VoLTE LI	158
13	Interception of Proximity Services (ProSe)	158
13.1	General	158
13.1.1	Identifiers	158
13.1.1.1	Overview	158
13.1.1.2	Lawful interception identifier	158
13.1.1.3	Network identifier	158
13.1.2	Timing and quality	159
13.1.2.1	Timing	159
13.1.2.2	Quality	159
13.1.3	Security aspects	159
13.1.4	Quantitative aspects	159
13.2	ProSe Direct Discovery	159
13.2.1	General	159
13.2.2	Events and information	161
13.2.2.1	Overview	161
13.2.2.2	REPORT record information	161
13.3	ProSe Remote UE communications	162
13.3.1	General	162
13.3.2	Events and information	164
13.3.2.1	Overview	164
13.3.2.2	REPORT record information	164
13.3.2.3	BEGIN record information	166
13.3.2.4	CONTINUE record information	167
13.3.2.5	END record information	168
14	Invocation of Lawful Interception (LI) for Group Communications System Enablers (GCSE)	169
14.1	Background	169
14.1.1	Interception at GCS AS versus other nodes	169
14.2	GCS AS in Intercepting Operator's Network	169
14.2.1	General	169
14.2.2	Identifiers	169
14.2.2.1	Overview	169
14.2.2.2	Lawful Interception Identifier	169
14.2.2.3	Network Identifier	170
14.2.2.3	Correlation Number	170
14.2.3	Timing and quality	170
14.2.3.1	Timing	170

*Refer STANDARD PREVIEW
<https://standards.etsi.org/catalog/full-standard?ref=45a722d-c464d3c5d1/etsi-ts-133-108-v15.6.0-2019-10>*

14.2.3.2	Quality.....	170
14.2.4	Security Aspects	170
14.2.4.1	General	170
14.2.5	Quantitative Aspects	171
14.2.5.1	General	171
14.2.6	IRI for GCSE based Communications	171
14.2.6.1	General	171
14.2.6.2	Events and Event Information.....	173
14.2.6.2.1	Overview	173
14.2.6.2.2	BEGIN record information.....	173
14.2.6.2.3	CONTINUE record information.....	175
14.2.6.2.4	END record information.....	177
14.2.7	CC for GCSE based Communications	178
14.2.7.1	General	178
14.3	GCS AS Outside Intercepting Operator Network	178
14.3.1	General.....	178
15	Interception of Messaging Services	179
15.1	Overview	179
15.2	SMS.....	179
15.2.1	Introduction.....	179
15.2.2	SMS over GPRS/UMTS	179
15.2.3	SMS over IMS	179
15.3	MMS	180
15.3.1	Introduction.....	180
15.3.2	Identifiers.....	180
15.3.2.1	Overview	180
15.3.2.2	Lawful Interception Identifier	181
15.3.2.3	Correlation Number	181
15.3.6	IRI for MMS	181
15.3.6.1	General	181
15.3.6.2	Events and Event Information.....	184
15.3.6.2.1	Overview	184
15.3.6.2.2	REPORT record information.....	185
15.3.7	CC for MMS	197
15.3.7.1	General.....	197
16	Cell Site Reporting	198
16.1	Overview	198
16.2	LI_CELL_INFO Interface	199
16.3	Cell Site Reporting in IRI event	199
16.4	Cell Site Report	200
17	Interception of PTC	200
17.1	Capabilities when the PTC service is supported by a CSP	200
17.1.0	Introduction.....	200
17.1.1	Lawful interception identifier	200
17.1.2	Network identifier.....	201
17.1.3	PTC IRI Events	201
17.1.4	CC for PTC-based VoIP	201
17.1.5	IRI for PTC based Communications.....	202
17.2	PTC Event Records	205
17.2.0	Introduction.....	205
17.2.1	PTC Registration	205
17.2.2	PTC Start of Interception	205
17.2.3	PTC Serving System.....	206
17.2.4	PTC Session Initiation	207
17.2.5	PTC Session Abandon End Record	208
17.2.6	PTC Session Start Continue Record	209
17.2.7	PTC Session End Record	210
17.2.8	PTC Instant Personal Alert	210
17.2.9	PTC Party Join	211
17.2.10	PTC Party Drop	212

17.2.11	PTC Party Hold-Retrieve Record	213
17.2.12	PTC Media Modification	214
17.2.13	PTC Group Advertisement	215
17.2.14	PTC Floor Control	215
17.2.15	PTC Target Presence	218
17.2.16	PTC Associate Presence	218
17.2.17	PTC List Management Events	218
17.2.18	PTC Access Policy	220
17.2.19	PTC Media Type Notification	221
17.2.20	PTC Pre-established Session Record	222
17.3	PTC Group Calls	223
17.3.1	Introduction.....	223
17.3.2	Group Call Request.....	223
17.3.3	Group Call Cancel	224
17.3.4	Group Call Response	225
17.3.5	PTC Group Interrogate	226
17.3.6	MCPTT Imminent Peril Group Call	227
18	PTC Encryption.....	228
Annex A (normative): HI2 delivery mechanisms and procedures.....		230
A.0	Introduction	230
A.1	ROSE.....	230
A.1.1	Architecture.....	230
A.1.2	ASE_HI procedures.....	231
A.1.2.1	Sending part.....	231
A.1.2.2	Receiving part.....	232
A.1.2.3	Data link management	232
A.1.2.3.0	General.....	232
A.1.2.3.1	Data link establishment	232
A.1.2.3.2	Data link release.....	233
A.1.2.4	Handling of unrecognized fields and parameters	233
A.2	FTP.....	233
A.2.1	Introduction	233
A.2.2	Usage of the FTP	233
A.2.3	Profiles (informative).....	235
A.2.4	File content	237
A.2.5	Exceptional procedures	237
A.2.6	Other considerations	237
Annex B (normative): Structure of data at the handover interface		239
B.0	Introduction	239
B.1	Syntax definitions.....	239
B.2	3GPP object tree.....	240
B.3	Intercept related information (HI2 PS and IMS).....	241
B.3a	Interception related information (HI2 CS)	258
B.4	Contents of communication (HI3 PS)	261
B.5	HI management operation for ROSE connection.....	263
B.6	User data packet transfer (HI3 CS)	264
B.7	Intercept related information (and I-WLAN)	265
B.8	Intercept related information (MBMS)	270
B.9	Intercept related information (HI2 SAE/EPS and IMS).....	273
B.10	Contents of communication (HI3 EPS).....	292

B.11	IMS Conference Services ASN.1	294
B.11.1	Intercept related information (Conference Services)	294
B.11.2	Contents of communication (HI3 IMS Conferencing)	297
B.12	Contents of Communication (HI3 IMS-based VoIP)	299
B.13	Intercept related information for ProSe	300
B.14	GCSE Services ASN.1	303
B.14.1	Intercept related information (GCSE Services)	303
B.14.2	Contents of communication (HI3 GCSE Group Communications)	306
B.15	Intercept related information (HI2 MMS)	307
B.16	Content information (HI3 MMS)	314
B.17	IP based handover (HI3) for CS voice content	315
Annex C (normative):	UMTS and EPS HI3 interfaces	317
C.0	Introduction	317
C.1	UMTS LI correlation header	317
C.1.1	Introduction	317
C.1.2	Definition of ULIC header version 0	317
C.1.3	Definition of ULIC header version 1	319
C.1.4	Exceptional procedure	320
C.1.5	Other considerations	320
C.2	FTP	320
C.2.1	Introduction	320
C.2.2	Usage of the FTP	320
C.2.3	Exceptional procedures	322
C.2.4	CC contents for FTP	322
C.2.4.1	Fields	322
C.2.4.2	Information element syntax	324
C.2.5	Other considerations	326
C.2.6	Profiles (informative)	327
Annex D (informative):	LEMF requirements - handling of unrecognised fields and parameters	329
Annex E (informative):	Bibliography	330
Annex F (informative):	Correlation indications of IMS IRI with GSN CC at the LEMF	332
Annex G (informative):	United States lawful interception	333
G.1	Delivery methods preferences	333
G.2	HI2 delivery methods	333
G.2.1	TPKT/TCP/IP	333
G.2.1.1	Introduction	333
G.2.1.2	Normal Procedures	333
G.2.1.2.0	General	333
G.2.1.2.1	Usage of TCP/IP when MF initiates TCP Connections	333
G.2.1.2.2	Use of TPKT	333
G.2.1.2.3	Sending of LI messages	334
G.2.1.3	ASN.1 for HI2 Mediation Function Messages	334
G.2.1.4	Error Procedures	334
G.2.1.5	Security Considerations	335
G.3	HI3 delivery methods	335
G.3.1	Use of TCP/IP	335
G.3.1.1	Normal Procedures	335
G.3.1.1.0	Introduction	335
G.3.1.1.1	Usage of TCP/IP when MF/DF initiates TCP Connections	335

G.3.1.1.2	Use of TPKT	335
G.3.1.1.3	Sending of Content of Communication Messages	336
G.3.1.2	ASN.1 for HI3 Mediation Function Messages.....	336
G.3.1.3	Error Procedures	336
G.3.1.4	Security Considerations	336
G.4	Cross reference of terms between J-STD-025-A and 3GPP.....	337
Annex H (normative):	United States lawful interception	338
Annex I (informative):	Void	340
Annex J (normative):	Definition of the UUS1 content associated and sub-addressing to the CC link.....	341
J.0	Introduction	341
J.1	Definition of the UUS1 content associated to the CC link.....	341
J.2	Use of sub-address and calling party number to carry correlation information	342
J.2.1	Introduction	342
J.2.2	Subaddress options	342
J.2.3	Subaddress coding.....	342
J.2.3.0	General.....	342
J.2.3.1	BCD Values	342
J.2.3.2	Field order and layout	343
J.2.4	Field coding.....	346
J.2.4.0	Introduction.....	346
J.2.4.1	Direction	347
J.2.4.2	Coding of the Calling Party Number	347
J.2.5	Length of fields	347
Annex K (normative):	VoIP HI3 Interface	348
K.1	VoIP CC Protocol Data Unit	348
K.2	Definition of VoIP LI Correlation header	348
K.3	Definition of Payload	349
K.4	LEMF Considerations	349
Annex L (normative):	Conference HI3 Interface.....	350
L.1	Conf CC Protocol Data Unit	350
L.2	Definition of Conference LI Correlation header	350
L.3	Definition of Payload	351
L.4	LEMF Considerations	351
Annex M (informative):	Generic LI notification (HI1 notification using HI2 method).....	352
M.1	HI.1 delivery methods preferences:.....	352
M.2	ASN.1 description of LI management notification operation (HI1 interface).....	353
Annex N (informative):	Guidelines on IMS VoIP Correlation Information.....	357
N.1	Introduction	357
N.2	IMS VoIP	357
N.2.0	General	357
N.2.1	One Correlation Number Value.....	358
N.2.2	Multiple Correlation Number Values	358
N.2.2.0	General.....	358
N.2.2.1	Method 1	358

N.2.2.2	Method 2	359
N.2.2.3	Method 3	359
N.2.3	Complex Example - Use of one Correlation Number.....	360
N.2.4	Complex Example - Use of Multiple Correlation Numbers.....	360
N.2.4.0	General.....	360
N.2.4.1	Method 1	360
N.2.4.2	Method 2	361
N.2.4.3	Method 3	361
N.3	IMS Conferencing	362
N.3.1	General	362
N.3.2	Target Initiated AdHoc Conference Call.....	362
N.3.3	Independent Lawful Interception of IMS-Conferencing,	362
N.3.3.1	General.....	362
N.3.3.2	Use of correlationNumber (OCTET STRING).....	362
N.3.3.3	Use of imsVoIP (IMS-VoIP-Correlation).....	363
N.3.3.3.1	One Correlation Number Value	363
N.3.3.3.2	Multiple Correlation Number Values.....	363
Annex O (informative):	Selection of ASN.1 HI2 sub-domain for LALS Reporting	364
Annex P (informative):	Change history	366
History	373	

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/cbde02f2-e0cb-45a7-a29d-ce464d385df1/etsi-ts-133-108-v15.6.0-2019-10>