

ETSI TS 138 413 V15.5.0 (2019-10)



**5G;
NG-RAN;
NG Application Protocol (NGAP)
(3GPP TS 38.413 version 15.5.0 Release 15)**

iTeh Standards Preview
(Standards Preview)
Full Standard
<https://standards.iteh.ai/catalog/etsi-ts-138-413-v15.5.0-2019-10-4d29-a552-850efcd89d16/etsi-ts-138-413-v15.5.0-2019-10>



Reference

RTS/TSGR-0338413vf50

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and

of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and
of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	13
1 Scope	14
2 References	14
3 Definitions and abbreviations.....	15
3.1 Definitions	15
3.2 Abbreviations	16
4 General	16
4.1 Procedure Specification Principles.....	16
4.2 Forwards and Backwards Compatibility	17
4.3 Specification Notations	17
5 NGAP Services	17
6 Services Expected from Signalling Transport.....	17
7 Functions of NGAP	18
8 NGAP Procedures	18
8.1 List of NGAP Elementary Procedures.....	18
8.2 PDU Session Management Procedures.....	19
8.2.1 PDU Session Resource Setup	19
8.2.1.1 General	19
8.2.1.2 Successful Operation.....	20
8.2.1.3 Unsuccessful Operation	22
8.2.1.4 Abnormal Conditions	22
8.2.2 PDU Session Resource Release	23
8.2.2.1 General	23
8.2.2.2 Successful Operation.....	23
8.2.2.3 Unsuccessful Operation	24
8.2.2.4 Abnormal Conditions	24
8.2.3 PDU Session Resource Modify	24
8.2.3.1 General	24
8.2.3.2 Successful Operation.....	24
8.2.3.3 Unsuccessful Operation	26
8.2.3.4 Abnormal Conditions	26
8.2.4 PDU Session Resource Notify	27
8.2.4.1 General	27
8.2.4.2 Successful Operation.....	27
8.2.4.3 Abnormal Conditions	28
8.2.5 PDU Session Resource Modify Indication	28
8.2.5.1 General	28
8.2.5.2 Successful Operation.....	28
8.2.5.3 Unsuccessful Operation	29
8.2.5.4 Abnormal Conditions	29
8.3 UE Context Management Procedures.....	29
8.3.1 Initial Context Setup	29
8.3.1.1 General	29
8.3.1.2 Successful Operation.....	30
8.3.1.3 Unsuccessful Operation	32
8.3.1.4 Abnormal Conditions	32
8.3.2 UE Context Release Request (NG-RAN node initiated)	32
8.3.2.1 General	32

8.3.2.2	Successful Operation.....	33
8.3.2.3	Abnormal Conditions	33
8.3.3	UE Context Release (AMF initiated).....	33
8.3.3.1	General.....	33
8.3.3.2	Successful Operation.....	33
8.3.3.3	Unsuccessful Operation	34
8.3.3.4	Abnormal Conditions	34
8.3.4	UE Context Modification.....	34
8.3.4.1	General.....	34
8.3.4.2	Successful Operation.....	34
8.3.4.3	Unsuccessful Operation	36
8.3.4.4	Abnormal Conditions	36
8.3.5	RRC Inactive Transition Report	36
8.3.5.1	General.....	36
8.3.5.2	Successful Operation.....	36
8.3.5.3	Abnormal Conditions	36
8.4	UE Mobility Management Procedures	37
8.4.1	Handover Preparation	37
8.4.1.1	General.....	37
8.4.1.2	Successful Operation.....	37
8.4.1.3	Unsuccessful Operation	39
8.4.1.4	Abnormal Conditions	39
8.4.2	Handover Resource Allocation.....	39
8.4.2.1	General.....	39
8.4.2.2	Successful Operation.....	39
8.4.2.3	Unsuccessful Operation	42
8.4.2.4	Abnormal Conditions	42
8.4.3	Handover Notification	42
8.4.3.1	General.....	42
8.4.3.2	Successful Operation.....	43
8.4.3.3	Abnormal Conditions	43
8.4.4	Path Switch Request	43
8.4.4.1	General.....	43
8.4.4.2	Successful Operation.....	43
8.4.4.3	Unsuccessful Operation	45
8.4.4.4	Abnormal Conditions	45
8.4.5	Handover Cancellation	45
8.4.5.1	General.....	45
8.4.5.2	Successful Operation.....	46
8.4.5.3	Unsuccessful Operation	46
8.4.5.4	Abnormal Conditions	46
8.4.6	Uplink RAN Status Transfer.....	46
8.4.6.1	General.....	46
8.4.6.2	Successful Operation.....	46
8.4.6.3	Abnormal Conditions	47
8.4.7	Downlink RAN Status Transfer.....	47
8.4.7.1	General.....	47
8.4.7.2	Successful Operation.....	47
8.4.7.3	Abnormal Conditions	47
8.5	Paging Procedures	47
8.5.1	Paging	47
8.5.1.1	General.....	47
8.5.1.2	Successful Operation.....	48
8.5.1.3	Abnormal Conditions	48
8.6	Transport of NAS Messages Procedures	48
8.6.1	Initial UE Message.....	48
8.6.1.1	General.....	48
8.6.1.2	Successful Operation.....	49
8.6.1.3	Abnormal Conditions	49
8.6.2	Downlink NAS Transport.....	49
8.6.2.1	General.....	49
8.6.2.2	Successful Operation.....	50

8.6.2.3	Abnormal Conditions	50
8.6.3	Uplink NAS Transport.....	51
8.6.3.1	General	51
8.6.3.2	Successful Operation.....	51
8.6.3.3	Abnormal Conditions	51
8.6.4	NAS Non Delivery Indication	51
8.6.4.1	General	51
8.6.4.2	Successful Operation.....	51
8.6.4.3	Abnormal Conditions	52
8.6.5	Reroute NAS Request.....	52
8.6.5.1	General	52
8.6.5.2	Successful Operation.....	52
8.6.5.3	Abnormal Conditions	52
8.7	Interface Management Procedures	52
8.7.1	NG Setup	52
8.7.1.1	General	52
8.7.1.2	Successful Operation.....	53
8.7.1.3	Unsuccessful Operation	53
8.7.1.4	Abnormal Conditions	53
8.7.2	RAN Configuration Update	53
8.7.2.1	General	53
8.7.2.2	Successful Operation.....	54
8.7.2.3	Unsuccessful Operation	54
8.7.2.4	Abnormal Conditions	54
8.7.3	AMF Configuration Update.....	55
8.7.3.1	General	55
8.7.3.2	Successful Operation.....	55
8.7.3.3	Unsuccessful Operation	56
8.7.3.4	Abnormal Conditions	56
8.7.4	NG Reset.....	56
8.7.4.1	General	56
8.7.4.2	Successful Operation.....	57
8.7.4.2.1	NG Reset initiated by the AMF	57
8.7.4.2.2	NG Reset initiated by the NG-RAN node	58
8.7.4.3	Unsuccessful Operation	58
8.7.4.4	Abnormal Conditions	58
8.7.4.4.1	Abnormal Condition at the 5GC	58
8.7.4.4.2	Abnormal Condition at the NG-RAN	59
8.7.4.4.3	Crossing of NG RESET Messages	59
8.7.5	Error Indication.....	59
8.7.5.1	General	59
8.7.5.2	Successful Operation.....	59
8.7.5.3	Abnormal Conditions	60
8.7.6	AMF Status Indication.....	60
8.7.6.1	General	60
8.7.6.2	Successful Operation.....	60
8.7.6.3	Abnormal Conditions	61
8.7.7	Overload Start.....	61
8.7.7.1	General	61
8.7.7.2	Successful Operation.....	61
8.7.7.3	Abnormal Conditions	62
8.7.8	Overload Stop	62
8.7.8.1	General	62
8.7.8.2	Successful Operation.....	62
8.7.8.3	Abnormal Conditions	62
8.8	Configuration Transfer Procedures	62
8.8.1	Uplink RAN Configuration Transfer	62
8.8.1.1	General	62
8.8.1.2	Successful Operation.....	63
8.8.1.3	Abnormal Conditions	63
8.8.2	Downlink RAN Configuration Transfer	63
8.8.2.1	General	63

8.8.2.2	Successful Operation.....	63
8.8.2.3	Abnormal Conditions	64
8.9	Warning Message Transmission Procedures.....	64
8.9.1	Write-Replace Warning	64
8.9.1.1	General	64
8.9.1.2	Successful Operation.....	64
8.9.1.3	Unsuccessful Operation	65
8.9.1.4	Abnormal Conditions	65
8.9.2	PWS Cancel.....	66
8.9.2.1	General	66
8.9.2.2	Successful Operation.....	66
8.9.2.3	Unsuccessful Operation	66
8.9.2.4	Abnormal Conditions	66
8.9.3	PWS Restart Indication.....	67
8.9.3.1	General	67
8.9.3.2	Successful Operation.....	67
8.9.3.3	Abnormal Conditions	67
8.9.4	PWS Failure Indication.....	67
8.9.4.1	General	67
8.9.4.2	Successful Operation.....	67
8.9.4.3	Abnormal Conditions	68
8.10	NRPPa Transport Procedures.....	68
8.10.1	General.....	68
8.10.2	Successful Operations.....	68
8.10.2.1	DOWNLINK UE ASSOCIATED NRPPA TRANSPORT	68
8.10.2.2	UPLINK UE ASSOCIATED NRPPA TRANSPORT	68
8.10.2.3	DOWNLINK NON UE ASSOCIATED NRPPA TRANSPORT	69
8.10.2.4	UPLINK NON UE ASSOCIATED NRPPA TRANSPORT	69
8.10.3	Unsuccessful Operations.....	69
8.10.4	Abnormal Conditions.....	69
8.11	Trace Procedures	69
8.11.1	Trace Start.....	69
8.11.1.1	General	69
8.11.1.2	Successful Operation.....	70
8.11.1.3	Abnormal Conditions	70
8.11.2	Trace Failure Indication.....	70
8.11.2.1	General	70
8.11.2.2	Successful Operation.....	70
8.11.2.3	Abnormal Conditions	70
8.11.3	Deactivate Trace	71
8.11.3.1	General	71
8.11.3.2	Successful Operation.....	71
8.11.3.3	Abnormal Conditions	71
8.11.4	Cell Traffic Trace.....	71
8.11.4.1	General	71
8.11.4.2	Successful Operation.....	71
8.11.4.3	Abnormal Conditions	72
8.12	Location Reporting Procedures	72
8.12.1	Location Reporting Control	72
8.12.1.1	General	72
8.12.1.2	Successful Operation.....	72
8.12.1.3	Abnormal Conditions	73
8.12.2	Location Reporting Failure Indication.....	73
8.12.2.1	General	73
8.12.2.2	Successful Operation.....	73
8.12.2.3	Abnormal Conditions	73
8.12.3	Location Report	73
8.12.3.1	General	73
8.12.3.2	Successful Operation.....	73
8.12.3.3	Abnormal Conditions	74
8.13	UE TNLA Binding Procedures	74
8.13.1	UE TNLA Binding Release	74

8.13.1.1	General	74
8.13.1.2	Successful Operation.....	74
8.13.1.3	Abnormal Conditions	74
8.14	UE Radio Capability Management Procedures	74
8.14.1	UE Radio Capability Info Indication	74
8.14.1.1	General.....	74
8.14.1.2	Successful Operation.....	75
8.14.1.3	Abnormal Conditions	75
8.14.2	UE Radio Capability Check.....	75
8.14.2.1	General.....	75
8.14.2.2	Successful Operation.....	75
8.14.2.3	Unsuccessful Operation	76
8.14.2.4	Abnormal Conditions	76
8.15	Data Usage Reporting Procedures	76
8.15.1	Secondary RAT Data Usage Report	76
8.15.1.1	General.....	76
8.15.1.2	Successful Operation.....	76
8.15.1.3	Abnormal Conditions	76
9	Elements for NGAP Communication	77
9.0	General	77
9.1	Tabular Format Contents.....	77
9.1.1	Presence	77
9.1.2	Criticality	77
9.1.3	Range	77
9.1.4	Assigned Criticality	78
9.2	Message Functional Definition and Content	78
9.2.1	PDU Session Management Messages	78
9.2.1.1	PDU SESSION RESOURCE SETUP REQUEST	78
9.2.1.2	PDU SESSION RESOURCE SETUP RESPONSE	78
9.2.1.3	PDU SESSION RESOURCE RELEASE COMMAND	79
9.2.1.4	PDU SESSION RESOURCE RELEASE RESPONSE	80
9.2.1.5	PDU SESSION RESOURCE MODIFY REQUEST	80
9.2.1.6	PDU SESSION RESOURCE MODIFY RESPONSE	82
9.2.1.7	PDU SESSION RESOURCE NOTIFY	82
9.2.1.8	PDU SESSION RESOURCE MODIFY INDICATION	83
9.2.1.9	PDU SESSION RESOURCE MODIFY CONFIRM	84
9.2.2	UE Context Management Messages	84
9.2.2.1	INITIAL CONTEXT SETUP REQUEST	84
9.2.2.2	INITIAL CONTEXT SETUP RESPONSE	86
9.2.2.3	INITIAL CONTEXT SETUP FAILURE	86
9.2.2.4	UE CONTEXT RELEASE REQUEST	87
9.2.2.5	UE CONTEXT RELEASE COMMAND	87
9.2.2.6	UE CONTEXT RELEASE COMPLETE	88
9.2.2.7	UE CONTEXT MODIFICATION REQUEST	88
9.2.2.8	UE CONTEXT MODIFICATION RESPONSE	89
9.2.2.9	UE CONTEXT MODIFICATION FAILURE	89
9.2.2.10	RRC INACTIVE TRANSITION REPORT	89
9.2.3	UE Mobility Management Messages	90
9.2.3.1	HANDOVER REQUIRED	90
9.2.3.2	HANDOVER COMMAND	90
9.2.3.3	HANDOVER PREPARATION FAILURE	91
9.2.3.4	HANDOVER REQUEST	92
9.2.3.5	HANDOVER REQUEST ACKNOWLEDGE.....	93
9.2.3.6	HANDOVER FAILURE	93
9.2.3.7	HANDOVER NOTIFY	94
9.2.3.8	PATH SWITCH REQUEST	94
9.2.3.9	PATH SWITCH REQUEST ACKNOWLEDGE	95
9.2.3.10	PATH SWITCH REQUEST FAILURE	96
9.2.3.11	HANDOVER CANCEL	96
9.2.3.12	HANDOVER CANCEL ACKNOWLEDGE	96
9.2.3.13	UPLINK RAN STATUS TRANSFER	97

9.2.3.14	DL RAN STATUS TRANSFER	97
9.2.4	Paging Messages.....	97
9.2.4.1	PAGING	97
9.2.5	NAS Transport Messages	98
9.2.5.1	INITIAL UE MESSAGE	98
9.2.5.2	DL NAS TRANSPORT.....	98
9.2.5.3	UL NAS TRANSPORT.....	98
9.2.5.4	NAS NON DELIVERY INDICATION.....	99
9.2.5.5	REROUTE NAS REQUEST	99
9.2.6	Interface Management Messages.....	99
9.2.6.1	NG SETUP REQUEST.....	99
9.2.6.2	NG SETUP RESPONSE.....	100
9.2.6.3	NG SETUP FAILURE.....	101
9.2.6.4	RAN CONFIGURATION UPDATE	101
9.2.6.5	RAN CONFIGURATION UPDATE ACKNOWLEDGE	102
9.2.6.6	RAN CONFIGURATION UPDATE FAILURE	102
9.2.6.7	AMF CONFIGURATION UPDATE.....	102
9.2.6.8	AMF CONFIGURATION UPDATE ACKNOWLEDGE.....	104
9.2.6.9	AMF CONFIGURATION UPDATE FAILURE	104
9.2.6.10	AMF STATUS INDICATION.....	104
9.2.6.11	NG RESET.....	105
9.2.6.12	NG RESET ACKNOWLEDGE.....	105
9.2.6.13	ERROR INDICATION.....	105
9.2.6.14	OVERLOAD START	106
9.2.6.15	OVERLOAD STOP	106
9.2.7	Configuration Transfer Messages	106
9.2.7.1	UL RAN CONFIGURATION TRANSFER.....	106
9.2.7.2	DL RAN CONFIGURATION TRANSFER.....	107
9.2.8	Warning Message Transmission Messages	107
9.2.8.1	WRITE-REPLACE WARNING REQUEST.....	107
9.2.8.2	WRITE-REPLACE WARNING RESPONSE	108
9.2.8.3	PWS CANCEL REQUEST.....	108
9.2.8.4	PWS CANCEL RESPONSE.....	108
9.2.8.5	PWS RESTART INDICATION	108
9.2.8.6	PWS FAILURE INDICATION	109
9.2.9	NRPPa Transport Messages.....	110
9.2.9.1	DL UE ASSOCIATED NRPPA TRANSPORT	110
9.2.9.2	UL UE ASSOCIATED NRPPA TRANSPORT	110
9.2.9.3	DL NON UE ASSOCIATED NRPPA TRANSPORT	110
9.2.9.4	UL NON UE ASSOCIATED NRPPA TRANSPORT	110
9.2.10	Trace Messages.....	111
9.2.10.1	TRACE START	111
9.2.10.2	TRACE FAILURE INDICATION	111
9.2.10.3	DEACTIVATE TRACE	111
9.2.10.4	CELL TRAFFIC TRACE	111
9.2.11	Location Reporting Messages	112
9.2.11.1	LOCATION REPORTING CONTROL	112
9.2.11.2	LOCATION REPORTING FAILURE INDICATION	112
9.2.11.3	LOCATION REPORT	112
9.2.12	UE TNLA Binding Messages	113
9.2.12.1	UE TNLA BINDING RELEASE REQUEST	113
9.2.13	UE Radio Capability Management Messages	113
9.2.13.1	UE RADIO CAPABILITY INFO INDICATION	113
9.2.13.2	UE RADIO CAPABILITY CHECK REQUEST	113
9.2.13.3	UE RADIO CAPABILITY CHECK RESPONSE	114
9.2.14	Data Usage Reporting Messages	114
9.2.14.1	SECONDARY RAT DATA USAGE REPORT	114
9.3	Information Element Definitions.....	115
9.3.1	Radio Network Layer Related IEs	115
9.3.1.1	Message Type	115
9.3.1.2	Cause	115
9.3.1.3	Criticality Diagnostics.....	119

9.3.1.4	Bit Rate	120
9.3.1.5	Global RAN Node ID.....	120
9.3.1.6	Global gNB ID	121
9.3.1.7	NR CGI	121
9.3.1.8	Global ng-eNB ID	121
9.3.1.9	E-UTRA CGI	122
9.3.1.10	GBR QoS Flow Information	122
9.3.1.11	Void.....	122
9.3.1.12	QoS Flow Level QoS Parameters.....	122
9.3.1.13	QoS Flow List with Cause	123
9.3.1.14	Trace Activation.....	123
9.3.1.15	Core Network Assistance Information for RRC INACTIVE.....	124
9.3.1.16	User Location Information	124
9.3.1.17	Slice Support List.....	125
9.3.1.18	Dynamic 5QI Descriptor	125
9.3.1.19	Allocation and Retention Priority	126
9.3.1.20	Source to Target Transparent Container	127
9.3.1.21	Target to Source Transparent Container	128
9.3.1.22	Handover Type.....	128
9.3.1.23	MICO Mode Indication.....	128
9.3.1.24	S-NSSAI	128
9.3.1.25	Target ID	128
9.3.1.26	Emergency Fallback Indicator	129
9.3.1.27	Security Indication	129
9.3.1.28	Non Dynamic 5QI Descriptor	130
9.3.1.29	Source NG-RAN Node to Target NG-RAN Node Transparent Container	131
9.3.1.30	Target NG-RAN Node to Source NG-RAN Node Transparent Container	132
9.3.1.31	Allowed NSSAI	132
9.3.1.32	Relative AMF Capacity.....	132
9.3.1.33	DL Forwarding.....	132
9.3.1.34	DRBs to QoS Flows Mapping List.....	132
9.3.1.35	Message Identifier	133
9.3.1.36	Serial Number	133
9.3.1.37	Warning Area List.....	133
9.3.1.38	Number of Broadcasts Requested	134
9.3.1.39	Warning Type	134
9.3.1.40	Warning Security Information	134
9.3.1.41	Data Coding Scheme	134
9.3.1.42	Warning Message Contents.....	134
9.3.1.43	Broadcast Completed Area List	135
9.3.1.44	Broadcast Cancelled Area List	136
9.3.1.45	Number of Broadcasts	137
9.3.1.46	Concurrent Warning Message Indicator.....	137
9.3.1.47	Cancel-All Warning Messages Indicator	137
9.3.1.48	Emergency Area ID.....	137
9.3.1.49	Repetition Period.....	137
9.3.1.50	PDU Session ID	138
9.3.1.51	QoS Flow Identifier	138
9.3.1.52	PDU Session Type	138
9.3.1.53	DRB ID	138
9.3.1.54	Masked IMEISV	138
9.3.1.55	New Security Context Indicator	139
9.3.1.56	Time to Wait	139
9.3.1.57	Global N3IWF ID	139
9.3.1.58	UE Aggregate Maximum Bit Rate	139
9.3.1.59	Security Result	140
9.3.1.60	User Plane Security Information	140
9.3.1.61	Index to RAT/Frequency Selection Priority.....	140
9.3.1.62	Data Forwarding Accepted.....	140
9.3.1.63	Data Forwarding Not Possible	140
9.3.1.64	Direct Forwarding Path Availability	141
9.3.1.65	Location Reporting Request Type.....	141

9.3.1.66	Area of Interest.....	142
9.3.1.67	UE Presence in Area of Interest List.....	142
9.3.1.68	UE Radio Capability for Paging.....	142
9.3.1.69	Assistance Data for Paging	142
9.3.1.70	Assistance Data for Recommended Cells	143
9.3.1.71	Recommended Cells for Paging.....	143
9.3.1.72	Paging Attempt Information.....	143
9.3.1.73	NG-RAN CGI	144
9.3.1.74	UE Radio Capability	144
9.3.1.75	Time Stamp	144
9.3.1.76	Location Reporting Reference ID	144
9.3.1.77	Data Forwarding Response DRB List.....	144
9.3.1.78	Paging Priority	145
9.3.1.79	Packet Loss Rate	145
9.3.1.80	Packet Delay Budget.....	145
9.3.1.81	Packet Error Rate	145
9.3.1.82	Averaging Window	145
9.3.1.83	Maximum Data Burst Volume.....	146
9.3.1.84	Priority Level	146
9.3.1.85	Mobility Restriction List	146
9.3.1.86	UE Security Capabilities	148
9.3.1.87	Security Key.....	149
9.3.1.88	Security Context.....	150
9.3.1.89	IMS Voice Support Indicator	150
9.3.1.90	Paging DRX	150
9.3.1.91	RRC Inactive Transition Report Request	150
9.3.1.92	RRC State.....	150
9.3.1.93	Expected UE Behaviour	151
9.3.1.94	Expected UE Activity Behaviour.....	151
9.3.1.95	UE History Information	152
9.3.1.96	Last Visited Cell Information.....	152
9.3.1.97	Last Visited NG-RAN Cell Information	153
9.3.1.98	Cell Type.....	153
9.3.1.99	Associated QoS Flow List.....	153
9.3.1.100	Information on Recommended Cells and RAN Nodes for Paging.....	153
9.3.1.101	Recommended RAN Nodes for Paging.....	154
9.3.1.102	PDU Session Aggregate Maximum Bit Rate	154
9.3.1.103	Maximum Integrity Protected Data Rate.....	154
9.3.1.104	Overload Response.....	155
9.3.1.105	Overload Action.....	155
9.3.1.106	Traffic Load Reduction Indication	155
9.3.1.107	Slice Overload List.....	155
9.3.1.108	RAN Status Transfer Transparent Container	156
9.3.1.109	COUNT Value for PDCP SN Length 12.....	159
9.3.1.110	COUNT Value for PDCP SN Length 18.....	159
9.3.1.111	RRC Establishment Cause	159
9.3.1.112	Warning Area Coordinates.....	159
9.3.1.113	Network Instance	159
9.3.1.114	Secondary RAT Usage Information	160
9.3.1.115	Volume Timed Report List	160
9.3.1.116	Redirection for Voice EPS Fallback	161
9.3.1.117	UE Retention Information.....	161
9.3.1.118	UL Forwarding.....	161
9.3.1.119	CN Assisted RAN Parameters Tuning	161
9.3.1.120	Common Network Instance.....	161
9.3.2	Transport Network Layer Related IEs	161
9.3.2.1	QoS Flow per TNL Information List	161
9.3.2.2	UP Transport Layer Information.....	162
9.3.2.3	E-RAB ID	162
9.3.2.4	Transport Layer Address	162
9.3.2.5	GTP-TEID.....	162
9.3.2.6	CP Transport Layer Information.....	163

9.3.2.7	TNL Association List	163
9.3.2.8	QoS Flow per TNL Information.....	163
9.3.2.9	TNL Association Usage	163
9.3.2.10	TNL Address Weight Factor	164
9.3.2.11	UP Transport Layer Information Pair List	164
9.3.2.12	UP Transport Layer Information List.....	164
9.3.2.13	QoS Flow List with Data Forwarding	164
9.3.3	NAS Related IEs.....	165
9.3.3.1	AMF UE NGAP ID	165
9.3.3.2	RAN UE NGAP ID	165
9.3.3.3	GUAMI	165
9.3.3.4	NAS-PDU	165
9.3.3.5	PLMN Identity	165
9.3.3.6	SON Configuration Transfer	166
9.3.3.7	SON Information.....	166
9.3.3.8	SON Information Reply	167
9.3.3.9	Xn TNL Configuration Info	167
9.3.3.10	TAC.....	167
9.3.3.11	TAI.....	167
9.3.3.12	AMF Set ID.....	168
9.3.3.13	Routing ID.....	168
9.3.3.14	NRPPa-PDU.....	168
9.3.3.15	RAN Paging Priority	168
9.3.3.16	EPS TAC.....	168
9.3.3.17	EPS TAI	168
9.3.3.18	UE Paging Identity	169
9.3.3.19	AMF Pointer	169
9.3.3.20	5G-S-TMSI	169
9.3.3.21	AMF Name	169
9.3.3.22	Paging Origin	169
9.3.3.23	UE Identity Index Value	170
9.3.3.24	Periodic Registration Update Timer.....	170
9.3.3.25	UE-associated Logical NG-connection List	170
9.3.3.26	NAS Security Parameters from NG-RAN	171
9.3.3.27	Source to Target AMF Information Reroute	171
9.3.4	SMF Related IEs.....	171
9.3.4.1	PDU Session Resource Setup Request Transfer	171
9.3.4.2	PDU Session Resource Setup Response Transfer	172
9.3.4.3	PDU Session Resource Modify Request Transfer.....	173
9.3.4.4	PDU Session Resource Modify Response Transfer	174
9.3.4.5	PDU Session Resource Notify Transfer	174
9.3.4.6	PDU Session Resource Modify Indication Transfer	175
9.3.4.7	PDU Session Resource Modify Confirm Transfer	175
9.3.4.8	Path Switch Request Transfer	176
9.3.4.9	Path Switch Request Acknowledge Transfer	177
9.3.4.10	Handover Command Transfer	177
9.3.4.11	Handover Request Acknowledge Transfer.....	178
9.3.4.12	PDU Session Resource Release Command Transfer	180
9.3.4.13	PDU Session Resource Notify Released Transfer	180
9.3.4.14	Handover Required Transfer.....	180
9.3.4.15	Path Switch Request Setup Failed Transfer	180
9.3.4.16	PDU Session Resource Setup Unsuccessful Transfer	180
9.3.4.17	PDU Session Resource Modify Unsuccessful Transfer	180
9.3.4.18	Handover Preparation Unsuccessful Transfer	180
9.3.4.19	Handover Resource Allocation Unsuccessful Transfer	181
9.3.4.20	Path Switch Request Unsuccessful Transfer	181
9.3.4.21	PDU Session Resource Release Response Transfer	181
9.3.4.22	PDU Session Resource Modify Indication Unsuccessful Transfer	181
9.3.4.23	Secondary RAT Data Usage Report Transfer	181
9.4	Message and Information Element Abstract Syntax (with ASN.1).....	181
9.4.1	General.....	181
9.4.2	Usage of private message mechanism for non-standard use	182

9.4.3	Elementary Procedure Definitions	183
9.4.4	PDU Definitions	194
9.4.5	Information Element Definitions	235
9.4.6	Common Definitions.....	300
9.4.7	Constant Definitions	301
9.4.8	Container Definitions.....	307
9.5	Message Transfer Syntax	312
9.6	Timers	312
10	Handling of Unknown, Unforeseen and Erroneous Protocol Data	313
10.1	General	313
10.2	Transfer Syntax Error.....	313
10.3	Abstract Syntax Error	313
10.3.1	General.....	313
10.3.2	Criticality Information	314
10.3.3	Presence Information	314
10.3.4	Not comprehended IE/IE group	315
10.3.4.1	Procedure Code	315
10.3.4.1A	Type of Message	315
10.3.4.2	IEs other than the Procedure Code and Type of Message	315
10.3.5	Missing IE or IE group	316
10.3.6	IEs or IE groups received in wrong order or with too many occurrences or erroneously present	317
10.4	Logical Error	318
10.5	Exceptions	318
10.6	Handling of AP ID	319
Annex A (informative):	Change history	320
History	323

*iTeh STANDARD REVIEW
(Standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/isth01e6266182/>
4d29-a552-850efcd89d16/etsi-ts-138-413-v15.5.0-2019-10*