

ETSI TS 138 423 V15.5.0 (2019-10)



**5G;
NG-RAN;
Xn Application Protocol (XnAP)
(3GPP TS 38.423 version 15.5.0 Release 15)**

Pre-Review
Full Standards Catalogue
Full Standards Catalogue
<https://standards.iteh.ai/catalog/standards/sist/ec33ea9b-fde3-4cb0-841f-c3844a619685/etsi-ts-138-423-v15.5.0-2019-10>



Reference

RTS/TSGR-0338423vf50

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	10
1 Scope	11
2 References	11
3 Definitions, symbols and abbreviations	12
3.1 Definitions	12
3.2 Abbreviations	13
4 General	13
4.1 Procedure specification principles.....	13
4.2 Forwards and backwards compatibility.....	14
4.3 Specification notations	14
5 XnAP services	14
5.1 XnAP procedure modules	14
5.2 Parallel transactions.....	14
6 Services expected from signalling transport.....	14
7 Functions of XnAP.....	15
8 XnAP procedures	15
8.1 Elementary procedures	15
8.2 Basic mobility procedures	17
8.2.1 Handover Preparation	17
8.2.1.1 General	17
8.2.1.2 Successful Operation.....	17
8.2.1.3 Unsuccessful Operation	19
8.2.1.4 Abnormal Conditions	20
8.2.2 SN Status Transfer	20
8.2.2.1 General	20
8.2.2.2 Successful Operation.....	21
8.2.2.3 Unsuccessful Operation	21
8.2.2.4 Abnormal Conditions	21
8.2.3 Handover Cancel	21
8.2.3.1 General	21
8.2.3.2 Successful Operation.....	22
8.2.3.3 Unsuccessful Operation	22
8.2.3.4 Abnormal Conditions	22
8.2.4 Retrieve UE Context.....	22
8.2.4.1 General	22
8.2.4.2 Successful Operation.....	22
8.2.4.3 Unsuccessful Operation	23
8.2.4.4 Abnormal Conditions	23
8.2.5 RAN Paging.....	23
8.2.5.1 General	23
8.2.5.2 Successful operation.....	24
8.2.5.3 Unsuccessful Operation	24
8.2.5.4 Abnormal Condition.....	24
8.2.6 XN-U Address Indication	24
8.2.6.1 General	24
8.2.6.2 Successful Operation.....	25
8.2.6.3 Unsuccessful Operation	25
8.2.6.4 Abnormal Conditions	25

8.2.7	UE Context Release	26
8.2.7.1	General	26
8.2.7.2	Successful Operation.....	26
8.2.7.3	Unsuccessful Operation	27
8.2.7.4	Abnormal Conditions	27
8.3	Procedures for Dual Connectivity	27
8.3.1	S-NG-RAN node Addition Preparation	27
8.3.1.1	General	27
8.3.1.2	Successful Operation.....	28
8.3.1.3	Unsuccessful Operation	31
8.3.1.4	Abnormal Conditions	31
8.3.2	S-NG-RAN node Reconfiguration Completion.....	32
8.3.2.1	General	32
8.3.2.2	Successful Operation.....	32
8.3.2.3	Abnormal Conditions	32
8.3.3	M-NG-RAN node initiated S-NG-RAN node Modification Preparation	32
8.3.3.1	General	32
8.3.3.2	Successful Operation.....	33
8.3.3.3	Unsuccessful Operation	37
8.3.3.4	Abnormal Conditions	38
8.3.4	S-NG-RAN node initiated S-NG-RAN node Modification	39
8.3.4.1	General	39
8.3.4.2	Successful Operation.....	39
8.3.4.3	Unsuccessful Operation	41
8.3.4.4	Abnormal Conditions	41
8.3.5	S-NG-RAN node initiated S-NG-RAN node Change.....	42
8.3.5.1	General	42
8.3.5.2	Successful Operation.....	42
8.3.5.3	Unsuccessful Operation	43
8.3.5.4	Abnormal Conditions	43
8.3.6	M-NG-RAN node initiated S-NG-RAN node Release	43
8.3.6.1	General	43
8.3.6.2	Successful Operation.....	44
8.3.6.3	Unsuccessful Operation	44
8.3.6.4	Abnormal Conditions	45
8.3.7	S-NG-RAN node initiated S-NG-RAN node Release	45
8.3.7.1	General	45
8.3.7.2	Successful Operation.....	45
8.3.7.3	Unsuccessful Operation	45
8.3.7.4	Abnormal Conditions	46
8.3.8	S-NG-RAN node Counter Check.....	46
8.3.8.1	General	46
8.3.8.2	Successful Operation.....	46
8.3.8.3	Unsuccessful Operation	46
8.3.8.4	Abnormal Conditions	46
8.3.9	RRC Transfer.....	46
8.3.9.1	General	46
8.3.9.2	Successful Operation.....	47
8.3.9.3	Unsuccessful Operation	47
8.3.9.4	Abnormal Conditions	47
8.3.10	Notification Control Indication.....	47
8.3.10.1	General	47
8.3.10.2	Successful Operation – M-NG-RAN node initiated.....	48
8.3.10.3	Successful Operation – S-NG-RAN node initiated	48
8.3.10.4	Abnormal Conditions	48
8.3.11	Activity Notification	48
8.3.11.1	General	48
8.3.11.2	Successful Operation.....	49
8.3.11.3	Abnormal Conditions	49
8.3.12	E-UTRA – NR Cell Resource Coordination.....	49
8.3.12.1	General	49
8.3.12.2	Successful Operation.....	50

8.3.13	Secondary RAT Data Usage Report	51
8.3.13.1	General	51
8.3.13.2	Successful Operation.....	51
8.3.13.3	Unsuccessful Operation	51
8.3.13.4	Abnormal Conditions	51
8.4	Global procedures.....	51
8.4.1	Xn Setup	51
8.4.1.1	General	51
8.4.1.2	Successful Operation.....	52
8.4.1.3	Unsuccessful Operation	53
8.4.1.4	Abnormal Conditions	53
8.4.2	NG-RAN node Configuration Update	53
8.4.2.1	General	53
8.4.2.2	Successful Operation.....	54
8.4.2.3	Unsuccessful Operation	56
8.4.2.4	Abnormal Conditions	56
8.4.3	Cell Activation.....	56
8.4.3.1	General	56
8.4.3.2	Successful Operation.....	56
8.4.3.3	Unsuccessful Operation	57
8.4.3.4	Abnormal Conditions	57
8.4.4	Reset	57
8.4.4.1	General	57
8.4.4.2	Successful Operation.....	58
8.4.4.3	Unsuccessful Operation	58
8.4.4.4	Abnormal Conditions	58
8.4.5	Error Indication.....	59
8.4.5.1	General	59
8.4.5.2	Successful Operation.....	59
8.4.5.3	Unsuccessful Operation	59
8.4.5.4	Abnormal Conditions	59
8.4.6	Xn Removal.....	59
8.4.6.1	General	59
8.4.6.2	Successful Operation.....	60
8.4.6.3	Unsuccessful Operation	60
8.4.6.4	Abnormal Conditions	60
9	Elements for XnAP Communication.....	61
9.0	General	61
9.1	Message Functional Definition and Content	61
9.1.1	Messages for Basic Mobility Procedures.....	61
9.1.1.1	HANDOVER REQUEST	61
9.1.1.2	HANDOVER REQUEST ACKNOWLEDGE.....	63
9.1.1.3	HANDOVER PREPARATION FAILURE	64
9.1.1.4	SN STATUS TRANSFER	64
9.1.1.5	UE CONTEXT RELEASE	65
9.1.1.6	HANDOVER CANCEL	65
9.1.1.7	RAN PAGING	66
9.1.1.8	RETRIEVE UE CONTEXT REQUEST.....	66
9.1.1.9	RETRIEVE UE CONTEXT RESPONSE.....	67
9.1.1.10	RETRIEVE UE CONTEXT FAILURE.....	68
9.1.1.11	XN-U ADDRESS INDICATION	68
9.1.2	Messages for Dual Connectivity Procedures	69
9.1.2.1	S-NODE ADDITION REQUEST.....	69
9.1.2.2	S-NODE ADDITION REQUEST ACKNOWLEDGE.....	72
9.1.2.3	S-NODE ADDITION REQUEST REJECT.....	74
9.1.2.4	S-NODE RECONFIGURATION COMPLETE	74
9.1.2.5	S-NODE MODIFICATION REQUEST	75
9.1.2.6	S-NODE MODIFICATION REQUEST ACKNOWLEDGE	78
9.1.2.7	S-NODE MODIFICATION REQUEST REJECT	80
9.1.2.8	S-NODE MODIFICATION REQUIRED.....	81
9.1.2.9	S-NODE MODIFICATION CONFIRM.....	83

9.1.2.10	S-NODE MODIFICATION REFUSE	85
9.1.2.11	S-NODE CHANGE REQUIRED	85
9.1.2.12	S-NODE CHANGE CONFIRM	86
9.1.2.13	S-NODE CHANGE REFUSE.....	87
9.1.2.14	S-NODE RELEASE REQUEST.....	87
9.1.2.15	S-NODE RELEASE REQUEST ACKNOWLEDGE.....	88
9.1.2.16	S-NODE RELEASE REJECT	88
9.1.2.17	S-NODE RELEASE REQUIRED	89
9.1.2.18	S-NODE RELEASE CONFIRM	89
9.1.2.19	S-NODE COUNTER CHECK REQUEST.....	90
9.1.2.20	RRC TRANSFER	90
9.1.2.21	NOTIFICATION CONTROL INDICATION	91
9.1.2.22	ACTIVITY NOTIFICATION.....	92
9.1.2.23	E-UTRA – NR CELL RESOURCE COORDINATION REQUEST.....	93
9.1.2.24	E-UTRA – NR CELL RESOURCE COORDINATION RESPONSE.....	94
9.1.2.25	SECONDARY RAT DATA USAGE REPORT	95
9.1.3	Messages for Global Procedures.....	96
9.1.3.1	XN SETUP REQUEST	96
9.1.3.2	XN SETUP RESPONSE.....	97
9.1.3.3	XN SETUP FAILURE.....	98
9.1.3.4	NG-RAN NODE CONFIGURATION UPDATE.....	98
9.1.3.5	NG-RAN NODE CONFIGURATION UPDATE ACKNOWLEDGE.....	100
9.1.3.6	NG-RAN NODE CONFIGURATION UPDATE FAILURE.....	100
9.1.3.7	CELL ACTIVATION REQUEST	101
9.1.3.8	CELL ACTIVATION RESPONSE	101
9.1.3.9	CELL ACTIVATION FAILURE	102
9.1.3.10	RESET REQUEST	102
9.1.3.11	RESET RESPONSE.....	103
9.1.3.12	ERROR INDICATION.....	104
9.1.3.13	XN REMOVAL REQUEST	104
9.1.3.14	XN REMOVAL RESPONSE.....	104
9.1.3.15	XN REMOVAL FAILURE.....	105
9.2	Information Element definitions.....	105
9.2.0	General.....	105
9.2.1	Container and List IE definitions.....	105
9.2.1.1	PDU Session Resources To Be Setup List	105
9.2.1.2	PDU Session Resources Admitted List.....	106
9.2.1.3	PDU Session Resources Not Admitted List.....	107
9.2.1.4	QoS Flow List with Cause.....	108
9.2.1.4a	QoS Flow List	108
9.2.1.5	PDU Session Resource Setup Info – SN terminated	108
9.2.1.6	PDU Session Resource Setup Response Info – SN terminated.....	109
9.2.1.7	PDU Session Resource Setup Info – MN terminated.....	110
9.2.1.8	PDU Session Resource Setup Response Info – MN terminated	111
9.2.1.9	PDU Session Resource Modification Info – SN terminated	112
9.2.1.10	PDU Session Resource Modification Response Info – SN terminated	114
9.2.1.11	PDU Session Resource Modification Info – MN terminated	116
9.2.1.12	PDU Session Resource Modification Response Info – MN terminated.....	118
9.2.1.13	UE Context Information Retrieve UE Context Response	118
9.2.1.14	DRBs Subject To Status Transfer List	119
9.2.1.15	DRB to QoS Flow Mapping List.....	121
9.2.1.16	Data Forwarding Info from target NG-RAN node	122
9.2.1.17	Data Forwarding and Offloading Info from source NG-RAN node.....	122
9.2.1.18	PDU Session Resource Change Required Info – SN terminated	123
9.2.1.19	PDU Session Resource Change Confirm Info – SN terminated	123
9.2.1.20	PDU Session Resource Modification Required Info – SN terminated.....	123
9.2.1.21	PDU Session Resource Modification Confirm Info – SN terminated.....	125
9.2.1.22	PDU Session Resource Modification Required Info – MN terminated.....	126
9.2.1.23	PDU Session Resource Modification Confirm Info – MN terminated.....	126
9.2.1.24	PDU Session List with data forwarding request info	126
9.2.1.25	PDU Session List with data forwarding info from the target node	127
9.2.1.26	PDU Session List with Cause.....	127

9.2.1.27	PDU Session List	127
9.2.1.28	DRB List with Cause	127
9.2.1.29	DRB List	128
9.2.1.30	PDU Session Resource Setup Complete Info – SN terminated.....	128
9.2.1.31	Secondary Data Forwarding Info from target NG-RAN node List	129
9.2.1.32	Additional UL NG-U UP TNL Information at UPF List	129
9.2.2	NG-RAN Node and Cell Configuration related IE definitions	129
9.2.2.1	Global gNB ID	129
9.2.2.2	Global ng-eNB ID	130
9.2.2.3	Global NG-RAN Node ID	130
9.2.2.4	PLMN Identity	130
9.2.2.5	TAC.....	131
9.2.2.6	RAN Area Code	131
9.2.2.7	NR CGI	131
9.2.2.8	E-UTRA CGI	131
9.2.2.9	NG-RAN Cell Identity	131
9.2.2.10	NG-RAN Cell PCI	131
9.2.2.11	Served Cell Information NR	132
9.2.2.12	Served Cell Information E-UTRA	134
9.2.2.13	Neighbour Information NR	137
9.2.2.14	Neighbour Information E-UTRA	137
9.2.2.15	Served Cells To Update NR	138
9.2.2.16	Served Cells to Update E-UTRA	139
9.2.2.17	Cell Assistance Information NR	139
9.2.2.18	SUL Information	140
9.2.2.19	NR Frequency Info.....	140
9.2.2.20	NR Transmission Bandwidth	141
9.2.2.21	E-UTRA ARFCN.....	142
9.2.2.22	E-UTRA Transmission Bandwidth	142
9.2.2.23	Number of Antenna Ports E-UTRA	142
9.2.2.24	E-UTRA Multiband Info List.....	142
9.2.2.25	E-UTRA PRACH Configuration	142
9.2.2.26	MBSFN Subframe Allocation E-UTRA	143
9.2.2.27	Global NG-RAN Cell Identity	143
9.2.2.28	Connectivity Support	143
9.2.2.29	Protected E-UTRA Resource Indication	143
9.2.2.30	Data Traffic Resource Indication	145
9.2.2.31	Data Traffic Resources.....	145
9.2.2.32	Reserved Subframe Pattern.....	146
9.2.2.33	MR-DC Resource Coordination Information	146
9.2.2.34	E-UTRA Resource Coordination Information	147
9.2.2.35	NR Resource Coordination Information	149
9.2.2.36	E-UTRA Coordination Assistance Information	151
9.2.2.37	NR Coordination Assistance Information	151
9.2.2.38	NE-DC TDM Pattern	152
9.2.2.39	Interface Instance Indication	152
9.2.3	General IE definitions	152
9.2.3.1	Message Type	152
9.2.3.2	Cause.....	152
9.2.3.3	Criticality Diagnostics.....	157
9.2.3.4	Bit Rate	158
9.2.3.5	QoS Flow Level QoS Parameters.....	158
9.2.3.6	GBR QoS Flow Information	159
9.2.3.7	Allocation and Retention Priority	159
9.2.3.8	Non dynamic 5QI Descriptor	160
9.2.3.9	Dynamic 5QI Descriptor	161
9.2.3.10	QoS Flow Identifier.....	161
9.2.3.11	Packet Loss Rate	161
9.2.3.12	Packet Delay Budget	161
9.2.3.13	Packet Error Rate	162
9.2.3.14	Averaging Window	162
9.2.3.15	Maximum Data Burst Volume	162

9.2.3.16	NG-RAN node UE XnAP ID	162
9.2.3.17	UE Aggregate Maximum Bit Rate	162
9.2.3.18	PDU Session ID	163
9.2.3.19	PDU Session Type	163
9.2.3.20	TAI Support List	163
9.2.3.21	S-NSSAI	163
9.2.3.22	Slice Support List	163
9.2.3.23	Index to RAT/Frequency Selection Priority	164
9.2.3.24	GUAMI	164
9.2.3.25	Target Cell Global ID	164
9.2.3.26	AMF UE NGAP ID	164
9.2.3.27	SCG Configuration Query	164
9.2.3.28	RLC Mode	164
9.2.3.29	Transport Layer Address	165
9.2.3.30	UP Transport Layer Information	165
9.2.3.31	CP Transport Layer Information	165
9.2.3.32	Masked IMEISV	165
9.2.3.33	DRB ID	166
9.2.3.34	DL Forwarding	166
9.2.3.35	Data Forwarding Accepted	166
9.2.3.36	COUNT Value for PDCP SN Length 12	166
9.2.3.37	COUNT Value for PDCP SN Length 18	166
9.2.3.38	RAN Paging Area	166
9.2.3.39	RAN Area ID	167
9.2.3.40	UE Context ID	167
9.2.3.41	Assistance Data for RAN Paging	168
9.2.3.42	RAN Paging Attempt Information	168
9.2.3.43	UE RAN Paging Identity	168
9.2.3.44	Paging Priority	169
9.2.3.45	Delivery Status	169
9.2.3.46	I-RNTI	169
9.2.3.47	Location Reporting Information	169
9.2.3.48	Area of Interest Information	170
9.2.3.49	UE Security Capabilities	170
9.2.3.50	AS Security Information	171
9.2.3.51	S-NG-RAN node Security Key	172
9.2.3.52	Security Indication	172
9.2.3.53	Mobility Restriction List	172
9.2.3.54	Xn Benefit Value	174
9.2.3.55	Trace Activation	174
9.2.3.56	Time To Wait	175
9.2.3.57	QoS Flow Notification Control Indication Info	175
9.2.3.58	Request Reporting Reference ID	175
9.2.3.59	User plane traffic activity report	175
9.2.3.60	Lower Layer presence status change	175
9.2.3.61	RRC Resume Cause	176
9.2.3.62	Priority Level	176
9.2.3.63	PDCP SN Length	176
9.2.3.64	UE History Information	176
9.2.3.65	Last Visited Cell Information	177
9.2.3.66	Paging DRX	177
9.2.3.67	Security Result	177
9.2.3.68	UE Context Kept Indicator	177
9.2.3.69	PDU Session Aggregate Maximum Bit Rate	177
9.2.3.70	LCID	178
9.2.3.71	Duplication Activation	178
9.2.3.72	RRC Config Indication	178
9.2.3.73	Maximum Integrity Protected Data Rate	178
9.2.3.74	PDCP Change Indication	179
9.2.3.75	UL Configuration	179
9.2.3.76	UP Transport Parameters	179
9.2.3.77	Desired Activity Notification Level	180

9.2.3.78	Number of DRB IDs	180
9.2.3.79	QoS Flow Mapping Indication	180
9.2.3.80	RLC Status	180
9.2.3.81	Expected UE Behaviour	181
9.2.3.82	Expected UE Activity Behaviour	181
9.2.3.83	AMF Region Information	182
9.2.3.84	TNL Association Usage	182
9.2.3.85	Network Instance	182
9.2.3.86	PDCP Duplication Configuration	183
9.2.3.87	Secondary RAT Usage Information	183
9.2.3.88	Volume Timed Report List	183
9.2.3.89	Maximum IP Rate	184
9.2.3.90	UL Forwarding	184
9.2.3.91	UE Radio Capability for Paging	184
9.2.3.92	Common Network Instance	185
9.2.3.93	Default DRB Allowed	185
9.3	Message and Information Element Abstract Syntax (with ASN.1)	186
9.3.1	General	186
9.3.2	Usage of Private Message Mechanism for Non-standard Use	186
9.3.3	Elementary Procedure Definitions	187
9.3.4	PDU Definitions	195
9.3.5	Information Element definitions	231
9.3.6	Common definitions	295
9.3.7	Constant definitions	296
9.3.8	Container definitions	301
9.4	Message transfer syntax	305
9.5	Timers	305
10	Handling of unknown, unforeseen and erroneous protocol data	305
Annex A (informative):	Change history	306
History		309

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

PREVIEW
iTech STANDARD
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/ee33eafb-fde3-4cb0-841f-c3844a619685/etsi-ts-138-423-v15.5.0-2019-10>

1 Scope

The present document specifies the radio network layer signalling procedures of the control plane between NG-RAN nodes in NG-RAN. XnAP supports the functions of the Xn interface by signalling procedures defined in this document. XnAP is developed in accordance to the general principles stated in TS 38.401 [2] and TS 38.420 [3].

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 38.401: "NG-RAN; Architecture Description".
- [3] 3GPP TS 38.420: "NG-RAN; Xn General Aspects and Principles".
- [4] 3GPP TS 38.422: "NG-RAN; Xn Signalling Transport".
- [5] 3GPP TS 38.413: "NG-RAN; NG Application Protocol (NGAP) ".
- [6] 3GPP TS 25.921: "Guidelines and principles for protocol description and error handling".
- [7] 3GPP TS 23.501: "System Architecture for the 5G System".
- [8] 3GPP TS 37.340: "Evolved Universal Terrestrial Radio Access (E-UTRA) and NR; Multi-connectivity; Stage 2".
- [9] 3GPP TS 38.300: "NR; NR and NG-RAN Overall Description; Stage 2".
- [10] 3GPP TS 38.331: "NR; Radio Resource Control (RRC) Protocol specification".
- [11] 3GPP TS 38.323: "NR; Packet Data Convergence Protocol (PDCP) specification".
- [12] 3GPP TS 36.300: "Evolved Universal Terrestrial Radio Access (E-UTRA) and Evolved Universal Terrestrial Radio Access Network (E-UTRAN); Overall description; Stage 2".
- [13] 3GPP TS 23.502: "Procedures for the 5G System; Stage 2".
- [14] 3GPP TS 36.331: "Evolved Universal Terrestrial Radio Access (E-UTRA); Radio Resource Control (RRC) protocol specification".
- [15] ITU-T Recommendation X.691 (2002-07): "Information technology - ASN.1 encoding rules - Specification of Packed Encoding Rules (PER) ".
- [16] ITU-T Recommendation X.680 (2002-07): "Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation".
- [17] ITU-T Recommendation X.681 (2002-07): "Information technology – Abstract Syntax Notation One (ASN.1): Information object specification".
- [18] 3GPP TS 29.281: "General Packet Radio Service (GPRS); Tunnelling Protocol User Plane (GTPv1-U)".
- [19] 3GPP TS 38.424: "NG-RAN; Xn data transport".

- [20] 3GPP TS 38.414: "NG-RAN; NG data transport".
- [21] 3GPP TS 38.412: "NG-RAN; NG Signalling Transport".
- [22] 3GPP TS 23.003: "Numbering, Addressing and Identification".
- [23] 3GPP TS 32.422: "Trace control and configuration management".
- [24] 3GPP TS 38.104: "NR; Base Station (BS) radio transmission and reception".
- [25] 3GPP TS 36.104: "Base Station (BS) radio transmission and reception".
- [26] 3GPP TS 36.211: "Evolved Universal Terrestrial Radio Access (E-UTRA); Physical Channels and Modulation".
- [27] 3GPP TS 36.101: "User Equipment (UE) radio transmission and reception".
- [28] 3GPP TS 33.501: "Security architecture and procedures for 5G System".
- [29] 3GPP TS 33.401: "3GPP System Architecture Evolution (SAE); Security architecture".
- [30] 3GPP TS 24.501: "Non-Access-Stratum (NAS) protocol for 5G System (5GS); Stage 3".
- [31] 3GPP TS 36.413: "Evolved Universal Terrestrial Radio Access Network (E-UTRAN); S1 Application Protocol (S1AP)".
- [32] 3GPP TS 25.413: "UTRAN Iu interface RANAP signalling".
- [33] 3GPP TS 38.304: "NR; User Equipment (UE) procedures in Idle mode and RRC Inactive state".
- [34] 3GPP TS 36.304: "Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) procedures in idle mode".
- [35] 3GPP TS 38.321: "NR; Medium Access Control (MAC) protocol specification".
- [36] 3GPP TS 36.321: "Evolved Universal Terrestrial Radio Access (E-UTRA); Medium Access Control (MAC) protocol specification".
- [37] IETF RFC 5905: "Network Time Protocol Version 4: Protocol and Algorithms Specification".

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in 3GPP TR 21.905 [1].

Elementary Procedure: XnAP protocol consists of Elementary Procedures (EPs). An XnAP Elementary Procedure is a unit of interaction between two NG-RAN nodes. An EP consists of an initiating message and possibly a response message. Two kinds of EPs are used:

- **Class 1:** Elementary Procedures with response (success or failure),
- **Class 2:** Elementary Procedures without response.

NG-RAN node: as defined in TS 38.300 [9].

PDU Session Resource: As defined in TS 38.401 [2].