



**LTE;
Mission Critical (MC) services over LTE;
Part 1: Common test environment
(3GPP TS 36.579-1 version 14.4.0 Release 14)**

iTeh SAI Standard Review
Full Standard
<https://standards.iteh.ai/catalog/3gpp/36579-1-v14.4.0-2019-10-45e3-8134-5d57c3ae0c6/etsi-ts-136579-1-v14.4.0-2019-10>



Reference

RTS/TSGR-0536579-1ve40

Keywords

LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and
of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	7
1 Scope	8
2 References	8
3 Definitions, symbols and abbreviations	12
3.1 Definitions.....	12
3.2 Symbols.....	13
3.3 Abbreviations	13
4 General	13
4.1 MCPTT Conformance testing test points overview	13
4.2 MCPTT Conformance testing test environment overview	15
4.3 MCPTT Conformance testing players and roles assumptions.....	18
5 Common Test Environment	19
5.1 General	19
5.2 Reference test conditions.....	19
5.2.1 General.....	19
5.2.2 On-network	19
5.2.3 Off-network	19
5.3 Generic test procedures for UE MCS operation.....	19
5.3.1 General.....	19
5.3.2 Generic Test Procedure for MCPTT Authorization/Configuration and Key Generation	19
5.3.2A Generic Test Procedure for MCVoice Authorization/Configuration and Key Generation.....	29
5.3.2B Generic Test Procedure for MCData Authorization/Configuration and Key Generation	29
5.3.3 Generic Test Procedure for MCPTT pre-established session establishment CO	29
5.3.3A Generic Test Procedure for MCVoice pre-established session establishment CO	31
5.4 Generic test procedures for UE operation over EUTRA/EPS	31
5.4.1 General.....	31
5.4.1A UE APN/PDN support assumptions	31
5.4.2 Generic Test Procedure for MCPTT UE registration	32
5.4.2A Generic Test Procedure for MCVoice UE registration.....	37
5.4.2B Generic Test Procedure for MCData UE registration	37
5.4.3 Generic Test Procedure for MCPTT CO communication in E-UTRA	37
5.4.3A Generic Test Procedure for MCVoice CO communication in E-UTRA	39
5.4.3B Generic Test Procedure for MCData CO communication in E-UTRA.....	39
5.4.4 Generic Test Procedure for MCPTT CT communication in E-UTRA	39
5.4.4A Generic Test Procedure for MCVoice CT communication in E-UTRA.....	41
5.4.4B Generic Test Procedure for MCData CT communication in E-UTRA	41
5.4.5 Generic Test Procedure for MCPTT CO communication over ProSe direct one-to-one communication out of E-UTRA coverage-establishment	42
5.4.6 Generic Test Procedure for MCPTT CT communication over ProSe direct one-to-one communication out of E-UTRA coverage-establishment	44
5.4.7 Generic Test Procedure for MCPTT communication over ProSe direct one-to-one communication out of E-UTRA coverage - release by the SS	47
5.4.8 Generic Test Procedure for MCPTT communication over ProSe direct one-to-one communication out of E-UTRA coverage - release by the UE.....	48
5.4.9 Generic Test Procedure for MCPTT communication in E-UTRA / Change of cells.....	49
5.4.10 Generic Test Procedure for MCPTT CT communication over ProSe direct one-to-many communication out of E-UTRA coverage / Announcing/Discoveree procedure for group member discovery.....	51

5.4.11	Generic Test Procedure for MCPTT CO communication over ProSe direct one-to-many communication out of E-UTRA coverage / Monitoring/Discoverer procedure for group member discovery / One-to-many communication.....	54
5.4.12	Generic Test Procedure for MCPTT communication over MBMS	56
5.5	Default message and other information elements content.....	57
5.5.1	General.....	57
5.5.2	Default SIP message and other information elements	58
5.5.2.1	SIP ACK	58
5.5.2.1.1	SIP ACK from the UE	58
5.5.2.1.2	SIP ACK from the SS	59
5.5.2.2	SIP BYE.....	60
5.5.2.2.1	SIP BYE from the UE	60
5.5.2.2.2	SIP BYE from the SS	63
5.5.2.3	SIP CANCEL.....	64
5.5.2.4	SIP INFO	64
5.5.2.5	SIP INVITE.....	66
5.5.2.5.1	SIP INVITE from the UE	66
5.5.2.5.2	SIP INVITE from the SS	71
5.5.2.6	SIP re-INVITE	75
5.5.2.6.1	SIP re-INVITE from the UE.....	75
5.5.2.6.1	SIP re-INVITE from the SS.....	75
5.5.2.7	SIP MESSAGE	76
5.5.2.7.1	SIP MESSAGE from the UE.....	76
5.5.2.7.2	SIP MESSAGE from the SS.....	78
5.5.2.8	SIP NOTIFY	80
5.5.2.9	SIP OPTIONS	82
5.5.2.10	SIP PRACK.....	85
5.5.2.10.1	SIP PRACK from the UE	85
5.5.2.10.2	SIP PRACK from the SS	87
5.5.2.11	SIP PUBLISH	88
5.5.2.12	SIP REFER	91
5.5.2.13	SIP REGISTER.....	95
5.5.2.14	SIP SUBSCRIBE	99
5.5.2.15	SIP UPDATE.....	103
5.5.2.15.1	SIP UPDATE from the UE	103
5.5.2.15.2	SIP UPDATE from the SS.....	106
5.5.2.16	SIP 1xx.....	108
5.5.2.16.1	SIP 100 (Trying).....	108
5.5.2.16.2	SIP 180 (Ringing).....	109
5.5.2.16.2.1	SIP 180 (Ringing) from the UE	109
5.5.2.16.2.2	SIP 180 (Ringing) from the SS	110
5.5.2.16.3	SIP 183 (Session Progress).....	111
5.5.2.16.3.1	SIP 183 (Session Progress) from the UE	111
5.5.2.16.3.2	SIP 183 (Session Progress) from the SS	113
5.5.2.17	SIP 2xx.....	115
5.5.2.17.1	SIP 200 (OK).....	115
5.5.2.17.1.1	SIP 200 (OK) from the UE	115
5.5.2.17.1.2	SIP 200 (OK) from the SS	118
5.5.2.18	SIP 3xx.....	121
5.5.2.18.1	SIP 302 (Moved Temporarily)	121
5.5.2.19	SIP 4xx.....	121
5.5.2.19.1	SIP 403 (Forbidden)	121
5.5.2.19.2	SIP 404 (Not Found)	121
5.5.2.19.3	SIP 423 (Interval Too Brief).....	122
5.5.2.19.4	SIP 480 (Temporarily unavailable)	122
5.5.2.19.5	SIP 486 (Busy Here).....	123
5.5.2.19.6	SIP 488 (Not Acceptable Here).....	123
5.5.2.19.7	SIP 401 (Unauthorized)	124
5.5.2.20	SIP 5xx.....	126
5.5.2.20.1	SIP 500 (Server Internal Error)	126
5.5.2.21	SIP 6xx.....	126
5.5.2.21.1	SIP 606 (Not Acceptable).....	126

5.5.3	Default SDP message and other information elements.....	127
5.5.3.1	SDP Message	127
5.5.3.1.1	SDP Message from the UE	127
5.5.3.1.2	SDP Message from the SS.....	131
5.5.3.1.3	SDP Message from the UE - Off-network.....	134
5.5.3.1.4	SDP Message from the SS - Off-network.....	137
5.5.3.2	MCPTT-Info	140
5.5.3.2.1	MCPTT-Info from the UE.....	140
5.5.3.2.2	MCPTT-Info from the SS.....	143
5.5.3.3	Resource-lists	144
5.5.3.3.1	Resource-lists from the UE.....	144
5.5.3.3.2	Resource-lists from the SS	144
5.5.3.4	Location-info.....	145
5.5.3.4.1	Location-info (Report from the UE).....	145
5.5.3.4.2	Location-info (Configuration sent by the SS).....	148
5.5.3.4.3	Location-info (Request sent by the SS).....	150
5.5.3.5	PIDF	150
5.5.3.6	SIMPLE-FILTER.....	151
5.5.3.7	MCPTT-AFFILIATION-COMMAND.....	151
5.5.4	Default HTTP message and other information elements	151
5.5.4.1	General.....	151
5.5.4.2	GET	152
5.5.4.3	POST	153
5.5.4.4	PUT	154
5.5.4.5	DELETE	155
5.5.4.6	HTTP 200 (OK)	156
5.5.4.7	HTTP 201 (Created).....	157
5.5.4.8	HTTP 302 (Found).....	157
5.5.4.9	HTTP 409 (Conflict).....	157
5.5.4.10	HTTP Message Bodies.....	158
5.5.4.10.1	Authentication Request.....	158
5.5.4.10.2	Authentication Response	158
5.5.4.10.3	Token Request	159
5.5.4.10.4	Token Response	160
5.5.4.10.5	KMS Initialize	161
5.5.4.10.6	KMS Certificate	162
5.5.4.10.7	KMS KeyProvision	163
5.5.4.10.8	KMS Key Set.....	164
5.5.5	Default MCPTT call control Off-network messages and other information elements.....	166
5.5.5.1	GROUP CALL PROBE	166
5.5.5.2	GROUP CALL ANNOUNCEMENT	167
5.5.5.2.1	GROUP CALL ANNOUNCEMENT from the UE	167
5.5.5.2.2	GROUP CALL ANNOUNCEMENT from the SS	168
5.5.5.3	GROUP CALL ACCEPT	169
5.5.5.3.1	GROUP CALL ACCEPT from the UE	169
5.5.5.3.2	GROUP CALL ACCEPT from the SS	169
5.5.5.4	GROUP CALL EMERGENCY END	170
5.5.5.4.1	GROUP CALL EMERGENCY END from the UE	170
5.5.5.4.2	GROUP CALL EMERGENCY END from the SS	170
5.5.5.5	GROUP CALL IMMINENT PERIL END	171
5.5.5.5.1	GROUP CALL IMMINENT PERIL END from the UE.....	171
5.5.5.5.2	GROUP CALL IMMINENT PERIL END from the SS.....	171
5.5.5.6	GROUP CALL BROADCAST.....	172
5.5.5.6.1	GROUP CALL BROADCAST from the UE	172
5.5.5.6.2	GROUP CALL BROADCAST from the SS	172
5.5.5.7	GROUP CALL BROADCAST END	172
5.5.5.7.1	GROUP CALL BROADCAST END from the UE	172
5.5.5.7.2	GROUP CALL BROADCAST END from the SS	173
5.5.5.8	PRIVATE CALL SETUP REQUEST	173
5.5.5.8.1	PRIVATE CALL SETUP REQUEST from the UE.....	173
5.5.5.8.2	PRIVATE CALL SETUP REQUEST from the SS	173
5.5.5.9	PRIVATE CALL RINGING.....	174

5.5.5.10	PRIVATE CALL ACCEPT	174
5.5.5.11	PRIVATE CALL REJECT	174
5.5.5.11.1	PRIVATE CALL REJECT from the UE	174
5.5.5.11.2	PRIVATE CALL REJECT from the SS	175
5.5.5.12	PRIVATE CALL RELEASE	175
5.5.5.13	PRIVATE CALL RELEASE ACK	175
5.5.5.14	PRIVATE CALL ACCEPT ACK	176
5.5.5.15	PRIVATE CALL EMERGENCY CANCEL	176
5.5.5.15.1	PRIVATE CALL EMERGENCY CANCEL from the UE	176
5.5.5.15.2	PRIVATE CALL EMERGENCY CANCEL from the SS	176
5.5.5.16	PRIVATE CALL EMERGENCY CANCEL ACK	177
5.5.5.16.1	PRIVATE CALL EMERGENCY CANCEL ACK from the UE	177
5.5.5.16.2	PRIVATE CALL EMERGENCY CANCEL ACK from the SS	177
5.5.5.17	GROUP EMERGENCY ALERT	177
5.5.5.17.1	GROUP EMERGENCY ALERT from the UE	177
5.5.5.17.2	GROUP EMERGENCY ALERT from the SS	177
5.5.5.18	GROUP EMERGENCY ALERT ACK	178
5.5.5.18.1	GROUP EMERGENCY ALERT ACK from the UE	178
5.5.5.18.2	GROUP EMERGENCY ALERT ACK from the SS	178
5.5.5.19	GROUP EMERGENCY ALERT CANCEL	178
5.5.5.19.1	GROUP EMERGENCY ALERT CANCEL from the UE	178
5.5.5.19.2	GROUP EMERGENCY ALERT CANCEL from the SS	178
5.5.5.20	GROUP EMERGENCY ALERT CANCEL ACK	178
5.5.5.20.1	GROUP EMERGENCY ALERT CANCEL ACK from the UE	178
5.5.5.20.2	GROUP EMERGENCY ALERT CANCEL ACK from the SS	179
5.5.6	Default MCPTT media plane control messages and other information elements	179
5.5.6.1	General	179
5.5.6.2	Floor Request	180
5.5.6.3	Floor Granted	181
5.5.6.4	Floor Deny	182
5.5.6.5	Floor Release	183
5.5.6.6	Floor Idle	184
5.5.6.7	Floor Taken	185
5.5.6.8	Floor Revoke	186
5.5.6.9	Floor Queue Position Request	187
5.5.6.10	Floor Queue Position Info	188
5.5.6.11	Floor Ack	189
5.5.6.12	Connect	190
5.5.6.13	Disconnect	191
5.5.6.14	Acknowledgement	191
5.5.6.15	Map Group To Bearer	192
5.5.6.16	Unmap Group To Bearer	194
5.5.7	Default MCPTT group management messages and other information elements	195
5.5.7.1	MCPTT Group Configuration	195
5.5.8	Default MCPTT configuration management messages and other information elements	201
5.5.8.1	MCPTT Initial UE Configuration	201
5.5.8.2	MCPTT UE Configuration	208
5.5.8.3	MCPTT User Profile	209
5.5.8.4	MCPTT Service Configuration	216
5.5.9	Default miscellaneous messages and other information elements	219
5.5.9.1	MIKEY-SAKKE I_MESSAGE	219
5.5.10	Common MCPTT test USIM parameters	240
5.5.10.1	General	240
5.5.10.2	Default settings for the Elementary Files (EFs)	241
5.6	Reference configurations	241
5.6.1	General	241
5.6.2	Key material for provisioning of End-to-end communication security	241
5.6.3	XML schema for MCPTT location information	243
Annex A (informative):	Change history	249
History		252

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

The present document is part 1 of a multi-part deliverable covering conformance test specification for Mission Critical Services over LTE consisting of:

3GPP TS 36.579-1: "Mission Critical (MC) services over LTE; Part 1: Common test environment" (the present document)

3GPP TS 36.579-2 [2]: "Mission Critical (MC) services over LTE; Part 2: Mission Critical Push To Talk (MCPTT) User Equipment (UE) Protocol conformance specification"

3GPP TS 36.579-3 [3]: "Mission Critical (MC) services over LTE; Part 3: Mission Critical Push To Talk (MCPTT) Server Application test specification"

3GPP TS 36.579-4 [4]: "Mission Critical (MC) services over LTE; Part 4: Test Applicability and Implementation Conformance Statement (ICS)"

3GPP TS 36.579-5 [5]: "Mission Critical (MC) services over LTE; Part 5: Abstract test suite (ATS)"

3GPP TS 36.579-6 [84]: "Mission Critical (MC) services over LTE; Part 6: Mission Critical Video (MCVideo) User Equipment (UE) Protocol conformance specification"

3GPP TS 36.579-7 [85]: "Mission Critical (MC) services over LTE; Part 7: Mission Critical Data (MCData) User Equipment (UE) Protocol conformance specification"

1 Scope

The present document defines the common test environment required for testing Client and Server implementations for compliance to the Mission Critical Services over LTE protocol requirements defined by 3GPP.

It contains definitions of reference conditions and test signals, default messages and other parameters, generic procedures, and, common requirements for test equipment with the goal for facilitating testing in general and test procedures specification in particular. Various parts of its content are referred to from other parts of the Mission Critical Services over LTE protocol conformance testing specification e.g. TS 36.579-2 [2], TS 36.579-3 [3], 3GPP TS 36.579-6 [84], 3GPP TS 36.579-7 [85].

The present document does not define the common test environment required for testing the implementation of the underlying LTE protocols, i.e. the LTE bearers used for transport of the Mission Critical Services signalling and media. This is defined in TS 36.508 [6] and referred to from the present document whenever needed.

In regard to default messages or other information elements contents, the present document refers to content defined in requirements specifications specified by 3GPP or other organisations.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 36.579-2: "Mission Critical (MC) services over LTE; Part 2: Mission Critical Push To Talk (MCPTT) User Equipment (UE) Protocol conformance specification".
- [3] 3GPP TS 36.579-3: "Mission Critical (MC) services over LTE; Part 3: Mission Critical Push To Talk (MCPTT) Server Application test specification".
- [4] 3GPP TS 36.579-4: "Mission Critical (MC) services over LTE; Part 4: Test Applicability and Implementation Conformance Statement (ICS)".
- [5] 3GPP TS 36.579-5: "Mission Critical (MC) services over LTE; Part 5: Abstract test suite (ATS)".
- [6] 3GPP TS 36.508: "Evolved Universal Terrestrial Radio Access (E-UTRA) and Evolved Packet Core (EPC); Common Test Environments for User Equipment (UE) Conformance Testing".
- [7] 3GPP TS 22.179: "Mission Critical Push To Talk (MCPTT) over LTE; Stage 1".
- [8] 3GPP TS 23.179: "Functional architecture and information flows to support mission critical communication services; Stage 2".
- [9] 3GPP TS 24.379: "Mission Critical Push To Talk (MCPTT) call control; Protocol specification".
- [10] 3GPP TS 24.380: "Mission Critical Push To Talk (MCPTT) floor control; Protocol specification".
- [11] 3GPP TS 24.481: "Mission Critical Services (MCS) group management; Protocol specification".
- [12] 3GPP TS 24.482: "Mission Critical Services (MCS) identity management; Protocol specification".
- [13] 3GPP TS 24.483: "Mission Critical Services (MCS) Management Object (MO)".

- [14] 3GPP TS 24.484: "Mission Critical Services (MCS) configuration management; Protocol specification".
- [15] 3GPP TS 33.179: "Security of Mission Critical Push-To-Talk (MCPTT) over LTE".
- [16] 3GPP TS 24.229: "IP multimedia call control protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); Stage 3".
- [17] Void
- [18] Void
- [19] Void
- [20] Void
- [21] Void
- [22] IETF RFC 3261 (June 2002): "SIP: Session Initiation Protocol".
- [23] IETF RFC 6509 (February 2012): "MIKEY-SAKKE: Sakai-Kasahara Key Encryption in Multimedia Internet KEYing (MIKEY)".
- [24] IETF RFC 3830: "MIKEY: Multimedia Internet KEYing".
- [25] IETF RFC 6043: "MIKEY-TICKET: Ticket-Based Modes of Key Distribution in Multimedia Internet KEYing (MIKEY)".
- [26] IETF RFC 2616: "Hypertext Transfer Protocol -- HTTP/1.1".
- [27] IETF RFC 4566 (July 2006): "SDP: Session Description Protocol".
- [28] Void
- [29] IETF RFC 3841 (August 2004): "Caller Preferences for the Session Initiation Protocol (SIP)".
- [30] IETF RFC 4028 (April 2005): "Session Timers in the Session Initiation Protocol (SIP)".
- [31] IETF RFC 6050 (November 2010): "A Session Initiation Protocol (SIP) Extension for the Identification of Services".
- [32] IETF RFC 3325 (November 2002): "Private Extensions to the Session Initiation Protocol (SIP) for Asserted Identity within Trusted Networks".
- [33] IETF RFC 3840 (August 2004): "Indicating User Agent Capabilities in the Session Initiation Protocol (SIP)".
- [34] IETF RFC 5373 (November 2008): "Requesting Answering Modes for the Session Initiation Protocol (SIP)".
- [35] IETF RFC 5366 (October 2008): "Conference Establishment Using Request-Contained Lists in the Session Initiation Protocol (SIP)".
- [36] IETF RFC 4488 (May 2006): "Suppression of Session Initiation Protocol (SIP) REFER Method Implicit Subscription".
- [37] IETF RFC 4538 (June 2006): "Request Authorization through Dialog Identification in the Session Initiation Protocol (SIP)".
- [38] IETF RFC 3515 (April 2003): "The Session Initiation Protocol (SIP) Refer Method".
- [39] IETF RFC 6665 (July 2012): "SIP-Specific Event Notification".
- [40] IETF RFC 4412 (February 2006): "Communications Resource Priority for the Session Initiation Protocol (SIP)".
- [41] Void

- [42] Void
- [43] IETF RFC 3903 (October 2004): "Session Initiation Protocol (SIP) Extension for Event State Publication".
- [44] IETF RFC 4567 (July 2006): "Key Management Extensions for Session Description Protocol (SDP) and Real Time Streaming Protocol (RTSP)".
- [45] IETF RFC 8101 "IANA Registration of New Session Initiation Protocol (SIP) Resource-Priority Namespace for Mission Critical Push To Talk service".
- [46] Void
- [47] Void
- [48] IETF RFC 4661 (September 2006): "An Extensible Markup Language (XML)-Based Format for Event Notification Filtering".
- [49] Void
- [50] Void
- [51] IETF RFC 7913 (June 2016): "P-Access-Network-Info ABNF Update".
- [52] IETF RFC 7315 (July 2014): "Private Header (P-Header) Extensions to the Session Initiation Protocol (SIP) for the 3GPP".
- [53] IETF RFC 3329 (January 2003): "Security Mechanism Agreement for the Session Initiation Protocol (SIP)".
- [54] IETF RFC 5031 (January 2008): "A Uniform Resource Name (URN) for Emergency and Other Well-Known Services".
- [55] IETF RFC 3581 (August 2003): "An Extension to the Session Initiation Protocol (SIP) for Symmetric Response Routing".
- [56] IETF RFC 3312 (October 2002): "Integration of resource management and Session Initiation Protocol (SIP)".
- [57] IETF RFC 7134: "The Management Policy of the Resource Priority Header (RPH) Registry Changed to "IETF Review"".
- [58] IETF RFC 5621 (September 2009): "Message Body Handling in the Session Initiation Protocol (SIP)".
- [59] IETF RFC 4867: "RTP Payload Format and File Storage Format for the Adaptive Multi-Rate (AMR) and Adaptive Multi-Rate Wideband (AMR-WB) Audio Codecs".
- [60] IETF RFC 5009 (September 2007): "Private Header (P-Header) Extension to the Session Initiation Protocol (SIP) for Authorization of Early Media".
- [61] IETF RFC 3842 (August 2004) "A Message Summary and Message Waiting Indication Event Package for the Session Initiation Protocol (SIP)".
- [62] IETF RFC 6442 (December 2011): "Location Conveyance for the Session Initiation Protocol".
- [63] IETF RFC 6335: "Internet Assigned Numbers Authority (IANA) Procedures for the Management of the Service Name and Transport Protocol Port Number Registry".
- [64] 3GPP TS 26.114: "IP Multimedia Subsystem (IMS); Multimedia telephony; Media handling and interaction".
- [65] 3GPP TS 23.032: "Universal Geographical Area Description (GAD)".
- [66] 3GPP TS 26.171: "Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; General description".

- [67] 3GPP TS 33.303: "Proximity-based Services (ProSe); Security aspects".
- [68] 3GPP TS 23.303: "Proximity-based services (ProSe); Stage 2".
- [69] 3GPP TS 23.003: "Numbering, addressing and identification".
- [70] 3GPP TS 33.310: "Network Domain Security (NDS); Authentication Framework (AF)".
- [71] Void
- [72] IETF RFC 2617: "HTTP Authentication: Basic and Digest Access Authentication".
- [73] 3GPP TS 31.102: "Characteristics of the Universal Subscriber Identity Module (USIM) application".
- [74] 3GPP TS 36.523-3: "Evolved Universal Terrestrial Radio Access (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification; Part 3: Abstract Test Suites (ATS)".
- [75] 3GPP TS 36.523-2: "User Equipment (UE) conformance specification; Part 2: Implementation Conformance Statement (ICS) proforma specification".
- [76] IETF RFC 3550: "RTP: A Transport Protocol for Real-Time Applications".
- [77] IETF RFC 6749: "The OAuth 2.0 Authorization Framework".
- [78] 3GPP TS 24.334: "Proximity-services (ProSe) User Equipment (UE) to ProSe function protocol aspects; Stage 3".
- [79] 3GPP TS 31.101: "UICC-terminal interface; Physical and logical characteristics".
- [80] 3GPP TS 31.103: "Characteristics of the IP Multimedia Services Identity Module (ISIM) application".
- [81] IETF RFC 6809 (November 2012): "Mechanism to Indicate Support of Features and Capabilities in the Session Initiation Protocol (SIP)".
- [82] IETF RFC 7462 (March 2015): "URNs for the Alert-Info Header Field of the Session Initiation Protocol (SIP)".
- [83] IETF RFC 4826 (May 2007): "Extensible Markup Language (XML) Formats for Representing Resource Lists".
- [84] 3GPP TS 36.579-6: "Mission Critical (MC) services over LTE; Part 6: Mission Critical Video (MCVideo) User Equipment (UE) Protocol conformance specification"
- [85] 3GPP TS 36.579-7: "Mission Critical (MC) services over LTE; Part 7: Mission Critical Data (MCData) User Equipment (UE) Protocol conformance specification"
- [86] 3GPP TS 24.281: "Mission Critical Video (MCVideo) signalling control; Protocol specification".
- [87] 3GPP TS 24.282: "Mission Critical Data (MCData) signalling control; Protocol specification".
- [88] 3GPP TS 24.581: "Mission Critical Video (MCVideo) media plane control; Protocol specification".
- [89] 3GPP TS 24.582: "Mission Critical Data (MCData) media plane control; Protocol specification".
- [90] 3GPP TS 23.281: "Functional architecture and information flows to support Mission Critical Video (MCVideo); Stage 2".
- [91] 3GPP TS 23.282: "Functional architecture and information flows to support Mission Critical Data (MCData); Stage 2".
- [92] 3GPP TS 22.281: "Mission Critical Video over LTE".
- [93] 3GPP TS 22.282: "Mission Critical Data over LTE".

- [94] 3GPP TS 33.180: "Security of the mission critical service".
- [95] OpenID Connect 1.0: "OpenID Connect Core 1.0 incorporating errata set 1", http://openid.net/specs/openid-connect-core-1_0.html.
- [96] IETF RFC 3310: "Hypertext Transfer Protocol (HTTP) Digest Authentication Using Authentication and Key Agreement (AKA)".

3 Definitions, symbols and abbreviations

Editor's Note: Implication to the content of the present chapter due to the introduction of MCVideo and MCData are FFS.

3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in 3GPP TR 21.905 [1].

For the purpose of the present document, the following terms and definitions given in 3GPP TS 24.379 [9] apply:

- An MCPTT user is affiliated to an MCPTT group
- An MCPTT user is affiliated to an MCPTT group at an MCPTT client
- Affiliation status
- Group identity
- In-progress emergency private call state
- In-progress imminent peril group state
- MCPTT client ID
- MCPTT emergency alert state
- MCPTT emergency group state
- MCPTT emergency group call state
- MCPTT emergency private call state
- MCPTT emergency private priority state
- MCPTT imminent peril group call state
- MCPTT imminent peril group state
- MCPTT private emergency alert state
- MCPTT speech
- Media-floor control entity
- Temporary MCPTT group identity
- Trusted mutual aid
- Untrusted mutual aid

For the purposes of the present document, the following terms and definitions given in 3GPP TS 22.179 [7] apply:

- In-progress emergency
- MCPTT emergency alert
- MCPTT emergency group call
- MCPTT emergency state
- Partner MCPTT system
- Primary MCPTT system

For the purpose of the present document, the following terms and definitions given in 3GPP TS 24.380 [10] apply:

- MBMS subchannel

For the purpose of the present document, the following terms and definitions given in 3GPP TS 23.179 [8] apply:

- Pre-selected MCPTT user profile