

ETSI TS 123 203 V15.5.0 (2019-10)



**Digital cellular telecommunications system (Phase 2+) (GSM);
Universal Mobile Telecommunications System (UMTS);
LTE;
Policy and charging control architecture
(3GPP TS 23.203 version 15.5.0 Release 15)**



Reference

RTS/TSGS-0223203vf50

Keywords

GSM,LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	13
Introduction	13
1 Scope	14
2 References	14
3 Definitions, symbols and abbreviations	16
3.1 Definitions	16
3.2 Abbreviations	19
4 High level requirements	20
4.1 General requirements	20
4.2 Charging related requirements	21
4.2.1 General.....	21
4.2.2 Charging models.....	21
4.2.2a Charging requirements.....	21
4.2.3 Examples of Service Data Flow Charging.....	23
4.3 Policy control requirements.....	23
4.3.1 General.....	23
4.3.2 Gating control	23
4.3.3 QoS control.....	24
4.3.3.1 QoS control at service data flow level.....	24
4.3.3.2 QoS control at IP-CAN bearer level	24
4.3.3.3 QoS Conflict Handling.....	24
4.3.3.4 QoS control at APN level.....	24
4.3.4 Subscriber Spending Limits.....	25
4.4 Usage Monitoring Control.....	25
4.5 Application Detection and Control.....	25
4.6 RAN user plane congestion detection, reporting and mitigation.....	27
4.7 Support for service capability exposure	27
4.8 Traffic Steering Control	27
4.9 Management of Packet Flow Descriptions in the PCEF/TDF using the PFDF.....	27
5 Architecture model and reference points.....	28
5.1 Reference architecture.....	28
5.2 Reference points	31
5.2.1 Rx reference point.....	31
5.2.2 Gx reference point	31
5.2.3 Reference points to subscriber databases.....	32
5.2.3.1 Sp reference point	32
5.2.3.2 Ud reference point.....	32
5.2.4 Gy reference point	32
5.2.5 Gz reference point.....	32
5.2.6 S9 reference point	32
5.2.7 Gxx reference point	33
5.2.8 Sd reference point	33
5.2.9 Sy reference point	34
5.2.10 Gyn reference point	34
5.2.11 Gzn reference point.....	34
5.2.12 Np reference point	34
5.2.13 Nt reference point	34
5.2.14 St reference point.....	35
5.2.15 Nu reference point	35

5.2.16	Gw reference point.....	35
5.2.17	Gwn reference point.....	35
6	Functional description	35
6.1	Overall description	35
6.1.0	General.....	35
6.1.1	Binding mechanism	36
6.1.1.1	General	36
6.1.1.2	Session binding	36
6.1.1.3	PCC rule authorization and QoS rule generation	37
6.1.1.4	Bearer Binding	38
6.1.2	Reporting	39
6.1.3	Credit management	40
6.1.4	Event Triggers	42
6.1.5	Policy Control.....	47
6.1.6	Service (data flow) Prioritization and Conflict Handling	48
6.1.7	Standardized QoS characteristics.....	49
6.1.7.1	General	49
6.1.7.2	Standardized QCI characteristics	49
6.1.7.3	Allocation and Retention Priority characteristics.....	56
6.1.8	Termination Action.....	56
6.1.9	Handling of packet filters provided to the UE by PCEF/BBERF	57
6.1.10	IMS Emergency Session Support	58
6.1.10.1	Architecture model and Reference points	58
6.1.10.2	PCC Rule Authorization and QoS rule generation	58
6.1.10.3	Functional Entities	58
6.1.10.3.1	PCRF	58
6.1.10.3.2	PCEF	58
6.1.10.3.3	P-CSCF.....	59
6.1.10.4	PCC Procedures and Flows.....	59
6.1.11	Multimedia Priority Service Support.....	59
6.1.11.1	Architecture model and Reference points	59
6.1.11.2	PCC rule authorization and QoS rule generation	59
6.1.11.3	Priority EPS Bearer Service	60
6.1.11.4	Bearer priority for IMS Multimedia Priority Services	60
6.1.12	ADC rule authorization.....	61
6.1.13	Redirection.....	61
6.1.14	Resource sharing for different AF sessions	61
6.1.15	Reporting of RAN user plane congestion information.....	62
6.1.15.1	General	62
6.1.15.2	Reporting restrictions	62
6.1.15.3	UE mobility between RCAF.....	62
6.1.16	Negotiation for future background data transfer.....	62
6.1.17	Traffic Steering Control.....	63
6.1.18	PCC support of NBIFOM.....	64
6.1.18.1	General	64
6.1.18.2	NBIFOM impacts on IP-CAN procedures	65
6.1.19	Resource reservation for services sharing priority.....	67
6.1.20	Management of Packet Flow Descriptions using the PFDF	68
6.1.21	3GPP PS Data Off	69
6.2	Functional entities	71
6.2.1	Policy Control and Charging Rules Function (PCRF).....	71
6.2.1.0	General	71
6.2.1.1	Input for PCC decisions	76
6.2.1.2	Subscription information management in the PCRF.....	78
6.2.1.3	V-PCRF.....	79
6.2.1.3.1	General	79
6.2.1.3.2	V-PCRF and Home Routed Access.....	79
6.2.1.3.3	V-PCRF and Visited Access (local breakout)	80
6.2.1.4	H-PCRF.....	81
6.2.1.4.1	General	81
6.2.1.4.2	H-PCRF and Home Routed Access.....	81

6.2.1.4.3	H-PCRF and Visited Access (Local Breakout)	81
6.2.1.5	Handling of Multiple BBFs associated with the same IP-CAN session	82
6.2.1.5.1	Handling of two BBFs associated with the same IP-CAN session during handover	82
6.2.1.5.2	Handling of multiple BBFs with IP-CAN session flow mobility	83
6.2.2	Policy and Charging Enforcement Function (PCEF)	83
6.2.2.1	General	83
6.2.2.2	Service data flow detection	86
6.2.2.3	Measurement	89
6.2.2.4	QoS control	91
6.2.2.5	Application Detection	91
6.2.2.6	Traffic steering	91
6.2.3	Application Function (AF)	92
6.2.4	Subscription Profile Repository (SPR)	93
6.2.5	Online Charging System	94
6.2.6	Offline Charging System (OFCS)	94
6.2.7	Bearer Binding and Event Reporting Function (BBERF)	94
6.2.7.1	General	94
6.2.7.2	Service data flow detection	94
6.2.7.3	QoS Control	95
6.2.8	User Data Repository (UDR)	95
6.2.9	Traffic Detection Function (TDF)	95
6.2.9.1	General	95
6.2.9.2	Traffic steering	96
6.2.10	RAN Congestion Awareness Function (RCAF)	96
6.2.11	Service Capability Exposure Function (SCEF)	97
6.2.12	Traffic Steering Support Function (TSSF)	97
6.2.13	Packet Flow Description Function (PFDF)	97
6.3	Policy and charging control rule	98
6.3.1	General	98
6.3.2	Policy and charging control rule operations	106
6.4	IP-CAN bearer and IP-CAN session related policy information	107
6.4a	TDF session related policy information	109
6.4b	APN related policy information	110
6.5	Quality of Service Control rule	112
6.5.1	General	112
6.5.2	Quality of Service control rule operations	113
6.6	Usage Monitoring Control specific information	114
6.6.1	General	114
6.6.2	Usage Monitoring Control operations	115
6.7	S2c based IP flow mobility Routing rule	115
6.7.1	General	115
6.7.2	Routing rule operations	116
6.8	Application Detection and Control Rule	116
6.8.1	General	116
6.8.2	Application Detection and Control rule operations over Sd	122
6.9	Policy decisions based on spending limits	123
6.11	Traffic Steering Control Information	124
6.11.1	General	124
6.11.2	Traffic Steering Control Operations over St	124
6.12	NBIFOM Routing rule	125
6.12.1	General	125
6.12.2	NBIFOM Routing rule operations	126
7	PCC Procedures and flows	126
7.1	Introduction	126
7.2	IP-CAN Session Establishment	128
7.3	IP-CAN Session Termination	131
7.3.1	UE initiated IP-CAN Session termination	131
7.3.2	GW (PCEF) initiated IP-CAN Session termination	134
7.4	IP-CAN Session Modification	136
7.4.1	IP-CAN Session Modification; GW (PCEF) initiated	136
7.4.2	IP-CAN Session Modification; PCRF initiated	139

7.4.3	Void	143
7.5	Update of the subscription information in the PCRF	143
7.6	PCRF Discovery and Selection	144
7.6.1	General principles	144
7.6.2	Solution Principles	145
7.7	Gateway Control Session Procedures	146
7.7.1	Gateway Control Session Establishment	146
7.7.1.0	General	146
7.7.1.1	Gateway Control Session Establishment during Attach	147
7.7.1.2	Gateway Control Session Establishment during BBERF Relocation	148
7.7.2	Gateway Control Session Termination	150
7.7.2.1	GW (BBERF)-Initiated Gateway Control Session Termination	150
7.7.2.2	PCRF-Initiated Gateway Control Session Termination	151
7.7.3	Gateway Control and QoS Rules Request	151
7.7.3.1	General	151
7.7.3.2	Event reporting for PCEF in visited network and locally terminated Gxx interaction	153
7.7.4	Gateway Control and QoS Rules Provision	154
7.7.5	Void	155
7.8	Change in subscription for MPS priority services	155
7.9	Procedures over Sy reference point	155
7.9.1	Initial Spending Limit Report Request	155
7.9.2	Intermediate Spending Limit Report Request	156
7.9.3	Final Spending Limit Report Request	156
7.9.4	Spending Limit Report	157
7.9.5	Sy Session Termination	158
7.10	Procedures over Np reference point	158
7.10.1	Report RAN user plane congestion information to PCRF	158
7.10.2	PCRF provided reporting restrictions	159
7.10.3	UE mobility between RCAFs	160
7.11	Procedures over Nt reference point	161
7.11.1	Negotiation for future background data transfer	161
7.12	Procedures for management of PFDs	162
7.12.1	PFD Retrieval by the PCEF/TDF ("Pull mode")	162
7.12.2	Management of PFDs in the PCEF/TDF ("push mode")	163

Annex A (normative): Access specific aspects (3GPP).....164

A.1	GPRS	164
A.1.0	General	164
A.1.1	High level requirements	164
A.1.1.1	General	164
A.1.1.2	Charging related requirements	164
A.1.1.3	Policy control requirements	164
A.1.1.4	QoS control	165
A.1.2	Architecture model and reference points	165
A.1.2.1	Reference points	165
A.1.2.1.1	Gx reference point	165
A.1.2.2	Reference architecture	165
A.1.3	Functional description	165
A.1.3.1	Overall description	165
A.1.3.1.1	Binding mechanism	165
A.1.3.1.1.0	General	165
A.1.3.1.1.1	Bearer binding mechanism allocated to the PCEF	166
A.1.3.1.1.2	Bearer binding mechanism allocated to the PCRF	166
A.1.3.1.2	Reporting	167
A.1.3.1.3	Credit management	167
A.1.3.1.4	Event Triggers	168
A.1.3.1.5	Policy Control	169
A.1.3.2	Functional entities	169
A.1.3.2.1	Policy Control and Charging Rules Function (PCRF)	169
A.1.3.2.1.0	General	169
A.1.3.2.1.1	Input for PCC decisions	169

A.1.3.2.2	Policy and Charging Enforcement Function (PCEF)	169
A.1.3.2.2.1	General	169
A.1.3.2.2.2	Service data flow detection.....	171
A.1.3.2.2.3	Packet Routing and Transfer Function	171
A.1.3.2.2.4	Measurement	171
A.1.3.2.3	Application Function (AF).....	171
A.1.3.3	Policy and charging control rule	171
A.1.3.3.1	General	171
A.1.3.3.2	Policy and charging control rule operations.....	171
A.1.3.4	IP-CAN bearer and IP-CAN session related policy information	171
A.1.3.4a	TDF session related policy information.....	172
A.1.3.5	Void	173
A.1.4	PCC Procedures and flows	173
A.1.4.1	Introduction.....	173
A.1.4.2	IP-CAN Session Establishment	173
A.1.4.3	IP-CAN Session Termination	174
A.1.4.3.1	UE initiated IP-CAN Session termination.....	174
A.1.4.3.2	GW initiated IP-CAN Session termination	174
A.1.4.4	IP-CAN Session Modification	174
A.1.4.4.1	IP-CAN Session Modification; GW (PCEF) initiated.....	174
A.1.4.4.2	IP-CAN Session Modification; PCRF initiated.....	175
A.2	Void.....	175
A.3	Void.....	175
A.4	3GPP Accesses (GERAN/UTRAN/E-UTRAN) - GTP-based EPC.....	175
A.4.0	General	175
A.4.1	High Level Requirements.....	176
A.4.1.1	Charging related requirements.....	176
A.4.1.2	QoS control.....	176
A.4.2	Architectural Model and Reference Points.....	176
A.4.2.1	Reference architecture	176
A.4.3	Functional Description	177
A.4.3.1	Overall description.....	177
A.4.3.1.1	Credit management	177
A.4.3.1.2	Event Triggers.....	178
A.4.3.1.3	Binding mechanism.....	179
A.4.3.1.4	Policy Control	180
A.4.3.2	Functional Entities	180
A.4.3.2.1	Policy Control and Charging Rules Function (PCRF)	180
A.4.3.2.2	Policy and Charging Enforcement Function (PCEF)	180
A.4.3.2.3	Application Function (AF).....	181
A.4.3.3	Void	181
A.4.3.4	IP-CAN bearer and IP-CAN session related policy information	181
A.4.3.5	TDF session related policy information.....	182
A.4.4	PCC Procedures and Flows	182
A.4.4.1	Introduction.....	182
A.4.4.2	IP-CAN Session Establishment	182
A.4.4.3	GW (PCEF) initiated IP-CAN Session termination.....	182
A.4.4.4	IP-CAN Session Modification	183
A.4.4.4.1	IP-CAN Session Modification; GW (PCEF) initiated.....	183
A.4.4.4.2	IP-CAN Session Modification; PCRF initiated.....	183
A.5	3GPP Accesses (GERAN/UTRAN/E-UTRAN) - PMIP-based EPC.....	183
A.5.0	General	183
A.5.1	High Level Requirements.....	183
A.5.1.0	General.....	183
A.5.1.1	QoS control.....	183
A.5.2	Architectural Model and Reference Points.....	184
A.5.2.1	Reference architecture	184
A.5.3	Functional Description	184
A.5.3.1	Overall Description.....	184

A.5.3.1.1	Binding mechanism.....	184
A.5.3.1.2	Credit management	184
A.5.3.1.3	Event triggers	184
A.5.3.2	Functional Entities	184
A.5.3.2.1	Policy Control and Charging Rules Function (PCRF)	184
A.5.3.2.2	Policy and Charging Enforcement Function (PCEF)	184
A.5.3.2.3	Bearer Binding and Event Reporting Function (BBERF)	185
A.5.3.3	Void	185
A.5.3.4	Void	185
A.5.3.5	IP-CAN bearer and IP-CAN session related policy information	185
A.5.3.6	TDF session related policy information.....	185
A.5.4	PCC Procedures and Flows	185
A.5.4.1	Introduction.....	185
A.5.4.2	Gateway Control Session Establishment	185
A.5.4.3	Gateway Control and QoS Rules Request	186
A.5.4.4	Gateway Control and QoS Rules Provisioning.....	186
A.5.4.5	IP-CAN Session Establishment	186
A.5.4.6	IP-CAN Session Modification	186
A.5.4.6.1	IP-CAN Session Modification; GW (PCEF) initiated.....	186
A.5.4.6.2	IP-CAN Session Modification; PCRF initiated.....	186
A.5.4.6.3	Void.....	186
Annex B (informative):	Void	187
Annex C (informative):	Void	188
Annex D (informative):	Access specific aspects (Non-3GPP).....	189
D.1	DOCSIS IP-CAN	189
D.1.1	General	189
D.1.1	High level requirements	189
D.1.1.1	General.....	189
D.1.1.2	Charging related requirements.....	190
D.1.1.3	Policy control requirements.....	190
D.1.2	Architecture model and reference points	191
D.1.2.1	Reference points	191
D.1.2.1.1	Rx reference point	191
D.1.2.1.2	Gx reference point.....	191
D.1.2.1.3	Void.....	191
D.1.3	Functional description	191
D.1.3.1	Overall description.....	191
D.1.3.1.1	Binding mechanism.....	191
D.1.3.2	Functional entities.....	192
D.1.3.2.1	Policy Control and Charging Rules Function (PCRF)	192
D.1.3.2.1.1	Input for PCC decisions.....	192
D.1.3.2.2	Policy and Charging Enforcement Function (PCEF)	192
D.1.3.2.3	Application Function (AF).....	192
D.1.3.3	Policy and charging control rule	192
D.1.3.3.1	General	192
D.1.3.3.2	Policy and charging control rule operations.....	192
D.2	WiMAX IP-CAN	193
D.2.1	High level requirements	193
D.2.1.1	General.....	193
D.2.1.2	Charging related requirements.....	193
D.2.1.3	Policy control requirements	193
D.2.2	Architecture model and reference points.....	194
D.2.2.1	Reference points	194
D.2.2.1.1	Rx reference point	194
D.2.2.1.2	Gx reference point.....	194
D.2.2.1.3	Sp reference point	194
D.2.3	Functional description	194
D.2.3.1	Overall description.....	194

D.2.3.1.1	Binding mechanism.....	194
D.2.3.1.2	Credit management	194
D.2.3.1.3	Event triggers	194
D.2.3.2	Functional entities.....	194
D.2.3.2.1	Policy Control and Charging Rules Function (PCRF)	194
D.2.3.2.2	Policy and Charging Enforcement Function (PCEF)	195
D.2.3.2.3	Application Function (AF).....	195
D.2.3.3	Policy and charging control rule	195
D.2.3.3.1	General	195
D.2.3.3.1	Policy and charging control rule operations.....	195
Annex E (informative):	Void	196
Annex F (informative):	Void	197
Annex G (informative):	PCC rule precedence configuration	198
Annex H (normative):	Access specific aspects (EPC-based Non-3GPP)	199
H.1	General	199
H.2	EPC-based cdma2000 HRPD Access.....	199
H.3	EPC-based Trusted WLAN Access with S2a.....	200
H.4	EPC-based untrusted non-3GPP Access	200
Annex I (informative):	Void	202
Annex J (informative):	Standardized QCI characteristics - rationale and principles	203
Annex K (informative):	Limited PCC Deployment	204
Annex L (normative):	Limited PCC Deployment	205
Annex M (informative):	Handling of UE or network responsibility for the resource management of services.....	206
Annex N (informative):	PCC usage for sponsored data connectivity	207
N.1	General	207
N.2	Reporting for sponsored data connectivity.....	208
Annex P (normative):	Fixed Broadband Access Interworking with EPC.....	209
P.1	Definitions.....	209
P.2	Abbreviations	209
P.3	High Level Requirements.....	209
P.4	Architecture model and reference points.....	210
P.4.1	Reference points	210
P.4.1.1	S9a Reference point.....	210
P.4.1.2	S15 Reference Point.....	210
P.4.1.3	Gxx reference point	210
P.4.1.4	S9 reference point	210
P.4.1.5	Gx reference point	211
P.4.2	Reference architecture	211
P.4.2.0	General.....	211
P.4.2.1	Reference architecture – Non-Roaming.....	212
P.4.2.2	Reference architecture – Home Routed	213
P.4.2.3	Reference architecture – Visited Access.....	214
P.4.2.4	Reference architecture - Non-Roaming with non-seamless WLAN offload in Fixed Broadband Access Network; scenario with AF.....	215

P.4.2.5	Reference architecture - Roaming with non-seamless WLAN offload in Fixed Broadband Access Network: scenario with AF.....	215
P.4.2.6	Reference architecture - Non-Roaming with non-seamless WLAN offload in Fixed Broadband Access Network: scenario with TDF	216
P.4.2.7	Reference architecture - Roaming with non-seamless WLAN offload in Fixed Broadband Access Network: scenario with TDF	217
P.5	Functional description	217
P.5.1	Overall description	217
P.5.1.1	Binding Mechanism.....	218
P.5.1.1.1	EPC-routed traffic	218
P.5.1.1.2	Non-seamless WLAN offloaded traffic	218
P.5.1.2	S9a, Gx and S15 Session Linking.....	218
P.6	Functional Entities.....	219
P.6.1	Policy Control and Charging Rules Function (PCRF).....	219
P.6.1.1	General.....	219
P.6.1.2	V-PCRF	219
P.6.1.3	H-PCRF	220
P.6.2	Broadband Policy Control Function (BPCF).....	221
P.6.3	Bearer Binding and Event Reporting Function (BBERF)	221
P.6.4	Policy and Charging Enforcement Function (PCEF)	221
P.7	PCC Procedures and Flows	221
P.7.1	Introduction	221
P.7.2	IP-CAN Session Establishment.....	222
P.7.2.0	General.....	222
P.7.2.1	IP-CAN Session Establishment	222
P.7.2.2	Void.....	224
P.7.3	IP-CAN Session Termination.....	224
P.7.3.1	Void.....	224
P.7.3.2	IP-CAN Session Termination	224
P.7.4	IP-CAN Session Modification.....	225
P.7.4.1	PCEF-Initiated IP-CAN Session Modification	226
P.7.4.2	PCRF-Initiated IP-CAN Session Modification	226
P.7.4.3	BPCF-Initiated IP-CAN Session Modification.....	228
P.7.5	Gateway Control Session Procedures.....	229
P.7.5.1	BBERF-Initiated Gateway Control Session Establishment	229
P.7.5.2	GW (BBERF)-Initiated Gateway Control Session Termination.....	230
P.7.5.3	Gateway Control and QoS Rule Request from ePDG/Serving GW	231
P.7.5.4	PCRF-Initiated Gateway Control Session Termination.....	232
P.7.6	PCRF Discovery and Selection	233
P.7.6.1	PCRF Discovery and Selection by BPCF	233
P.7.6.2	PCRF Discovery and Selection by AF/TDF unsolicited application reporting for NS-WLAN offloaded traffic	233
P.7.6.3	PCRF Discovery and Selection by HNB GW	233
P.7.7	BPCF Discovery and Selection	233
P.7.8	TDF Discovery and Selection for NS-WLAN offloaded traffic.....	233
P.8	3GPP HNB Procedures – CS Support.....	234
P.8.1	S9a CS Session Establishment	234
P.8.2	PCRF initiated S9a CS Session Modification	235
P.8.2A	BPCF initiated S9a CS Session Modification	236
P.8.3	S9a CS Session Termination	236
Annex Q (informative):	How to achieve Usage Monitoring via the OCS	237
Annex R (informative):	Disabling/re-enabling Usage Monitoring for a PCC/ADC rule	238
Annex S (normative):	Fixed Broadband Access	239
S.1	General	239
S.2	Definitions.....	239

S.3	High Level Requirements.....	239
S.3.0	General	239
S.3.1	General Requirements	239
S.3.2	Charging Related Requirements.....	240
S.3.3	Policy Control Requirements	241
S.4	Architecture model and reference points.....	241
S.4.1	Reference architecture.....	241
S.4.1.1	General.....	241
S.4.1.2	Reference architecture - Non-Roaming	242
S.4.1.3	Reference architecture - Roaming.....	243
S.4.2	Reference points	243
S.4.2.1	Gx Reference Point.....	243
S.4.2.2	Sp Reference Point.....	244
S.4.2.3	Ud Reference Point.....	244
S.4.2.4	Gy/Gz Reference Point	244
S.4.2.5	Gyn/Gzn Reference Point	244
S.4.2.6	Sd Reference Point.....	244
S.5	Functional description	244
S.5.1	Overall description	244
S.5.1.1	IP-CAN Session.....	245
S.5.1.2	Subscriber Identifier	245
S.5.1.3	Event triggers.....	245
S.5.1.4	Void.....	246
S.5.1.5	Void.....	246
S.5.1.6	Credit management	246
S.5.2	Policy and charging Control.....	246
S.5.2.1	Policy and charging control rule	246
S.5.2.1a	IP-CAN session related policy information	247
S.5.2.2	Void	247
S.5.3	Void.....	247
S.5.4	Reflective QoS	247
S.5.5	Policy Control	247
S.5.5.1	Default QoS Control	248
S.6	Functional Entities.....	248
S.6.1	Policy Control and Charging Rules Function (PCRF).....	248
S.6.1.1	General.....	248
S.6.1.1.1	Input for PCC decisions.....	248
S.6.1.2	Policy and Charging Enforcement Function (PCEF).....	249
S.6.1.3	Application Function (AF).....	249
S.6.1.4	Subscriber Profile Repository (SPR)	249
S.6.1.5	Online Charging System (OCS).....	249
S.6.1.6	Offline Charging System (OFCS).....	250
S.6.1.7	User Data Repository (UDR).....	250
S.6.1.8	Traffic Detection Function (TDF)	250
S.7	PCC Procedures and Flows	250
S.7.1	Introduction	250
S.7.2	IP-CAN Session Establishment.....	250
S.7.3	IP-CAN Session Termination.....	251
S.7.4	IP-CAN Session Modification.....	251
S.7.4.1	PCEF-Initiated IP-CAN Session Modification	251
S.7.4.2	PCRF-Initiated IP-CAN Session Modification	251
S.7.5	Update of the subscription information in the PCRF	251
S.7.6	PCRF Discovery and selection.....	252
S.8	Charging using AAA signalling	252
S.8.1	Reference architecture - Non-Roaming.....	253
S.8.2	Reference architecture - Roaming	254
S.8.3	Gza Reference Point.....	254
S.8.4	Gya Reference Point.....	255

S.8.5	B Reference Point.....	255
S.8.6	AAA based charging	255
S.8.7	Accounting Interworking Function	255
S.8.8	Procedures AAA based charging using accounting signalling	255
S.8.8.0	General.....	255
S.8.8.1	Charging Session Initiation.....	256
S.8.8.2	Charging Session Modification.....	257
S.8.8.3	Charging Session Termination.....	258
S.8.8.3.1	Charging Session Termination BNG-initiated	258
Annex T (informative):	How to accumulate PCC/ADC Rule usage in multiple monitoring groups.....	259
Annex U (normative):	Policy and charging control in the downlink direction for traffic marked with DSCP by the TDF.....	260
Annex V (informative):	Policy Control for Remote UEs behind a ProSe UE-to-Network Relay UE.....	261
Annex W (informative):	Void	262
Annex X (informative):	Encrypted traffic detection by using domain name matching.....	263
Annex Y (informative):	Change history	264
History		267

NOT A STANDARD PREVIEW
 (standards.iteh.ai)
 Full standard:
<https://standards.iteh.ai/catalog/standards/sist/05f46c10-1d4f-4271-b6cd-507126d4aa61/etsi-ts-123-203-v15.5.0-2019-10>