

ETSI TS 123 502 V15.6.0 (2019-10)



5G; Procedures for the 5G System (5GS) (3GPP TS 23.502 version 15.6.0 Release 15)

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard available on iTeh standards website
<https://standards.iteh.ai/catalog/standards/sist/4a9d-8618-a7cfb39ca82/etsi-ts-123-502-v15-6-0-2019-10>



ReferenceRTS/TSGS-0223502vf60

Keywords5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	13
1 Scope	14
2 References	14
3 Definitions, symbols and abbreviations	16
3.1 Definitions	16
3.2 Abbreviations	16
4 System procedures.....	16
4.1 General	16
4.2 Connection, Registration and Mobility Management procedures	16
4.2.1 General.....	16
4.2.2 Registration Management procedures.....	16
4.2.2.1 General	16
4.2.2.2 Registration procedures.....	16
4.2.2.2.1 General	16
4.2.2.2.2 General Registration	18
4.2.2.2.3 Registration with AMF re-allocation.....	28
4.2.2.3 Deregistration procedures	30
4.2.2.3.1 General	30
4.2.2.3.2 UE-initiated Deregistration.....	30
4.2.2.3.3 Network-initiated Deregistration.....	32
4.2.3 Service Request procedures	33
4.2.3.1 General	33
4.2.3.2 UE Triggered Service Request.....	33
4.2.3.3 Network Triggered Service Request.....	42
4.2.4 UE Configuration Update	49
4.2.4.1 General	49
4.2.4.2 UE Configuration Update procedure for access and mobility management related parameters	49
4.2.4.3 UE Configuration Update procedure for transparent UE Policy delivery	52
4.2.5 Reachability procedures.....	53
4.2.5.1 General	53
4.2.5.2 UE Reachability Notification Request procedure	54
4.2.5.3 UE Activity Notification procedure	54
4.2.6 AN Release	55
4.2.7 N2 procedures	57
4.2.7.1 N2 Configuration	57
4.2.7.2 NGAP UE-TNLA-binding related procedures.....	58
4.2.7.2.1 Creating NGAP UE-TNLA-bindings during Registration and Service Request	58
4.2.7.2.2 Creating NGAP UE-TNLA-bindings during handovers.....	58
4.2.7.2.3 Re-Creating NGAP UE-TNLA-bindings subsequent to NGAP UE-TNLA-binding release	59
4.2.7.2.4 NGAP UE-TNLA-binding update procedure	59
4.2.7.2.5 NGAP UE-TNLA-binding per UE Release procedure	59
4.2.7.3 AMF Failure or Planned Maintenance handling procedure	60
4.2.8 Void	60
4.2.8a UE Capability Match Request procedure.....	60
4.3 Session Management procedures	61
4.3.1 General.....	61
4.3.2 PDU Session Establishment.....	62
4.3.2.1 General	62
4.3.2.2 UE Requested PDU Session Establishment	62
4.3.2.2.1 Non-roaming and Roaming with Local Breakout.....	62
4.3.2.2.2 Home-routed Roaming	71

4.3.2.2.3	SMF selection.....	75
4.3.2.3	Secondary authorization/authentication by an DN-AAA server during the PDU Session establishment.....	78
4.3.3	PDU Session Modification	80
4.3.3.1	General	80
4.3.3.2	UE or network requested PDU Session Modification (non-roaming and roaming with local breakout)	80
4.3.3.3	UE or network requested PDU Session Modification (home-routed roaming).....	84
4.3.4	PDU Session Release.....	87
4.3.4.1	General	87
4.3.4.2	UE or network requested PDU Session Release for Non-Roaming and Roaming with Local Breakout.....	87
4.3.4.3	UE or network requested PDU Session Release for Home-routed Roaming	91
4.3.5	Session continuity, service continuity and UP path management.....	93
4.3.5.1	Change of SSC mode 2 PDU Session Anchor with different PDU Sessions	93
4.3.5.2	Change of SSC mode 3 PDU Session Anchor with multiple PDU Sessions	94
4.3.5.3	Change of SSC mode 3 PDU Session Anchor with IPv6 Multi-homed PDU Session.....	95
4.3.5.4	Addition of additional PDU Session Anchor and Branching Point or UL CL	97
4.3.5.5	Removal of additional PDU Session Anchor and Branching Point or UL CL.....	99
4.3.5.6	Change of additional PDU Session Anchor for IPv6 multi-homing or UL CL.....	101
4.3.5.7	Simultaneous change of Branching Point or UL CL and additional PSA for a PDU Session.....	102
4.3.6	Application Function influence on traffic routing	104
4.3.6.1	General	104
4.3.6.2	Processing AF requests to influence traffic routing for Sessions not identified by an UE address....	105
4.3.6.3	Notification of User Plane Management Events	106
4.3.6.4	Transferring an AF request targeting an individual UE address to the relevant PCF.....	108
4.3.7	CN-initiated selective deactivation of UP connection of an existing PDU Session.....	109
4.4	SMF and UPF interactions	110
4.4.1	N4 session management procedures	110
4.4.1.1	General	110
4.4.1.2	N4 Session Establishment procedure	110
4.4.1.3	N4 Session Modification procedure	111
4.4.1.4	N4 Session Release procedure	112
4.4.2	N4 Reporting Procedures.....	112
4.4.2.1	General	112
4.4.2.2	N4 Session Level Reporting Procedure.....	112
4.4.3	N4 Node Level Procedures	113
4.4.3.1	N4 Association Setup Procedure.....	113
4.4.3.2	N4 Association Update Procedure	114
4.4.3.3	N4 Association Release Procedure	114
4.4.3.4	N4 Report Procedure.....	115
4.4.3.5	N4 PFD management Procedure	115
4.4.4	SMF Pause of Charging procedure	116
4.5	User Profile management procedures.....	117
4.5.1	Subscriber Data Update Notification to AMF	117
4.5.2	Session Management Subscriber Data Update Notification to SMF	118
4.5.3	Purge of subscriber data in AMF	118
4.6	Security procedures	119
4.7	ME Identity check procedure	119
4.8	RAN-CN interactions	119
4.8.1	Connection Inactive procedure	119
4.8.2	Connection Resume procedure	119
4.8.3	N2 Notification procedure	120
4.9	Handover procedures.....	121
4.9.1	Handover procedures in 3GPP access.....	121
4.9.1.1	General	121
4.9.1.2	Xn based inter NG-RAN handover	121
4.9.1.2.1	General	121
4.9.1.2.2	Xn based inter NG-RAN handover without User Plane function re-allocation.....	121
4.9.1.2.3	Xn based inter NG-RAN handover with insertion of intermediate UPF	124
4.9.1.2.4	Xn based inter NG-RAN handover with re-allocation of intermediate UPF	126
4.9.1.3	Inter NG-RAN node N2 based handover	127

4.9.1.3.1	General	127
4.9.1.3.2	Preparation phase.....	129
4.9.1.3.3	Execution phase.....	134
4.9.1.4	Inter NG-RAN node N2 based handover, Cancel	137
4.9.2	Handover of a PDU Session procedure between 3GPP and untrusted non-3GPP access	138
4.9.2.1	Handover of a PDU Session procedure from untrusted non-3GPP to 3GPP access (non-roaming and roaming with local breakout).....	138
4.9.2.2	Handover of a PDU Session procedure from 3GPP to untrusted non-3GPP access (non-roaming and roaming with local breakout).....	138
4.9.2.3	Handover of a PDU Session procedure from untrusted non-3GPP to 3GPP access (home routed roaming).....	139
4.9.2.3.1	The target AMF is in the PLMN of the N3IWF	139
4.9.2.3.2	The target AMF is not in the PLMN of the N3IWF (i.e. N3IWF in HPLMN).....	140
4.9.2.4	Handover of a PDU Session procedure from 3GPP to untrusted non-3GPP access (home routed roaming).....	140
4.9.2.4.1	The selected N3IWF is in the registered PLMN.....	140
4.9.2.4.2	The UE is roaming and the selected N3IWF is in the home PLMN.....	141
4.10	NG-RAN Location reporting procedures	142
4.11	System interworking procedures with EPC.....	143
4.11.0	General.....	143
4.11.0a	Impacts to EPS Procedures	143
4.11.0a.1	General	143
4.11.0a.2	Interaction with PCC.....	143
4.11.0a.3	Mobility Restrictions.....	144
4.11.0a.4	PGW Selection.....	144
4.11.0a.5	PDN Connection Establishment.....	144
4.11.1	N26 based Interworking Procedures	144
4.11.1.1	General	144
4.11.1.2	Handover procedures	146
4.11.1.2.1	5GS to EPS handover using N26 interface.....	146
4.11.1.2.2	EPS to 5GS handover using N26 interface.....	150
4.11.1.2.3	Handover Cancel	156
4.11.1.3	Idle Mode Mobility procedures.....	157
4.11.1.3.1	General	157
4.11.1.3.2	5GS to EPS Idle mode mobility using N26 interface	157
4.11.1.3.3	EPS to 5GS Mobility Registration Procedure (Idle and Connected State) using N26 interface... ..	160
4.11.1.4	Procedures for EPS bearer ID allocation.....	164
4.11.1.4.1	EPS bearer ID allocation	164
4.11.1.4.2	EPS bearer ID transfer	167
4.11.1.4.3	EPS bearer ID revocation	168
4.11.1.5	Impacts to EPS Procedures	169
4.11.1.5.1	General	169
4.11.1.5.2	E-UTRAN Initial Attach	169
4.11.1.5.3	Tracking Area Update	170
4.11.1.5.4	Session Management	170
4.11.1.5.5	5GS to EPS handover using N26 interface	172
4.11.1.6	EPS interworking information storing Procedure	173
4.11.2	Interworking procedures without N26 interface	173
4.11.2.1	General	173
4.11.2.2	5GS to EPS Mobility.....	173
4.11.2.3	EPS to 5GS Mobility.....	176
4.11.2.4	Impacts to EPS Procedures	178
4.11.2.4.1	E-UTRAN Attach.....	178
4.11.2.4.2	Session Management	180
4.11.2.4.3	Initial Attach on S2b.....	180
4.11.3	Handover procedures between EPS and 5GC-N3IWF	181
4.11.3.1	Handover from EPS to 5GC-N3IWF	181
4.11.3.2	Handover from 5GC-N3IWF to EPS	181
4.11.4	Handover procedures between EPC/ePDG and 5GS	182
4.11.4.1	Handover from EPC/ePDG to 5GS	182
4.11.4.2	Handover from 5GS to EPC/ePDG.....	183
4.11.5	Impacts to 5GC Procedures	184

4.11.5.1	General	184
4.11.5.2	Registration procedure	184
4.11.5.3	UE Requested PDU Session Establishment procedure	184
4.11.5.4	UE or Network Requested PDU Session Modification procedure	185
4.11.5.5	Xn based inter NG-RAN handover	185
4.11.5.6	Inter NG-RAN node N2 based handover	185
4.12	Procedures for non-3GPP access	185
4.12.1	General	185
4.12.2	Registration via Untrusted non-3GPP Access	185
4.12.2.1	General	185
4.12.2.2	Registration procedure for untrusted non-3GPP access	186
4.12.2.3	Emergency Registration for untrusted non-3GPP Access	188
4.12.3	Deregistration procedure for untrusted non-3gpp access	189
4.12.4	N2 procedures via Untrusted non-3GPP Access	190
4.12.4.1	Service Request procedures via Untrusted non-3GPP Access	190
4.12.4.2	Procedure for the UE context release in the N3IWF	190
4.12.4.3	CN-initiated selective deactivation of UP connection of an existing PDU Session associated with Untrusted non-3GPP Access	192
4.12.5	UE Requested PDU Session Establishment via Untrusted non-3GPP Access	192
4.12.6	UE or Network Requested PDU Session Modification via Untrusted non-3GPP access	194
4.12.7	UE or network Requested PDU Session Release via Untrusted non-3GPP access	195
4.12.8	Mobility from a non-geographically selected AMF to a geographically selected AMF	197
4.13	Specific services	198
4.13.1	General	198
4.13.2	Application Triggering	198
4.13.2.1	General	198
4.13.2.2	The procedure of "Application Triggering" Service	199
4.13.3	SMS over NAS procedures	201
4.13.3.1	Registration procedures for SMS over NAS	201
4.13.3.2	Deregistration procedures for SMS over NAS	202
4.13.3.3	MO SMS over NAS in CM-IDLE (baseline)	203
4.13.3.4	Void	204
4.13.3.5	MO SMS over NAS in CM-CONNECTED	204
4.13.3.6	MT SMS over NAS in CM-IDLE state via 3GPP access	204
4.13.3.7	MT SMS over NAS in CM-CONNECTED state via 3GPP access	205
4.13.3.8	MT SMS over NAS via non-3GPP access	205
4.13.3.9	Unsuccessful Mobile terminating SMS delivery attempt	206
4.13.4	Emergency Services	206
4.13.4.1	General	206
4.13.4.2	Emergency Services Fallback	206
4.13.5	Location Services procedures	208
4.13.5.1	5GC-NI-LR Procedure	208
4.13.5.2	5GC-MT-LR Procedure without UDM Query	209
4.13.5.3	5GC-MT-LR Procedure	210
4.13.5.4	UE Assisted and UE Based Positioning Procedure	211
4.13.5.5	Network Assisted Positioning Procedure	212
4.13.5.6	Obtaining Non-UE Associated Network Assistance Data	213
4.13.5.7	Location continuity for Handover of an Emergency session from NG-RAN	213
4.13.6	Support of IMS Voice	215
4.13.6.1	EPS fallback for IMS voice	215
4.13.6.2	Inter RAT Fallback in 5GC for IMS voice	217
4.14	Support for Dual Connectivity	218
4.14.1	RAN Initiated QoS Flow Mobility	218
4.15	Network Exposure	220
4.15.1	General	220
4.15.2	External Exposure of Network Capabilities	221
4.15.3	Event Exposure using NEF	221
4.15.3.1	Monitoring Events	221
4.15.3.2	Information flows	223
4.15.3.2.1	AMF service operations information flow	223
4.15.3.2.2	UDM service operations information flow	223
4.15.3.2.3	NEF service operations information flow	225

4.15.3.2.4	Exposure with bulk subscription	227
4.15.4	Core Network Internal Event Exposure	228
4.15.4.1	General	228
4.15.4.2	Exposure of Mobility Events from AMF	228
4.15.5	Void	229
4.15.6	External Parameter Provisioning	229
4.15.6.1	General	229
4.15.6.2	NEF service operations information flow	229
4.15.6.3	Expected UE Behaviour parameters.....	230
4.15.6.4	Set a chargeable party at AF session setup.....	231
4.15.6.5	Change the chargeable party during the session.....	232
4.15.6.6	Setting up an AF session with required QoS procedure.....	233
4.16	Procedures and flows for Policy Framework	234
4.16.1	AM Policy Association Establishment	234
4.16.1.1	General	234
4.16.1.2	AM Policy Association Establishment with new Selected PCF.....	234
4.16.1.3	Void.....	235
4.16.2	AM Policy Association Modification	235
4.16.2.0	General	235
4.16.2.1	AM Policy Association Modification initiated by the AMF	235
4.16.2.1.1	AM Policy Association Modification initiated by the AMF without AMF relocation	235
4.16.2.1.2	AM Policy Association Modification with old PCF during AMF relocation	236
4.16.2.2	AM Policy Association Modification initiated by the PCF.....	237
4.16.3	AM Policy Association Termination	237
4.16.3.1	General	237
4.16.3.2	AMF-initiated AM Policy Association Termination.....	238
4.16.3.3	Void.....	238
4.16.4	SM Policy Association Establishment	239
4.16.5	SM Policy Association Modification	240
4.16.5.0	General	240
4.16.5.1	SMF initiated SM Policy Association Modification	240
4.16.5.2	PCF initiated SM Policy Association Modification	241
4.16.6	SM Policy Association Termination	242
4.16.7	Negotiations for future background data transfer	243
4.16.7.1	General	243
4.16.7.2	Procedures for future background data transfer	244
4.16.8	Procedures on interaction between PCF and CHF	245
4.16.8.1	General	245
4.16.8.2	Initial Spending Limit Retrieval.....	245
4.16.8.3	Intermediate Spending Limit Report Retrieval	246
4.16.8.4	Final Spending Limit Report Retrieval	246
4.16.8.5	Spending Limit Report.....	247
4.16.8.6	CHF report the removal of the subscriber	247
4.16.9	Update of the subscription information in the PCF	248
4.16.10	Void	249
4.16.11	UE Policy Association Establishment	249
4.16.12	UE Policy Association Modification	251
4.16.12.1	UE Policy Association Modification initiated by the AMF	251
4.16.12.1.1	UE Policy Association Modification initiated by the AMF without AMF relocation	251
4.16.12.1.2	UE Policy Association Modification with old PCF during AMF relocation.....	253
4.16.12.2	UE Policy Association Modification initiated by the PCF.....	254
4.16.13	UE Policy Association Termination	255
4.16.13.1	AMF-initiated UE Policy Association Termination.....	255
4.16.13.2	PCF-initiated UE Policy Association Termination	256
4.17	Network Function Service Framework Procedure	257
4.17.1	NF service Registration	257
4.17.2	NF service update	258
4.17.3	NF service deregistration	258
4.17.4	NF/NF service discovery in the same PLMN	259
4.17.5	NF/NF service discovery across PLMNs.....	260
4.17.6	SMF Provisioning of available UPFs using the NRF	260
4.17.6.1	General	260

4.17.6.2	SMF provisioning of UPF instances using NRF	261
4.17.7	NF/NF service status subscribe/notify in the same PLMN	262
4.17.8	NF/NF service status subscribe/notify across PLMNs.....	262
4.18	Procedures for Management of PFDs.....	263
4.18.1	General.....	263
4.18.2	PFD management via NEF (PFDF)	263
4.18.3	PFD management in the SMF.....	264
4.18.3.1	PFD Retrieval by the SMF.....	264
4.18.3.2	Management of PFDs in the SMF.....	264
4.19	Network Data Analytics	265
4.19.1	Network data analytics Subscribe/Unsubscribe.....	265
4.19.2	Network data analytics Request.....	265
4.20	UE Parameters Update via UDM Control Plane Procedure	266
4.20.1	General.....	266
4.20.2	UE Parameters Update via UDM Control Plane Procedure.....	267
4.20.3	Void.....	268
4.21	Secondary RAT Usage Data Reporting Procedure.....	268
5	Network Function Service procedures	269
5.1	Network Function Service framework procedures	269
5.1.1	Network Function Service Discovery	269
5.2	Network Function services	269
5.2.1	General.....	269
5.2.2	AMF Services	269
5.2.2.1	General	269
5.2.2.2	Namf_Communication service.....	270
5.2.2.2.1	General	270
5.2.2.2.2	Namf_Communication_UEContextTransfer service operation.....	270
5.2.2.2.3	Namf_Communication_RegistrationCompleteNotify service operation.....	274
5.2.2.2.4	Namf_Communication_N1MessageNotify service operation.....	275
5.2.2.2.5	Namf_Communication_N1MessageSubscribe service operation.....	275
5.2.2.2.6	Namf_Communication_N1MessageUnSubscribe service operation.....	275
5.2.2.2.7	Namf_Communication_N1N2MessageTransfer service operation.....	276
5.2.2.2.7A	Namf_Communication_N1N2TransferFailureNotification service operation.....	277
5.2.2.2.8	Namf_Communication_N2InfoSubscribe service operation.....	277
5.2.2.2.9	Namf_Communication_N2InfoUnsubscribe service operation.....	277
5.2.2.2.10	Namf_Communication_N2InfoNotify service operation	277
5.2.2.2.11	Namf_Communication_CreateUEContext service operation.....	278
5.2.2.2.12	Namf_Communication_ReleaseUEContext service operation.....	278
5.2.2.2.13	Namf_Communication_EBIAssignment service operation.....	278
5.2.2.2.14	Namf_Communication_AMFStatusChangeSubscribe service operation.....	279
5.2.2.2.15	Namf_Communication_AMFStatusChangeUnSubscribe service operation.....	279
5.2.2.2.16	Namf_Communication_AMFStatusChangeNotify service operation	279
5.2.2.3	Namf_EventExposure service	279
5.2.2.3.1	General	279
5.2.2.3.2	Namf_EventExposure_Subscribe service operation.....	280
5.2.2.3.3	Namf_EventExposure_UnSubscribe service operation	281
5.2.2.3.4	Namf_EventExposure_Notify service operation.....	281
5.2.2.4	Namf_MT service	282
5.2.2.4.1	General	282
5.2.2.4.2	Namf_MT_EnableUEReachability service operation	282
5.2.2.4.3	Namf_MT_ProvideDomainSelectionInfo	282
5.2.2.5	Namf_Location service	282
5.2.2.5.1	General	282
5.2.2.5.2	Namf_Location_ProvidePositioningInfo service operation.....	283
5.2.2.5.3	Namf_Location_EventNotify service operation.....	283
5.2.2.5.4	Namf_Location_ProvideLocationInfo service operation	283
5.2.3	UDM Services	283
5.2.3.1	General	283
5.2.3.2	Nudm_UECM (UECM) service.....	284
5.2.3.2.1	Nudm_UECM_Registration service operation.....	284
5.2.3.2.2	Nudm_UECM_DeregistrationNotification service operation	284

5.2.3.2.3	Nudm_UECM_Deregistration service operation.....	285
5.2.3.2.4	Nudm_UECM_Get service operation.....	285
5.2.3.2.5	Nudm_UECM_Update service operation.....	285
5.2.3.2.6	Nudm_UECM_PCscfRestoration service operation.....	286
5.2.3.3	Nudm_SubscriberDataManagement (SDM) Service	286
5.2.3.3.1	General	286
5.2.3.3.2	Nudm_SDM_Get service operation	291
5.2.3.3.3	Nudm_SDM_Notification service operation	291
5.2.3.3.4	Nudm_SDM_Subscribe service operation	292
5.2.3.3.5	Nudm_SDM_Unsubscribe service operation	292
5.2.3.3.6	Nudm_SDM_Info service operation.....	292
5.2.3.4	Nudm_UEAuthentication Service.....	293
5.2.3.4.1	General	293
5.2.3.4.2	Nudm_UEAuthentication_Get service operation	293
5.2.3.4.3	Nudm_UEAuthentication_ResultConfirmation service operation	293
5.2.3.5	Nudm_EventExposure service	293
5.2.3.5.1	General	293
5.2.3.5.2	Nudm_EventExposure_Subscribe service operation.....	293
5.2.3.5.3	Nudm_EventExposure_Unsubscribe service operation.....	293
5.2.3.5.4	Nudm_EventExposure_Notify service operation	294
5.2.3.6	Nudm_ParameterProvision service	294
5.2.3.6.1	General	294
5.2.3.6.2	Nudm_ParameterProvision_Update service operation	294
5.2.4	5G-EIR Services	294
5.2.4.1	General	294
5.2.4.2	N5g-eir_EquipmentIdentityCheck service.....	294
5.2.4.2.1	General	294
5.2.4.2.2	N5g-eir_EquipmentIdentityCheck_Get service operation.....	295
5.2.5	PCF Services.....	295
5.2.5.1	General	295
5.2.5.2	Npcf_AMPolicyControl service.....	295
5.2.5.2.1	General	295
5.2.5.2.2	Npcf_AMPolicyControl_Create service operation.....	296
5.2.5.2.3	Npcf_AMPolicyControl_UpdateNotify service operation	296
5.2.5.2.4	Npcf_AMPolicyControl_Delete service operation.....	297
5.2.5.2.5	Npcf_AMPolicyControl_Update service operation.....	297
5.2.5.3	Npcf_PolicyAuthorization Service	297
5.2.5.3.1	General	297
5.2.5.3.2	Npcf_PolicyAuthorization_Create service operation	297
5.2.5.3.3	Npcf_PolicyAuthorization_Update service operation	298
5.2.5.3.4	Npcf_PolicyAuthorization_Delete service operation	298
5.2.5.3.5	Npcf_PolicyAuthorization_Notify service operation	298
5.2.5.3.6	Npcf_PolicyAuthorization_Subscribe service operation.....	298
5.2.5.3.7	Npcf_PolicyAuthorization_Unsubscribe service operation.....	299
5.2.5.4	Npcf_SMPolicyControl service	299
5.2.5.4.1	General	299
5.2.5.4.2	Npcf_SMPolicyControl_Create service operation	300
5.2.5.4.3	Npcf_SMPolicyControl_UpdateNotify service operation.....	300
5.2.5.4.4	Npcf_SMPolicyControl_Delete service operation	300
5.2.5.4.5	Npcf_SMPolicyControl_Update service operation	300
5.2.5.5	Npcf_BDTPolicyControl Service	301
5.2.5.5.1	General	301
5.2.5.5.2	Npcf_BDTPolicyControl_Create service operation	301
5.2.5.5.3	Npcf_BDTPolicyControl_Update service operation.....	301
5.2.5.6	Npcf_UEPolicyControl Service	301
5.2.5.6.1	General	301
5.2.5.6.2	Npcf_UEPolicyControl_Create service operation.....	302
5.2.5.6.3	Npcf_UEPolicyControl_UpdateNotify service operation	302
5.2.5.6.4	Npcf_UEPolicyControl_Delete service operation.....	303
5.2.5.6.5	Npcf_UEPolicyControl_Update service operation.....	303
5.2.5.7	Npcf_EventExposure service	303
5.2.5.7.1	General	303

5.2.5.7.2	Npcf_EventExposure_Subscribe service operation.....	303
5.2.5.7.3	Npcf_EventExposure_Unsubscribe service operation.....	304
5.2.5.7.4	Npcf_EventExposure_Notify service operation	304
5.2.6	NEF Services	304
5.2.6.1	General	304
5.2.6.2	Nnef_EventExposure service	305
5.2.6.2.1	General	305
5.2.6.2.2	Nnef_EventExposure_Subscribe operation.....	305
5.2.6.2.3	Nnef_EventExposure_Unsubscribe service operation.....	305
5.2.6.2.4	Nnef_EventExposure_Notify service operation	306
5.2.6.3	Nnef_PFDManagement service	306
5.2.6.3.1	General	306
5.2.6.3.2	Nnef_PFDManagement_Fetch service operation.....	306
5.2.6.3.3	Nnef_PFDManagement_Subscribe service operation.....	306
5.2.6.3.4	Nnef_PFDManagement_Notify service operation	306
5.2.6.3.5	Nnef_PFDManagement_Unsubscribe service operation.....	307
5.2.6.3.6	Nnef_PFDManagement_Create service operation	307
5.2.6.3.7	Nnef_PFDManagement_Update service operation	307
5.2.6.3.8	Nnef_PFDManagement_Delete service operation	307
5.2.6.4	Nnef_ParameterProvision service	307
5.2.6.4.1	General	307
5.2.6.4.2	Nnef_ParameterProvision_Update service operation.....	307
5.2.6.5	Nnef_Trigger service	308
5.2.6.5.1	General	308
5.2.6.5.2	Nnef_Trigger_Delivery service operation.....	308
5.2.6.5.3	Nnef_Trigger_DeliveryNotify service operation.....	308
5.2.6.6	Nnef_BDTPNegotiation service	308
5.2.6.6.1	General	308
5.2.6.6.2	Nnef_BDTPNegotiation_Create service operation.....	308
5.2.6.6.3	Nnef_BDTPNegotiation_Update service operation.....	308
5.2.6.7	Nnef_TrafficInfluence service	309
5.2.6.7.1	General	309
5.2.6.7.2	Nnef_TrafficInfluence_Create operation.....	309
5.2.6.7.3	Nnef_TrafficInfluence_Update operation.....	309
5.2.6.7.4	Nnef_TrafficInfluence_Delete operation.....	309
5.2.6.7.5	Nnef_TrafficInfluence_Notify operation.....	310
5.2.6.8	Nnef_ChargeableParty service	310
5.2.6.8.1	General	310
5.2.6.8.2	Nnef_ChargeableParty_Create service operation.....	310
5.2.6.8.3	Nnef_ChargeableParty_Update service operation.....	310
5.2.6.8.4	Nnef_ChargeableParty_Notify service operation.....	310
5.2.6.9	Nnef_AFsessionWithQoS service.....	311
5.2.6.9.1	General	311
5.2.6.9.2	Nnef_AFsessionWithQoS_Create service operation.....	311
5.2.6.9.3	Nnef_AFsessionWithQoS_Notify service operation.....	311
5.2.7	NRF Services	311
5.2.7.1	General	311
5.2.7.2	Nnrf_NFManagement service	312
5.2.7.2.1	General	312
5.2.7.2.2	Nnrf_NFManagement_NFRegister service operation.....	312
5.2.7.2.3	Nnrf_NFManagement_NFUpdate service operation.....	313
5.2.7.2.4	Nnrf_NFManagement_NFDeregister service operation.....	313
5.2.7.2.5	Nnrf_NFManagement_NFStatusSubscribe service operation.....	313
5.2.7.2.6	Nnrf_NFManagement_NFStatusNotify service operation	314
5.2.7.2.7	Nnrf_NFManagement_NFStatusUnsubscribe service operation.....	314
5.2.7.3	Nnrf_NFDiscovery service	314
5.2.7.3.1	General	314
5.2.7.3.2	Nnrf_NFDiscovery_Request service operation.....	315
5.2.7.4	Nnrf_AccessToken_service	316
5.2.7.4.1	General	316
5.2.7.4.2	Nnrf_AccessToken_Get Service Operation.....	316
5.2.8	SMF Services.....	316

5.2.8.1	General	316
5.2.8.2	Nsmf_PDUSession Service	316
5.2.8.2.1	General	316
5.2.8.2.2	Nsmf_PDUSession_Create service operation	317
5.2.8.2.3	Nsmf_PDUSession_Update service operation	318
5.2.8.2.4	Nsmf_PDUSession_Release service operation	318
5.2.8.2.5	Nsmf_PDUSession_CreateSMContext service operation	318
5.2.8.2.6	Nsmf_PDUSession_UpdateSMContext service operation	319
5.2.8.2.7	Nsmf_PDUSession_ReleaseSMContext service operation	320
5.2.8.2.8	Nsmf_PDUSession_SMContextStatusNotify service operation	320
5.2.8.2.9	Nsmf_PDUSession_StatusNotify service operation	320
5.2.8.2.10	Nsmf_PDUSession_ContextRequest service operation	320
5.2.8.3	Nsmf_EventExposure Service	321
5.2.8.3.1	General	321
5.2.8.3.2	Nsmf_EventExposure_Notify service operation	321
5.2.8.3.3	Nsmf_EventExposure_Subscribe service operation	322
5.2.8.3.4	Nsmf_EventExposure_UnSubscribe service operation	322
5.2.9	SMSF Services	323
5.2.9.1	General	323
5.2.9.2	Nsmsf_SMSservice service	323
5.2.9.2.1	General	323
5.2.9.2.2	Nsmsf_SMSservice_Activate service operation	323
5.2.9.2.3	Nsmsf_SMSservice_Deactivate service operation	323
5.2.9.2.4	Nsmsf_SMSservice_UplinkSMS service operation	323
5.2.10	AUSF Services	324
5.2.10.1	General	324
5.2.10.2	Nausf_UEAuthentication service	324
5.2.10.2.1	General	324
5.2.10.2.2	Nausf_UEAuthentication_Authenticate service operation	324
5.2.10.2.3	Void	324
5.2.10.3	Nausf_SoRProtection service	324
5.2.10.3.1	General	324
5.2.10.3.2	Nausf_SoRProtection_Protect service operation	324
5.2.11	NWDAF Services	324
5.2.11.1	General	324
5.2.11.2	Nnwdaf_EventsSubscription Service	325
5.2.11.2.1	General	325
5.2.11.2.2	Nnwdaf_EventsSubscription_Subscribe service operation	325
5.2.11.2.3	Nnwdaf_EventsSubscription_Unsubscribe service operation	325
5.2.11.2.4	Nnwdaf_EventsSubscription_Notify service operation	326
5.2.11.3	Nnwdaf_Analytics_Info service	326
5.2.11.3.1	General	326
5.2.11.3.2	Nnwdaf_AnalyticsInfo_Request service operation	326
5.2.12	UDR Services	326
5.2.12.1	General	326
5.2.12.2	Nudr_DataManagement (DM) service	328
5.2.12.2.1	General	328
5.2.12.2.2	Nudr_DM_Query service operation	329
5.2.12.2.3	Nudr_DM_Create service operation	330
5.2.12.2.4	Nudr_DM_Delete service operation	330
5.2.12.2.5	Nudr_DM_Update service operation	330
5.2.12.2.6	Nudr_DM_Subscribe service operation	330
5.2.12.2.7	Nudr_DM_Unsubscribe service operation	331
5.2.12.2.8	Nudr_DM_Notify service operation	331
5.2.13	BSF Services	331
5.2.13.1	General	331
5.2.13.2	Nbsf_Management service	331
5.2.13.2.1	General	331
5.2.13.2.2	Nbsf_Management_Register service operation	332
5.2.13.2.3	Nbsf_Management_Deregister service operation	332
5.2.13.2.4	Nbsf_Management_Discovery service operation	332
5.2.14	UDSF Services	332

5.2.14.1	General	332
5.2.14.2	Nudsf_UnstructuredDataManagement service	333
5.2.14.2.1	General	333
5.2.14.2.2	Nudsf_UnstructuredDataManagement_Query service operation	333
5.2.14.2.3	Nudsf_UnstructuredDataManagement_Create service operation	333
5.2.14.2.4	Nudsf_UnstructuredDataManagement_Delete service operation	333
5.2.14.2.5	Nudsf_UnstructuredDataManagement_Update service operation	333
5.2.15	LMF Services	334
5.2.15.1	General	334
5.2.15.2	Nlmf_Location service	334
5.2.15.2.1	General	334
5.2.15.2.2	Nlmf_Location_DetermineLocation service operation	334
5.2.16	NSSF Services	334
5.2.16.1	General	334
5.2.16.2	Nnssf_NSSelection service	335
5.2.16.2.1	Nnssf_NSSelection_Get service operation	335
5.2.16.3	Nnssf_NSSAIAvailability service	336
5.2.16.3.1	General	336
5.2.16.3.2	Nnssf_NSSAIAvailability_Update service operation	336
5.2.16.3.3	Nnssf_NSSAIAvailability_Notify service operation	337
5.2.16.3.4	Nnssf_NSSAIAvailability_Subscribe service operation	337
5.2.16.3.5	Nnssf_NSSAIAvailability_Unsubscribe service operation	337
5.2.16.3.6	Nnssf_NSSAIAvailability_Delete service operation	337
5.2.17	CHF Spending Limit Control Service	338
5.2.17.1	General	338
5.2.17.2	Nchf_SpendingLimitControl service	338
5.2.17.2.1	General	338
5.2.17.2.2	Nchf_SpendingLimitControl Subscribe service operation	338
5.2.17.2.3	Nchf_SpendingLimitControl Unsubscribe service operation	338
5.2.17.2.4	Nchf_SpendingLimitControl Notify service operation	338
Annex A (informative):	Drafting rules and conventions for NF services	340
A.1	General	340
A.2	Naming	340
A.2.1	Service naming	340
A.2.2	Service operation naming	340
A.3	Representation in an information flow	341
A.4	Reference to services and service operations in procedures	342
A.5	Service and service operation description template	342
A.6	Design Guidelines for NF services	342
A.6.1	Self-Containment	342
A.6.2	Reusability	343
A.6.3	Use Independent Management Schemes	343
Annex B (informative):	Drafting Rules for Information flows	344
Annex C (informative):	Generating EPS PDN Connection parameters from 5G PDU Session parameters	345
Annex D (normative):	UE Presence in Area of Interest	346
D.1	Determination of UE presence in Area of Interest by AMF	346
D.2	Determination of UE presence in Area of Interest by NG-RAN	346
Annex D (informative):	Change history	348
History	361