



# SLOVENSKI STANDARD SIST EN ISO 2811-1:2016

01-julij-2016

Nadomešča:  
SIST EN ISO 2811-1:2011

---

**Barve in laki - Ugotavljanje gostote - 1. del: Metoda s piknometrom (ISO 2811-1:2016)**

Paints and varnishes - Determination of density - Part 1: Pycnometer method (ISO 2811-1:2016)

Beschichtungsstoffe - Bestimmung der Dichte - Teil 1: Pyknometer-Verfahren (ISO 2811-1:2016)

Peintures et vernis - Détermination de la masse volumique - Partie 1: Méthode pycnométrique (ISO 2811-1:2016)

ITh STANDARD PREVIEW  
(standards.iteh.ai)

**Ta slovenski standard je istoveten z: EN ISO 2811-1:2016**

---

**ICS:**

87.040

Barve in laki

Paints and varnishes

**SIST EN ISO 2811-1:2016**

**en,fr,de**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN ISO 2811-1:2016](#)

<https://standards.iteh.ai/catalog/standards/sist/c6999f83-7a3d-4d8f-be3f-e70913e3bd7/sist-en-iso-2811-1-2016>

EUROPEAN STANDARD

EN ISO 2811-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2016

ICS 87.040

Supersedes EN ISO 2811-1:2011

English Version

## Paints and varnishes - Determination of density - Part 1: Pycnometer method (ISO 2811-1:2016)

Peintures et vernis - Détermination de la masse  
volumique - Partie 1: Méthode pycnométrique (ISO  
2811-1:2016)

Beschichtungsstoffe - Bestimmung der Dichte - Teil 1:  
Pyknometer-Verfahren (ISO 2811-1:2016)

This European Standard was approved by CEN on 23 January 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

<b>Contents</b>	<b>Page</b>
<b>European foreword.....</b>	<b>3</b>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN ISO 2811-1:2016](https://standards.iteh.ai/catalog/standards/sist/c6999f83-7a3d-4d8f-be3f-e70913e3bd7/sist-en-iso-2811-1-2016)  
<https://standards.iteh.ai/catalog/standards/sist/c6999f83-7a3d-4d8f-be3f-e70913e3bd7/sist-en-iso-2811-1-2016>

## European foreword

This document (EN ISO 2811-1:2016) has been prepared by Technical Committee ISO/TC 35 "Paints and varnishes" in collaboration with Technical Committee CEN/TC 139 "Paints and varnishes" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2016, and conflicting national standards shall be withdrawn at the latest by September 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 2811:1:2011.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

[SIST EN ISO 2811-1:2016](https://standards.iteh.ai/catalog/standards/sist/6099f83-7a3d-4d8f-be3f-e70913e3bd7/sist-en-iso-2811-1-2016)

<https://standards.iteh.ai/catalog/standards/sist/6099f83-7a3d-4d8f-be3f-e70913e3bd7/sist-en-iso-2811-1-2016>

### Endorsement notice

The text of ISO 2811-1:2016 has been approved by CEN as EN ISO 2811-1:2016 without any modification.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN ISO 2811-1:2016](#)

<https://standards.iteh.ai/catalog/standards/sist/c6999f83-7a3d-4d8f-be3f-e70913e3bd7/sist-en-iso-2811-1-2016>

INTERNATIONAL  
STANDARD

ISO  
2811-1

Third edition  
2016-03-01

---

---

**Paints and varnishes —  
Determination of density —**

**Part 1:  
Pycnometer method**

*Peintures et vernis — Détermination de la masse volumique —*

*Partie 1: Méthode pycnométrique*  
**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN ISO 2811-1:2016

<https://standards.iteh.ai/catalog/standards/sist/c6999f83-7a3d-4d8f-be3f-e70f913e3bd7/sist-en-iso-2811-1-2016>



Reference number  
ISO 2811-1:2016(E)

© ISO 2016

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 2811-1:2016

<https://standards.iteh.ai/catalog/standards/sist/c6999f83-7a3d-4d8f-be3f-e70913e3bd7/sist-en-iso-2811-1-2016>



### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
copyright@iso.org  
www.iso.org



# Contents

	Page
Foreword .....	iv
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Principle</b> .....	<b>1</b>
<b>5 Temperature</b> .....	<b>1</b>
<b>6 Apparatus</b> .....	<b>2</b>
<b>7 Sampling</b> .....	<b>2</b>
<b>8 Procedure</b> .....	<b>2</b>
8.1 General .....	2
8.2 Determination .....	3
<b>9 Calculation</b> .....	<b>4</b>
<b>10 Precision</b> .....	<b>4</b>
10.1 Repeatability limit, <i>r</i> .....	4
10.2 Reproducibility limit, <i>R</i> .....	4
<b>11 Test report</b> .....	<b>4</b>
<b>Annex A</b> (informative) <b>Example of a calibration method</b> .....	<b>6</b>
<b>Annex B</b> (informative) <b>Temperature variation</b> .....	<b>8</b>
<b>Bibliography</b> .....	<b>10</b>

[SIST EN ISO 2811-1:2016](https://standards.iteh.ai/catalog/standards/sist/c6999f83-7a3d-4d8f-be3f-e70f913e3bd7/sist-en-iso-2811-1-2016)  
<https://standards.iteh.ai/catalog/standards/sist/c6999f83-7a3d-4d8f-be3f-e70f913e3bd7/sist-en-iso-2811-1-2016>

## ISO 2811-1:2016(E)

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 35, *Paints and varnishes*, Subcommittee SC 9, *General test methods for paints and varnishes*.

This third edition cancels and replaces the second edition (ISO 2811-1:2011), which has been technically revised with the following changes:

- a) the information on the accuracy of the analytical balance (6.2) and the thermometer (6.3) was changed;
- b) a requirement was added that the sample shall be free from air bubbles;
- c) the spelling of pycnometer was corrected.

ISO 2811 consists of the following parts, under the general title *Paints and varnishes — Determination of density*:

- Part 1: *Pycnometer method*
- Part 2: *Immersed body (plummet) method*
- Part 3: *Oscillation method*
- Part 4: *Pressure cup method*

# Paints and varnishes — Determination of density —

## Part 1: Pycnometer method

### 1 Scope

This part of ISO 2811 specifies a method for determining the density of paints, varnishes and related products using a metal or Gay-Lussac pycnometer.

The method is limited to materials of low or medium viscosity at the temperature of test. The Hubbard pycnometer (see ISO 3507) can be used for highly viscous materials.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1513, *Paints and varnishes — Examination and preparation of test samples*

ISO 3696, *Water for analytical laboratory use — Specification and test methods*

ISO 15528, *Paints, varnishes and raw materials for paints and varnishes — Sampling*

<https://standards.iteh.ai/catalog/standards/sist/c6999f83-7a3d-4d8f-be3f-e70913e3bd7/sist-en-iso-2811-1-2016>

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 3.1 density

$\rho$

mass divided by the volume of a portion of a material

Note 1 to entry: It is expressed in grams per cubic centimetre.

### 4 Principle

A pycnometer is filled with the product under test. The density is calculated from the mass of the product in the pycnometer and the known volume of the pycnometer.

### 5 Temperature

The effect of temperature on density is highly significant with respect to filling properties, and varies with the type of product.

For international reference purposes, it is essential to standardize one test temperature, and (23,0 ± 0,5) °C is specified in this part of ISO 2811. It can be more convenient, however, to carry out comparative testing at some other agreed temperature, for example (20,0 ± 0,5) °C, as specified by relevant weights and measures legislation (see [B.2](#)).