



Context Information Management (CIM); NGSI-LD API

iTeh STANDARD PREVIEW
(standard:eteh.ai)
Full standard: <https://standards.iteh.ai/catalog/standards/sist/209c698f-e3a4-4142-92a5-ded8f64c7617/etsi-gs-cim-009-v1.3.1-2020-08>

Disclaimer

The present document has been produced and approved by the cross-cutting Context Information Management (CIM) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG. It does not necessarily represent the views of the entire ETSI membership.

Reference

RGS/CIM-0009v131

Keywords

API, architecture, GAP, information model,
interoperability, smart city, WoT

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	14
Foreword.....	14
Modal verbs terminology.....	14
Executive summary	14
Introduction	15
1 Scope	16
2 References	16
2.1 Normative references	16
2.2 Informative references.....	18
3 Definition of terms, symbols and abbreviations.....	19
3.1 Terms.....	19
3.2 Symbols.....	21
3.3 Abbreviations	21
4 Context Information Management Framework.....	22
4.1 Introduction	22
4.2 NGSI-LD Information Model.....	22
4.2.1 Introduction.....	22
4.2.2 NGSI-LD Meta Model.....	23
4.2.3 Cross Domain Ontology	24
4.2.4 NGSI-LD domain-specific models and instantiation.....	24
4.2.5 UML representation.....	25
4.3 NGSI-LD Architectural considerations.....	26
4.3.1 Introduction.....	26
4.3.2 Centralized architecture.....	27
4.3.3 Distributed architecture.....	27
4.3.4 Federated architecture.....	28
4.4 Core NGSI-LD @context.....	29
4.5 NGSI-LD Data Representation.....	30
4.5.1 NGSI-LD Entity Representation.....	30
4.5.2 NGSI-LD Property Representation.....	31
4.5.3 NGSI-LD Relationship Representation	31
4.5.4 Simplified Representation.....	32
4.5.5 Multi-Attribute Support	32
4.5.6 Temporal Representation of an Entity	33
4.5.7 Temporal Representation of a Property	33
4.5.8 Temporal Representation of a Relationship.....	33
4.5.9 Simplified Temporal Representation of an Entity	33
4.5.10 Entity Type List Representation	34
4.5.11 Detailed Entity Type List Representation.....	34
4.5.12 Entity Type Information Representation.....	34
4.5.13 Attribute List Representation.....	34
4.5.14 Detailed Attribute List Representation	35
4.5.15 Attribute Information Representation	35
4.5.16 GeoJSON Representation of Entities.....	35
4.5.16.0 Foreword	35
4.5.16.1 Top-level "geometry" field selection algorithm	35
4.5.16.2 GeoJSON Representation of an individual Entity.....	36
4.5.16.3 GeoJSON Representation of Multiple Entities	36
4.5.17 Simplified GeoJSON Representation of Entities	36
4.5.17.0 Foreword	36
4.5.17.1 Simplified GeoJSON Representation of an individual Entity	37
4.5.17.2 Simplified GeoJSON Representation of multiple Entities	37
4.6 Data Representation Restrictions	37

4.6.1	Supported text encodings.....	37
4.6.2	Supported names.....	37
4.6.3	Supported data types for Values	38
4.6.4	Supported Entity Content.....	39
4.7	Geospatial Properties.....	39
4.7.1	GeoJSON Geometries.....	39
4.7.2	Representation of GeoJSON Geometries in JSON-LD	40
4.8	Temporal properties	40
4.9	NGSI-LD Query Language	40
4.10	NGSI-LD Geo-query language.....	45
4.11	NGSI-LD Temporal Query language	47
4.12	NGSI-LD Query pagination	48
4.13	Counting the Number of Results	48
4.14	Supporting Multiple Tenants	49
5	API Operation Definition	49
5.1	Introduction	49
5.2	Data Types.....	49
5.2.1	Introduction.....	49
5.2.2	Common members.....	50
5.2.3	@context.....	50
5.2.4	Entity	50
5.2.5	Property	51
5.2.6	Relationship	51
5.2.7	GeoProperty.....	51
5.2.8	EntityInfo.....	52
5.2.9	CsourceRegistration.....	52
5.2.10	RegistrationInfo	54
5.2.11	TimeInterval	54
5.2.12	Subscription	55
5.2.13	GeoQuery.....	56
5.2.14	NotificationParams	56
5.2.14.1	NotificationParams data type definition.....	56
5.2.14.2	Additional members	57
5.2.15	Endpoint.....	57
5.2.16	BatchOperationResult.....	58
5.2.17	BatchEntityError.....	58
5.2.18	UpdateResult.....	58
5.2.19	NotUpdatedDetails.....	59
5.2.20	EntityTemporal	59
5.2.21	TemporalQuery	59
5.2.22	KeyValuePair.....	59
5.2.23	Query	60
5.2.24	EntityTypeList	60
5.2.25	EntityType	60
5.2.26	EntityTypeInfo.....	61
5.2.27	AttributeList.....	61
5.2.28	Attribute	61
5.2.29	Feature	62
5.2.30	FeatureCollection.....	62
5.2.31	FeatureProperties	62
5.3	Notification data types.....	63
5.3.1	Notification	63
5.3.2	CsourceNotification	64
5.3.3	TriggerReasonEnumeration	64
5.4	NGSI-LD Fragments	64
5.5	Common behaviours.....	65
5.5.1	Introduction.....	65
5.5.2	Error types	65
5.5.3	Error response payload body	65
5.5.4	General NGSI-LD validation.....	66
5.5.5	Default @context assignment	66

5.5.6	Operation execution.....	66
5.5.7	Term to URI expansion or compaction.....	66
5.5.8	JSON-LD Merge Patch Behaviour	67
5.5.9	Pagination Behaviour.....	67
5.5.10	Multi-Tenant Behaviour	68
5.6	Context Information Provision	69
5.6.1	Create Entity	69
5.6.1.1	Description	69
5.6.1.2	Use case diagram	69
5.6.1.3	Input data	69
5.6.1.4	Behaviour	69
5.6.1.5	Output data	69
5.6.2	Update Entity Attributes	69
5.6.2.1	Description	69
5.6.2.2	Use case diagram	70
5.6.2.3	Input data	70
5.6.2.4	Behaviour	70
5.6.2.5	Output data	70
5.6.3	Append Entity Attributes	70
5.6.3.1	Description	70
5.6.3.2	Use case diagram	71
5.6.3.3	Input data	71
5.6.3.4	Behaviour	71
5.6.3.5	Output data	72
5.6.4	Partial Attribute update	72
5.6.4.1	Description	72
5.6.4.2	Use case diagram	72
5.6.4.3	Input data	72
5.6.4.4	Behaviour	73
5.6.4.5	Output data	73
5.6.5	Delete Entity Attribute	73
5.6.5.1	Description	73
5.6.5.2	Use case diagram	73
5.6.5.3	Input data	74
5.6.5.4	Behaviour	74
5.6.5.5	Output data	75
5.6.6	Delete Entity	75
5.6.6.1	Description	75
5.6.6.2	Use case diagram	75
5.6.6.3	Input data	75
5.6.6.4	Behaviour	75
5.6.6.5	Output data	75
5.6.7	Batch Entity Creation.....	75
5.6.7.1	Description	75
5.6.7.2	Use case diagram	76
5.6.7.3	Input data	76
5.6.7.4	Behaviour	76
5.6.7.5	Output data	76
5.6.8	Batch Entity Creation or Update (Upsert).....	77
5.6.8.1	Description	77
5.6.8.2	Use case diagram	77
5.6.8.3	Input data	77
5.6.8.4	Behaviour	77
5.6.8.5	Output data	78
5.6.9	Batch Entity Update.....	78
5.6.9.1	Description	78
5.6.9.2	Use case diagram	78
5.6.9.3	Input data	78
5.6.9.4	Behaviour	78
5.6.9.5	Output data	79
5.6.10	Batch Entity Delete.....	79
5.6.10.1	Description	79

5.6.10.2	Use case diagram	79
5.6.10.3	Input data	79
5.6.10.4	Behaviour	80
5.6.10.5	Output data	80
5.6.11	Create or Update Temporal Representation of an Entity	80
5.6.11.1	Description	80
5.6.11.2	Use case diagram	80
5.6.11.3	Input data	81
5.6.11.4	Behaviour	81
5.6.11.5	Output data	81
5.6.12	Add Attributes to Temporal Representation of an Entity	81
5.6.12.1	Description	81
5.6.12.2	Use case diagram	81
5.6.12.3	Input data	81
5.6.12.4	Behaviour	82
5.6.12.5	Output data	82
5.6.13	Delete Attribute from Temporal Representation of an Entity	82
5.6.13.1	Description	82
5.6.13.2	Use case diagram	82
5.6.13.3	Input data	82
5.6.13.4	Behaviour	83
5.6.13.5	Output data	83
5.6.14	Partial update Attribute instance in Temporal Representation of an Entity	83
5.6.14.1	Description	83
5.6.14.2	Use case diagram	83
5.6.14.3	Input data	84
5.6.14.4	Behaviour	84
5.6.14.5	Output data	85
5.6.15	Delete Attribute instance from Temporal Representation of an Entity	85
5.6.15.1	Description	85
5.6.15.2	Use case diagram	85
5.6.15.3	Input data	85
5.6.15.4	Behaviour	85
5.6.15.5	Output data	86
5.6.16	Delete Temporal Representation of an Entity	86
5.6.16.1	Description	86
5.6.16.2	Use case diagram	86
5.6.16.3	Input data	86
5.6.16.4	Behaviour	86
5.6.16.5	Output data	87
5.7	Context Information Consumption	87
5.7.1	Retrieve Entity	87
5.7.1.1	Description	87
5.7.1.2	Use case diagram	87
5.7.1.3	Input data	87
5.7.1.4	Behaviour	87
5.7.1.5	Output data	88
5.7.2	Query Entities	88
5.7.2.1	Description	88
5.7.2.2	Use case diagram	88
5.7.2.3	Input data	89
5.7.2.4	Behaviour	89
5.7.2.5	Output data	90
5.7.3	Retrieve temporal evolution of an Entity	90
5.7.3.1	Description	90
5.7.3.2	Use case diagram	90
5.7.3.3	Input data	91
5.7.3.4	Behaviour	91
5.7.3.5	Output data	91
5.7.4	Query temporal evolution of Entities	92
5.7.4.1	Description	92
5.7.4.2	Use case diagram	92

5.7.4.3	Input data	92
5.7.4.4	Behaviour	93
5.7.4.5	Output Data	94
5.7.5	Retrieve Available Entity Types	94
5.7.5.1	Description	94
5.7.5.2	Use case diagram	94
5.7.5.3	Input data	94
5.7.5.4	Behaviour	94
5.7.5.5	Output data	95
5.7.6	Retrieve Details of Available Entity Types	95
5.7.6.1	Description	95
5.7.6.2	Use case diagram	95
5.7.6.3	Input data	95
5.7.6.4	Behaviour	95
5.7.6.5	Output data	95
5.7.7	Retrieve Available Entity Type Information	96
5.7.7.1	Description	96
5.7.7.2	Use case diagram	96
5.7.7.3	Input data	96
5.7.7.4	Behaviour	96
5.7.7.5	Output data	96
5.7.8	Retrieve Available Attributes	96
5.7.8.1	Description	96
5.7.8.2	Use case diagram	97
5.7.8.3	Input data	97
5.7.8.4	Behaviour	97
5.7.8.5	Output data	97
5.7.9	Retrieve Details of Available Attributes	97
5.7.9.1	Description	97
5.7.9.2	Use case diagram	97
5.7.9.3	Input data	98
5.7.9.4	Behaviour	98
5.7.9.5	Output data	98
5.7.10	Retrieve Available Attribute Information	98
5.7.10.1	Description	98
5.7.10.2	Use case diagram	98
5.7.10.3	Input data	99
5.7.10.4	Behaviour	99
5.7.10.5	Output data	99
5.7.11	Architecture-related aspects of retrieval of entity types and attributes	99
5.8	Context Information Subscription	100
5.8.1	Create Subscription	100
5.8.1.1	Description	100
5.8.1.2	Use case diagram	100
5.8.1.3	Input data	100
5.8.1.4	Behaviour	100
5.8.1.5	Output data	101
5.8.2	Update Subscription	101
5.8.2.1	Description	101
5.8.2.2	Use case diagram	101
5.8.2.3	Input data	102
5.8.2.4	Behaviour	102
5.8.2.5	Output data	102
5.8.3	Retrieve Subscription	102
5.8.3.1	Description	102
5.8.3.2	Use case diagram	102
5.8.3.3	Input data	103
5.8.3.4	Behaviour	103
5.8.3.5	Output data	103
5.8.4	Query Subscriptions	103
5.8.4.1	Description	103
5.8.4.2	Use case diagram	103

5.8.4.3	Input data	104
5.8.4.4	Behaviour	104
5.8.4.5	Output data	104
5.8.5	Delete Subscription	104
5.8.5.1	Description	104
5.8.5.2	Use case diagram	104
5.8.5.3	Input data	105
5.8.5.4	Behaviour	105
5.8.5.5	Output data	105
5.8.6	Notification behaviour	105
5.9	Context Source Registration	106
5.9.1	Introduction	106
5.9.2	Register Context Source	106
5.9.2.1	Description	106
5.9.2.2	Use case diagram	106
5.9.2.3	Input data	107
5.9.2.4	Behaviour	107
5.9.2.5	Output data	107
5.9.3	Update Context Source Registration	107
5.9.3.1	Description	107
5.9.3.2	Use case diagram	108
5.9.3.3	Input data	108
5.9.3.4	Behaviour	108
5.9.3.5	Output data	108
5.9.4	Delete Context Source Registration	109
5.9.4.1	Description	109
5.9.4.2	Use case diagram	109
5.9.4.3	Input data	109
5.9.4.4	Behaviour	109
5.9.4.5	Output data	109
5.10	Context Source Discovery	109
5.10.1	Retrieve Context Source Registration	109
5.10.1.1	Description	109
5.10.1.2	Use case diagram	110
5.10.1.3	Input data	110
5.10.1.4	Behaviour	110
5.10.1.5	Output data	110
5.10.2	Query context source registrations	110
5.10.2.1	Description	110
5.10.2.2	Use case diagram	111
5.10.2.3	Input data	111
5.10.2.4	Behaviour	111
5.10.2.5	Output data	112
5.11	Context Source Registration Subscription	112
5.11.1	Introduction	112
5.11.2	Create Context Source Registration Subscription	113
5.11.2.1	Description	113
5.11.2.2	Use case diagram	113
5.11.2.3	Input data	113
5.11.2.4	Behaviour	113
5.11.2.5	Output data	114
5.11.3	Update Context Source Registration Subscription	114
5.11.3.1	Description	114
5.11.3.2	Use case diagram	114
5.11.3.3	Input data	115
5.11.3.4	Behaviour	115
5.11.3.5	Output data	115
5.11.4	Retrieve Context Source Registration Subscription	115
5.11.4.1	Description	115
5.11.4.2	Use case diagram	115
5.11.4.3	Input data	115
5.11.4.4	Behaviour	116

5.11.4.5	Output data	116
5.11.5	Query Context Source Registration Subscriptions	116
5.11.5.1	Description	116
5.11.5.2	Use case diagram	116
5.11.5.3	Input data	116
5.11.5.4	Behaviour	116
5.11.5.5	Output data	117
5.11.6	Delete Context Source Registration Subscriptions	117
5.11.6.1	Description	117
5.11.6.2	Use case diagram	117
5.11.6.3	Input data	117
5.11.6.4	Behaviour	117
5.11.6.5	Output data	117
5.11.7	Notification behaviour	118
5.12	Matching Context Source Registrations	118
6	API HTTP binding	119
6.1	Introduction	119
6.2	Global definitions and resource structure	119
6.3	Common behaviours	123
6.3.1	Introduction	123
6.3.2	Error types	123
6.3.3	Reporting errors	123
6.3.4	HTTP request preconditions	123
6.3.5	JSON-LD @context resolution	124
6.3.6	HTTP response common requirements	125
6.3.7	Simplified representation of entities	125
6.3.8	Notification behaviour	126
6.3.9	Csource Notification behaviour	126
6.3.10	Pagination behaviour	126
6.3.11	Including system-generated attributes	127
6.3.12	Simplified temporal representation of entities	127
6.3.13	Counting number of results	127
6.3.14	Tenant specification	128
6.3.15	GeoJSON representation of spatially bound entities	128
6.4	Resource: entities/	128
6.4.1	Description	128
6.4.2	Resource definition	128
6.4.3	Resource methods	129
6.4.3.1	POST	129
6.4.3.2	GET	129
6.5	Resource: entities/{entityId}	131
6.5.1	Description	131
6.5.2	Resource definition	131
6.5.3	Resource methods	131
6.5.3.1	GET	131
6.5.3.2	DELETE	132
6.6	Resource: entities/{entityId}/attrs/	133
6.6.1	Description	133
6.6.2	Resource definition	133
6.6.3	Resource methods	133
6.6.3.1	POST	133
6.6.3.2	PATCH	134
6.7	Resource: entities/{entityId}/attrs/{attrId}	135
6.7.1	Description	135
6.7.2	Resource definition	135
6.7.3	Resource methods	135
6.7.3.1	PATCH	135
6.7.3.2	DELETE	136
6.8	Resource: csourceRegistrations/	137
6.8.1	Description	137
6.8.2	Resource definition	137

6.8.3	Resource methods.....	137
6.8.3.1	POST.....	137
6.8.3.2	GET.....	138
6.9	Resource: csourceRegistrations/{registrationId}	139
6.9.1	Description.....	139
6.9.2	Resource definition.....	140
6.9.3	Resource methods.....	140
6.9.3.1	GET.....	140
6.9.3.2	PATCH	141
6.9.3.3	DELETE	141
6.10	Resource: subscriptions/.....	142
6.10.1	Description.....	142
6.10.2	Resource definition.....	142
6.10.3	Resource methods.....	142
6.10.3.1	POST.....	142
6.10.3.2	GET.....	143
6.11	Resource: subscriptions/{subscriptionId}	144
6.11.1	Description.....	144
6.11.2	Resource definition.....	144
6.11.3	Resource methods.....	144
6.11.3.1	GET.....	144
6.11.3.2	PATCH	145
6.11.3.3	DELETE	145
6.12	Resource: csourceSubscriptions/.....	146
6.12.1	Description.....	146
6.12.2	Resource definition.....	146
6.12.3	Resource methods.....	146
6.12.3.1	POST.....	146
6.12.3.2	GET.....	147
6.13	Resource: csourceSubscriptions/{subscriptionId}.....	148
6.13.1	Description.....	148
6.13.2	Resource definition.....	148
6.13.3	Resource methods.....	148
6.13.3.1	GET.....	148
6.13.3.2	PATCH	149
6.13.3.3	DELETE	150
6.14	Resource: entityOperations/create.....	150
6.14.1	Description.....	150
6.14.2	Resource definition.....	151
6.14.3	Resource methods.....	151
6.14.3.1	POST.....	151
6.15	Resource: entityOperations/upsert.....	152
6.15.1	Description.....	152
6.15.2	Resource definition.....	152
6.15.3	Resource methods.....	152
6.15.3.1	POST.....	152
6.16	Resource: entityOperations/update.....	153
6.16.1	Description.....	153
6.16.2	Resource definition.....	153
6.16.3	Resource methods.....	153
6.16.3.1	POST.....	153
6.17	Resource: entityOperations/delete.....	154
6.17.1	Description.....	154
6.17.2	Resource definition.....	154
6.17.3	Resource methods.....	155
6.17.3.1	POST.....	155
6.18	Resource: temporal/entities/.....	155
6.18.1	Description.....	155
6.18.2	Resource definition.....	156
6.18.3	Resource methods.....	156
6.18.3.1	POST.....	156
6.18.3.2	GET.....	157

6.19	Resource: temporal/entities/{entityId}	159
6.19.1	Description.....	159
6.19.2	Resource definition	159
6.19.3	Resource methods	159
6.19.3.1	GET.....	159
6.19.3.2	DELETE	160
6.20	Resource: temporal/entities/{entityId}/attrs/	161
6.20.1	Description.....	161
6.20.2	Resource definition	161
6.20.3	Resource methods	161
6.20.3.1	POST.....	161
6.21	Resource: temporal/entities/{entityId}/attrs/{attrId}.....	162
6.21.1	Description.....	162
6.21.2	Resource definition	162
6.21.3	Resource methods	162
6.21.3.1	DELETE	162
6.22	Resource: temporal/entities/{entityId}/attrs/{attrId}/ {instanceId}	163
6.22.1	Description.....	163
6.22.2	Resource definition	163
6.22.3	Resource methods	164
6.22.3.1	PATCH	164
6.22.3.2	DELETE	164
6.23	Resource: entityOperations/query	165
6.23.1	Description.....	165
6.23.2	Resource definition	165
6.23.3	Resource methods	165
6.23.3.1	POST.....	165
6.24	Resource: temporal/entityOperations/query	166
6.24.1	Description.....	166
6.24.2	Resource definition	166
6.24.3	Resource methods	166
6.24.3.1	POST.....	166
6.25	Resource: types/	167
6.25.1	Description.....	167
6.25.2	Resource definition	167
6.25.3	Resource methods	167
6.25.3.1	GET.....	167
6.26	Resource: types/{type}	168
6.26.1	Description.....	168
6.26.2	Resource definition	169
6.26.3	Resource methods	169
6.26.3.1	GET.....	169
6.27	Resource: attributes/	170
6.27.1	Description.....	170
6.27.2	Resource definition	170
6.27.3	Resource methods	170
6.27.3.1	GET.....	170
6.28	Resource: attributes/{attrId}	171
6.28.1	Description.....	171
6.28.2	Resource definition	171
6.28.3	Resource methods	171
6.28.3.1	GET.....	171
7	API MQTT notification binding.....	172
7.1	Introduction	172
7.2	Notification behaviour.....	172
Annex A (normative):	NGSI-LD identifier considerations	174
A.1	Introduction	174
A.2	Entity identifiers	174

A.3	NGSI-LD namespace	174
Annex B (normative):	Core NGSI-LD @context definition.....	175
Annex C (informative):	Examples of using the API	178
C.1	Introduction	178
C.2	Entity Representation	178
C.2.1	Property Graph	178
C.2.2	Vehicle Entity.....	179
C.2.3	Parking Entity.....	180
C.2.4	@context	183
C.3	Context Source Registration.....	184
C.4	Context Subscription	185
C.5	HTTP REST API Examples	185
C.5.1	Introduction	185
C.5.2	Create Entity of Type Vehicle	186
C.5.2.1	HTTP Request	186
C.5.2.2	HTTP Response	186
C.5.3	Query Entities.....	186
C.5.3.1	Introduction.....	186
C.5.3.2	HTTP Request	186
C.5.3.3	HTTP Response	186
C.5.4	Query Entities (Pagination)	186
C.5.4.1	Introduction.....	186
C.5.4.2	HTTP Request	187
C.5.4.3	HTTP Response	187
C.5.5	Temporal Query	187
C.5.5.1	Introduction.....	187
C.5.5.2	HTTP Request	187
C.5.5.3	HTTP Response	187
C.5.6	Temporal Query (Simplified Representation)	188
C.5.6.1	Introduction.....	188
C.5.6.2	HTTP Request	188
C.5.6.3	HTTP Response	188
C.5.7	Retrieve Available Entity Types	189
C.5.7.1	Introduction.....	189
C.5.7.2	HTTP Request	189
C.5.7.3	HTTP Response	189
C.5.8	Retrieve Details of Available Entity Types	189
C.5.8.1	Introduction.....	189
C.5.8.2	HTTP Request	189
C.5.8.3	HTTP Response	190
C.5.9	Retrieve Available Entity Type Information	190
C.5.9.1	Introduction.....	190
C.5.9.2	HTTP Request	190
C.5.9.3	HTTP Response	190
C.5.10	Retrieve Available Attributes	191
C.5.10.1	Introduction.....	191
C.5.10.2	HTTP Request	191
C.5.10.3	HTTP Response	191
C.5.11	Retrieve Details of Available Attributes	192
C.5.11.1	Introduction.....	192
C.5.11.2	HTTP Request	192
C.5.11.3	HTTP Response	192
C.5.12	Retrieve Available Attribute Information.....	193
C.5.12.1	Introduction.....	193
C.5.12.2	HTTP Request	193
C.5.12.3	HTTP Response	193

C.6	Date Representation	193
C.7	@context utilization clarifications	194
C.8	Link header utilization clarifications.....	196
C.9	@context processing clarifications.....	197
Annex D (informative):	Transformation Algorithms.....	199
D.1	Introduction	199
D.2	Algorithm for transforming an NGSI-LD Entity into a JSON-LD document (ALG1).....	199
D.3	Algorithm for transforming an NGSI-LD Property into JSON-LD (ALG1.1)	200
D.4	Algorithm for transforming an NGSI-LD Relationship into JSON-LD (ALG1.2).....	201
Annex E (informative):	RDF-compatible specification of NGSI-LD meta-model.....	202
Annex F (informative):	Conventions and syntax guidelines.....	203
Annex G (informative):	Change history	204
History		205

iTeh STANDARD PREVIEW
 (standards.iteh.ai)
 Full standard:
<https://standards.iteh.ai/catalog/standards/sist/209c698f-e3a4-4142-92a5-ded8f64c7617/etsi-gs-cim-009-v1.3.1-2020-08>