

ETSI GS NFV-SOL 005 v2.8.1 (2020-09)



Network Functions Virtualisation (NFV) Release 2; Protocols and Data Models; RESTful protocols specification for the Os-Ma-nfvo Reference Point

iTeh 5G MANO Review
Full standard
47d8-aaad-7e1907080565/etsi-gs-nfv-sol-005-v2.8.1-2020-09

Disclaimer

The present document has been produced and approved by the Network Functions Virtualisation (NFV) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG.
It does not necessarily represent the views of the entire ETSI membership.

Reference
RGS/NFV-SOL005ed281
Keywords
API, NFV, protocol

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and
of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	18
Foreword.....	18
Modal verbs terminology.....	18
1 Scope	19
2 References	19
2.1 Normative references	19
2.2 Informative references.....	20
3 Definition of terms, symbols and abbreviations.....	21
3.1 Terms.....	21
3.2 Symbols.....	21
3.3 Abbreviations	21
4 General Aspects.....	22
4.1 Overview	22
4.2 Void.....	23
4.3 Void.....	23
4.4 Common data types	23
4.4.1 Structured data types.....	23
4.4.1.1 Introduction.....	23
4.4.1.2 Void.....	23
4.4.1.3 Void.....	23
4.4.1.3a Void.....	23
4.4.1.4 Void.....	23
4.4.1.5 Type: NsInstanceSubscriptionFilter.....	23
4.4.1.6 Type: ResourceHandle	24
4.4.1.7 Void.....	24
4.4.2 Simple data types and enumerations.....	25
4.4.2.1 Introduction.....	25
4.4.2.2 Simple data types	25
4.4.2.3 Enumerations	25
4.5 Void.....	25
4.6 Void.....	25
4.7 Void.....	25
5 NSD Management interface	25
5.1 Description	25
5.1a API version.....	26
5.2 Resource structure and methods	26
5.3 Sequence diagrams (informative).....	28
5.3.1 Flow of the creation of an individual NS descriptor resource.....	28
5.3.2 Flow of the uploading of NSD archive content	29
5.3.3 Flow of the fetching of an onboarded NSD archive	30
5.3.4 Flow of the update of an individual NS descriptor resource.....	31
5.3.5 Flow of the deletion of an individual NS descriptor resource.....	32
5.3.6 Flow of the querying/reading of NS descriptor information.....	33
5.3.6a Flow of reading the NSD	34
5.3.6b Flow of fetching the manifest file of an onboarded NSD archive.....	34
5.3.7 Flow of the creation of an individual PNF descriptor resource	35
5.3.8 Flow of the uploading of PNFD archive	35
5.3.9 Flow of the fetching of an onboarded PNFD archive	36
5.3.10 Flow of the deletion of an individual PNF descriptor resource	37
5.3.11 Flow of the querying/reading of PNF descriptor information.....	37
5.3.11a Flow of reading the PNFD	39
5.3.11b Flow of fetching the manifest file of an onboarded PNFD archive	39
5.3.12 Flow of managing subscriptions	39
5.3.13 Flow of sending notifications.....	41

5.4	Resources	42
5.4.1	Introduction.....	42
5.4.1a	Resource: API versions.....	42
5.4.2	Resource: NS Descriptors.....	42
5.4.2.1	Description	42
5.4.2.2	Resource definition	42
5.4.2.3	Resource methods	43
5.4.2.3.1	POST	43
5.4.2.3.2	GET	43
5.4.2.3.3	PUT	44
5.4.2.3.4	PATCH.....	45
5.4.2.3.5	DELETE.....	45
5.4.3	Resource: Individual NS Descriptor	45
5.4.3.1	Description	45
5.4.3.2	Resource definition	45
5.4.3.3	Resource methods	45
5.4.3.3.1	POST	45
5.4.3.3.2	GET	45
5.4.3.3.3	PUT	46
5.4.3.3.4	PATCH.....	46
5.4.3.3.5	DELETE.....	47
5.4.4	Resource: NSD archive content	48
5.4.4.1	Description	48
5.4.4.2	Resource definition	48
5.4.4.3	Resource methods	49
5.4.4.3.1	POST	49
5.4.4.3.2	GET	49
5.4.4.3.3	PUT	50
5.4.4.3.4	PATCH.....	51
5.4.4.3.5	DELETE.....	51
5.4.4a	Resource: NSD	51
5.4.4a.1	Description	51
5.4.4a.2	Resource definition	52
5.4.4a.3	Resource methods	52
5.4.4a.3.1	POST	52
5.4.4a.3.2	GET	52
5.4.4a.3.3	PUT	54
5.4.4a.3.4	PATCH.....	54
5.4.4a.3.5	DELETE.....	54
5.4.4b	Resource: NSD archive manifest	54
5.4.4b.1	Description	54
5.4.4b.2	Resource definition	54
5.4.4b.3	Resource methods	54
5.4.4b.3.1	POST	54
5.4.4b.3.2	GET	54
5.4.4b.3.3	PUT	56
5.4.4b.3.4	PATCH.....	56
5.4.4b.3.5	DELETE.....	56
5.4.5	Resource: PNF Descriptors.....	56
5.4.5.1	Description	56
5.4.5.2	Resource definition	56
5.4.5.3	Resource methods	56
5.4.5.3.1	POST	56
5.4.5.3.2	GET	57
5.4.5.3.3	PUT	58
5.4.5.3.4	PATCH.....	58
5.4.5.3.5	DELETE.....	58
5.4.6	Resource: Individual PNF Descriptor	59
5.4.6.1	Description	59
5.4.6.2	Resource definition	59
5.4.6.3	Resource methods	59
5.4.6.3.1	POST	59

5.4.6.3.2	GET	59
5.4.6.3.3	PUT	60
5.4.6.3.4	PATCH.....	60
5.4.6.3.5	DELETE.....	60
5.4.7	Resource: PNFD archive content.....	61
5.4.7.1	Description	61
5.4.7.2	Resource definition	61
5.4.7.3	Resource methods	62
5.4.7.3.1	POST	62
5.4.7.3.2	GET	62
5.4.7.3.3	PUT	63
5.4.7.3.4	PATCH.....	64
5.4.7.3.5	DELETE.....	64
5.4.7a	Resource: PNFD	64
5.4.7a.1	Description	64
5.4.7a.2	Resource definition	65
5.4.7a.3	Resource methods	65
5.4.7a.3.1	POST	65
5.4.7a.3.2	GET	65
5.4.7a.3.3	PUT	66
5.4.7a.3.4	PATCH.....	67
5.4.7a.3.5	DELETE.....	67
5.4.7b	Resource: PNFD archive manifest.....	67
5.4.7b.1	Description	67
5.4.7b.2	Resource definition	67
5.4.7b.3	Resource methods	67
5.4.7b.3.1	POST	67
5.4.7b.3.2	GET	67
5.4.7b.3.3	PUT	69
5.4.7b.3.4	PATCH.....	69
5.4.7b.3.5	DELETE.....	69
5.4.8	Resource: Subscriptions.....	69
5.4.8.1	Description	69
5.4.8.2	Resource definition	69
5.4.8.3	Resource methods	69
5.4.8.3.1	POST	69
5.4.8.3.2	GET	70
5.4.8.3.3	PUT	71
5.4.8.3.4	PATCH.....	72
5.4.8.3.5	DELETE.....	72
5.4.9	Resource: Individual subscription.....	72
5.4.9.1	Description	72
5.4.9.2	Resource definition	72
5.4.9.3	Resource methods	72
5.4.9.3.1	POST	72
5.4.9.3.2	GET	72
5.4.9.3.3	PUT	73
5.4.9.3.4	PATCH.....	73
5.4.9.3.5	DELETE.....	73
5.4.10	Resource: Notification endpoint	73
5.4.10.1	Description	73
5.4.10.2	Resource definition	74
5.4.10.3	Resource methods	74
5.4.10.3.1	POST	74
5.4.10.3.2	GET	74
5.4.10.3.3	PUT	75
5.4.10.3.4	PATCH.....	75
5.4.10.3.5	DELETE.....	75
5.5	Data model	75
5.5.1	Introduction.....	75
5.5.2	Resource and notification data types	75
5.5.2.1	Type: NsdInfoModifications	75

5.5.2.2	Type: NsdInfo	76
5.5.2.3	Type: CreateNsdInfoRequest	77
5.5.2.4	Type: PnfdInfoModifications	77
5.5.2.5	Type: PnfdInfo	78
5.5.2.6	Type: CreatePnfdInfoRequest	79
5.5.2.7	Type: NsdmSubscriptionRequest	79
5.5.2.8	Type: NsdmSubscription	79
5.5.2.9	Type: NsdOnboardingNotification	79
5.5.2.10	Type: NsdOnboardingFailureNotification	80
5.5.2.11	Type: NsdChangeNotification	80
5.5.2.12	Type: NsdDeletionNotification	81
5.5.2.13	Type: PnfdOnboardingNotification	81
5.5.2.14	Type: PnfdOnboardingFailureNotification	82
5.5.2.15	Type: PnfdDeletionNotification	82
5.5.3	Referenced structured data types	83
5.5.3.1	Introduction	83
5.5.3.2	Type: NsdmNotificationsFilter	83
5.5.3.3	Type: NsdmLinks	84
5.5.3.4	Type: PnfdmLinks	85
5.5.3.5	Type: NsdArchiveArtifactInfo	85
5.5.3.6	Type: PnfdArchiveArtifactInfo	85
5.5.4	Referenced simple data types and enumerations	86
5.5.4.1	Introduction	86
5.5.4.2	Simple data types	86
5.5.4.3	Enumeration: NsdOperationalStateType	86
5.5.4.4	Enumeration: NsdUsageStateType	86
5.5.4.5	Enumeration: NsdOnboardingStateType	86
5.5.4.6	Enumeration: PnfdOnboardingStateType	86
5.5.4.7	Enumeration: PnfdUsageStateType	87
6	NS Lifecycle Management interface	87
6.1	Description	87
6.1a	API version	88
6.2	Resource structure and methods	88
6.3	Sequence diagrams (informative)	90
6.3.1	Flow of the creation of an NS instance resource	90
6.3.2	Flow of the deletion of an NS instance resource	90
6.3.3	Flow of NS lifecycle management operations triggered by task resources	91
6.3.4	Flow of the get operations status operation	93
6.3.5	Flow of managing subscriptions	94
6.3.6	Flow of sending notifications	95
6.3.7	Flow of retrying an NS lifecycle management operation	96
6.3.8	Flow of rolling back an NS lifecycle management operation	97
6.3.9	Flow of continuing an NS lifecycle management operation	99
6.3.10	Flow of failing an NS lifecycle management operation	100
6.3.11	Flow of cancelling an NS lifecycle management operation	101
6.4	Resources	102
6.4.1	Introduction	102
6.4.1.1	Overview	102
6.4.1.2	Task resources that trigger NS LCM operations	102
6.4.1a	Resource: API versions	103
6.4.2	Resource: NS Instances	103
6.4.2.1	Description	103
6.4.2.2	Resource definition	103
6.4.2.3	Resource methods	104
6.4.2.3.1	POST	104
6.4.2.3.2	GET	104
6.4.2.3.3	PUT	106
6.4.2.3.4	PATCH	106
6.4.2.3.5	DELETE	107
6.4.3	Resource: Individual NS Instance	107
6.4.3.1	Description	107

6.4.3.2	Resource definition	107
6.4.3.3	Resource methods	107
6.4.3.3.1	POST	107
6.4.3.3.2	GET	107
6.4.3.3.3	PUT	108
6.4.3.3.4	PATCH.....	108
6.4.3.3.5	DELETE.....	108
6.4.4	Resource: Instantiate NS task	109
6.4.4.1	Description.....	109
6.4.4.2	Resource definition	109
6.4.4.3	Resource methods	109
6.4.4.3.1	POST	109
6.4.4.3.2	GET	110
6.4.4.3.3	PUT	110
6.4.4.3.4	PATCH.....	110
6.4.4.3.5	DELETE.....	110
6.4.5	Resource: Scale NS task	111
6.4.5.1	Description.....	111
6.4.5.2	Resource definition	111
6.4.5.3	Resource methods	111
6.4.5.3.1	POST	111
6.4.5.3.2	GET	112
6.4.5.3.3	PUT	112
6.4.5.3.4	PATCH.....	112
6.4.5.3.5	DELETE.....	112
6.4.6	Resource: Update NS task	113
6.4.6.1	Description	113
6.4.6.2	Resource definition	113
6.4.6.3	Resource methods	113
6.4.6.3.1	POST	113
6.4.6.3.2	GET	114
6.4.6.3.3	PUT	114
6.4.6.3.4	PATCH.....	114
6.4.6.3.5	DELETE.....	114
6.4.7	Resource: Heal NS task	114
6.4.7.1	Description	114
6.4.7.2	Resource definition	115
6.4.7.3	Resource methods	115
6.4.7.3.1	POST	115
6.4.7.3.2	GET	116
6.4.7.3.3	PUT	116
6.4.7.3.4	PATCH.....	116
6.4.7.3.5	DELETE.....	116
6.4.8	Resource: Terminate NS task.....	116
6.4.8.1	Description	116
6.4.8.2	Resource definition	116
6.4.8.3	Resource methods	116
6.4.8.3.1	POST	116
6.4.8.3.2	GET	117
6.4.8.3.3	PUT	117
6.4.8.3.4	PATCH.....	117
6.4.8.3.5	DELETE.....	117
6.4.9	Resource: NS LCM operation occurrences.....	118
6.4.9.1	Description	118
6.4.9.2	Resource definition	118
6.4.9.3	Resource methods	118
6.4.9.3.1	POST	118
6.4.9.3.2	GET	118
6.4.9.3.3	PUT	119
6.4.9.3.4	PATCH.....	120
6.4.9.3.5	DELETE.....	120
6.4.10	Resource: Individual NS LCM operation occurrence	120

6.4.10.1	Description	120
6.4.10.2	Resource definition	120
6.4.10.3	Resource methods	120
6.4.10.3.1	POST	120
6.4.10.3.2	GET	120
6.4.10.3.3	PUT	121
6.4.10.3.4	PATCH	121
6.4.10.3.5	DELETE	121
6.4.11	Resource: Retry operation task	121
6.4.11.1	Description	121
6.4.11.2	Resource definition	121
6.4.11.3	Resource methods	122
6.4.11.3.1	POST	122
6.4.11.3.2	GET	123
6.4.11.3.3	PUT	123
6.4.11.3.4	PATCH	123
6.4.11.3.5	DELETE	123
6.4.12	Resource: Rollback operation task	123
6.4.12.1	Description	123
6.4.12.2	Resource definition	123
6.4.12.3	Resource methods	123
6.4.12.3.1	POST	123
6.4.12.3.2	GET	124
6.4.12.3.3	PUT	124
6.4.12.3.4	PATCH	125
6.4.12.3.5	DELETE	125
6.4.13	Resource: Continue operation task	125
6.4.13.1	Description	125
6.4.13.2	Resource definition	125
6.4.13.3	Resource methods	125
6.4.13.3.1	POST	125
6.4.13.3.2	GET	126
6.4.13.3.3	PUT	126
6.4.13.3.4	PATCH	126
6.4.13.3.5	DELETE	127
6.4.14	Resource: Fail operation task	127
6.4.14.1	Description	127
6.4.14.2	Resource definition	127
6.4.14.3	Resource methods	127
6.4.14.3.1	POST	127
6.4.14.3.2	GET	128
6.4.14.3.3	PUT	128
6.4.14.3.4	PATCH	128
6.4.14.3.5	DELETE	129
6.4.15	Resource: Cancel operation task	129
6.4.15.1	Description	129
6.4.15.2	Resource definition	129
6.4.15.3	Resource methods	129
6.4.15.3.1	POST	129
6.4.15.3.2	GET	130
6.4.15.3.3	PUT	130
6.4.15.3.4	PATCH	131
6.4.15.3.5	DELETE	131
6.4.16	Resource: Subscriptions	131
6.4.16.1	Description	131
6.4.16.2	Resource definition	131
6.4.16.3	Resource methods	131
6.4.16.3.1	POST	131
6.4.16.3.2	GET	132
6.4.16.3.3	PUT	133
6.4.16.3.4	PATCH	134
6.4.16.3.5	DELETE	134

*iTEN STANDARD PREVIEW
 https://standards.itec-tai.org/2020/07/07/080555/etsgs-nfv-sol-005/v2.8.1-2020-09/
 Full standard:
 4768-aad7e107080555/etsgs-nfv-sol-005/v2.8.1-2020-09/*

6.4.17	Resource: Individual subscription.....	134
6.4.17.1	Description	134
6.4.17.2	Resource definition	134
6.4.17.3	Resource methods	134
6.4.17.3.1	POST	134
6.4.17.3.2	GET	134
6.4.17.3.3	PUT	135
6.4.17.3.4	PATCH.....	135
6.4.17.3.5	DELETE.....	135
6.4.18	Resource: Notification endpoint	136
6.4.18.1	Description	136
6.4.18.2	Resource definition	136
6.4.18.3	Resource methods	136
6.4.18.3.1	POST	136
6.4.18.3.2	GET	137
6.4.18.3.3	PUT	137
6.4.18.3.4	PATCH.....	137
6.4.18.3.5	DELETE.....	137
6.5	Data model	137
6.5.1	Introduction.....	137
6.5.2	Resource and notification data types	137
6.5.2.1	Introduction.....	137
6.5.2.2	Type: LccnSubscriptionRequest	138
6.5.2.3	Type: NsLcmOpOcc	138
6.5.2.4	Type: LccnSubscription	140
6.5.2.5	Type: NsLcmOperationOccurrenceNotification	140
6.5.2.6	Type: NsIdentifierCreationNotification	141
6.5.2.7	Type: NsIdentifierDeletionNotification	142
6.5.2.8	Type: NsChangeNotification.....	142
6.5.2.9	Type: CreateNsRequest.....	143
6.5.2.10	Type: NsInstance.....	144
6.5.2.11	Type: InstantiateNsRequest.....	145
6.5.2.12	Type: UpdateNsRequest.....	146
6.5.2.13	Type: HealNsRequest.....	148
6.5.2.14	Type: ScaleNsRequest	148
6.5.2.15	Type: TerminateNsRequest.....	148
6.5.2.16	Type: CancelMode	148
6.5.3	Referenced structured data types	149
6.5.3.1	Introduction.....	149
6.5.3.2	Type: AffectedVnf	149
6.5.3.3	Type: AffectedPnf	150
6.5.3.4	Type: AffectedVirtualLink.....	150
6.5.3.5	Type: AffectedVnffg.....	151
6.5.3.6	Type: AffectedNs	151
6.5.3.7	Type: AffectedSap	152
6.5.3.8	Type: LifecycleChangeNotificationsFilter.....	152
6.5.3.9	Type: LccnLinks	153
6.5.3.10	Type: SapData.....	153
6.5.3.11	Type: CpProtocolData.....	154
6.5.3.12	Type: IpOverEthernetAddressData	154
6.5.3.13	Type: PnfInfo	155
6.5.3.14	Type: AddPnfData	155
6.5.3.15	Type: ModifyPnfData	156
6.5.3.16	Type: PnfExtCpData	156
6.5.3.17	Type: PnfExtCpInfo	156
6.5.3.18	Type: IpOverEthernetAddressInfo	156
6.5.3.19	Type: VnfInstanceId.....	157
6.5.3.19a	Type: NestedNsInstanceId	157
6.5.3.20	Type: VnfLocationConstraint	158
6.5.3.21	Type: LocationConstraints	158
6.5.3.21a	Type: ParamsForNestedNs.....	158
6.5.3.22	Type: ParamsForVnf.....	158

6.5.3.23	Type: AffinityOrAntiAffinityRule	159
6.5.3.24	Type: InstantiateVnfData	160
6.5.3.25	Type: ChangeVnfFlavourData	160
6.5.3.26	Type: ExtVirtualLinkData	161
6.5.3.27	Type: ExtManagedVirtualLinkData	161
6.5.3.28	Type: ExtLinkPortData	162
6.5.3.29	Type: VnfExtCpData	162
6.5.3.30	Type: VnfExtCpConfig	162
6.5.3.31	Type: OperateVnfData	163
6.5.3.32	Type: ModifyVnfInfoData	163
6.5.3.33	Type: ChangeExtVnfConnectivityData	164
6.5.3.34	Type: AssocNewNsVersionData	164
6.5.3.35	Type: MoveVnfInstanceData	165
6.5.3.36	Type: AddVnffgData	165
6.5.3.37	Type: UpdateVnffgData	165
6.5.3.38	Type: NfpData	166
6.5.3.39	Type: ChangeNsFlavourData	166
6.5.3.40	Type: NfpRule	166
6.5.3.41	Type: Mask	167
6.5.3.42	Type: PortRange	168
6.5.3.43	Type: HealNsData	168
6.5.3.44	Type: HealVnfData	168
6.5.3.45	Type: ScaleNsData	169
6.5.3.46	Type: ScaleNsByStepsData	169
6.5.3.47	Type: ScaleNsToLevelData	170
6.5.3.48	Type: NsScaleInfo	170
6.5.3.49	Type: ScaleVnfData	170
6.5.3.50	Type: ScaleToLevelData	171
6.5.3.51	Type: VnfScaleInfo	171
6.5.3.52	Type: ScaleByStepData	171
6.5.3.53	Type: NsVirtualLinkInfo	172
6.5.3.54	Type: VirtualStorageResourceInfo	172
6.5.3.55	Type: NsLinkPortInfo	172
6.5.3.56	Type: NsCpHandle	172
6.5.3.57	Type: VnfInstance	173
6.5.3.58	Type: CpProtocolInfo	176
6.5.3.59	Type: ExtManagedVirtualLinkInfo	176
6.5.3.60	Type: VnfcResourceInfo	177
6.5.3.61	Type: VnfVirtualLinkResourceInfo	177
6.5.3.62	Type: ExtVirtualLinkInfo	178
6.5.3.63	Type: ExtLinkPortInfo	178
6.5.3.64	Type: VnfLinkPortInfo	178
6.5.3.65	Type: VnffgInfo	179
6.5.3.66	Type: NfpInfo	180
6.5.3.67	Type: SapInfo	180
6.5.3.68	Type: NsMonitoringParameter	180
6.5.3.69	Type: VnfMonitoringParameter	181
6.5.3.70	Type: VnfExtCpInfo	181
6.5.3.71	Type: CpGroupInfo	181
6.5.3.72	Type: CpPairInfo	182
6.5.3.73	Type: ForwardingBehaviourInputParameters	182
6.5.4	Referenced simple data types and enumerations	183
6.5.4.1	Introduction	183
6.5.4.2	Simple data types	183
6.5.4.3	Enumeration: NsLcmOpType	183
6.5.4.4	Enumeration: NsLcmOperationStateType	183
6.5.4.5	Enumeration: NsComponentType	184
6.5.4.6	Enumeration: LcmOpNameForChangeNotificationType	184
6.5.4.7	Enumeration: LcmOpOccStatusForChangeNotificationType	184
6.5.4.8	Enumeration: OperationalStates	185
6.5.4.9	Enumeration: StopType	185
6.5.4.10	Enumeration: CancelModeType	185

6.6	Handling of errors during NS lifecycle management operations.....	186
6.6.1	Basic concepts (informative)	186
6.6.1.1	Motivation	186
6.6.1.2	Failure resolution strategies: Retry, Rollback and Continue	186
6.6.1.3	Error handling at NFVO and OSS/BSS	186
6.6.2	States and state transitions of an NS lifecycle management operation occurrence.....	188
6.6.2.1	General	188
6.6.2.2	States of an NS lifecycle management operation occurrence.....	188
6.6.2.3	Error handling operations that change the state of an NS lifecycle operation.....	191
6.6.3	Detailed flows	191
6.6.3.1	Immediate failure	191
6.6.3.2	Failure during actual NS LCM operation execution	192
6.6.3.3	LCM operation cancellation.....	193
7	NS Performance Management interface.....	194
7.1	Description	194
7.1a	API version.....	194
7.2	Resource structure and methods	194
7.3	Sequence diagrams (informative)	195
7.3.1	Flow of creating a PM job	195
7.3.1a	Flow of updating the callback URI of a PM job	196
7.3.2	Flow of querying/reading PM jobs	197
7.3.3	Flow of deleting a PM job	198
7.3.4	Flow of obtaining performance reports.....	199
7.3.5	Flow of creating a threshold	200
7.3.5a	Flow of updating the callback URI of a threshold	200
7.3.6	Flow of querying/reading thresholds	201
7.3.7	Flow of deleting thresholds.....	202
7.3.8	Void	203
7.3.9	Flow of sending notifications.....	203
7.4	Resources	203
7.4.1	Introduction.....	203
7.4.1a	Resource: API versions	203
7.4.2	Resource: PM jobs	204
7.4.2.1	Description	204
7.4.2.2	Resource definition	204
7.4.2.3	Resource methods	204
7.4.2.3.1	POST	204
7.4.2.3.2	GET	205
7.4.2.3.3	PUT	207
7.4.2.3.4	PATCH	207
7.4.2.3.5	DELETE	207
7.4.3	Resource: Individual PM job	207
7.4.3.1	Description	207
7.4.3.2	Resource definition	207
7.4.3.3	Resource methods	207
7.4.3.3.1	POST	207
7.4.3.3.2	GET	207
7.4.3.3.3	PUT	208
7.4.3.3.4	PATCH	208
7.4.3.3.5	DELETE	209
7.4.4	Resource: Individual performance report	209
7.4.4.1	Description	209
7.4.4.2	Resource definition	210
7.4.4.3	Resource methods	210
7.4.4.3.1	POST	210
7.4.4.3.2	GET	210
7.4.4.3.3	PUT	210
7.4.4.3.4	PATCH	211
7.4.4.3.5	DELETE	211
7.4.5	Resource: Thresholds.....	211
7.4.5.1	Description	211

*Initial STANDARD PREVIEW
 https://standards.etsi.org/standardization/sst/60881182/
 47d82aa/12-190703B5/etsi-gs-nf-v-sol-005-v2.8.1-2020-09*

7.4.5.2	Resource definition	211
7.4.5.3	Resource methods	211
7.4.5.3.1	POST	211
7.4.5.3.2	GET	212
7.4.5.3.3	PUT	213
7.4.5.3.4	PATCH.....	213
7.4.5.3.5	DELETE.....	213
7.4.6	Resource: Individual threshold	214
7.4.6.1	Description.....	214
7.4.6.2	Resource definition	214
7.4.6.3	Resource methods	214
7.4.6.3.1	POST	214
7.4.6.3.2	GET	214
7.4.6.3.3	PUT	215
7.4.6.3.4	PATCH.....	215
7.4.6.3.5	DELETE.....	216
7.4.7	Void	216
7.4.8	Void	216
7.4.9	Resource: Notification endpoint	216
7.4.9.1	Description.....	216
7.4.9.2	Resource definition	216
7.4.9.3	Resource methods	217
7.4.9.3.1	POST	217
7.4.9.3.2	GET	217
7.4.9.3.3	PUT	218
7.4.9.3.4	PATCH.....	218
7.4.9.3.5	DELETE.....	218
7.5	Data Model.....	218
7.5.1	Introduction.....	218
7.5.2	Resource and notification data types	218
7.5.2.1	Introduction.....	218
7.5.2.2	Void.....	218
7.5.2.3	Void.....	218
7.5.2.4	Type: ThresholdCrossedNotification	218
7.5.2.5	Type: PerformanceInformationAvailableNotification	219
7.5.2.6	Type: CreatePmJobRequest	220
7.5.2.7	Type: PmJob	221
7.5.2.8	Type: CreateThresholdRequest.....	222
7.5.2.9	Type: Threshold	223
7.5.2.10	Type: PerformanceReport	224
7.5.2.11	Type: ThresholdModifications	224
7.5.2.12	Type: PmJobModifications	225
7.5.3	Referenced structured data types	225
7.5.3.1	Introduction.....	225
7.5.3.2	Void.....	225
7.5.3.3	Type: PmJobCriteria	225
7.5.3.4	Type: ThresholdCriteria	226
7.5.4	Referenced simple data types and enumerations	226
7.5.4.1	Introduction.....	226
7.5.4.2	Simple data types	226
7.5.4.3	Enumeration: CrossingDirectionType.....	227
8	NS Fault Management interface.....	227
8.1	Description	227
8.1a	API version.....	227
8.2	Resource structure and methods	227
8.3	Sequence diagrams (informative).....	228
8.3.1	Flow of the Get Alarm List operation.....	228
8.3.2	Flow of acknowledging alarm	229
8.3.3	Flow of managing subscriptions	230
8.3.4	Flow of sending notifications.....	231
8.4	Resources	232

8.4.1	Introduction.....	232
8.4.1a	Resource: API versions.....	232
8.4.2	Resource: Alarms.....	232
8.4.2.1	Description	232
8.4.2.2	Resource definition	232
8.4.2.3	Resource methods	232
8.4.2.3.1	POST	232
8.4.2.3.2	GET	232
8.4.2.3.3	PUT	234
8.4.2.3.4	PATCH.....	234
8.4.2.3.5	DELETE.....	234
8.4.3	Resource: Individual alarm.....	234
8.4.3.1	Description	234
8.4.3.2	Resource definition	234
8.4.3.3	Resource methods	234
8.4.3.3.1	POST	234
8.4.3.3.2	GET	234
8.4.3.3.3	PUT	235
8.4.3.3.4	PATCH.....	235
8.4.3.3.5	DELETE.....	236
8.4.4	Resource: Subscriptions.....	236
8.4.4.1	Description	236
8.4.4.2	Resource definition	236
8.4.4.3	Resource methods	237
8.4.4.3.1	POST	237
8.4.4.3.2	GET	238
8.4.4.3.3	PUT	239
8.4.4.3.4	PATCH.....	239
8.4.4.3.5	DELETE.....	239
8.4.5	Resource: Individual subscription.....	240
8.4.5.1	Description	240
8.4.5.2	Resource definition	240
8.4.5.3	Resource methods	240
8.4.5.3.1	POST	240
8.4.5.3.2	GET	240
8.4.5.3.3	PUT	241
8.4.5.3.4	PATCH.....	241
8.4.5.3.5	DELETE.....	241
8.4.6	Resource: Notification endpoint.....	241
8.4.6.1	Description	241
8.4.6.2	Resource definition	241
8.4.6.3	Resource methods	242
8.4.6.3.1	POST	242
8.4.6.3.2	GET	242
8.4.6.3.3	PUT	243
8.4.6.3.4	PATCH.....	243
8.4.6.3.5	DELETE.....	243
8.5	Data Model.....	243
8.5.1	Introduction.....	243
8.5.2	Resource and notification data types	243
8.5.2.1	Introduction.....	243
8.5.2.2	Type: FmSubscriptionRequest	243
8.5.2.3	Type: FmSubscription	244
8.5.2.4	Type: Alarm	244
8.5.2.5	Type: AlarmNotification.....	245
8.5.2.6	Type: AlarmClearedNotification.....	245
8.5.2.7	Type: AlarmListRebuiltNotification	246
8.5.2.8	Type: AlarmModifications.....	246
8.5.3	Referenced structured data types	247
8.5.3.1	Introduction.....	247
8.5.3.2	Type: FmNotificationsFilter.....	247
8.5.3.3	Type: FaultyResourceInfo.....	247