



LTE;
Mission Critical Push To Talk (MCPTT) call control;
Protocol specification
(3GPP TS 24.379 version 14.11.0 Release 14)

iTeh STANDARDS PREVIEW
(Standards ITech)
Full Standard
https://standards.itech.ai/catalog/etsi-ts-124-379-v14.11.0-2020-01-4313-bdb7-3ba66f385713/etsi-ts-124-379-v14.11.0-2020-01



Reference

RTS/TSGC-0124379veb0

Keywords

LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and
of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	22
1 Scope	23
2 References	23
3 Definitions, symbols and abbreviations	26
3.1 Definitions	26
3.2 Abbreviations	28
4 General	29
4.1 MCPTT overview.....	29
4.2 URI and address assignments	30
4.3 MCPTT speech.....	31
4.4 Warning Header Field	31
4.4.1 General.....	31
4.4.2 Warning texts.....	31
4.5 MCPTT session identity	35
4.6 MCPTT priority calls and alerts	35
4.6.1 MCPTT emergency group calls	35
4.6.2 MCPTT emergency private calls	37
4.6.3 MCPTT emergency alerts	38
4.6.4 MCPTT imminent peril group call.....	39
4.7 Communication security.....	40
4.7.1 Media security	40
4.7.2 Signalling security	40
4.8 Protection of sensitive application data.....	42
4.9 Pre-established session	45
4.10 MCPTT client ID	46
4.11 Off-network MCPTT.....	46
5 Functional entities	46
5.1 Introduction	46
5.2 MCPTT client.....	46
5.3 MCPTT server	48
5.3.1 General.....	48
5.3.2 Functional connectivity models	49
5.3.3 Failure case	51
5.3.4 Management of MBMS bearers.....	51
6 Common procedures.....	51
6.1 Introduction	51
6.2 MCPTT client procedures	51
6.2.0 Distinction of requests at the MCPTT client	51
6.2.1 SDP offer generation	52
6.2.2 SDP answer generation	53
6.2.3 Commencement modes	54
6.2.3.1 Automatic commencement mode.....	54
6.2.3.1.1 Automatic commencement mode for private calls	54
6.2.3.1.2 Automatic commencement mode for group calls	54
6.2.3.2 Manual commencement mode	54
6.2.3.2.1 Manual commencement mode for private calls	54
6.2.3.2.2 Manual commencement mode for group calls.....	55
6.2.4 Leaving an MCPTT session initiated by MCPTT client	55
6.2.4.1 On-demand session case	55

6.2.4.2	Pre-established session case	56
6.2.5	Releasing an MCPTT session initiated by MCPTT client	56
6.2.5.1	On-demand session case	56
6.2.5.2	Pre-established session case	56
6.2.6	Receiving an MCPTT session release request	57
6.2.7	Void	57
6.2.8	Priority call conditions	57
6.2.8.0	General	57
6.2.8.1	MCPTT emergency group call conditions	57
6.2.8.1.1	SIP INVITE request or SIP REFER request for originating MCPTT emergency group calls	57
6.2.8.1.2	Resource-Priority header field for MCPTT emergency group calls	58
6.2.8.1.3	SIP re-INVITE request for cancelling MCPTT in-progress emergency group state	59
6.2.8.1.4	Receiving a SIP 2xx response to a SIP request for a priority call	59
6.2.8.1.5	Receiving a SIP 4xx response, SIP 5xx response or SIP 6xx response to a SIP request for a priority group call	60
6.2.8.1.6	Determining authorisation for initiating or cancelling an MCPTT emergency alert	60
6.2.8.1.7	Determining authorisation for cancelling the in-progress emergency state of an MCPTT group	61
6.2.8.1.8	Determining authorisation for originating a priority group call	61
6.2.8.1.9	SIP request for originating MCPTT imminent peril group calls	62
6.2.8.1.10	Determining authorisation for cancelling an imminent peril group call	62
6.2.8.1.11	SIP re-INVITE request for cancelling MCPTT in-progress imminent peril group state	63
6.2.8.1.12	Resource-Priority header field for MCPTT imminent peril group calls	63
6.2.8.1.13	Receiving a SIP INFO request in the dialog of a SIP request for a priority group call	63
6.2.8.1.14	SIP re-INVITE request for cancelling the in-progress emergency group state of a group by a third-party	64
6.2.8.1.15	Retrieving Resource-Priority header field values	65
6.2.8.1.16	Handling receipt of a SIP re-INVITE request for priority group call origination status within a pre-established session	65
6.2.8.1.17	Priority group call conditions upon receiving call release	66
6.2.8.1.18	Emergency private call conditions upon receiving call release	66
6.2.8.2	Request for an originating broadcast group call	67
6.2.8.3	MCPTT emergency private call conditions	67
6.2.8.3.1	Authorisations	67
6.2.8.3.1.1	Determining authorisation for initiating an MCPTT emergency private call	67
6.2.8.3.1.2	Determining authorisation for cancelling an MCPTT emergency private call	67
6.2.8.3.1.3	Determining authorisation for initiating or cancelling an MCPTT emergency alert to a MCPTT user	68
6.2.8.3.2	SIP request for originating MCPTT emergency private calls	68
6.2.8.3.3	Resource-Priority header field for MCPTT emergency private calls	68
6.2.8.3.4	Receiving a SIP 2xx response to a SIP request for an MCPTT emergency private call	69
6.2.8.3.5	Receiving a SIP 4xx response, SIP 5xx response or SIP 6xx response to a SIP request for an MCPTT emergency private call	69
6.2.8.3.6	SIP re-INVITE request for cancelling MCPTT emergency private call state	69
6.2.8.3.7	Receiving a SIP INFO request in the dialog of a SIP request for a priority private call	70
6.2.8.3.8	SIP re-INVITE request for cancelling the MCPTT emergency private call state by a third-party	71
6.2.8.3.9	Retrieving a KMS URI associated with an MCPTT ID	71
6.2.9	Location information	72
6.2.9.1	Location information for location reporting	72
6.3	MCPTT server procedures	73
6.3.1	Distinction of requests sent to the MCPTT server	73
6.3.1.1	SIP INVITE request	73
6.3.1.2	SIP REFER request	74
6.3.1.3	SIP MESSAGE request	74
6.3.1.4	SIP SUBSCRIBE request	76
6.3.2	Participating MCPTT Function	76
6.3.2.1	Requests initiated by the served MCPTT user	76
6.3.2.1.1	SDP offer generation	76
6.3.2.1.1.1	On-demand session	76
6.3.2.1.1.2	Pre-established session	76
6.3.2.1.2	SDP answer generation	77

6.3.2.1.2.1	On-demand session	77
6.3.2.1.2.2	Pre-established session establishment.....	77
6.3.2.1.3	Sending an INVITE request on receipt of an INVITE request	77
6.3.2.1.4	Sending an INVITE request on receipt of a REFER request.....	78
6.3.2.1.5	Response to an INVITE request	79
6.3.2.1.5.1	Provisional responses.....	79
6.3.2.1.5.2	Final response	80
6.3.2.1.6	Sending a SIP BYE request on receipt of a SIP BYE request	80
6.3.2.1.7	Sending a SIP BYE request on receipt of a SIP REFER request.....	80
6.3.2.1.8	Priority call conditions	81
6.3.2.1.8.0	General.....	81
6.3.2.1.8.1 Determining authorisation for originating a priority group call.....	81
6.3.2.1.8.2	Determining authorisation for initiating or cancelling an MCPTT emergency alert.....	82
6.3.2.1.8.3	Validate priority request parameters	82
6.3.2.1.8.4	Retrieving Resource-Priority header field values	83
6.3.2.1.8.5	Generating a SIP re-INVITE request for priority group call origination within a pre-established session	83
6.3.2.1.8.6	Generating a SIP re-INVITE request for emergency private call origination within a pre-established session	84
6.3.2.1.8.7	Generating a SIP re-INVITE request for first-to-answer call origination within a pre-established session	85
6.3.2.1.9	Generating a SIP re-INVITE request on receipt of a SIP re-INVITE request	85
6.3.2.1.10	Sending a SIP INVITE request on receipt of SIP 3xx response.....	85
6.3.2.2	Requests terminated to the served MCPTT user.....	86
6.3.2.2.1	SDP offer generation	86
6.3.2.2.2	SDP answer generation.....	86
6.3.2.2.2.1	On-demand session	86
6.3.2.2.2.2	Pre-established session.....	86
6.3.2.2.3	SIP INVITE request towards the terminating MCPTT client.....	87
6.3.2.2.4	Response to a SIP INVITE request	87
6.3.2.2.4.1	Provisional response	87
6.3.2.2.4.2	Final response	88
6.3.2.2.5	Automatic Commencement Mode.....	88
6.3.2.2.5.1	General.....	88
6.3.2.2.5.2	Automatic commencement for On-Demand session.....	89
6.3.2.2.5.3	Automatic commencement for pre-established session	90
6.3.2.2.6	Manual Commencement Mode	91
6.3.2.2.6.1	General.....	91
6.3.2.2.6.2	Manual commencement for On-Demand session	91
6.3.2.2.6.3	Manual commencement for Pre-established session.....	93
6.3.2.2.7	Void.....	94
6.3.2.2.8	SIP BYE request towards the terminating MCPTT client	94
6.3.2.2.8.1	On-demand.....	94
6.3.2.2.8.2	Using pre-established session	95
6.3.2.2.9	Populate MIME bodies.....	95
6.3.2.2.10	Generating a SIP re-INVITE request towards the terminating MCPTT client	95
6.3.2.2.11	Generating a SIP MESSAGE request towards the terminating MCPTT client	96
6.3.2.3	Void.....	96
6.3.3	Controlling MCPTT function	96
6.3.3.1	Request initiated by the controlling MCPTT function	96
6.3.3.1.1	SDP offer generation	96
6.3.3.1.2	Sending an INVITE request	96
6.3.3.1.3	Receipt of a SIP response to a SIP INVITE request	97
6.3.3.1.3.1	Final response	97
6.3.3.1.4	Void.....	97
6.3.3.1.5	Sending a SIP BYE request	97
6.3.3.1.6	Sending a SIP re-INVITE request for MCPTT emergency group call	98
6.3.3.1.7	Sending a SIP INVITE request for MCPTT emergency group call	99
6.3.3.1.8	Sending a SIP UPDATE request for Resource-Priority header field correction.....	100
6.3.3.1.9	Generating a SIP re-INVITE request.....	100
6.3.3.1.10	Generating a SIP re-INVITE request to cancel an in-progress emergency	100

6.3.3.1.11	Generating a SIP MESSAGE request for notification of in-progress emergency or imminent peril status change	101
6.3.3.1.12	Populate mcptt-info and location-info MIME bodies for emergency alert.....	101
6.3.3.1.13	Authorisations	102
6.3.3.1.13.1	Determining authorisation for initiating an MCPTT emergency alert	102
6.3.3.1.13.2	Determining authorisation for initiating an MCPTT emergency group or private call.....	103
6.3.3.1.13.3	Determining authorisation for cancelling an MCPTT emergency alert	104
6.3.3.1.13.4	Determining authorisation for cancelling an MCPTT emergency call	104
6.3.3.1.13.5	Determining authorisation for initiating an MCPTT imminent peril call	104
6.3.3.1.13.6	Determining authorisation for cancelling an MCPTT imminent peril call	105
6.3.3.1.13.7	Sending a SIP OPTIONS request to authorise an MCPTT user at a non-controlling MCPTT function of a MCPTT group	105
6.3.3.1.14	Generating a SIP 403 response for priority call request rejection	107
6.3.3.1.15	Sending a SIP re-INVITE request for MCPTT imminent peril group call	107
6.3.3.1.16	Handling the expiry of timer TNG2 (in-progress emergency group call timer)	108
6.3.3.1.17	Validate priority request parameters.....	108
6.3.3.1.18	Sending a SIP INFO request in the dialog of a SIP request for a priority call.....	109
6.3.3.1.19	Retrieving Resource-Priority header field values.....	109
6.3.3.1.20	Generating a SIP MESSAGE request to indicate successful receipt of an emergency alert or emergency cancellation	110
6.3.3.2	Requests terminated by the controlling MCPTT function.....	110
6.3.3.2.1	SDP answer generation.....	110
6.3.3.2.2	Receipt of a SIP INVITE request	111
6.3.3.2.3	Sending a SIP response to a SIP INVITE request	111
6.3.3.2.3.1	Provisional response	111
6.3.3.2.3.2	Final response	111
6.3.3.2.4	Receiving a SIP BYE request.....	112
6.3.3.3	Handling of the acknowledged call setup timer (TNG1).....	112
6.3.3.4	Generating a SIP NOTIFY request	114
6.3.3.5	Handling of the group call timer (TNG3)	115
6.3.3.5.1	General	115
6.3.3.5.2	Interaction with the in-progress emergency group call timer (TNG2)	115
6.3.3.6	Void.....	116
6.3.4	Non-controlling MCPTT function of an MCPTT group.....	116
6.3.4.1	Request initiated by the non-controlling MCPTT function of an MCPTT group	116
6.3.4.1.1	SDP offer generation	116
6.3.4.1.2	Sending an INVITE request towards the MCPTT client	116
6.3.4.1.3	Sending a SIP INFO request.....	117
6.3.4.1.4	Sending an INVITE request towards the controlling MCPTT function	118
6.3.4.2	Requests terminated by the non-controlling MCPTT function of an MCPTT group.....	118
6.3.4.2.1	SDP answer generation.....	118
6.3.4.2.2	Sending a SIP response to the SIP INVITE request	119
6.3.4.2.2.1	Sending a SIP 183 (Session Progress) response.....	119
6.3.4.2.2.2	Sending a SIP 200 (OK) response.....	119
6.3.4.3	Generating a SIP NOTIFY request	119
6.3.4.4	Void.....	120
6.3.5	Retrieving and processing a group document	120
6.3.5.1	General	120
6.3.5.2	Rules for retrieving Group Document(s).....	121
6.3.5.3	Rules for joining a group session	124
6.3.5.4	Rules for initiating a prearranged group session	124
6.3.5.5	Determining the group members to invite.....	125
6.3.6	Affiliation check	125
6.3.7	Error handling	126
6.3.7.1	Public service identity does not exist	126
6.3.8	Session release policy	126
6.3.8.1	Session release policy for group call.....	126
6.3.8.2	Session release policy for private call	126
6.4	Implicit floor request	126
6.5	Handling of MIME bodies in a SIP message.....	127
6.6	Confidentiality and Integrity Protection.....	128
6.6.1	General.....	128

6.6.1.1	Applicability and exclusions	128
6.6.1.2	Performing XML content encryption	128
6.6.1.3	Performing integrity protection on an XML body	128
6.6.1.4	Verifying integrity of an XML body and decrypting XML elements	129
6.6.2	Confidentiality Protection	129
6.6.2.1	General	129
6.6.2.2	Keys used in confidentiality protection procedures	129
6.6.2.3	Procedures for sending confidentiality protected content	130
6.6.2.3.1	MCPTT client	130
6.6.2.3.2	MCPTT server	130
6.6.2.3.3	Content Encryption in XML elements	130
6.6.2.3.4	Attribute URI Encryption	131
6.6.2.4	Procedures for receiving confidentiality protected content	131
6.6.2.4.1	Determination of confidentiality protected content	131
6.6.2.4.2	Decrypting confidentiality protected content in XML elements	131
6.6.2.4.3	Decrypting confidentiality protected URIs in XML attributes	132
6.6.2.5	MCPTT server copying received XML content	132
6.6.3	Integrity Protection of XML documents	133
6.6.3.1	General	133
6.6.3.2	Keys used in integrity protection procedures	135
6.6.3.3	Sending integrity protected content	136
6.6.3.3.1	MCPTT client	136
6.6.3.3.2	MCPTT server	136
6.6.3.3.3	Integrity protection procedure	136
6.6.3.4	Receiving integrity protected content	137
6.6.3.4.1	Determination of integrity protected content	137
6.6.3.4.2	Verification of integrity protected content	137
6.7	Priority sharing	137
7	Registration and service authorisation	137
7.1	General	137
7.2	MCPTT client procedures	138
7.2.1	SIP REGISTER request for service authorisation	138
7.2.1AA	SIP REGISTER request without service authorisation	139
7.2.1A	Common SIP PUBLISH procedure	139
7.2.2	SIP PUBLISH request for service authorisation and MCPTT service settings	140
7.2.3	Sending SIP PUBLISH for MCPTT service settings only	141
7.2.4	Determination of MCPTT service settings	141
7.2.5	Receiving a CSK key download message	142
7.3	MCPTT server procedures	143
7.3.1	General	143
7.3.1A	Confidentiality and Integrity Protection	143
7.3.2	SIP REGISTER request for service authorisation	145
7.3.3	SIP PUBLISH request for service authorisation and service settings	145
7.3.4	Receiving SIP PUBLISH request for MCPTT service settings only	146
7.3.5	Receiving SIP PUBLISH request with "Expires=0"	147
7.3.6	Subscription to and notification of MCPTT service settings	148
7.3.6.1	Receiving subscription to MCPTT service settings	148
7.3.6.2	Sending notification of change of MCPTT service settings	148
7.3.7	Sending a CSK key download message	149
7.4	Coding	149
7.4.1	Extension of MIME types	149
7.4.1.1	General	149
7.4.1.2	Extension of application/poc-settings+xml MIME type	149
7.4.1.2.1	Introduction	149
7.4.1.2.2	Syntax	149
8	Pre-established session	150
8.1	General	150
8.1A	Participating MCPTT function use of resource sharing	151
8.2	Session establishment	151
8.2.1	MCPTT client procedures	151

8.2.2	Participating MCPTT function procedures	152
8.3	Session modification	153
8.3.1	MCPTT client procedures.....	153
8.3.1.1	MCPTT client initiated	153
8.3.1.2	Participating MCPTT function initiated.....	154
8.3.2	Participating MCPTT function procedures	154
8.3.2.1	MCPTT client initiated	154
8.3.2.2	Participating MCPTT function initiated.....	154
8.4	Session release.....	155
8.4.1	MCPTT client procedures.....	155
8.4.1.1	MCPTT client initiated	155
8.4.1.2	Participating MCPTT function initiated.....	155
8.4.2	Participating MCPTT function procedures	155
8.4.2.1	MCPTT client initiated	155
8.4.2.2	Participating MCPTT function initiated.....	156
9	Affiliation	156
9.1	General	156
9.2	Procedures	157
9.2.1	MCPTT client procedures.....	157
9.2.1.1	General	157
9.2.1.2	Affiliation status change procedure.....	157
9.2.1.3	Affiliation status determination procedure	158
9.2.1.4	Procedure for sending affiliation status change request in negotiated mode to target MCPTT user	159
9.2.1.5	Procedure for receiving affiliation status change request in negotiated mode from authorized MCPTT user.....	160
9.2.2	MCPTT server procedures.....	160
9.2.2.1	General	160
9.2.2.2	Procedures of MCPTT server serving the MCPTT user	160
9.2.2.2.1	General	160
9.2.2.2.2	Stored information.....	161
9.2.2.2.3	Receiving affiliation status change from MCPTT client procedure	161
9.2.2.2.4	Receiving subscription to affiliation status procedure	164
9.2.2.2.5	Sending notification of change of affiliation status procedure	165
9.2.2.2.6	Sending affiliation status change towards MCPTT server owning MCPTT group procedure	165
9.2.2.2.7	Affiliation status determination from MCPTT server owning MCPTT group procedure	167
9.2.2.2.8	Procedure for authorizing affiliation status change request in negotiated mode sent to served MCPTT user	169
9.2.2.2.9	Forwarding affiliation status change towards another MCPTT user procedure	170
9.2.2.2.10	Forwarding subscription to affiliation status towards another MCPTT user procedure	171
9.2.2.2.11	Affiliation status determination	171
9.2.2.2.12	Affiliation status change by implicit affiliation	172
9.2.2.2.13	Implicit affiliation status change completion.....	173
9.2.2.2.14	Implicit affiliation status change cancellation	173
9.2.2.2.15	Implicit affiliation to configured groups procedure	174
9.2.2.3	Procedures of MCPTT server owning the MCPTT group	175
9.2.2.3.1	General	175
9.2.2.3.2	Stored information.....	176
9.2.2.3.3	Receiving group affiliation status change procedure	176
9.2.2.3.4	Receiving subscription to affiliation status procedure	178
9.2.2.3.5	Sending notification of change of affiliation status procedure	178
9.2.2.3.6	Implicit affiliation eligibility check procedure	179
9.2.2.3.7	Affiliation status change by implicit affiliation procedure	179
9.2.2.3.8	Affiliation eligibility check procedure.....	180
9.3	Coding	180
9.3.1	Extension of application/pidf+xml MIME type	180
9.3.1.1	Introduction	180
9.3.1.2	Syntax	181
9.3.2	Extension of application/simple-filter+xml MIME type	182
9.3.2.1	Introduction	182
9.3.2.2	Syntax	182

10	Group call.....	184
10.0	General	184
10.1	On-network group call.....	184
10.1.1	Prearranged group call	184
10.1.1.1	General	184
10.1.1.2	MCPTT client procedures	184
10.1.1.2.1	On-demand prearranged group call	184
10.1.1.2.1.1	Client originating procedures.....	184
10.1.1.2.1.2	Client terminating procedures.....	186
10.1.1.2.1.3	MCPTT upgrade to in-progress emergency or imminent peril	187
10.1.1.2.1.4	MCPTT in-progress emergency cancel.....	188
10.1.1.2.1.5	MCPTT in-progress imminent peril cancel.....	189
10.1.1.2.1.6	MCPTT client receives SIP re-INVITE request	190
10.1.1.2.2	Prearranged group call using pre-established session.....	192
10.1.1.2.2.1	Client originating procedures.....	192
10.1.1.2.2.2	Client terminating procedures	192
10.1.1.2.3	End group call	193
10.1.1.2.3.1	Client originating procedures on-demand	193
10.1.1.2.3.2	Client originating procedures using pre-established session.....	193
10.1.1.2.3.3	Client terminating procedures	193
10.1.1.2.4	Re-join procedure	193
10.1.1.2.4.1	On demand session establishment.....	193
10.1.1.2.4.2	Pre-established session.....	193
10.1.1.3	Participating MCPTT function procedures	193
10.1.1.3.1	Originating procedures	193
10.1.1.3.1.1	On demand prearranged group call	193
10.1.1.3.1.2	Prearranged group call using pre-established session	196
10.1.1.3.1.3	Reception of a SIP re-INVITE request from served MCPTT client	199
10.1.1.3.2	Terminating Procedures.....	200
10.1.1.3.3	End group call at the originating participating MCPTT function	201
10.1.1.3.3.1	Receipt of SIP BYE request for ending group call on-demand	201
10.1.1.3.3.2	Receipt of SIP REFER "BYE" request for ending group call using pre-established session	201
10.1.1.3.4	End group call at the terminating participating MCPTT function	201
10.1.1.3.4.1	Receipt of SIP BYE request for private call on-demand	201
10.1.1.3.4.2	Receipt of SIP BYE request when ongoing pre-established session	202
10.1.1.3.5	Re-join procedures.....	202
10.1.1.3.5.1	Originating procedures - on demand prearranged group call	202
10.1.1.3.5.2	Originating procedures - prearranged group call using pre-established session	202
10.1.1.3.6	Reception of a SIP re-INVITE request for terminating MCPTT client for priority call.....	202
10.1.1.4	Controlling MCPTT function procedures	203
10.1.1.4.1	Originating Procedures	203
10.1.1.4.1.1	INVITE targeted to an MCPTT client	203
10.1.1.4.1.2	INVITE targeted to the non-controlling MCPTT function of an MCPTT group.....	204
10.1.1.4.2	Terminating Procedures.....	205
10.1.1.4.3	End group call at the terminating controlling MCPTT function.....	213
10.1.1.4.4	End group call initiated by the controlling MCPTT function	213
10.1.1.4.4.1	General	213
10.1.1.4.4.2	SIP BYE request for releasing MCPTT session for a group call	213
10.1.1.4.4.3	SIP BYE request toward a MCPTT client	214
10.1.1.4.5	Re-join procedures.....	214
10.1.1.4.5.1	Terminating procedures	214
10.1.1.4.6	Late call entry initiated by controlling MCPTT function	215
10.1.1.4.7	Receipt of a SIP re-INVITE request.....	215
10.1.1.4.8	Handling of a SIP re-INVITE request for imminent peril session.....	218
10.1.1.5	Non-controlling function of an MCPTT group procedures.....	220
10.1.1.5.1	Originating procedures	220
10.1.1.5.2	Terminating procedures	221
10.1.1.5.2.1	General	221
10.1.1.5.2.2	Initiating a prearranged group call	221
10.1.1.5.2.3	Joining an ongoing prearranged group call.....	223
10.1.1.5.2.4	Splitting an ongoing prearranged group call.....	224
10.1.1.5.3	Rejoin procedures	224

10.1.1.5.3.1	Terminating procedures	224
10.1.1.5.3.2	Late call entry initiated by non-controlling MCPTT function	225
10.1.1.5.4	SIP OPTIONS request authorization procedure	225
10.1.1.5.5	Initiating a temporary group session.....	226
10.1.2	Chat group (restricted) call	227
10.1.2.1	General.....	227
10.1.2.2	MCPTT client procedures	227
10.1.2.2.1	On-demand chat group call.....	227
10.1.2.2.1.1	Procedure for initiating a chat MCPTT group session and procedure for joining a chat MCPTT group session	227
10.1.2.2.1.2	MCPTT client receives SIP re-INVITE request	229
10.1.2.2.1.3	MCPTT in-progress emergency cancel.....	230
10.1.2.2.1.4	MCPTT upgrade to in-progress emergency or imminent peril	231
10.1.2.2.1.5	MCPTT in-progress imminent peril cancel.....	232
10.1.2.2.1.6	MCPTT client receives a SIP INVITE request for an MCPTT group call.....	233
10.1.2.2.2	Chat group call within a pre-established session	235
10.1.2.2.2.1	Procedure for initiating a chat MCPTT group session and procedure for joining a chat MCPTT group session	235
10.1.2.2.3	End group call	237
10.1.2.2.3.1	Client originating procedures on-demand.....	237
10.1.2.2.3.2	Client originating procedures using pre-established session.....	237
10.1.2.2.3.3	Client terminating procedures.....	237
10.1.2.3	Participating MCPTT function procedures	237
10.1.2.3.1	On-demand chat group call.....	237
10.1.2.3.1.1	MCPTT chat session establishment	237
10.1.2.3.1.2	Reception of a SIP re-INVITE request from served MCPTT client	240
10.1.2.3.1.3	Reception of a SIP INVITE request for terminating MCPTT client	241
10.1.2.3.1.4	Reception of a SIP re-INVITE request for terminating MCPTT client	242
10.1.2.3.2	Chat group call within a pre-established session	242
10.1.2.3.2.1	MCPTT chat session establishment	242
10.1.2.3.2.2	MCPTT chat session establishment for terminating user within a pre-established session	245
10.1.2.3.3	End group call at the originating participating MCPTT function	246
10.1.2.3.3.1	Receipt of SIP BYE request for ending on-demand chat session	246
10.1.2.3.3.2	Receipt of SIP REFER "BYE" request for ending chat session using pre-established session.....	246
10.1.2.3.4	End group call at the terminating participating MCPTT function	246
10.1.2.3.4.1	Receipt of SIP BYE request for on-demand chat session	246
10.1.2.3.4.2	Receipt of SIP BYE request for ongoing pre-established session.....	246
10.1.2.4	Controlling MCPTT function procedures	246
10.1.2.4.1	On-demand chat group call.....	246
10.1.2.4.1.1	Procedure for establishing an MCPTT chat session and procedure for joining an established MCPTT chat session	246
10.1.2.4.1.2	Receipt of a SIP re-INVITE request	251
10.1.2.4.1.3	Handling of a SIP re-INVITE request for imminent peril session	254
10.1.2.4.2	End group call at the terminating controlling MCPTT function.....	256
10.1.2.4.3	End group call initiated by the controlling MCPTT function.....	257
10.1.2.4.3.1	General.....	257
10.1.2.4.3.2	SIP BYE request for releasing MCPTT session for a group call	257
10.1.2.4.3.3	SIP BYE request toward a MCPTT client	257
10.1.2.5	Non-controlling function of an MCPTT group procedures.....	257
10.1.2.5.1	Terminating procedures	257
10.1.2.5.1.1	General.....	257
10.1.2.5.1.2	Initiating a chat group session.....	257
10.1.2.5.1.3	Joining an ongoing chat group call	258
10.1.2.5.1.4	Splitting an ongoing chat group call	259
10.1.2.5.1.5	MCPTT client joining the temporary group chat session.....	259
10.1.2.5.1.6	Receipt of a SIP re-INVITE request from an MCPTT client.....	259
10.1.2.5.1.7	SIP OPTIONS request authorization procedure	259
10.1.2.5.1.8	Initiating a temporary group session	260
10.1.3	Subscription to the conference event package	261
10.1.3.1	General.....	261
10.1.3.2	MCPTT client	261

10.1.3.3	Participating MCPTT function.....	262
10.1.3.4	Controlling MCPTT function.....	263
10.1.3.4.1	Receiving a subscription to the conference event package.....	263
10.1.3.4.2	Sending notifications to the conference event package	264
10.1.3.4.3	Sending subscriptions to the conference event package	264
10.1.3.4.4	Terminating a subscription	265
10.1.3.5	Non-controlling MCPTT function	265
10.1.3.5.1	Receiving subscriptions to the conference event package	265
10.1.3.5.2	Sending notifications to the conference event package	266
10.1.3.5.3	Sending a subscription to the conference event package	266
10.1.3.5.4	Terminating a subscription	267
10.1.4	Remote change of an MCPTT user's selected group	268
10.1.4.1	General	268
10.1.4.2	Client procedures	268
10.1.4.2.1	Remote selected group change initiation	268
10.1.4.2.2	Target client procedures for handling remote selected group change request	269
10.1.4.3	Participating MCPTT function procedures	270
10.1.4.3.1	Originating procedures.....	270
10.1.4.3.2	Terminating procedures.....	271
10.1.4.4	Controlling MCPTT function procedures	271
10.2	Off-network group call	273
10.2.1	General.....	273
10.2.1.1	Common Procedures	273
10.2.1.1.1	MONP message transport.....	273
10.2.1.1.2	Session description	273
10.2.2	Basic call control	274
10.2.2.1	General	274
10.2.2.2	Basic call control state machine	274
10.2.2.3	Call Control states	275
10.2.2.3.1	S1: start-stop.....	275
10.2.2.3.2	S2: waiting for call announcement	276
10.2.2.3.3	S3: part of ongoing call.....	276
10.2.2.3.4	S4: pending user action without confirm indication	276
10.2.2.3.5	S5: pending user action with confirm indication	276
10.2.2.3.6	S6: ignoring incoming call announcements.....	276
10.2.2.3.7	S7: waiting for call announcement after call release	276
10.2.2.4	Procedures.....	276
10.2.2.4.1	General	276
10.2.2.4.1.1	Call announcement timer calculation.....	276
10.2.2.4.1.1.1	Periodic call announcement timer calculation.....	276
10.2.2.4.1.1.2	Call announcement timer calculation after CALL PROBE.....	276
10.2.2.4.1.2	Max duration timer calculation	276
10.2.2.4.2	Call Probe	277
10.2.2.4.2.1	Call probe initiation	277
10.2.2.4.2.2	Call probe retransmission	277
10.2.2.4.2.3	Receiving GROUP CALL PROBE message when participating in the ongoing call.....	277
10.2.2.4.3	Call setup	278
10.2.2.4.3.1	Not receiving any response to GROUP CALL PROBE message	278
10.2.2.4.3.2	Receiving a GROUP CALL ANNOUNCEMENT message.....	278
10.2.2.4.3.3	Receiving a GROUP CALL ANNOUNCEMENT message when not participating in the ongoing call.....	279
10.2.2.4.3.4	MCPTT user accepts the terminating call with confirm indication	280
10.2.2.4.3.5	MCPTT user accepts the terminating call without confirm indication	280
10.2.2.4.3.6	Receiving GROUP CALL ACCEPT message.....	281
10.2.2.4.3.7	MCPTT user rejects the terminating call	281
10.2.2.4.3.8	MCPTT user does not act on terminating call	281
10.2.2.4.4	Periodic group call announcement.....	281
10.2.2.4.4.1	Sending periodic call announcement	281
10.2.2.4.4.2	Receiving periodic call announcement	282
10.2.2.4.5	Call release	282
10.2.2.4.5.1	MCPTT user leaves the call when GROUP CALL ANNOUNCEMENT was sent or received.....	282

10.2.2.4.5.2	Receiving GROUP CALL ANNOUNCEMENT message for rejected or released call	282
10.2.2.4.5.3	MCPTT user initiates originating call for rejected or released call.....	283
10.2.2.4.5.4	No GROUP CALL ANNOUNCEMENT messages for rejected or released call.....	283
10.2.2.4.5.5	MCPTT user leaves the call when GROUP CALL PROBE was sent	283
10.2.2.4.5.6	MCPTT user initiates originating call for released call	283
10.2.2.4.5.7	Receiving GROUP CALL ANNOUNCEMENT message for released call	284
10.2.2.4.5.8	No GROUP CALL ANNOUNCEMENT messages for released call.....	284
10.2.2.4.5.9	Max duration reached	284
10.2.2.4.6	Merge of calls.....	285
10.2.2.4.6.1	Merge of two calls	285
10.2.2.4.7	Error handling.....	286
10.2.2.4.7.1	Unexpected MONP message received	286
10.2.2.4.7.2	Unexpected indication from MCPTT user.....	286
10.2.2.4.7.3	Unexpected expiration of a timer.....	286
10.2.3	Call type control	286
10.2.3.1	General.....	286
10.2.3.2	Call type control state machine	286
10.2.3.3	Call type control states	287
10.2.3.3.1	T0: waiting for call to establish	287
10.2.3.3.2	T1: in-progress emergency group call	288
10.2.3.3.3	T2: in-progress basic group call	288
10.2.3.3.4	T3: in-progress imminent peril group call	288
10.2.3.4	Procedures.....	288
10.2.3.4.1	General	288
10.2.3.4.1.1	Implicit downgrade (emergency) timer calculation	288
10.2.3.4.1.2	Implicit downgrade (imminent peril) timer calculation.....	288
10.2.3.4.2	User initiated the call probe.....	288
10.2.3.4.3	Received GROUP CALL ANNOUNCEMENT message as a response to GROUP CALL PROBE message.....	289
10.2.3.4.4	Received GROUP CALL ANNOUNCEMENT with MCPTT user acknowledgement required..	290
10.2.3.4.5	Received GROUP CALL ANNOUNCEMENT without MCPTT user acknowledgement required.....	290
10.2.3.4.6	Call started.....	291
10.2.3.4.7	Upgrade call	292
10.2.3.4.7.1	Originating user upgrading the call.....	292
10.2.3.4.7.2	Terminating UE receiving a GROUP CALL ANNOUNCEMENT message when participating in the ongoing call.....	293
10.2.3.4.8	Downgrade call.....	295
10.2.3.4.8.1	Originating user downgrading emergency group call	295
10.2.3.4.8.2	Retransmitting GROUP CALL EMERGENCY END	295
10.2.3.4.8.3	Terminating user downgrading emergency group call.....	296
10.2.3.4.8.4	Originating user downgrading imminent peril group call	296
10.2.3.4.8.5	Retransmitting GROUP CALL IMMINENT PERIL END	297
10.2.3.4.8.6	Terminating user downgrading imminent peril group call.....	297
10.2.3.4.8.7	Void	298
10.2.3.4.8.8	Implicit emergency priority end.....	298
10.2.3.4.8.9	Implicit imminent peril priority end.....	298
10.2.3.4.9	Merge of two calls	298
10.2.3.4.10	Call release after call establishment	299
10.2.3.4.11	Call release or reject before call establishment	299
10.2.3.4.12	Error handling.....	300
10.2.3.4.12.1	Unexpected MONP message received	300
10.2.3.4.12.2	Unexpected indication from MCPTT user.....	300
10.2.3.4.12.3	Unexpected expiration of a timer.....	300
10.3	Off-network Broadcast group call	300
10.3.1	General.....	300
10.3.2	Basic call control	300
10.3.2.1	General.....	300
10.3.2.2	Broadcast group call control state machine.....	300
10.3.2.3	Broadcast group call Control states.....	301
10.3.2.3.1	B1: start-stop	301
10.3.2.3.2	B2: in-progress broadcast group call	301