



SLOVENSKI STANDARD
kSIST FprEN 14308:2015
01-julij-2015

**Toplotnoizolacijski proizvodi za opremo stavb in industrijske inštalacije -
Proizvodi iz trde poliuretanske pene (PUR) in poliizocianuratne pene (PIR) -
Specifikacija**

Thermal insulation products for building equipment and industrial installations - Factory made rigid polyurethane foam (PUR) and polyisocyanurate foam (PIR) products - Specification

Wärmedämmstoffe für die technische Gebäudeausrüstung und für betriebstechnische Anlagen in der Industrie - Werkmäßig hergestellte Produkte aus Polyurethan-Hartschaum (PUR) und Polyisocyanurat-Schaum (PIR) - Spezifikation

Produits isolants thermiques pour l'équipement du bâtiment et les installations industrielles - Produits manufacturés en mousse rigide de polyuréthane (PUR) et en mousse polyisocyanurate (PIR) - Spécification

Ta slovenski standard je istoveten z: FprEN 14308

ICS:

| | | |
|-----------|---|--|
| 91.100.60 | Materiali za toplotno in zvočno izolacijo | Thermal and sound insulating materials |
|-----------|---|--|

kSIST FprEN 14308:2015

en,fr,de

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

FINAL DRAFT
FprEN 14308

April 2015

ICS 91.100.60

Will supersede EN 14308:2009+A1:2013

English Version

Thermal insulation products for building equipment and industrial installations - Factory made rigid polyurethane foam (PUR) and polyisocyanurate foam (PIR) products - Specification

Produits isolants thermiques pour l'équipement du bâtiment et les installations industrielles - Produits manufacturés en mousse rigide de polyuréthane (PUR) et en mousse polyisocyanurate (PIR) - Spécification

Wärmedämmstoffe für die technische Gebäudeausrüstung und für betriebstechnische Anlagen in der Industrie - Werkmäßig hergestellte Produkte aus Polyurethan-Hartschaum (PUR) und Polyisocyanurat-Schaum (PIR) - Spezifikation

This draft European Standard is submitted to CEN members for unique acceptance procedure. It has been drawn up by the Technical Committee CEN/TC 88.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

| Contents | Page |
|--|-------------|
| Foreword..... | 5 |
| 1 Scope | 7 |
| 2 Normative references | 7 |
| 3 Terms, definitions, symbols, units and abbreviated terms | 9 |
| 3.1 Terms and definitions | 9 |
| 3.1.1 Terms and definitions as given in EN ISO 9229:2007 | 9 |
| 3.1.2 Additional terms and definitions | 9 |
| 3.2 Symbols, units and abbreviated terms | 10 |
| 3.2.1 Symbols and units used in this standard | 10 |
| 3.2.2 Abbreviated terms used in this standard | 11 |
| 4 Requirements | 12 |
| 4.1 General | 12 |
| 4.2 For all applications | 12 |
| 4.2.1 Thermal resistance and thermal conductivity | 12 |
| 4.2.2 Dimensions and tolerances | 12 |
| 4.2.3 Dimensional stability under specified conditions | 13 |
| 4.2.4 Reaction to fire of the product as placed on the market | 14 |
| 4.2.5 Durability characteristics | 14 |
| 4.3 For specific applications | 15 |
| 4.3.1 General | 15 |
| 4.3.2 Maximum service temperature | 15 |
| 4.3.3 Minimum service temperature | 15 |
| 4.3.4 Compression resistance properties | 15 |
| 4.3.5 Water vapour diffusion resistance | 17 |
| 4.3.6 Water absorption | 17 |
| 4.3.7 Closed cell content | 17 |
| 4.3.8 Trace quantities of water soluble ions and the pH-value | 17 |
| 4.3.9 Release of dangerous substances | 17 |
| 4.3.10 Continuous glowing combustion | 18 |
| 5 Test methods | 18 |
| 5.1 Sampling | 18 |
| 5.2 Conditioning | 18 |
| 5.3 Testing | 18 |
| 5.3.1 General | 18 |
| 5.3.2 Thermal conductivity | 20 |
| 5.3.3 Reaction to Fire | 21 |
| 6 Designation code | 21 |
| 7 Assessment and Verification of the Constancy of Performance (AVCP) | 22 |
| 7.1 General | 22 |
| 7.2 Product Type Determination (PTD) | 22 |
| 7.3 Factory Production Control (FPC) | 22 |
| 8 Marking and labelling | 22 |
| Annex A (normative) Factory production control | 24 |
| Annex B (normative) Determination of minimum service temperature | 27 |
| B.1 Definitions | 27 |

| | | |
|---|---|-----------|
| B.2 | Principle | 27 |
| B.3 | Apparatus | 27 |
| B.4 | Test specimens | 28 |
| B.4.1 | Dimensions of test specimens | 28 |
| B.4.2 | Number of test specimens | 28 |
| B.4.3 | Conditioning of the test specimens | 28 |
| B.5 | Procedure | 28 |
| B.5.1 | Test conditions | 28 |
| B.5.2 | Test procedure | 28 |
| B.6 | Calculation and expression of results | 29 |
| B.6.1 | Dimensional changes | 29 |
| B.6.2 | Additional tests and/or observation | 29 |
| B.7 | Accuracy of measurements | 29 |
| B.8 | Test report | 29 |
| B.9 | Modifications of and additions to the general test method for polyurethane and polyisocyanurate foam | 30 |
| B.9.1 | General | 30 |
| B.9.2 | Test specimens | 30 |
| B.9.2.1 | Dimensions of test specimens | 30 |
| B.9.2.2 | Number of test specimens | 30 |
| B.9.3 | Procedure | 31 |
| B.9.4 | Calculation and expression of results | 31 |
| Annex C (normative) Determination of the aged value of thermal conductivity and thermal resistance | | 33 |
| C.1 | General | 33 |
| C.2 | Sampling and test specimen preparation | 33 |
| C.3 | Determination of the initial value of thermal conductivity | 34 |
| C.4 | Fixed increments procedure | 35 |
| C.4.1 | Conditions | 35 |
| C.4.2 | Normality test | 36 |
| C.4.3 | Calculation of the aged value of thermal conductivity | 36 |
| C.5 | Determination of the accelerated aged value of thermal conductivity | 38 |
| C.5.1 | Procedure | 38 |
| C.5.2 | Measurement of the accelerated aged value of thermal conductivity | 38 |
| C.5.3 | Addition of the safety increments (to be used with the accelerated ageing procedure only) | 39 |
| C.5.4 | Acceleration test (optional and for diffusion open products only, in combination with the accelerated ageing procedure) | 39 |
| C.5.5 | Determination of the accelerated aged value of thermal conductivity considering the acceleration factor (optional method and for diffusion open products only, in combination with the accelerated ageing procedure) | 40 |

FprEN 14308:2015 (E)

| | | |
|-------------------------------|--|-----------|
| C.6 | Declaration of the aged value of thermal resistance and thermal conductivity | 40 |
| C.6.1 | General..... | 40 |
| C.6.2 | Product grouping..... | 40 |
| Annex D (informative) | Additional properties | 42 |
| D.1 | General..... | 42 |
| D.2 | Coefficient of thermal expansion | 42 |
| D.3 | Water vapour transmission of preformed pipe insulation | 42 |
| D.4 | Tensile strength perpendicular to faces | 42 |
| D.5 | Shear strength..... | 42 |
| D.6 | Bending strength | 42 |
| D.7 | Cell gas composition..... | 42 |
| D.8 | Cryogenic application | 42 |
| D.9 | Density | 43 |
| Annex ZA (informative) | Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation | 44 |
| ZA.1 | Scope and relevant characteristics | 44 |
| ZA.2 | Procedures for AVCP of factory made rigid polyurethane foam (PUR) and polyisocyanurate foam (PIR) products..... | 46 |
| ZA.2.1 | Systems of AVCP..... | 46 |
| ZA.2.2 | Declaration of Performance (DoP) | 49 |
| ZA.2.2.1 | General | 49 |
| ZA.2.2.2 | Content..... | 50 |
| ZA.2.2.3 | Example of DoP | 50 |
| ZA.3 | CE Marking and labelling | 53 |
| Bibliography | | 55 |

Foreword

This document (FprEN 14308:2015) has been prepared by Technical Committee CEN/TC 88 “Thermal insulating materials and products”, the secretariat of which is held by DIN.

This document is currently submitted to the Unique Acceptance Procedure.

This document will supersede EN 14308:2009+A1:2013.

This document is identifying those clauses of the standard which are needed for the compliance of the European Standard with the Construction Products Regulation (CPR).

The main technical changes that have been made in this new edition of EN 14308 are the following:

- a) an addition to the foreword;
- b) an addition in 3.2.2;
- c) a new 4.3.9;
- d) modification of 5.3.2;
- e) modification of Clause 7;
- f) modification of Clause 8;
- g) modification of Annex A;
- h) a new Annex ZA.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of Regulation (EU) No. 305/2011.

For relationship with Regulation (EU) No. 305/2011, see informative Annex ZA, which is an integral part of this document.

Locally responsible authorities and contracting entities, who are bound by EU Directives to specify their requirements using European harmonized product standards, are allowed to demand additional properties outside the provisions of this standard if this is technically necessary because of prevailing operational conditions of the building equipment or the industrial installation projected or because of safety regulations.

This European Standard contains five annexes:

- Annex A (normative), Factory production control;
- Annex B (normative), Determination of minimum service temperature;
- Annex C (normative), Determination of the aged value of thermal conductivity;
- Annex D (normative), Additional properties;
- Annex ZA (informative), Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation.

This document includes a bibliography.

FprEN 14308:2015 (E)

This European Standard is one of a series of standards for insulation products used in building equipment and industrial installations, but this standard may be used in other areas where appropriate.

In pursuance of Resolution BT 20/1993 revised, CEN/TC 88 have proposed defining the standards listed below as a package of European standards, setting 21 months after availability as the date of withdrawal (dow) of national standards which conflict with the European standards of this package.

The package of standards comprises the following group of interrelated standards for the specifications of factory made thermal insulation products, all of which come within the scope of CEN/TC 88:

EN 14303, *Thermal insulation products for building equipment and industrial installations — Factory made mineral wool (MW) products — Specification*

EN 14304, *Thermal insulation products for building equipment and industrial installations — Factory made flexible elastomeric foam (FEF) products — Specification*

EN 14305, *Thermal insulation products for building equipment and industrial installations — Factory made cellular glass (CG) products — Specification*

EN 14306, *Thermal insulation products for building equipment and industrial installations — Factory made calcium silicate (CS) products — Specification*

EN 14307, *Thermal insulation products for building equipment and industrial installations — Factory made extruded polystyrene foam (XPS) products — Specification*

EN 14308, *Thermal insulation products for building equipment and industrial installations — Factory made rigid polyurethane foam (PUR) and polyisocyanurate foam (PIR) products — Specification*

EN 14309, *Thermal insulation products for building equipment and industrial installations — Factory made expanded polystyrene (EPS) products — Specification*

EN 14313, *Thermal insulation products for building equipment and industrial installations — Factory made polyethylene foam (PEF) products — Specification*

EN 14314, *Thermal insulation products for building equipment and industrial installations — Factory made phenolic foam (PF) products — Specification*

EN 15501, *Thermal insulation products for building equipment and industrial installations — Factory made expanded perlite (EP) and exfoliated vermiculite (EV) products — Specification*