

ETSI TS 129 513 V15.6.0 (2020-01)



**5G;
5G System;
Policy and Charging Control signalling flows and QoS
parameter mapping;
Stage 3**
(3GPP TS 29.513 version 15.6.0 Release 15)

iTeh STANDART PREVIEW
(Standard Preview)
<https://standards.etsi.org/standards/3gpp/3gpp29-series/3gpp29.513-v15.6.0-2020-01-4004-aa57-427a99>



Reference

RTS/TSGC-0329513vf60

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and

of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and
of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	6
1 Scope	7
2 References	7
3 Definitions, symbols and abbreviations	8
3.1 Definitions	8
3.2 Abbreviations	8
4 Reference architecture.....	9
5 Signalling Flows for the Policy Framework.....	13
5.1 AM Policy Association Management.....	13
5.1.1 AM Policy Association Establishment	13
5.1.2 AM Policy Association Modification	14
5.1.2.1 AM Policy Association Modification initiated by the AMF	14
5.1.2.1.1 AM Policy Association Modification initiated by the AMF without AMF relocation.....	14
5.1.2.1.2 AM Policy Association Modification with old PCF during AMF relocation	15
5.1.2.2 AM Policy Association Modification initiated by the PCF.....	16
5.1.3 AM Policy Association Termination	17
5.1.3.1 AM Policy Association Termination initiated by the AMF.....	17
5.1.3.2 AM Policy Association Termination initiated by the PCF.....	18
5.2 SM Policy Association Management.....	20
5.2.1 SM Policy Association Establishment.....	20
5.2.2 SM Policy Association Modification	21
5.2.2.1 General	21
5.2.2.2 SM Policy Association Modification initiated by the PCF	21
5.2.2.2.1 Interactions between SMF, PCF and CHF.....	21
5.2.2.2.2 Interactions between PCF, AF and UDR	22
5.2.2.2.2.1 AF Session Establishment.....	22
5.2.2.2.2.2 AF Session Modification	24
5.2.2.2.2.3 AF Session Termination	25
5.2.2.3 SM Policy Association Modification initiated by the SMF	26
5.2.3 SM Policy Association Termination	29
5.2.3.1 SM Policy Association Termination initiated by the SMF.....	29
5.2.3.2 SM Policy Association Termination initiated by the PCF	31
5.3 Spending Limit Procedures	31
5.3.1 General.....	31
5.3.2 Initial Spending Limit Report Request	31
5.3.3 Intermediate Spending Limit Report Request.....	32
5.3.4 Final Spending Limit Report Request.....	33
5.3.5 Spending Limit Report.....	33
5.3.6 Subscription termination request by CHF.....	34
5.4 Network Data Analytics Procedures	35
5.4.1 General.....	35
5.4.2 Network data analytics Subscribe/Unsubscribe	35
5.4.3 Network data analytics info request.....	36
5.5 Service Capability Exposure Procedures.....	37
5.5.1 General.....	37
5.5.2 Management of Packet Flow Descriptions	37
5.5.2.1 AF-initiated PFD management procedure.....	37
5.5.2.2 PFD management towards SMF	38
5.5.2.2.1 PFD retrieval	38
5.5.2.2.2 PFD management	39

5.5.3	Traffic influence procedures	40
5.5.3.1	General	40
5.5.3.2	AF requests targeting an individual UE address	41
5.5.3.3	AF requests targeting PDU Sessions not identified by an UE address.....	42
5.5.4	Negotiation for future background data transfer procedure	45
5.6	UE Policy Association Management.....	46
5.6.1	UE Policy Association Establishment	46
5.6.1.1	General	46
5.6.1.2	Non-roaming	47
5.6.1.3	Roaming	49
5.6.2	UE Policy Association Modification	51
5.6.2.1	UE Policy Association Modification initiated by the AMF	51
5.6.2.1.1	General	51
5.6.2.1.2	Non-roaming	51
5.6.2.1.3	Roaming	52
5.6.2.2	UE Policy Association Modification initiated by the PCF.....	53
5.6.2.2.1	General	53
5.6.2.2.2	Non-roaming	53
5.6.2.2.3	Roaming	54
5.6.3	UE Policy Association Termination	55
5.6.3.1	UE Policy Association Termination initiated by the AMF	55
5.6.3.1.1	General	55
5.6.3.1.2	Non-roaming	56
5.6.3.1.3	Roaming	57
5.6.3.2	UE Policy Association Termination initiated by the PCF.....	57
5.6.3.2.1	General	57
5.6.3.2.2	Non-roaming	58
5.6.3.2.3	Roaming	59
6	Binding Mechanism	60
6.1	Overview	60
6.2	Session Binding.....	60
6.3	PCC rule Authorization.....	61
6.4	QoS flow binding	61
7	QoS Parameters Mapping.....	63
7.1	Overview	63
7.2	QoS parameter mapping Functions at AF	64
7.2.1	Introduction.....	64
7.2.2	AF supporting Rx interface.....	65
7.2.3	AF supporting N5 interface	65
7.3	QoS parameter mapping Functions at PCF	65
7.3.1	Introduction.....	65
7.3.2	PCF Interworking with an AF supporting Rx interface	65
7.3.3	PCF Interworking with an AF supporting N5 interface	72
7.4	QoS parameter mapping Functions at SMF	79
8	PCF addressing.....	79
8.1	General	79
8.2	PCF discovery and selection by the AMF	79
8.3	PCF discovery and selection by the SMF.....	80
8.4	PCF discovery and selection by the AF.....	80
8.4.1	General.....	80
8.4.2	Binding Support Function (BSF)	80
8.5	BSF procedures	81
8.5.1	General.....	81
8.5.2	Binding information Creation	81
8.5.3	Binding information Deletion	82
8.5.4	Binding information Retrieval	82
8.5.5	Proxy BSF.....	82
8.5.5.1	General	82
8.5.5.2	Rx Session Establishment	83
8.5.5.3	Rx Session Modification	83

8.5.5.3.1	AF-initiated	83
8.5.5.3.2	PCF-initiated	84
8.5.5.4	Rx Session Termination	84
8.5.5.4.1	AF-initiated	84
8.5.5.4.2	PCF-initiated	85
8.5.6	Redirect BSF	85
8.5.6.1	General	85
8.5.6.2	Rx Session Establishment	86
Annex A (informative):	DRA and BSF coexistence	87
Annex B (informative):	Change history	88
History		91

iTeh STANDARD PREVIEW
(Standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/b8503aid-8106-4004-aa57-427a9966b759/etsi-ts-129-513-v15.6.0-2020-01>

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/b8503aid-8100e>
4004-aa57-427a9966b759/etsi-ts-129-513-v15.6.0-2020-01

1 Scope

The present document specifies detailed call flows of Policy and Charging Control (PCC) over the Npcf, Nsmf, Namf, Nudr, Nnef, Nchf, Nbsf and Nnwda service-based interfaces and their relationship with the flow level signalling in 5G system.

NOTE: The call flows depicted in this Technical Specification do not cover all traffic cases.

The stage 2 definition and procedures of PCC are contained in 3GPP TS 23.502 [3] and 3GPP TS 23.503 [4]. The 5G System Architecture is defined in 3GPP TS 23.501 [2].

Detailed stage 3 procedures are provided in 3GPP TS 29.507 [7], 3GPP TS 29.508 [8], 3GPP TS 29.512 [9], 3GPP TS 29.514 [10], 3GPP TS 29.520 [11], 3GPP TS 29.519 [12], 3GPP TS 29.521 [22], 3GPP TS 29.594 [23], 3GPP TS 29.522 [24], 3GPP TS 29.551 [25], 3GPP TS 29.525 [31] and 3GPP TS 29.554 [26].

The Technical Realization of the Service Based Architecture and the Principles and Guidelines for Services Definition of the 5G System are specified in 3GPP TS 29.500 [5] and 3GPP TS 29.501 [6].

The present specification also describes the PCC reference architectures for non-roaming and roaming scenarios in 5G system.

The present specification also describes the mapping of QoS parameters at AF, PCF and SMF.

The present specification also describes the session binding at PCF and the QoS flow binding at SMF.

The present specification also describes the PCF addressing.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 23.501: "System Architecture for the 5G System; Stage 2".
- [3] 3GPP TS 23.502: "Procedures for the 5G System; Stage 2".
- [4] 3GPP TS 23.503: "Policy and Charging Control Framework for the 5G System; Stage 2".
- [5] 3GPP TS 29.500: "5G System; Technical Realization of Service Based Architecture; Stage 3".
- [6] 3GPP TS 29.501: "5G System; Principles and Guidelines for Services Definition; Stage 3".
- [7] 3GPP TS 29.507: "5G System; Access and Mobility Policy Control Service; Stage 3".
- [8] 3GPP TS 29.508: "5G System; Session Management Event Exposure Service; Stage 3".
- [9] 3GPP TS 29.512: "5G System; Session Management Policy Control Service; Stage 3".
- [10] 3GPP TS 29.514: "5G System; Policy Authorization Service; Stage 3".
- [11] 3GPP TS 29.520: "5G System; Network Data Analytics Services; Stage 3".

- [12] 3GPP TS 29.519: "5G System; Usage of the Unified Data Repository Service for Policy Data, Application Data and Structured Data for Exposure; Stage 3".
- [13] 3GPP TS 23.203: "Policies and Charging control architecture; Stage 2".
- [14] 3GPP TS 26.114: "IP Multimedia Subsystem (IMS); Multimedia Telephony; Media handling and interaction".
- [15] 3GPP TS 29.201: "Representational State Transfer (REST) reference point between Application Function (AF) and Protocol Converter (PC)".
- [16] IETF RFC 4566: "SDP: Session Description Protocol".
- [17] 3GPP TS 26.247: "Transparent end-to-end Packet-switched Streaming Service (PSS) Progressive Download and Dynamic Adaptive Streaming over HTTP (3GP-DASH)".
- [18] 3GPP TS 29.214: "Policy and Charging Control over Rx reference point".
- [19] 3GPP TS 26.234: "End-to-end transparent streaming service; Protocols and codecs".
- [20] 3GPP2 C.S0046-0 v1.0: "3G Multimedia Streaming Services".
- [21] 3GPP2 C.S0055-A v1.0: "Packet Switched Video Telephony Services (PSVT/MCS)".
- [22] 3GPP TS 29.521: "5G System; Binding Support Management Service; Stage 3".
- [23] 3GPP TS 29.594: "5G System; Spending Limit Control Service; Stage 3".
- [24] 3GPP TS 29.522: "5G System; Network Exposure Function Northbound APIs; Stage 3".
- [25] 3GPP TS 29.551: "5G System; Packet Flow Description Management Service; Stage 3".
- [26] 3GPP TS 29.554: "5G System; Background Data Transfer Policy Control Service; Stage 3".
- [27] 3GPP TS 29.504: "5G System; Unified Data Repository Services; Stage 3".
- [28] 3GPP TS 32.240: "Charging management; Charging architecture and principles".
- [29] IETF RFC 6733: "Diameter Base Protocol".
- [30] 3GPP TS 29.213: "Policy and charging control signalling flows and Quality of Service (QoS) parameter mapping".
- [31] 3GPP TS 29.525: "UE Policy Control Service; Stage 3".
- [32] 3GPP TS 29.518: "Access and Mobility Management Services; Stage 3".
- [33] 3GPP TS 24.501: "Non-Access-Stratum (NAS) protocol for 5G System (5GS); Stage 3".

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in TR 21.905 [1].

3.2 Abbreviations

For the purposes of the present document, the abbreviations given in TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in TR 21.905 [1].

5GC	5G Core Network
5QI	5G QoS Identifier
AF	Application Function
AMBR	Aggregate Maximum Bit Rate
AMF	Access and Mobility Management Function
ARP	Allocation and Retention Priority
AW	Average Window
BSF	Binding Support Function
CHF	Charging Function
LBO	Local Breakout
MBR	Maximum Bitrate
MPD	Media Presentation Description
MPS	Multimedia Priority Service
NEF	Network Exposure Function
NRF	Network Repository Function
NWDAF	Network Data Analytics Function
PCC	Policy and Charging Control
PCF	Policy Control Function
PDB	Packet Delay Budget
PER	Packet Error Rate
PFD	Packet Flow Description
PFDF	Packet Flow Description Function
PL	Priority Level
QNC	QoS Notification Control
QoS	Quality of Service
SDP	Session Description Protocol
SEPP	Security Edge Protection Proxy
SMF	Session Management Function
S-NSSAI	Single Network Slice Selection Assistance Information
UDR	Unified Data Repository
UPF	User Plane Function
UPSI	UE policy section identifier

Ten STANDARD PREVIEW
Full standard at standards.etsi.org/sistb8503aid-8106-127a9bb759/etsi-ts-129-513-15.6.0-2020-01

4 Reference architecture

The policy framework functionality in 5G is comprised by the functions of the Policy Control Function (PCF), the policy and charging enforcement functionality supported by SMF and UPF, the access and mobility policy enforcement functionality supported by the AMF, the Network Data Analytics Function (NWDAF), the Network Exposure Function (NEF), the Charing Function (CHF), the Unified Data Repository (UDR) and the Application Function (AF). For the roaming scenario, the Security Edge Protection Proxy (SEPP) is deployed between the V-PCF and H-PCF.

3GPP TS 23.503 [4] specifies the 5G policy framework stage 2 functionality.




Figure 4.1-1a: Overall non-roaming 5G Policy framework architecture (service based representation)




Figure 4.1-1b: Overall non-roaming 5G Policy framework architecture (reference point representation)

NOTE 1: The N4 interface is not part of the Policy Framework architecture but shown in the figures for completeness.

The Nchf service for online and offline charging consumed by the SMF is defined in 3GPP TS 32.240 [28].

The Nchf service for Spending Limit Control consumed by the PCF is defined in 3GPP TS 29.594 [23].




Figure 4.1-2a: Overall roaming policy framework architecture - LBO (service based representation)




Figure 4.1-2b: Overall roaming policy framework architecture - LBO (reference point representation)

NOTE 2: In the LBO scenario, the PCF in the VPLMN may interact with the AF in order to generate PCC rules for services delivered via the VPLMN. The PCF in the VPLMN uses locally configured policies according to the roaming agreement with the HPLMN operator as input for PCC rule generation. The PCF in VPLMN has no access to subscriber policy information from the HPLMN to retrieve input for PCC Rule generation. The interactions between the PCF in the VPLMN and the PCF in the HPLMN through the Npcf service based interface enables the PCF in the HPLMN to provision UE policies to the PCF in the VPLMN, as described in 3GPP TS 23.503 [4] subclause 5.2.5.

NOTE 3: In the LBO scenario, AF requests targeting a DNN (and slice) and / or a group of UEs are stored in the UDR by the NEF. The PCF in the VPLMN subscribes to and get notification from the UDR in the VPLMN for those AF requests. Details are defined in subclause 5.6.7 of 3GPP TS 23.501 [2].

NOTE 4: For the sake of clarity, SEPPs are not depicted in the roaming reference point architecture figures.

NOTE 5: N4 and N32 are not service based interfaces.




Figure 4.1-3a: Overall roaming policy framework architecture - home routed scenario (service based representation)




Figure 4.1-3b: Overall roaming policy framework architecture - home routed scenario (reference point representation)

NOTE 6: For the sake of clarity, SEPPs are not depicted in the roaming reference point architecture figures.

NOTE 7: N4 and N32 are not service based interfaces.