

ETSI TS 128 541 V15.5.0 (2020-01)



5G;
Management and orchestration;
5G Network Resource Model (NRM);
Stage 2 and stage 3
(3GPP TS 28.541 version 15.5.0 Release 15)

PREVIEW
https://standards.iteh.ai/catalog/standards/sist/26823562-4685-4b8d-8e3a-c981893afed/etsi-ts-128-541-v15-5-0-2020-01



Reference

RTS/TSGS-0528541vf50

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	14
Introduction	14
1 Scope	15
2 References	15
3 Definitions and abbreviations.....	17
3.1 Definitions	17
3.2 Abbreviations	17
4 Information model definitions for NR NRM.....	18
4.1 Imported and associated information	18
4.1.1 Imported information entities and local labels.....	18
4.1.2 Associated information entities and local labels.....	18
4.2 Class diagram	18
4.2.1 Class diagram for gNB and en-gNB	18
4.2.1.1 Relationships.....	18
4.2.1.2 Inheritance.....	21
4.3 Class definitions	22
4.3.1 GNBDUFunction	22
4.3.1.1 Definition	22
4.3.1.2 Attributes.....	23
4.3.1.3 Attribute constraints	23
4.3.1.4 Notifications.....	23
4.3.2 GNBCUCPFunction	23
4.3.2.1 Definition	23
4.3.2.2 Attributes.....	24
4.3.2.3 Attribute constraints	24
4.3.2.4 Notifications.....	24
4.3.3 GNBCUUPFunction	24
4.3.3.1 Definition	24
4.3.3.2 Attributes.....	25
4.3.3.3 Attribute constraints	25
4.3.3.4 Notifications.....	25
4.3.4 NRCellCU	25
4.3.4.1 Definition	25
4.3.4.2 Attributes.....	25
4.3.4.3 Attribute constraints	26
4.3.4.4 Notifications.....	26
4.3.5 NRCellDU	26
4.3.5.1 Definition	26
4.3.5.2 Attributes.....	26
4.3.5.3 Attribute constraints	27
4.3.5.4 Notifications.....	27
4.3.6 NRSectorCarrier	27
4.3.6.1 Definition	27
4.3.6.2 Attributes.....	28
4.3.6.3 Attribute constraints	28
4.3.6.4 Notifications.....	28
4.3.7 BWP	28
4.3.7.1 Definition	28
4.3.7.2 Attributes.....	28
4.3.7.3 Attribute constraints	28

4.3.7.4	Notifications.....	29
4.3.8	EP_E1	29
4.3.8.1	Definition	29
4.3.8.2	Attributes.....	29
4.3.8.3	Attribute constraints	29
4.3.8.4	Notifications.....	29
4.3.9	EP_XnU.....	29
4.3.9.1	Definition	29
4.3.9.2	Attributes.....	29
4.3.9.3	Attribute constraints	29
4.3.9.4	Notifications.....	29
4.3.10	EP_NgC.....	30
4.3.10.1	Definition	30
4.3.10.2	Attributes.....	30
4.3.10.3	Attribute constraints	30
4.3.10.4	Notifications.....	30
4.3.11	EP_NgU.....	30
4.3.11.1	Definition	30
4.3.11.2	Attributes.....	30
4.3.11.3	Attribute constraints	30
4.3.11.4	Notifications.....	30
4.3.12	EP_F1C.....	31
4.3.12.1	Definition	31
4.3.12.2	Attributes.....	31
4.3.12.3	Attribute constraints	31
4.3.12.4	Notifications.....	31
4.3.13	EP_F1U.....	31
4.3.13.1	Definition	31
4.3.13.2	Attributes.....	31
4.3.13.3	Attribute constraints	31
4.3.13.4	Notifications.....	31
4.3.14	EP_S1U.....	32
4.3.14.1	Definition	32
4.3.14.2	Attributes.....	32
4.3.14.3	Attribute constraints	32
4.3.14.4	Notifications.....	32
4.3.15	EP_X2C.....	32
4.3.15.1	Definition	32
4.3.15.2	Attributes.....	32
4.3.15.3	Attribute constraints	32
4.3.15.4	Notifications.....	32
4.3.16	EP_X2U.....	32
4.3.16.1	Definition	32
4.3.16.2	Attributes.....	33
4.3.16.3	Attribute constraints	33
4.3.16.4	Notifications.....	33
4.3.17	EP_XnC.....	33
4.3.17.1	Definition	33
4.3.17.2	Attributes.....	33
4.3.17.3	Attribute constraints	33
4.3.17.4	Notifications.....	33
4.3.18	ExternalGNBCUCPFfunction	33
4.3.18.1	Definition	33
4.3.18.2	Attributes.....	33
4.3.18.3	Attribute constraints	34
4.3.18.4	Notifications.....	34
4.3.19	ExternalGNBCUUPFunction	34
4.3.19.1	Definition	34
4.3.19.2	Attributes.....	34
4.3.19.3	Attribute constraints	34
4.3.19.4	Notifications.....	34

4.3.20	ExternalGNBDUFunction	34
4.3.20.1	Definition	34
4.3.20.2	Attributes	34
4.3.20.3	Attribute constraints	34
4.3.20.4	Notifications	35
4.3.21	ExternalUPFFunction	35
4.3.21.1	Definition	35
4.3.21.2	Attributes	35
4.3.21.3	Attribute constraints	35
4.3.21.4	Notifications	35
4.3.22	ExternalAMFFunction	35
4.3.22.1	Definition	35
4.3.22.2	Attributes	35
4.3.22.3	Attribute constraints	35
4.3.22.4	Notifications	35
4.3.23	Void	36
4.3.24	ENBFunction <<ProxyClass>>	36
4.3.24.1	Definition	36
4.3.24.2	Attributes	36
4.3.24.3	Attribute constraints	36
4.3.24.4	Notifications	36
4.3.25	GNBCUCPFunction <<ProxyClass>>	36
4.3.25.1	Definition	36
4.3.25.2	Attributes	36
4.3.25.3	Attribute constraints	36
4.3.25.4	Notifications	36
4.3.26	GNBCUUPFunction <<ProxyClass>>	36
4.3.26.1	Definition	36
4.3.26.2	Attributes	36
4.3.26.3	Attribute constraints	36
4.3.26.4	Notifications	37
4.3.27	GNBDUFunction <<ProxyClass>>	37
4.3.27.1	Definition	37
4.3.27.2	Attributes	37
4.3.27.3	Attribute constraints	37
4.3.27.4	Notifications	37
4.3.28	ServingGWFFunction <<ProxyClass>>	37
4.3.28.1	Definition	37
4.3.28.2	Attributes	37
4.3.28.3	Attribute constraints	37
4.3.28.4	Notifications	37
4.3.29	UPFFunction <<ProxyClass>>	37
4.3.29.1	Definition	37
4.3.29.2	Attributes	37
4.3.29.3	Attribute constraints	37
4.3.29.4	Notifications	38
4.3.30	AMFFunction <<ProxyClass>>	38
4.3.30.1	Definition	38
4.3.30.2	Attributes	38
4.3.30.3	Attribute constraints	38
4.3.30.4	Notifications	38
4.3.31	Void	38
4.3.32	NRCellRelation	38
4.3.32.1	Definition	38
4.3.32.2	Attributes	38
4.3.32.3	Attribute constraints	38
4.3.32.4	Notifications	38
4.3.33	NRFreqRelation	39
4.3.33.1	Definition	39
4.3.33.2	Attributes	39
4.3.33.3	Attribute constraints	39

4.3.33.4	Void.....	39
4.3.35	ExternalNRCellCU.....	39
4.3.35.1	Definition.....	39
4.3.35.2	Attributes.....	40
4.3.35.3	Attribute constraints.....	40
4.3.35.4	Notifications.....	40
4.3.36	RRMPolicyRatio2 <<dataType>>.....	40
4.3.36.1	Definition.....	40
4.3.36.2	Attributes.....	40
4.3.37	NRFrequency.....	40
4.3.37.1	Definition.....	40
4.3.37.2	Attributes.....	41
4.3.37.3	Attribute constraints.....	41
4.3.37.4	Notifications.....	41
4.3.38	CommonBeamformingFunction.....	41
4.3.38.1	Definition.....	41
4.3.38.2	Attributes.....	41
4.3.38.3	Attribute constraints.....	41
4.3.38.4	Notifications.....	41
4.3.39	Beam.....	41
4.3.39.1	Definition.....	41
4.3.39.2	Attributes.....	42
4.3.39.3	Attribute constraints.....	42
4.3.39.4	Notifications.....	42
4.4	Attribute definitions.....	43
4.4.1	Attribute properties.....	43
4.5	Common notifications.....	55
5	Information model definitions for 5GC NRM.....	56
5.1	Imported information entities and local labels.....	56
5.2	Class diagram.....	56
5.2.1	Class diagram of 5GC NFs.....	56
5.2.1.1	Relationships.....	56
5.2.1.2	Inheritance.....	63
5.2.2	Class diagram of AMF Region/AMF Set.....	64
5.2.2.1	Relationships.....	64
5.2.2.2	Inheritance.....	65
5.3	Class definitions.....	65
5.3.1	AMFFunction.....	65
5.3.1.1	Definition.....	65
5.3.1.2	Attributes.....	65
5.3.1.3	Attribute constraints.....	66
5.3.1.4	Notifications.....	66
5.3.2	SMFFunction.....	66
5.3.2.1	Definition.....	66
5.3.2.2	Attributes.....	66
5.3.2.3	Attribute constraints.....	66
5.3.2.4	Notifications.....	66
5.3.3	UPFFunction.....	66
5.3.3.1	Definition.....	66
5.3.3.2	Attributes.....	66
5.3.3.3	Attribute constraints.....	67
5.3.3.4	Notifications.....	67
5.3.4	N3IWFFunction.....	67
5.3.4.1	Definition.....	67
5.3.4.2	Attributes.....	67
5.3.4.3	Attribute constraints.....	67
5.3.4.4	Notifications.....	67
5.3.5	PCFFunction.....	67
5.3.5.1	Definition.....	67
5.3.5.2	Attributes.....	67

5.3.5.3	Attribute constraints	68
5.3.5.4	Notifications	68
5.3.6	AUSFFunction	68
5.3.6.1	Definition	68
5.3.6.2	Attributes	68
5.3.6.3	Attribute constraints	68
5.3.6.4	Notifications	68
5.3.7	UDMFunction	68
5.3.7.1	Definition	68
5.3.7.2	Attributes	68
5.3.5.3	Attribute constraints	69
5.3.5.4	Notifications	69
5.3.8	UDRFunction	69
5.3.8.1	Definition	69
5.3.8.2	Attributes	69
5.3.8.3	Attribute constraints	69
5.3.8.4	Notifications	69
5.3.9	UDSFFunction	69
5.3.9.1	Definition	69
5.3.9.2	Attributes	69
5.3.9.3	Attribute constraints	70
5.3.9.4	Notifications	70
5.3.10	NRFFunction	70
5.3.10.1	Definition	70
5.3.10.2	Attributes	70
5.3.10.3	Attribute constraints	70
5.3.10.4	Notifications	70
5.3.11	NSSFFunction	70
5.3.11.1	Definition	70
5.3.11.2	Attributes	70
5.3.11.3	Attribute constraints	71
5.3.11.4	Notifications	71
5.3.12	AFFunction	71
5.3.12.1	Definition	71
5.3.13	DNFunction	71
5.3.13.1	Definition	71
5.3.14	SMSFFunction	71
5.3.14.1	Definition	71
5.3.14.2	Attributes	71
5.3.14.3	Attribute constraints	71
5.3.14.4	Notifications	71
5.3.15	LMFFunction	72
5.3.15.1	Definition	72
5.3.15.2	Attributes	72
5.3.15.3	Attribute constraints	72
5.3.15.4	Notifications	72
5.3.16	NGEIRFunction	72
5.3.16.1	Definition	72
5.3.16.2	Attributes	72
5.3.16.3	Attribute constraints	72
5.3.16.4	Notifications	72
5.3.17	SEPPFunction	72
5.3.17.1	Definition	72
5.3.17.2	Attributes	73
5.3.17.3	Attribute constraints	73
5.3.17.4	Notifications	73
5.3.18	NWDAFFunction	73
5.3.18.1	Definition	73
5.3.18.2	Attributes	73
5.3.18.3	Attribute constraints	73
5.3.18.4	Notifications	73

5.3.19	EP_N2	73
5.3.19.1	Definition	73
5.3.19.2	Attributes	73
5.3.19.3	Attribute constraints	73
5.3.19.4	Notifications	74
5.3.20	EP_N3	74
5.3.20.1	Definition	74
5.3.20.2	Attributes	74
5.3.20.3	Attribute constraints	74
5.3.20.4	Notifications	74
5.3.21	EP_N4	74
5.3.21.1	Definition	74
5.3.21.2	Attributes	74
5.3.21.3	Attribute constraints	74
5.3.21.4	Notifications	74
5.3.22	EP_N5	74
5.3.22.1	Definition	74
5.3.22.2	Attributes	74
5.3.22.3	Attribute constraints	75
5.3.22.4	Notifications	75
5.3.23	EP_N6	75
5.3.23.1	Definition	75
5.3.23.2	Attributes	75
5.3.23.3	Attribute constraints	75
5.3.23.4	Notifications	75
5.3.24	EP_N7	75
5.3.24.1	Definition	75
5.3.24.2	Attributes	75
5.3.24.3	Attribute constraints	75
5.3.24.4	Notifications	75
5.3.25	EP_N8	76
5.3.25.1	Definition	76
5.3.25.2	Attributes	76
5.3.25.3	Attribute constraints	76
5.3.25.4	Notifications	76
5.3.26	EP_N9	76
5.3.26.1	Definition	76
5.3.26.2	Attributes	76
5.3.26.3	Attribute constraints	76
5.3.26.4	Notifications	76
5.3.27	EP_N10	76
5.3.27.1	Definition	76
5.3.27.2	Attributes	76
5.3.27.3	Attribute constraints	77
5.3.27.4	Notifications	77
5.3.28	EP_N11	77
5.3.28.1	Definition	77
5.3.28.2	Attributes	77
5.3.28.3	Attribute constraints	77
5.3.28.4	Notifications	77
5.3.29	EP_N12	77
5.3.29.1	Definition	77
5.3.29.2	Attributes	77
5.3.29.3	Attribute constraints	77
5.3.29.4	Notifications	77
5.3.30	EP_N13	78
5.3.30.1	Definition	78
5.3.30.2	Attributes	78
5.3.30.3	Attribute constraints	78
5.3.30.4	Notifications	78
5.3.31	EP_N14	78

5.3.31.1	Definition	78
5.3.31.2	Attributes.....	78
5.3.31.3	Attribute constraints	78
5.3.31.4	Notifications.....	78
5.3.32	EP_N15	78
5.3.32.1	Definition	78
5.3.32.2	Attributes.....	78
5.3.32.3	Attribute constraints	79
5.3.32.4	Notifications.....	79
5.3.33	EP_N16	79
5.3.33.1	Definition	79
5.3.33.2	Attributes.....	79
5.3.33.3	Attribute constraints	79
5.3.33.4	Notifications.....	79
5.3.34	EP_N17	79
5.3.34.1	Definition	79
5.3.34.2	Attributes.....	79
5.3.34.3	Attribute constraints	79
5.3.34.4	Notifications.....	79
5.3.35	EP_N20	80
5.3.35.1	Definition	80
5.3.35.2	Attributes.....	80
5.3.35.3	Attribute constraints	80
5.3.35.4	Notifications.....	80
5.3.36	EP_N21	80
5.3.36.1	Definition	80
5.3.36.2	Attributes.....	80
5.3.36.3	Attribute constraints	80
5.3.36.4	Notifications.....	80
5.3.37	EP_N22	80
5.3.37.1	Definition	80
5.3.37.2	Attributes.....	80
5.3.37.3	Attribute constraints	81
5.3.37.4	Notifications.....	81
5.3.38	EP_N26	81
5.3.38.1	Definition	81
5.3.38.2	Attributes.....	81
5.3.38.3	Attribute constraints	81
5.3.38.4	Notifications.....	81
5.3.39	EP_SBI_X	81
5.3.39.1	Definition	81
5.3.39.2	Attributes.....	81
5.3.39.3	Attribute constraints	81
5.3.39.4	Notifications.....	82
5.3.40	EP_SBI_IPX	82
5.3.40.1	Definition	82
5.3.40.2	Attributes.....	82
5.3.40.3	Attribute constraints	82
5.3.40.4	Notifications.....	82
5.3.41	EP_S5C	82
5.3.41.1	Definition	82
5.3.41.2	Attributes.....	82
5.3.41.3	Attribute constraints	82
5.3.41.4	Notifications.....	82
5.3.42	EP_S5U	82
5.3.42.1	Definition	82
5.3.42.2	Attributes.....	83
5.3.42.3	Attribute constraints	83
5.3.42.4	Notifications.....	83
5.3.43	EP_Rx	83
5.3.43.1	Definition	83

5.3.43.2	Attributes.....	83
5.3.43.3	Attribute constraints	83
5.3.43.4	Notifications.....	83
5.3.44	EP_MAP_SMSC.....	83
5.3.44.1	Definition	83
5.3.44.2	Attributes.....	83
5.3.44.3	Attribute constraints	83
5.3.44.4	Notifications.....	84
5.3.45	EP-NLS.....	84
5.3.45.1	Definition	84
5.3.45.2	Attributes.....	84
5.3.45.3	Attribute constraints	84
5.3.45.4	Notifications.....	84
5.3.46	EP_NLG.....	84
5.3.46.1	Definition	84
5.3.46.2	Attributes.....	84
5.3.46.3	Attribute constraints	84
5.3.46.4	Notifications.....	84
5.3.47	EP_N27.....	84
5.3.47.1	Definition	84
5.3.47.2	Attributes.....	85
5.3.47.3	Attribute constraints	85
5.3.47.4	Notifications.....	85
5.3.48	EP_N31.....	85
5.3.48.1	Definition	85
5.3.48.2	Attributes.....	85
5.3.48.3	Attribute constraints	85
5.3.48.4	Notifications.....	85
5.3.49	ExternalNRFFunction.....	85
5.3.49.1	Definition	85
5.3.49.2	Attributes.....	85
5.3.49.3	Attribute constraints	86
5.3.49.4	Notifications.....	86
5.3.50	ExternalNSSFFunction.....	86
5.3.50.1	Definition	86
5.3.50.2	Attributes.....	86
5.3.50.3	Attribute constraints	86
5.3.50.4	Notifications.....	86
5.3.51	AMFSet.....	86
5.3.51.1	Definition	86
5.3.51.2	Attributes.....	86
5.3.51.3	Attribute constraints	87
5.3.51.4	Notifications.....	87
5.3.52	AMFRegion.....	87
5.3.52.1	Definition	87
5.3.52.2	Attributes.....	87
5.3.52.3	Attribute constraints	87
5.3.52.4	Notifications.....	87
5.3.53	ExternalAMFFunction.....	87
5.3.53.1	Definition	87
5.3.53.2	Attributes.....	87
5.3.53.3	Attribute constraints	88
5.3.53.4	Notifications.....	88
5.4	Attribute definitions	88
5.4.1	Attribute properties	88
5.5	Common notifications	90
6	Information model definitions for network slice NRM.....	90
6.1	Imported information entities and local labels	90
6.2	Class diagram	91
6.2.1	Relationships.....	91

6.2.2	Inheritance	91
6.3	Class definitions	92
6.3.1	NetworkSlice	92
6.3.1.1	Definition	92
6.3.1.2	Attributes	92
6.3.1.3	Attribute constraints	92
6.3.1.4	Notifications	92
6.3.2	NetworkSliceSubnet	92
6.3.2.1	Definition	92
6.3.2.2	Attributes	92
6.3.2.3	Attribute constraints	93
6.3.2.4	Notifications	93
6.3.3	ServiceProfile	93
6.3.3.1	Definition	93
6.3.3.2	Attributes	93
6.3.3.3	Attribute constraints	93
6.3.3.4	Notifications	93
6.3.4	SliceProfile	93
6.3.4.1	Definition	93
6.3.4.2	Attributes	94
6.3.4.3	Attribute constraints	94
6.3.4.4	Notifications	94
6.4	Attribute definition	95
6.4.1	Attribute properties	95
6.5	Common notifications	99
7	Solution Set (SS)	99
Annex A (normative): Cell state handling		100
A.1	Relation between the administrative state and the "Pre-operation state of the gNB-DU Cell"	100
A.2	Combined state diagram for gNB cell	100
Annex B (normative): NSI and NSSI state handling		105
B.1	NSI state handling	105
B.2	State handling of NSSI	106
Annex C (normative): XML definitions for NR NRM.....		109
C.1	General	109
C.2	Architectural features	109
C.3	Mapping	109
C.3.1	General mapping	109
C.3.2	Information Object Class (IOC) mapping	109
C.4	Solution Set definitions	109
C.4.1	XML definition structure.....	109
C.4.2	Graphical representation.....	109
C.4.3	XML schema "nrNrm.xsd"	109
Annex D (normative): JSON definitions for NR NRM.....		125
D.1	General	125
D.2	Architectural features	125
D.3	Mapping	125
D.4	Solution Set (SS) definitions	125
D.4.1	JSON definition structure	125
D.4.2	Graphical representation.....	125
D.4.3	JSON schema "nrNrm.json"	125

Annex E (normative):	YANG definitions for NR NRM	148
E.1	General	148
E.2	Void.....	148
E.3	Void.....	148
E.4	Void.....	148
E.5	Modules.....	148
E.6	Graphical representation.....	186
E.7	Mount information	186
Annex F (normative):	XML definitions for 5GC NRM	187
F.1	General	187
F.2	Architectural features	187
F.3	Mapping	187
F.3.1	General mapping	187
F.3.2	Information Object Class (IOC) mapping	187
F.4	Solution Set definitions	187
F.4.1	XML definition structure.....	187
F.4.2	Graphical representation.....	187
F.4.3	XML schema "ngcNrm.xsd"	187
Annex G (normative):	JSON definitions for 5GC NRM.....	209
G.1	General	209
G.2	Architectural features	209
G.3	Mapping	209
G.4	Solution Set definitions	209
G.4.1	JSON definition structure	209
G.4.2	Graphical representation.....	209
G.4.3	JSON schema "ngcNrm.json"	209
Annex H (normative):	YANG definitions for 5GC.....	230
H.1	General	230
H.2	Void.....	230
H.3	Void.....	230
H.4	Void.....	230
H.5	Modules.....	230
H.6	Graphical representation.....	277
H.7	Mount information	311
Annex I (normative):	XML definitions for network slice.....	312
I.1	General	312
I.2	Architectural features	312
I.3	Mapping	312
I.3.1	General mapping	312
I.3.2	Information Object Class (IOC) mapping	312
I.4	Solution Set (SS) definitions	312
I.4.1	XML definition structure.....	312