

# ETSI TS 128 550 V15.3.0 (2020-01)



**5G;**  
**Management and orchestration;**  
**Performance assurance**  
**(3GPP TS 28.550 version 15.3.0 Release 15)**

*Standard Preview*  
*Full standards: <https://standards.iteh.ai/catalog/standards/sist/11b256b0-7f20-4f0d-a730-d0adcca74a39/etsi-ts-128-550-v15-3-0-2020-01>*



---

Reference

RTS/TSGS-0528550vf30

---

Keywords

---

5G

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

---

The present document can be downloaded from:  
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:  
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

---

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.  
All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

---

# Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Legal Notice .....	2
Modal verbs terminology.....	2
Foreword.....	8
1 Scope .....	9
2 References .....	9
3 Definitions and abbreviations.....	10
3.1 Definitions .....	10
3.2 Abbreviations .....	10
4 Concepts and overview .....	10
4.1 Overview .....	10
4.2 Management data analytics .....	10
4.3 PM services .....	11
5 Specification level requirements .....	11
5.1 Use cases .....	11
5.1.0 Introduction.....	11
5.1.1 NF PM services.....	12
5.1.1.1 NF measurement job control service.....	12
5.1.1.1.1 Creation of measurement job for NF(s).....	12
5.1.1.1.2 Termination of measurement job for NF(s).....	12
5.1.1.1.3 Query of measurement jobs for NF(s).....	13
5.1.1.2 NF performance data file reporting service.....	13
5.1.1.2.1 3GPP NF performance data file reporting.....	13
5.1.1.3 NF performance data streaming service.....	14
5.1.1.3.1 3GPP NF performance data streaming.....	14
5.1.2 NSSI PM services .....	15
5.1.2.1 NSSI measurement job control service.....	15
5.1.2.1.1 Creation of measurement job for NSSI(s).....	15
5.1.2.1.2 Termination of measurement job for NSSI(s).....	16
5.1.2.1.3 Query of measurement jobs for NSSI(s).....	16
5.1.2.2 NSSI performance data file reporting service.....	17
5.1.2.2.1 NSSI performance data file reporting.....	17
5.1.2.3 NSSI performance data streaming service.....	17
5.1.2.3.1 NSSI performance data streaming.....	17
5.1.3 NSI PM services .....	18
5.1.3.1 NSI measurement job control service.....	18
5.1.3.1.1 Creation of measurement job for NSI(s).....	18
5.1.3.1.2 Termination of measurement job for NSI(s).....	20
5.1.3.1.3 Query of measurement jobs for NSI(s).....	20
5.1.3.2 NSI performance data file reporting service.....	21
5.1.3.2.1 NSI performance data file reporting.....	21
5.1.3.3 NSI performance data streaming service.....	21
5.1.3.3.1 NSI performance data streaming.....	21
5.1.4 Network/Sub-network PM services .....	22
5.1.4.1 Network/Sub-network measurement job control service.....	22
5.1.4.1.1 Creation of measurement job for network(s)/sub-network(s).....	22
5.1.4.1.2 Termination of measurement job for network(s)/sub-network(s).....	23
5.1.4.1.3 Query of measurement jobs for network(s).....	23
5.1.4.2 Network/Sub-network performance data file reporting service.....	24
5.1.4.2.1 Network/Sub-network performance data file reporting.....	24
5.1.4.3 Network/Sub-network performance data streaming service.....	24
5.1.4.3.1 Network/Sub-network performance data streaming.....	24
5.1.5 Management data analytics.....	25

5.1.5.1	Management data analytics for NSIs/NSSIs .....	25
5.1.5.2	Management data analytics for network .....	26
5.2	Requirements .....	26
5.2.1	Requirements for NF measurement job control service .....	26
5.2.2	Requirements for NF performance data file reporting service .....	27
5.2.3	Requirements for NF performance data streaming service .....	27
5.2.4	Requirements for NSSI measurement job control service .....	27
5.2.5	Requirements for NSSI performance data file reporting service .....	27
5.2.6	Requirements for NSSI performance data streaming service .....	27
5.2.7	Requirements for NSI measurement job control service .....	27
5.2.8	Requirements for NSI performance data file reporting service .....	28
5.2.9	Requirements for NSI performance data streaming service .....	28
5.2.10	Requirements for network/sub-network measurement job control service .....	28
5.2.11	Requirements for network/sub-network performance data file reporting service .....	29
5.2.12	Requirements for network/sub-network performance data streaming service .....	29
5.2.13	Management data analytics service .....	29
6.	Performance assurance specific operations and notifications .....	29
6.1	Measurement job control related operations .....	29
6.1.1	Operation createMeasurementJob (M) .....	29
6.1.1.1	Definition .....	29
6.1.1.2	Input parameters .....	30
6.1.1.3	Output parameters .....	33
6.1.1.4	Exceptions .....	33
6.1.2	Operation stopMeasurementJob (M) .....	33
6.1.2.1	Definition .....	33
6.1.2.2	Input parameters .....	34
6.1.2.3	Output parameters .....	34
6.1.2.4	Exceptions .....	34
6.1.3	Operation listMeasurementJobs (M) .....	34
6.1.3.1	Definition .....	34
6.1.3.2	Input parameters .....	34
6.1.3.3	Output parameters .....	35
6.1.3.4	Exceptions .....	35
6.2	Performance data streaming related operations .....	36
6.2.1	Operation establishStreamingConnection (M) .....	36
6.2.1.1	Definition .....	36
6.2.1.2	Input parameters .....	36
6.2.1.3	Output parameters .....	37
6.2.1.4	Exceptions .....	37
6.2.2	Operation terminateStreamingConnection (M) .....	37
6.2.2.1	Definition .....	37
6.2.2.2	Input parameters .....	37
6.2.2.3	Output parameters .....	37
6.2.2.4	Exceptions .....	38
6.2.3	Operation reportStreamData (M) .....	38
6.2.3.1	Definition .....	38
6.2.3.2	Input parameters .....	38
6.2.3.3	Output parameters .....	38
6.2.3.4	Exceptions .....	38
6.2.4	Operation getStreamInfo (M) .....	39
6.2.4.1	Definition .....	39
6.2.4.2	Input parameters .....	39
6.2.4.3	Output parameters .....	39
6.2.4.4	Exceptions .....	39
6.2.5	Operation addStreamInfo (M) .....	40
6.2.5.1	Definition .....	40
6.2.5.2	Input parameters .....	40
6.2.5.3	Output parameters .....	41
6.2.5.4	Exceptions .....	41
6.2.6	Operation updateStreamInfo (M) .....	41
6.2.6.1	Definition .....	41

6.2.6.2	Input parameters .....	41
6.2.6.3	Output parameters .....	42
6.2.6.4	Exceptions .....	42
6.2.7	Operation deleteStreamInfo (M) .....	42
6.2.7.1	Definition .....	42
6.2.7.2	Input parameters .....	42
6.2.7.3	Output parameters .....	42
6.2.7.4	Exceptions .....	42
7.	Performance assurance services components .....	42
7.1	Measurement job control services .....	42
7.2	Performance data file reporting services .....	43
7.3	Performance data streaming services .....	44
7.4	Void .....	45
8	RESTful HTTP-based solution set of performance measurement job control service specific operations and notifications .....	45
8.1	Mapping of operations .....	45
8.1.1	Introduction .....	45
8.1.2	Operation "createMeasurementJob" .....	46
8.1.3	Operation "listMeasurementJobs" .....	46
8.1.4	Operation "stopMeasurementJob" .....	47
8.2	Resources .....	47
8.2.0	Resource structure .....	47
8.2.1	Resource definitions .....	48
8.2.1.1	Void .....	48
8.2.1.2	Resource "/measJobs" .....	48
8.2.1.2.1	Description .....	48
8.2.1.2.2	URI .....	48
8.2.1.2.3	HTTP methods .....	48
8.2.1.3	Resource "/measJobs/{jobId}" .....	49
8.2.1.3.1	Description .....	49
8.2.1.3.2	URI .....	49
8.2.1.3.3	HTTP methods .....	49
8.3	Data type definitions .....	51
8.3.1	General .....	51
8.3.2	Void .....	51
8.3.3	Void .....	51
8.3.4	Structured general data types .....	51
8.3.5	Structured path data types .....	51
8.3.6	Query, message body and resource data types .....	52
8.3.6.1	Type measJobCreation-RequestType .....	52
8.3.6.2	Type measJobCreation-ResponseType .....	52
8.3.6.3	Type measJobsRetrieval-ResponseType .....	52
8.3.6.4	Type error-ResponseType .....	52
8.3.6.5	Type measJobInfo-ResourceType .....	53
8.3.7	Referenced structured data types .....	53
8.3.7.1	Type schedule-Type .....	53
8.3.7.2	Type timeInterval-Type .....	53
8.3.7.3	Type scheduleOfDay-Type .....	53
8.3.7.4	Void .....	54
8.3.7.5	Type unsupportedMeas-Type .....	54
8.3.8	Simple data types and enumerations .....	54
8.3.8.1	General .....	54
8.3.8.2	Simple data types .....	54
8.3.8.3	Enumeration reportingMethod-Type .....	54
8.3.8.4	Enumeration priority-Type .....	54
8.3.8.5	Enumeration scheduleOption-Type .....	55
8.3.8.6	Enumeration dayOfWeek-Type .....	55
9	RESTful HTTP-based solution set of performance data streaming operations with WebSocket-based extensions .....	55

9.1	Introduction .....	55
9.2	Mapping of operations .....	55
9.2.1	Introduction .....	55
9.2.2	Operation "establishStreamingConnection" .....	56
9.2.3	Operation "terminateStreamingConnection" .....	57
9.2.4	Operation "reportStreamData" .....	58
9.2.5	Operation "getStreamInfo" .....	58
9.2.6	Operation "addStreamInfo" .....	59
9.2.7	Operation "updateStreamInfo" .....	59
9.2.8	Operation "deleteStreamInfo" .....	60
9.3	Resources .....	60
9.3.1	Resource structure .....	60
9.3.2	Resource definitions .....	61
9.3.2.1	Resource "/streamInfoList" .....	61
9.3.2.1.1	Description .....	61
9.3.2.1.2	URI .....	61
9.3.2.1.3	HTTP methods .....	61
9.3.2.1a	Resource "/streamInfoList/{streamId}" .....	63
9.3.2.1a.1	Description .....	63
9.3.2.1a.2	URI .....	63
9.3.2.1a.3	HTTP methods .....	63
9.3.2.2	Resource "/streamingConnection" .....	64
9.3.2.2.1	Description .....	64
9.3.2.2.2	URI .....	65
9.3.2.2.3	HTTP methods .....	65
9.4	Data type definitions .....	66
9.4.1	General .....	66
9.4.2	Structured general data types .....	67
9.4.3	Structured path data types .....	67
9.4.4	Query, message body and resource data types .....	67
9.4.4.1	Type streamInfoListPost-RequestType .....	67
9.4.4.2	Type error-ResponseType .....	67
9.4.4.3	Type streamInfoToUpdate-RequestType .....	67
9.4.4.4	Type streamInfoListPost-ResponseType .....	67
9.4.4.5	Type streamInfoRetrieval-ResponseType .....	67
9.4.4.6	Type streamInfoListRetrieval-ResponseType .....	67
9.4.4.7	Type streamInfoUpdate-ResponseType .....	68
9.4.4.8	Type streamInfoListUpdate-ResponseType .....	68
9.4.5	Referenced structured data types .....	68
9.4.5.1	Type streamInfoIn-Type .....	68
9.4.5.2	Type streamInfoOut-Type .....	68
9.4.6	Simple data types and enumerations .....	68
9.4.6.1	General .....	68
9.4.6.2	Simple data types .....	69
<b>Annex A :</b>	<b>Void .....</b>	<b>70</b>
<b>Annex B (informative):</b>	<b>Procedures for performance assurance services .....</b>	<b>71</b>
B.1	NF measurement job creation .....	71
B.2	NSSI measurement job creation .....	72
B.3	NSI measurement job creation .....	73
B.4	Network measurement job creation .....	75
B.5	NF measurement job termination .....	76
B.6	NSSI measurement job termination .....	77
B.7	NSI measurement job termination .....	78
B.8	Network measurement job termination .....	79

<b>Annex C (normative):</b>	<b>Performance Data Stream Unit content description .....</b>	<b>80</b>
<b>Annex D (informative):</b>	<b>Performance data streaming holistic sequence .....</b>	<b>81</b>
<b>Annex E (normative):</b>	<b>OpenAPI specification.....</b>	<b>82</b>
E.1	Introduction .....	82
E.2	Performance assurance service.....	82
E.3	Performance data streaming service .....	87
<b>Annex F (normative):</b>	<b>ASN.1 definition for performance data stream units .....</b>	<b>96</b>
F.1	ASN.1 definition rule .....	96
F.2	ASN.1 definition .....	96
<b>Annex F (informative):</b>	<b>Change history .....</b>	<b>99</b>
History .....		100

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/1fb256b0-7f20-4f0d-a730-d0adcea74a39/etsi-ts-128-550-v15.3.0-2020-01>



---

# Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

**PREVIEW**  
iTech STANDARD  
(standards.iteh.ai)  
Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/1b256b0-712b-4f0d-a730-d0adcea74a39/etsi-ts-128-550-v15.3.0-2020-01>

---

# 1 Scope

The present document specifies the stage 1, 2 and 3 of performance assurance related management services for 5G networks including network slicing.

The present document does not specify the performance measurements.

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 28.552: "Management and orchestration; 5G performance measurements".
- [3] 3GPP TS 28.541: "Management and orchestration; 5G Network Resource Model (NRM); Stage 2 and stage 3".
- [4] ITU-T Recommendation X.721 (1992): "Information technology - Open Systems Interconnection - Structure of management information: Definition of management information".
- [5] 3GPP TS 28.622: "Telecommunication management; Generic Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)".
- [6] ISO 8601:2000(E) Data elements and interchange formats – Information interchange – Representation of dates and times".
- [7] 3GPP TS 28.532: "Management and orchestration; Generic management services".
- [8] Void
- [9] Void
- [10] Void
- [11] Void
- [12] Void
- [13] 3GPP TS 28.628: "Telecommunication management; Self-Organizing Networks (SON) Policy Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)".
- [14] 3GPP TS 32.158: "Management and orchestration; Design rules for Representational State Transfer (REST) Solution Sets (SS)".
- [15] ITU-T Recommendation X.680 (08/2015) "Information Technology - Abstract Syntax Notation One (ASN.1): Specification of basic notation" (Same as the ISO/IEC International Standard 8824-1).
- [16] ITU-T Recommendation X.681 (08/2015) "Information Technology - Abstract Syntax Notation One (ASN.1): Information object specification" (Same as the ISO/IEC International Standard 8824-2).

- [17] ITU-T Recommendation X.691 (08/2015) "Information technology - ASN.1 encoding rules: Specification of Packed Encoding Rules (PER)" (Same as the ISO/IEC International Standard 8825-2).
- [18] IETF RFC 6455: "The WebSocket Protocol".
- [19] IETF RFC 793: "TRANSMISSION CONTROL PROTOCOL".

---

## 3 Definitions and abbreviations

### 3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in 3GPP TR 21.905 [1].

### 3.2 Abbreviations

For the purposes of the present document, the abbreviations given in 3GPP TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in 3GPP TR 21.905 [1].

---

## 4 Concepts and overview

### 4.1 Overview

The 5G networks and network slicing are designed to support eMBB, URLLC and mMTC services. Some services have ultra-low latency, high data capacity, and strict reliability requirements, as any faults or performance issues in the networks can cause service failure which may result in property damage and body injury. Therefore, it is necessary to collect real-time performance data that can be used by analytic applications (e.g., network optimization, SON, etc.) to detect the potential issues in advance, and take appropriate actions to prevent or mitigate the issues. Also, the performance data shall be able to be consumed by multiple analytic applications with specific purposes.

### 4.2 Management data analytics

The raw performance data of NFs of the mobile network can be analysed, together with other management data (e.g., alarm information, configuration data), and formed into one or more management analytical data for NFs, sub-networks, NSSIs or NSIs. The management analytical data can be used to diagnose ongoing issues impacting the performance of the mobile network and predict any potential issues (e.g., potential failure and/or performance degradation). For example, the analysis of NSI/NSSI resource usage can form a management analytical data indicating whether a certain resource is deteriorating. The analysis and correlation of the overall performance data of mobile network may indicate overload situation and potential failure(s).

SON Capacity and Coverage Optimization (CCO) is one typical case that may consume the management analytical data. CCO provides optimal coverage and capacity for the E-UTRAN, see clause 4.5 of TS 28.628 [13], which may also be applicable for 5G radio networks. The management analytical data related to coverage and capacity help the SON CCO to realise the situation of coverage and capacity or interference, and to trigger corresponding optimization if needed.

NOTE: Details of the management analytical data including e.g. format, categorisation and method/algorithm of calculations are to be defined.

## 4.3 PM services

The PM for 5G networks and network slicing is comprised of the management services listed in the table 4.3-1 below:

**Table 4.3-1: PM services for 5G networks and network slicing**

Management service	Description
Measurement job control service for NF	The management service for creating, terminating and querying the measurement job(s) for the NF(s).
Performance data file reporting service for NF	The management service for reporting the NF performance data file.
Performance data streaming service for NF	The management service for reporting the NF performance data stream.
Measurement job control service for NSSI	The management service for creating, terminating and querying the measurement job(s) for the NSSI(s).
Performance data file reporting service for NSSI	The management service for reporting the NSSI performance data file.
Performance data streaming service for NSSI	The management service for reporting the NSSI performance data stream.
Measurement job control service for NSI	The management service for creating, terminating and querying the measurement job(s) for the NSI(s).
Performance data file reporting service for NSI	The management service for reporting the NSI performance data file.
Performance data streaming service for NSI	The management service for reporting the NSI performance data stream.
Measurement job control service for network/sub-network	The management service for creating, terminating and querying the measurement job(s) for the network(s)/subnetwork(s). The measurement job for the network(s)/subnetwork(s) is to collect the network/subnetwork performance data that are not specific to network slicing.
Performance data file reporting service for network/sub-network	The management service for reporting the file of the network/subnetwork performance data that is not specific to network slicing.
Performance data streaming service for network/sub-network	The management service for reporting the stream of the network/subnetwork performance data that is not specific to network slicing.

## 5 Specification level requirements

### 5.1 Use cases

#### 5.1.0 Introduction

The steps of the use cases are logical illustration on how the management service request can be fulfilled. Depending on the deployment scenario, other steps can be used to fulfil the management service request.

## 5.1.1 NF PM services

### 5.1.1.1 NF measurement job control service

#### 5.1.1.1.1 Creation of measurement job for NF(s)

Use case stage	Evolution/Specification	<<Uses>> Related use
<b>Goal</b>	To enable the authorized consumer to create a measurement job for collecting the performance data of NF(s).	
<b>Actors and Roles</b>	An authorized consumer of NF measurement job control service.	
<b>Telecom resources</b>	NF(s); Producer of the NF measurement job control service.	
<b>Assumptions</b>	N/A	
<b>Pre-conditions</b>	- The NF(s) have been deployed. - The NF measurement job control service producer is in operation.	
<b>Begins when</b>	The authorized consumer needs to create measurement job for collecting the performance data of NF(s).	
<b>Step 1 (M)</b>	The authorized consumer requests the NF measurement job control service producer to create measurement job to collect the performance data of NF(s). The request needs to indicate that the performance data needs to be reported by performance data file or by performance data streaming.	
<b>Step 2 (M)</b>	The NF measurement job control service producer requests the NF(s) to collect the performance data, per the received measurement job creation request.	
<b>Ends when</b>	All the steps identified above are successfully completed.	
<b>Exceptions</b>	One of the steps identified above fails.	
<b>Post-conditions</b>	The measurement job for NF(s) has been created, and the NF measurement job control service producer generates the performance data for the NF measurement job.	
<b>Traceability</b>	<b>REQ-MJCS_NF-FUN-1, REQ-MJCS_NF-FUN-2, REQ-MJCS_NF-FUN-3, REQ-MJCS_NF-FUN-4 and REQ-MJCS_NF-FUN-7</b>	

#### 5.1.1.1.2 Termination of measurement job for NF(s)

Use case stage	Evolution/Specification	<<Uses>> Related use
<b>Goal</b>	To enable the authorized consumer to request the NF measurement job control service producer to terminate a NF measurement job.	
<b>Actors and Roles</b>	An authorized consumer of NF measurement job control service.	
<b>Telecom resources</b>	NF(s) NF measurement job control service producer.	
<b>Assumptions</b>	N/A	
<b>Pre-conditions</b>	The NF measurement job has been created.	
<b>Begins when</b>	The authorized consumer does not need the NF measurement job that is collecting the performance data of NF(s).	
<b>Step 1 (M)</b>	The authorized consumer requests the NF measurement job control service producer to terminate a measurement job that is collecting the performance data of NF(s).	
<b>Step 2 (M)</b>	The NF measurement job control service producer terminates the measurement job and may request the NF(s) to stop collecting the measurements requested by the measurement job.	
<b>Ends when</b>	All the steps identified above are successfully completed.	
<b>Exceptions</b>	One of the steps identified above fails.	
<b>Post-conditions</b>	The NF measurement job is terminated, or still retained but not does not serve the subject consumer anymore.	
<b>Traceability</b>	<b>REQ-MJCS_NF-FUN-5</b>	