

ETSI TS 128 658 V15.5.0 (2020-01)



**Universal Mobile Telecommunications System (UMTS);
LTE;
Telecommunication management;
Evolved Universal Terrestrial
Radio Access Network (E-UTRAN)
Network Resource Model (NRM)
Integration Reference Point (IRP);
Information Service (IS)**
(3GPP TS 28.658 version 15.5.0 Release 15)



Reference

RTS/TSGS-0528658vf50

Keywords

LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and
of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	6
Introduction	6
1 Scope	7
2 References	7
3 Definitions and abbreviations.....	9
3.1 Definitions	9
3.2 Abbreviations	9
4 Model	10
4.1 Imported and associated information	10
4.1.1 Imported information entities and local labels.....	10
4.1.2 Associated information entities and local labels.....	11
4.2 Class diagram	11
4.2.1 Relationships.....	11
4.2.2 Inheritance	17
4.3 Class definitions	18
4.3.1 ENBFunction.....	18
4.3.1.1 Definition	18
4.3.1.2 Attributes.....	18
4.3.1.3 Attribute constraints	18
4.3.1.4 Notifications.....	18
4.3.2 ExternalENBFunction.....	19
4.3.2.1 Definition	19
4.3.2.2 Attributes.....	19
4.3.2.3 Attribute constraints	19
4.3.2.4 Notifications.....	19
4.3.3 EUTranGenericCell.....	19
4.3.3.1 Definition	19
4.3.3.2 Attributes.....	20
4.3.3.3 Attribute constraints	20
4.3.3.4 Notifications.....	21
4.3.4 ExternalEUTranGenericCell.....	21
4.3.4.1 Definition	21
4.3.4.2 Attributes.....	21
4.3.4.3 Attribute constraints	21
4.3.4.4 Notifications.....	21
4.3.5 EUTranCellFDD	21
4.3.5.1 Definition	21
4.3.5.2 Attributes.....	22
4.3.5.3 Attribute constraints	22
4.3.5.4 Notifications.....	22
4.3.6 ExternalEUTranCellFDD	22
4.3.6.1 Definition	22
4.3.6.2 Attributes.....	22
4.3.6.3 Attribute constraints	22
4.3.6.4 Notifications.....	22
4.3.7 EUTranCellTDD	22
4.3.7.1 Definition	22
4.3.7.2 Attributes.....	22
4.3.7.3 Attribute constraints	22
4.3.7.4 Notifications.....	23

4.3.8	ExternalEUTranCellTDD	23
4.3.8.1	Definition	23
4.3.8.3	Attribute constraints	23
4.3.8.4	Notifications	23
4.3.9	EUTranRelation	23
4.3.9.1	Definition	23
4.3.9.2	Attributes	23
4.3.9.3	Attribute constraints	24
4.3.9.4	Notifications	24
4.3.10	Link_ENB_ENB	24
4.3.10.1	Definition	24
4.3.10.2	Attributes	24
4.3.10.3	Attribute constraints	24
4.3.10.4	Notifications	24
4.3.11	Cdma2000Relation	24
4.3.11.1	Definition	24
4.3.11.2	Attributes	24
4.3.11.3	Attribute constraints	25
4.3.11.4	Notifications	25
4.3.12	MCEFunction	25
4.3.12.1	Definition	25
4.3.12.2	Attributes	25
4.3.12.3	Attribute constraints	25
4.3.12.4	Notifications	25
4.3.13	MBSFNArea	25
4.3.13.1	Definition	25
4.3.13.2	Attributes	25
4.3.13.3	Attribute constraints	25
4.3.13.4	Notifications	26
4.3.14	Link_MCE_ENB	26
4.3.14.1	Definition	26
4.3.14.2	Attributes	26
4.3.14.3	Attribute constraints	26
4.3.14.4	Notifications	26
4.3.15	Link_MCE_MME	26
4.3.15.1	Definition	26
4.3.15.2	Attributes	26
4.3.15.3	Attribute constraints	26
4.3.15.4	Notifications	26
4.3.16	RNFNFunction	26
4.3.16.1	Definition	26
4.3.16.2	Attributes	27
4.3.16.3	Attribute constraints	27
4.3.16.4	Notifications	27
4.3.17	ExternalRNFNFunction	27
4.3.17.1	Definition	27
4.3.17.2	Attributes	27
4.3.17.3	Attribute constraints	27
4.3.17.4	Notifications	27
4.3.18	DeNBCapability	27
4.3.18.1	Definition	27
4.3.18.2	Attributes	27
4.3.18.3	Attribute constraints	27
4.3.18.4	Notifications	27
4.3.19	CellOutageCompensationInformation	28
4.3.19.1	Definition	28
4.3.19.2	Attributes	28
4.3.19.3	Attribute constraints	28
4.3.19.4	Notifications	28
4.3.20	QciDscpMapping	28
4.3.20.1	Definition	28

4.3.20.2	Attributes.....	28
4.3.20.3	Attribute constraints.....	28
4.3.20.4	Notifications.....	28
4.3.21	EUTRANCellNMCentralizedSON	28
4.3.21.1	Definition	28
4.3.21.2	Attributes.....	29
4.3.21.3	Attribute constraints.....	31
4.3.21.4	Notifications.....	31
4.3.22	EUTRANFreqRelation	31
4.3.22.1	Definition	31
4.3.22.2	Attributes.....	31
4.3.22.3	Attribute constraints.....	31
4.3.22.4	Notifications.....	31
4.3.23	EUTRANFrequency	31
4.3.23.1	Definition	31
4.3.23.2	Attributes.....	32
4.3.23.3	Attribute constraints.....	32
4.3.23.4	Notifications.....	32
4.4	Attribute definitions	33
4.4.1	Attribute properties.....	33
4.4.2	Constraints	53
4.5	Common notifications	53
4.5.1	Alarm notifications	53
4.5.2	Configuration notifications	54
Annex A (informative):	Notifications during a Cell Outage Compensation	55
Annex B (informative):	Change history	59
History		60

iTeh STANDARD PREVIEW
Full standard:
<https://standards.iteh.ai/catalog/standards/ist422/seh-282/41b0-82ec-a464e1855fa5/etsi-ts-128-658-v1-5.0-2020-01>

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The present document is part of a TS-family covering the 3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; Telecommunication management; as identified below:

TS 28.657 Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM)
Integration Reference Point (IRP); Requirements

**TS 28.658 Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model
(NRM) Integration Reference Point (IRP); Information Service (IS)**

TS 28.659 Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM)
Integration Reference Point (IRP); Solution Set (SS) definitions

1 Scope

The present document specifies the E-UTRAN network resource information that can be communicated between an IRP Agent and an IRP Manager for telecommunication network management purposes, including management of converged networks.

This document specifies the semantics and behaviour of information object class attributes and relations visible across the reference point in a protocol and technology neutral way. It does not define their syntax and encoding.

The E-UTRAN NRM IRP comprises a set of specifications defining Requirements, a protocol neutral Information Service and one or more Solution Set(s).

The present document specifies the protocol neutral E-UTRAN NRM IRP: Information Service (IS). It reuses relevant parts of the Generic NRM IRP: IS in 3GPP TS 28.622 [6], either by direct reuse or sub-classing, and in addition to that defines E-UTRAN specific Information Object Classes.

In order to access the information defined by this NRM, an Interface IRP such as the "Basic CM IRP" is needed (3GPP TS 32.602 [7]). However, which Interface IRP is applicable is outside the scope of the present document.

The present document also specifies the ng-eNB network resource information that can be communicated among NG-RAN management system, including management of MR-DC operations which ng-eNB is involved in.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TS 32.101: "Telecommunication management; Principles and high level requirements".
- [2] 3GPP TS 32.102: "Telecommunication management; Architecture".
- [3] 3GPP TS 23.003: "Numbering, addressing and identification".
- [4] 3GPP TS 32.300: "Telecommunication management; Configuration Management (CM); Name convention for Managed Objects".
- [5] 3GPP TS 28.628: "Self-Organizing Networks (SON) Policy Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS) ".
- [6] 3GPP TS 28.622: "Telecommunication management; Generic Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)".
- [7] 3GPP TS 32.602: "Telecommunication management; Configuration Management (CM); Basic CM Integration Reference Point (IRP) Information Service (IS)".
- [8] 3GPP TS 36.321: "Universal Terrestrial Access Network (UTRAN); Medium Access Control (MAC) protocol specification".
- [9] 3GPP TS 23.401: "General Packet Radio Service (GPRS) enhancements for Evolved Universal Terrestrial Radio Access Network (E-UTRAN) access".
- [10] 3GPP TS 36.331: "Evolved Universal Terrestrial Radio Access (E-UTRA) Radio Resource Control (RRC); Protocol specification".

- [11] 3GPP TS 36.300: "Evolved Universal Terrestrial Radio Access (E-UTRA) and Evolved Universal Terrestrial Radio Access Network (E-UTRAN); Overall description; Stage 2".
- [12] 3GPP TS 36.211: "Evolved Universal Terrestrial Radio Access (E-UTRA); Physical Channels and Modulation"
- [13] 3GPP TS 36.101: "Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) radio transmission and reception"
- [14] 3GPP TS 36.104: "Evolved Universal Terrestrial Radio Access (E_UTRA); Base Station (BS) radio transmission and reception"
- [15] 3GPP TS 32.500: "Telecommunication Management; Self-Organizing Networks (SON); Concepts and requirements"
- [16] 3GPP TS 32.150: "Telecommunication management; Integration Reference Point (IRP) Concept and definitions"
- [17] 3GPP TS 21.905: "Vocabulary for 3GPP Specifications"
- [18] 3GPP TS 32.111-2: "Telecommunication management; Fault Management; Part 2: Alarm Integration Reference Point (IRP); Information Service (IS)"
- [19] 3GPP TS 23.002: "Network Architecture"
- [20] 3GPP TS 32.652: "Telecommunication management; Configuration Management (CM); GERAN network resources Integration Reference Point (IRP); Network Resource Model (NRM)"
- [21] 3GPP TS 28.652: "Telecommunication management; Universal Terrestrial Radio Access Network (UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)"
- [22] 3GPP2 S.S0028-D "OAM&P for cdma2000 (Overview, 3GPP R7 Delta Specification, 3GPP2 Network Resource Model IRP)"
- [23] 3GPP TS 28.708: "Telecommunication management; Evolved Packet Core (EPC) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)"
- [24] 3GPP TS 36.423: "Evolved Universal Terrestrial Radio Access Network (E-UTRAN); X2 application protocol (X2AP)"
- [25] 3GPP TS 36.213: "Evolved Universal Terrestrial Radio Access (E-UTRA); Physical layer procedures".
- [26] 3GPP TS 28.625: "Telecommunication management; State Management Data Definition Integration Reference Point (IRP); Information Service (IS)".
- [27] 3GPP TS 36.413: "Evolved Universal Terrestrial Access Network (E-UTRAN); S1 Application Protocol (S1AP)".
- [28] 3GPP TS 36.443: "Evolved Universal Terrestrial Access Network (E-UTRAN); M2 Application Protocol (M2AP)".
- [29] 3GPP TS 22.011: "Service accessibility".
- [30] 3GPP TS 32.422: "Telecommunication management; Subscriber and equipment trace; Trace control and configuration management".
- [31] 3GPP TS 28.662: "Telecommunication management; Generic Radio Access Network (RAN) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)".
- [32] 3GPP TS 32.662: "Telecommunication management; Configuration Management (CM); Kernel CM; Information service (IS)".
- [33] 3GPP TS 23.203: "Policy and charging control architecture".
- [34] 3GPP TS 23.207: "End-to-end Quality of Service (QoS) concept and architecture".

- [35] RFC 2474: "Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers".
- [36] 3GPP TS 45.008: "Technical Specification Group GSM/EDGE Radio Access Network; Radio subsystem link control".
- [37] 3GPP TS 32.302: "Telecommunication management; Configuration Management (CM); Notification Integration Reference Point (IRP); Information Service (IS)".
- [38] 3GPP TS 36.133: "Universal Terrestrial Access Network (UTRAN); Requirements for support of radio resource management".
- [39] 3GPP TS 28.657: "Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements".
- [40] 3GPP TS 28.541: "Management and orchestration of 5G networks Network Resource Model (NRM); Stage 2 and stage 3".
- [41] 3GPP TS 38.300: "NR; Overall description; Stage-2".
- [42] 3GPP TS 23.501: "System Architecture for the 5G System".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in TS 32.150 [16], TS 32.101 [1], TS 32.102 [2] and TS 21.905 [17] and the following apply.

Association: See definition in TS 28.622 [6].

Network Resource Model (NRM): See definition in TS 28.622 [6].

eNodeB: A logical node responsible for radio transmission/reception in one or more cells to/from the User Equipment. It terminates the S1 interface towards the EPC.

3.2 Abbreviations

For the purposes of the present document, the abbreviations given in TS 32.150 [16], TS 32.101 [1], TS 32.102 [2] and TS 21.905 [17] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in TS 28.657 [39], TS 32.150 [16], TS 32.101 [1], TS 32.102 [2] and TS 21.905 [17], in that order.

DeNB	Donor eNodeB
DN	Distinguished Name (see 3GPP TS 32.300 [4])
E-UTRA	Evolved Universal Terrestrial Radio Access
E-UTRAN	Evolved Universal Terrestrial Radio Access Network
MBSFN	Multimedia Broadcast multicast service Single Frequency Network
NCR	Neighbour Cell Relation
PM	Performance Management
RDN	Relative Distinguished Name (see 3GPP TS 32.300 [4])
RN	Relay Node

4 Model

4.1 Imported and associated information

4.1.1 Imported information entities and local labels

Label reference	Local label
3GPP TS 28.625 [26], attribute, administrativeState	administrativeState
3GPP TS 28.625 [26], attribute, availabilityStatus	availabilityStatus
3GPP TS 28.625 [26], attribute, operationalState	operationalState
3GPP TS 28.622 [6], IOC, ManagedFunction	ManagedFunction
3GPP TS 28.622 [6], IOC, Link	Link
3GPP TS 28.708 [23], IOC, MMEFunction	MMEFunction
3GPP TS 28.708 [23], IOC, ExternalMMEFunction	ExternalMMEFunction
3GPP TS 28.708 [23], IOC, ServingGwFunction	ServingGwFunction
3GPP TS 28.708 [23], IOC, ServingGwCFunction	ServingGwCFunction
3GPP TS 28.708 [23], IOC, ExternalServingGwCFunction	ExternalServingGwCFunction
3GPP TS 28.652 [21], IOC, UtranRelation	UtranRelation
3GPP TS 28.662 [31], IOC, AntennaFunction	AntennaFunction
3GPP TS 28.662 [31], IOC, TmaFunction	TmaFunction
3GPP TS 32.652 [20], IOC, GsmRelation	GsmRelation
3GPP2 TS S.S0028 [22], IOC, ExternalSector	ExternalSector
3GPP TS 28.708 [23], IOC, EP_RP_EPS	EP_RP_EPS
3GPP TS 28.708 [23], IOC, QCISet	QCISet
3GPP TS 28.662 [31], IOC, SectorEquipmentFunction	SectorEquipmentFunction
3GPP TS 28.628 [5], IOC, EnergySavingProperties	EnergySavingProperties
3GPP TS 28.541 [40], IOC, EP_X2C	EP_X2C
3GPP TS 28.541 [40], IOC, EP_X2U	EP_X2U
3GPP TS 28.541 [40], IOC, EP_XnC	EP_XnC
3GPP TS 28.541 [40], IOC, EP_XnU	EP_XnU
3GPP TS 28.541 [40], IOC, EP_NgC	EP_NgC
3GPP TS 28.541 [40], IOC, EP_NgU	EP_NgU
3GPP TS 28.541 [40], IOC, AMFFunction	AMFFunction
3GPP TS 28.541 [40], IOC, UPFFunction	UPFFunction
3GPP TS 28.541 [40], IOC, GNBCUCPFunction	GNBCUCPFunction
3GPP TS 28.541 [40], IOC, GNBCUUPFunction	GNBCUUPFunction
3GPP TS 28.541 [40], attribute, sNSSAIList	sNSSAIList
3GPP TS 28.622 [6], IOC, EP_RP	EP_RP
3GPP TS 28.541 [40], IOC, NRCellRelation	NRCellRelation
3GPP TS 28.541 [40], IOC, NRReqRelation	NRFreqRelation
3GPP TS 28.541 [40], IOC, NRFrequency	NRFrequency
3GPP TS 28.541 [40], IOC, NRNetwork	NRNetwork
3GPP TS 28.541 [40], IOC, EUtranNetwork	EUtranNetwork
3GPP TS 28.541 [40], attribute, cellIndividualOffset	cellIndividualOffset
3GPP TS 28.541 [40], attribute, blackListEntry	blackListEntry
3GPP TS 28.541 [40], attribute, blackListEntryIdleMode	blackListEntryIdleMode
3GPP TS 28.541 [40], attribute, cellReselectionPriority	cellReselectionPriority
3GPP TS 28.541 [40], attribute, cellReselectionSubPriority	cellReselectionSubPriority
3GPP TS 28.541 [40], attribute, pMax	pMax
3GPP TS 28.541 [40], attribute, qOffsetFreq	qOffsetFreq
3GPP TS 28.541 [40], attribute, qQualMin	qQualMin
3GPP TS 28.541 [40], attribute, qRxLevMin	qRxLevMin
3GPP TS 28.541 [40], attribute, threshXHighP	threshXHighP
3GPP TS 28.541 [40], attribute, threshXHighQ	threshXHighQ
3GPP TS 28.541 [40], attribute, threshXLowP	threshXLowP
3GPP TS 28.541 [40], attribute, threshXLowQ	threshXLowQ
3GPP TS 28.541 [40], attribute, tReselectionEutraSfHigh	tReselectionEutraSfHigh
3GPP TS 28.541 [40], attribute, tReselectionEutraSfMedium	tReselectionEutraSfMedium

4.1.2 Associated information entities and local labels

Label reference	Local label
3GPP TS 28.622 [6], IOC, <i>Top</i>	<i>Top</i>
3GPP TS 28.622 [6], IOC, ManagedElement	ManagedElement
3GPP TS 28.622 [6], IOC, SubNetwork	SubNetwork

4.2 Class diagram

4.2.1 Relationships

This clause depicts the set of classes (e.g. IOCs) that encapsulates the information relevant for this IRP. This clause provides the overview of the relationships of relevant classes in UML. Subsequent clauses provide more detailed specification of various aspects of these classes.






Figure 4.2.1-1: Cell relation view

**Figure 4.2.1.1-1a: Cell and frequency relation view**

NOTE A: The above NRM fragment uses SubNetwork to hold both NR and LTE external entities and frequencies.

**Figure 4.2.1.1-1b: Cell and frequency relation view**

NOTE B: The above NRM fragment uses NRNetwork to hold NR external entities and frequency and using EUtranNetwork to hold LTE external entities and frequency. The NRNetwork and EUtranNetwork are subclasses of SubNetwork (defined in TS 28.622[6]) with no additional attributes. The reason using NRNetwork and EUtranNetwork is for a clean separation of NR external entities and frequency and LTE external entities and frequency.