

---

**Industrijska komunikacijska omrežja - Specifikacije za procesna vodila - 3-22. del: Specifikacija protokola na ravni podatkovnih povezav - Elementi tipa 22 (IEC 61158-3-22:2014)**

Industrial communication networks - Fieldbus specifications - Part 3-22: Data-link layer service definition - Type 22 elements (IEC 61158-3-22:2014)

Industrielle Kommunikationsnetze - Feldbusse - Teil 3-22: Dienstfestlegungen des Data Link Layer (Sicherheitsschicht) - Typ 22-Elemente (IEC 61158-3-22:2014)

Réseaux de communication industriels - Spécifications des bus de terrain - Partie 3-22: Définition des services de la couche liaison de données - Eléments de type 22 (CEI 61158-3-22:2014)

**Ta slovenski standard je istoveten z: EN 61158-3-22:2014**

---

**ICS:**

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.100.20	Podatkovni povezovalni sloj	Data link layer
35.110	Omreževanje	Networking

**SIST EN 61158-3-22:2015**

**en,fr,de**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 61158-3-22:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/b8197027-7149-423f-bd34-abdbce0e90a0/sist-en-61158-3-22-2015>

EUROPEAN STANDARD

**EN 61158-3-22**

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2014

ICS 25.040.40; 35.100.20; 35.110

Supersedes EN 61158-3-22:2012

English Version

**Industrial communication networks - Fieldbus specifications -  
Part 3-22: Data-link layer service definition - Type 22 elements  
(IEC 61158-3-22:2014)**

Réseaux de communication industriels - Spécifications des  
bus de terrain - Partie 3-22: Définition des services de la  
couche liaison de données - Eléments de type 22  
(CEI 61158-3-22:2014)

Industrielle Kommunikationsnetze - Feldbusse - Teil 3-22:  
Dienstfestlegungen des Data Link Layer  
(Sicherheitsschicht) - Typ 22-Elemente  
(IEC 61158-3-22:2014)

This European Standard was approved by CENELEC on 2014-09-17. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

SIST EN 61158-3-22:2015

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**



## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
ISO/IEC 7498-1	-	Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model	-	-
ISO/IEC 7498-3	-	Information technology - Open Systems Interconnection - Basic Reference Model: Naming and addressing	-	-
ISO/IEC 8802-3	2000	Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications	-	-
ISO/IEC 10731	-	Information technology - Open Systems Interconnection - Basic Reference Model - Conventions for the definition of OSI services	-	-
IEEE 802.1D	2004	IEEE Standard for local and metropolitan area networks - Media Access Control (MAC) Bridges	-	-
IETF RFC 791	-	Internet Protocol	-	-

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 61158-3-22:2015](https://standards.iteh.ai/catalog/standards/sist/b8197027-7149-423f-bd34-abdbce0e90a0/sist-en-61158-3-22-2015)

<https://standards.iteh.ai/catalog/standards/sist/b8197027-7149-423f-bd34-abdbce0e90a0/sist-en-61158-3-22-2015>



IEC 61158-3-22

Edition 2.0 2014-08

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Industrial communication networks – Fieldbus specifications –  
Part 3-22: Data-link layer service definition – Type 22 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –  
Partie 3-22: Définition des services de la couche liaison de données – Éléments  
de type 22**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

PRICE CODE  
CODE PRIX

W

ICS 25.040.40; 35.100.20; 35.110

ISBN 978-2-8322-1718-4

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
1.1 General.....	7
1.2 Specifications.....	7
1.3 Conformance.....	7
2 Normative references.....	8
3 Terms, definitions, symbols, abbreviations and conventions.....	8
3.1 Reference model terms and definitions.....	8
3.2 Service convention terms and definitions.....	10
3.3 Data-link service terms and definitions.....	11
3.4 Symbols and abbreviations.....	13
3.5 Common conventions.....	15
4 Data-link layer services and concepts.....	16
4.1 Operating principle.....	16
4.2 Communication models.....	16
4.3 Topology.....	18
4.4 Addressing.....	19
4.5 Gateway.....	20
4.6 Interaction models.....	20
4.7 Synchronization concept.....	20
5 Communication services.....	21
5.1 Overview.....	21
5.2 Communication management services.....	23
5.3 Cyclic data channel service (CDC).....	30
5.4 Message channel services (MSC).....	30
5.5 Time synchronization.....	32
5.6 Media independent interface (MII) management services.....	34
Bibliography.....	36
Figure 1 – RTFL device reference model.....	17
Figure 2 – RTFN device reference model.....	18
Figure 3 – Logical double line in a physical tree topology.....	18
Figure 4 – Logical double line in a physical line topology.....	19
Figure 5 – Addressing modes.....	19
Figure 6 – Time sequence diagram for time SYNC_START service.....	21
Figure 7 – Synchronized timing signals without offset.....	21
Figure 8 – Synchronized timing signals with offset.....	21
Table 1 – Summary of DL-services and primitives.....	22
Table 2 – DL-Network verification service (NV).....	23
Table 3 – DL-RTFN scan network read service (RTFNSNR).....	23



Table 4 – DL-RTFN connection establishment DLL service (RTFNCE).....	24
Table 5 – DL-RTFN connection release service (RTFNCR).....	24
Table 6 – DL-RTFL control service (RTFLCTL).....	25
Table 7 – DL-RTFL configuration service (RTFLCFG).....	25
Table 8 – DL-Read configuration data service (RDCD).....	26
Table 9 – DL-RTFL configuration service 2 (RTFLCFG2).....	28
Table 10 – DL-Read configuration data service 2 (RDCD2).....	29
Table 11 – CDC send service (CDCS).....	30
Table 12 – MSC send service (MSCS).....	31
Table 13 – MSC send broadcast service (MSCSB).....	31
Table 14 – MSC read service (MSCR).....	32
Table 15 – DL-DelayMeasurement start service (DMS).....	32
Table 16 – DL-DelayMeasurement read service (DMR).....	32
Table 17 – DL-PCS configuration service (PCSC).....	33
Table 18 – DL-Sync master configuration service (SYNC_MC).....	33
Table 19 – DL-Sync start service (SYNC_START).....	34
Table 20 – DL-Sync stop service (SYNC_STOP).....	34
Table 21 – DL-MII read service (MIIR).....	35
Table 22 – DL-MII write service (MIIW).....	35

iteh STANDARD PREVIEW  
(standards.iteh.ai)

SIST EN 61158-3-22:2015

<https://standards.iteh.ai/catalog/standards/sist/b8197027-7149-423f-bd34-abdbce0e90a0/sist-en-61158-3-22-2015>

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –  
FIELD BUS SPECIFICATIONS –****Part 3-22: Data-link layer service definition –  
Type 22 elements**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol types are specified in IEC 61784-1 and IEC 61784-2.

International Standard IEC 61158-3-22 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2010. This edition constitutes a technical revision. This edition includes the following technical changes with respect to the previous edition.

- Introduction of two new topology scan services.
- Marking old topology scan services as to be discontinued.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/759/FDIS	65C/769/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be:

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 61158-3-22:2015](https://standards.iteh.ai/catalog/standards/sist/b8197027-7149-423f-bd34-abdbce0e90a0/sist-en-61158-3-22-2015)

<https://standards.iteh.ai/catalog/standards/sist/b8197027-7149-423f-bd34-abdbce0e90a0/sist-en-61158-3-22-2015>

## INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC 61158-1.

Throughout the set of fieldbus standards, the term “service” refers to the abstract capability provided by one layer of the OSI Basic Reference Model to the layer immediately above. Thus, the data-link layer service defined in this standard is a conceptual architectural service, independent of administrative and implementation divisions.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of patents concerning Type 22 elements and possibly other types:

WO-2006/069691 A1	[PI]	Control system with a plurality of spatially distributed stations and method for transmitting data in said control system
DE-10 2004 063 213 B4	[PI]	Steuerungssystem mit einer Vielzahl von räumlich verteilten Stationen sowie Verfahren zum Übertragen von Daten in einem solchen Steuerungssystem
EP-1 828 858 A1	[PI]	Control system with a plurality of spatially distributed stations and method for transmitting data in said control system
JP-4 848 469 B2	[PI]	Control system with a plurality of spatially distributed stations and method for transmitting data in said control system
CN-101 111 807	[PI]	Control system with a plurality of spatially distributed stations and method for transmitting data in said control system
US-8 144 718 B2	[PI]	Control system having a plurality of spatially distributed stations, and method for transmitting data in such a control system

IEC takes no position concerning the evidence, validity and scope of these patent rights.

The holders of these patent rights have assured IEC that they are willing to negotiate licenses either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holders of these patent rights is registered with IEC. Information may be obtained from:

[PI]           Pilz GmbH & Co. KG  
                   Felix-Wankel-Str. 2  
                   73760 Ostfildern  
                   Germany

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

ISO ([www.iso.org/patents](http://www.iso.org/patents)) and IEC (<http://patents.iec.ch>) maintain on-line data bases of patents relevant to their standards. Users are encouraged to consult the data bases for the most up to date information concerning patents.

## INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

### Part 3-22: Data-link layer service definition – Type 22 elements

## 1 Scope

### 1.1 General

This part of IEC 61158 provides common elements for basic time-critical messaging communications between devices in an automation environment. The term “time-critical” is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This standard defines in an abstract way the externally visible service provided by the Type 22 fieldbus data-link layer in terms of:

- a) the primitive actions and events of the service;
- b) the parameters associated with each primitive action and event, and the form which they take; and
- c) the interrelationship between these actions and events, and their valid sequences.

The purpose of this standard is to define the services provided to:

- the Type 22 fieldbus application layer at the boundary between the application and data-link layers of the fieldbus reference model; and
- systems management at the boundary between the data-link layer and systems management of the fieldbus reference model.

### 1.2 Specifications

The principal objective of this standard is to specify the characteristics of conceptual data-link layer services suitable for time-critical communications, and thus supplement the OSI Basic Reference Model in guiding the development of data-link protocols for time-critical communications. A secondary objective is to provide migration paths from previously-existing industrial communications protocols.

This specification may be used as the basis for formal DL-Programming-Interfaces. Nevertheless, it is not a formal programming interface, and any such interface will need to address implementation issues not covered by this specification, including:

- a) the sizes and octet ordering of various multi-octet service parameters; and
- b) the correlation of paired request and confirm, or indication and response, primitives.

### 1.3 Conformance

This standard does not specify individual implementations or products, nor do they constrain the implementations of data-link entities within industrial automation systems.

There is no conformance of equipment to this data-link layer service definition standard. Instead, conformance is achieved through implementation of the corresponding data-link protocol that fulfils the Type 22 data-link layer services defined in this standard.