

SLOVENSKI STANDARD SIST EN 61158-4-4:2015

01-april-2015

Nadomešča: SIST EN 61158-4-4:2008

Industrijska komunikacijska omrežja - Specifikacije za procesna vodila - 4-4. del: Specifikacija protokola na ravni podatkovnih povezav - Elementi tipa 4 (IEC 61158-4-4:2014)

Industrial communication networks - Fieldbus specifications - Part 4-4: Data-link layer protocol specification - Type 4 elements (IEC 61158-4-4:2014)

iTeh STANDARD PREVIEW

Industrielle Kommunikationsnetze - Feldbusse - Teil 4-4: Protokollspezifikation des Data Link Layer (Sicherungsschicht) - Typ 4-Elemente (IEC 61158-4-4:2014)

SIST EN 61158-4-4:2015

Réseaux de communication industriels Spécifications des bus de terrain - Partie 4-4: Spécification du protocole de la couche liaison de données - Eléments de type 4 (CEI 61158-4-4:2014)

Ta slovenski standard je istoveten z: EN 61158-4-4:2014

ICS:

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.100.20	Podatkovni povezovalni sloj	Data link layer
35.110	Omreževanje	Networking

SIST EN 61158-4-4:2015

en,fr,de



iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61158-4-4:2015

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 61158-4-4

October 2014

ICS 25.040.40; 35.100.20; 35.110

Supersedes EN 61158-4-4:2008

English Version

Industrial communication networks - Fieldbus specifications -Part 4-4: Data-link layer protocol specification - Type 4 elements (IEC 61158-4-4:2014)

Réseaux de communication industriels - Spécifications des bus de terrain - Partie 4-4: Spécification du protocole de la couche liaison de données - Eléments de type 4 (CEI 61158-4-4:2014) Industrielle Kommunikationsnetze - Feldbusse - Teil 4-4: Protokollspezifikation des Data Link Layer (Sicherungsschicht) - Typ 4-Elemente (IEC 61158-4-4:2014)

This European Standard was approved by CENELEC on 2014-09-19. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

SIST EN 61158-4-4:2015

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav, Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 65C/762/FDIS, future edition 2 of IEC 61158-4-4, prepared by SC 65C "Industrial networks" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN61158-4-4:2014.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2015-06-19
•	latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2017-09-19

This document supersedes EN 61158-4-4:2008.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association DARD PREVIEW

(sEndorsement notice i)

The text of the International Standard IEC 61158-4-4:2014 was approved by CENELEC as a European Standard without any modification. EN 61158-4-4:2015

https://standards.iteh.ai/catalog/standards/sist/79c2cd30-2f7a-4d36-9b26-

In the official version, for bibliography, the following notes have to be added for the standards indicated:

IEC 61158-1	NOTE	Harmonised as EN 61158-1
IEC 61158-2	NOTE	Harmonised as EN 61158-2
IEC 61158-3-4	NOTE	Harmonised as EN 61158-3-4
IEC 61158-5-4	NOTE	Harmonised as EN 61158-5-4
IEC 61158-6-4	NOTE	Harmonised as EN 61158-6-4
IEC 61784-1	NOTE	Harmonised as EN 61784-1
IEC 61784-2	NOTE	Harmonised as EN 61784-2

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

Publication	Year	Title	<u>EN/HD</u>	Year
ISO/IEC 7498-1	-	Information technology - Open Systems Interconnection - Basic reference model: The basic model	-	-
ISO/IEC 7498-3	-	Information technology - Open Systems Interconnection - Basic reference model: Naming and addressing	-	-
ISO/IEC 10731	iTe	Information technology - Open Systems Interconnection - Basic Reference Model Conventions for the definition of OSI services	W	-
	https://star	SIST EN 61158-4-4:2015	36-9526-	

https://standards.iteh.ai/catalog/standards/sist/79c2cd30-2f7a-4d36-9b26-810c8e740743/sist-en-61158-4-4-2015



iTeh STANDARD PREVIEW (standards.iteh.ai)



Edition 2.0 2014-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Industrial communication networks - Fieldbus specifications -Part 4-4: Data-link layer protocol specification - Type 4 elements

Réseaux de communication in<u>dustriels 58</u> Spécifications des bus de terrain – Partie 4-4: Spécification du protocole de la couche liaison de données – Eléments de type 4 810c8e740743/sist-en-61158-4-4-2015

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE CODE PRIX



ICS 25.040.40; 35.100.20; 35.110

ISBN 978-2-8322-1722-1

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

 Registered trademark of the International Electrotechnical Commission Marque déposée de la Commission Electrotechnique Internationale

– 2 – IEC 61158-4-4:2014 © IEC 2014

CONTENTS

FO	REWC	PRD	4
INT	RODL	JCTION	6
1	Scop	e	7
	1.1	General	7
	1.2	Specifications	7
	1.3	Procedures	7
	1.4	Applicability	
	1.5	Conformance	
2		ative references	
3	Term	s, definitions, symbols and abbreviations	8
	3.1	Reference model terms and definitions	8
	3.2	Service convention terms and definitions	10
	3.3	Terms and definitions	
	3.4	Symbols and abbreviations	
4	Data	Link Protocol Definition	
	4.1	Overview of the DL-protocol	14
	4.2	General structure and encoding of PhIDUs and DLPDUs, and related elements of procedure	26
	4.3	DLPDU-specific structure, encoding and elements of procedure	33
	4.4	DL-service elements of procedure	
	4.5	Route mechanism.	40
	4.6	Route mechanism	43
	4.7		
Bibl	liograp	bhy	46
Figu	ure 1 -	- Relationship of PhE, DLE and DLS-user	15
-		- DLE state diagram for confirmed and unconfirmed, unacknowledged	
			17
Figu	ure 3 -	- DLE state diagram for confirmed acknowledged DLPDUs	18
Figu	ure 4 -	- DLE state diagram for unconfirmed acknowledged DLPDUs	19
Figu	ure 5 -	- Full duplex DLE receive state diagram	20
-		- Full duplex DLE transmit state diagram	
-		- Link access example	
-		- Simple Type 4-route format	
Figu	ure 9 -	- Extended Type 4-route format	29
Figu	ure 10	- Complex Type 4-route format	30
Figu	ure 11	– Immediate Type 4-route format	30
Figu	ure 12	– IP Type 4-route format	31
Figu	ure 13	- Control-status format	32
Figu	ure 14	- Data-field-format	32
Figu	ure 15	- Source / destination designator	41
Figu	ure 16	- Simple Type 4-route generation	41
Figu	ure 17	- Extended Type 4-route generation	41

Figure 19 – Simple DL-route generation	.42
Figure 20 – Extended DL-route generation	.43
Figure 21 – Complex and IP DL-route generation	.43
Table 1 – Summary structure of DLPDUs	. 33
Table 2 – Structure of confirmed DLPDUs	. 34
Table 3 – Structure of unconfirmed DLPDUs	. 35
Table 4 – Structure of acknowledge DLPDU	. 36
Table 5 – Structure of immediate-reply DLPDU	. 36

iTeh STANDARD PREVIEW (standards.iteh.ai)

- 4 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 4-4: Data-link layer protocol specification – Type 4 elements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their-hational and regional publications. Any divergence between any IEC Publication and the corresponding national opregional publication shall be clearly indicated in the latter. 810c8e740743/sist-en-61158-4-4-2015
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol types are specified in IEC 61784-1 and IEC 61784-2.

International Standard IEC 61158-4-4 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2007. This edition constitutes an editorial revision with only minor editorial changes.

IEC 61158-4-4:2014 © IEC 2014 - 5 -

This edition includes the following significant changes with respect to the previous edition:

- a) editorial improvements;
- b) editorial corrections.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/762/FDIS	65C/772/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

A list of all the parts of the IEC 61158 series, under the general title Industrial communication networks – Fieldbus specifications, can be found on the IEC web site.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under http://webstore.iec.ch in the data related to the specific publication. At this date, the publication will be:

- reconfirmed; •
- withdrawn; •
- replaced by a revised edition, or
- amended.

SIST EN 61158-4-4:2015 https://standards.iteh.ai/catalog/standards/sist/79c2cd30-2f7a-4d36-9b26-810c8e740743/sist-en-61158-4-4-2015

(standards.iteh.ai)

- 6 -

IEC 61158-4-4:2014 © IEC 2014

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the "three-layer" fieldbus reference model described in IEC 61158-1.

The data-link protocol provides the data-link service by making use of the services available from the physical layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer data-link entities (DLEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- a) as a guide for implementors and designers;
- b) for use in the testing and procurement of equipment;
- c) as part of an agreement for the admittance of systems into the open systems environment;
- d) as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC 61158-4-4:2014 © IEC 2014

- 7 -

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 4-4: Data-link layer protocol specification – Type 4 elements

1 Scope

1.1 General

The data-link layer provides basic time-critical messaging communications between devices in an automation environment.

This protocol provides a means of connecting devices through a partial mesh network, such that most failures of an interconnection between two devices can be circumvented. In common practice the devices are interconnected in a non-redundant hierarchical manner reflecting application needs

1.2 Specifications

This standard specifies Teh STANDARD PREVIEW

- a) procedures for the timely transfer of data and control information from one data-link user entity to a peer user entity, and among the data-link entities forming the distributed datalink service provider; <u>SIST EN 61158-4-4:2015</u>
- b) the structure of the fieldbus DLPDUs used for the transfer of data and control information by the protocol of this standard, and their representation as physical interface data units.

1.3 Procedures

The procedures are defined in terms of

- a) the interactions between peer DL-entities (DLEs) through the exchange of fieldbus DLPDUs;
- b) the interactions between a DL-service (DLS) provider and a DLS-user in the same system through the exchange of DLS primitives;
- c) the interactions between a DLS-provider and a Ph-service provider in the same system through the exchange of Ph-service primitives.

1.4 Applicability

These procedures are applicable to instances of communication between systems which support time-critical communications services within the data-link layer of the OSI or fieldbus reference models, and which require the ability to interconnect in an open systems interconnection environment.

Profiles provide a simple multi-attribute means of summarizing an implementation's capabilities, and thus its applicability to various time-critical communications needs.

1.5 Conformance

This standard also specifies conformance requirements for systems implementing these procedures. This standard does not contain tests to demonstrate compliance with such requirements.

- 8 -

IEC 61158-4-4:2014 © IEC 2014

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE All parts of the IEC 61158 series, as well as IEC 61784-1 and IEC 61784-2 are maintained simultaneously. Cross-references to these documents within the text therefore refer to the editions as dated in this list of normative references.

ISO/IEC 7498-1, Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model

ISO/IEC 7498-3, Information technology – Open Systems Interconnection – Basic Reference Model: Naming and addressing

ISO/IEC 10731, Information technology – Open Systems Interconnection – Basic Reference Model – Conventions for the definition of OSI services

3 Terms, definitions, symbols and abbreviations

For the purposes of this document, the following terms, definitions, symbols and abbreviations apply.

3.1 Reference model terms and definitions s.iteh.ai)

This standard is based in part on the following terms defined therein on the following terms defined te

3.1.1	called-DL-address	[7498-3]
3.1.2	calling-DL-address	[7498-3]
3.1.3	centralized multi-end-point-connection	[7498-1]
3.1.4	correspondent (N)-entities correspondent DL-entities (N=2) correspondent Ph-entities (N=1)	[7498-1]
3.1.5	demultiplexing	[7498-1]
3.1.6	DL-address	[7498-3]
3.1.7	DL-address-mapping	[7498-1]
3.1.8	DL-connection	[7498-1]
3.1.9	DL-connection-end-point	[7498-1]
3.1.10	DL-connection-end-point-identifier	[7498-1]
3.1.11	DL-connection-mode transmission	[7498-1]
3.1.12	DL-connectionless-mode transmission	[7498-1]
3.1.13	DL-data-sink	[7498-1]
3.1.14	DL-data-source	[7498-1]

IEC 61158-4-4:2014 © IEC 2014	- 9 -

3.1.15	DL-duplex-transmission	[7498-1]
3.1.16	DL-facility	[7498-1]
3.1.17	DL-local-view	[7498-3]
3.1.18	DL-name	[7498-3]
3.1.19	DL-protocol	[7498-1]
3.1.20	DL-protocol-connection-identifier	[7498-1]
3.1.21	DL-protocol-control-information	[7498-1]
3.1.22	DL-protocol-data-unit	[7498-1]
3.1.23	DL-protocol-version-identifier	[7498-1]
3.1.24	DL-relay	[7498-1]
3.1.25	DL-service-connection-identifier	[7498-1]
3.1.26	DL-service-data-unit	[7498-1]
3.1.27	DL-simplex-transmission	[7498-1]
3.1.28	DL-subsystemTeh STANDARD PREVIEW	[7498-1]
3.1.29	DL-user-data (standards.iteh.ai)	[7498-1]
3.1.30	flow control	[7498-1]
3.1.31	<u>SIST EN 61158-4-4:2015</u> layer-management Mups//standards.iteh.ai/catalog/standards/sist/79c2cd30-2f7a-4d36-9b26-	[7498-1]
3.1.32	multiplexing 810c8e740743/sist-en-61158-4-4-2015	[7498-3]
3.1.33	naming-(addressing)-authority	[7498-3]
3.1.34	naming-(addressing)-domain	[7498-3]
3.1.35	naming-(addressing)-subdomain	[7498-3]
3.1.36	(N)-entity DL-entity Ph-entity	[7498-1]
3.1.37	(N)-interface-data-unit DL-service-data-unit (N=2) Ph-interface-data-unit (N=1)	[7498-1]
3.1.38	(N)-layer DL-layer (N=2) Ph-layer (N=1)	[7498-1]
3.1.39	(N)-service DL-service (N=2) Ph-service (N=1)	[7498-1]
3.1.40	(N)-service-access-point DL-service-access-point (N=2) Ph-service-access-point (N=1)	[7498-1]