

SLOVENSKI STANDARD SIST EN ISO 17279-1:2019

01-marec-2019

Varjenje - Mikro spajanje visokotemperaturnih superprevodnikov druge generacije - 1. del: Splošne zahteve za postopek (ISO 17279-1:2018)

Welding - Micro joining of 2nd generation high temperature superconductors - Part 1: General requirements for the procedure (ISO 17279-1:2018)

Schweißen - Mikrofügen von Hochtemperatursupraleitern der zweiten Generation - Teil 1: Allgemeine Anforderungen an das Verfahren (ISO 17279-1:2018)

Soudage - Micro-assemblage des supraconducteurs à haute température de deuxième génération - Partie 1: Exigences générales pour la procédure (ISO 17279-1:2018)

https://standards.iteh.ai/catalog/standards/sist/08138650-37b7-4ecb-aaed-

Ta slovenski standard je istoveten z: EN ISO 17279-1-2019

ICS:

25.160.10 Varilni postopki in varjenje Welding processes
 29.050 Superprevodnost in prevodni Superconductivity and materiali conducting materials

SIST EN ISO 17279-1:2019 en,fr,de

iTeh STANDARD PREVIEW (standards.iteh.ai)

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM EN ISO 17279-1

November 2018

ICS 25.160.01

English Version

Welding - Micro joining of 2nd generation high temperature superconductors - Part 1: General requirements for the procedure (ISO 17279-1:2018)

Soudage - Micro-assemblage des supraconducteurs à haute température de deuxième génération - Partie 1: Exigences générales pour la procédure (ISO 17279-1:2018)

Schweißen - Mikrofügen von Hochtemperatursupraleitern der zweiten Generation -Teil 1: Allgemeine Anforderungen an das Verfahren (ISO 17279-1:2018)

This European Standard was approved by CEN on 30 September 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	3

iTeh STANDARD PREVIEW (standards.iteh.ai)

European foreword

This document (EN ISO 17279-1:2018) has been prepared by Technical Committee ISO/TC 44 "Welding and allied processes" in collaboration with Technical Committee CEN/TC 121 "Welding and allied processes" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2019, and conflicting national standards shall be withdrawn at the latest by May 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STANDARD PREVIEW

The text of ISO 17279-1:2018 (has been approved by CEN) as EN ISO 17279-1:2018 without any modification.

iTeh STANDARD PREVIEW (standards.iteh.ai)

INTERNATIONAL STANDARD

ISO 17279-1

First edition 2018-09

Welding — Micro joining of 2nd generation high temperature superconductors —

Part 1:
General requirements for the
iTeh STANDARD PREVIEW

Soudage — Micro-assemblage des supraconducteurs à haute température de 2ème génération —

Partie 1: Exigences générales pour la procédure

https://standards.iteh.ai/catalog/standards/sist/08138650-37b7-4ecb-aaed-23801f533a93/sist-en-iso-17279-1-2019



iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 17279-1:2019</u> https://standards.iteh.ai/catalog/standards/sist/08138650-37b7-4ecb-aaed-23801f533a93/sist-en-iso-17279-1-2019



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org Published in Switzerland

Co	ntent	S	Page
Fore	eword		iv
Intr	oductio	n	v
1	Scon	e	1
	-	native references	
2			
3	Term	s and definitions	1
4	Symb	ools and abbreviated terms	2
5	Requ	irements	
	5.1	Joint design	
		5.1.1 General	
		5.1.2 Lap joint	3
		5.1.3 Bridge joint	
	5.2	Equipment	
	5.3	Welding procedure qualification	
	5.4	Micro-joining and oxygenation-annealing process	5
		5.4.1 General	5
		5.4.2 Technical content of a pWPS and WPS	
	5.5	Qualification based on standard test joint specimen	9
		5.5.1 General	
		5.5.2 Test specimens	9
		5.5.3 Micro-joining and oxygenation-annealing procedure of test specimens	9
		5.5.4 Testing of test specimens item.ai) 5.5.5 Re-testing	13
		5.5.5 Re-testing	16
		S.5.6 Test record. Range of qualification SIST EN ISO 17279-1:2019 5.6.1 https://doi.org/10.1016/j.ich.ai/catalog/standards/sist/08138650-37b7-4ecb-aaed-	16
	5.6	Range of qualification SISTEN ISO 17279-12019	16
		5.6.1 https://deneralis.iteh.ai/catalog/standards/sist/08138650-37b7-4ecb-aaed-	16
		5.6.2 Related to the manufacturer -17279-1-2019	16
		5.6.3 Essential variables	16
		5.6.4 Other variables	17
	5.7	Micro-joining and oxygenation-annealing procedure specification and procedure	
		qualification record	17
	5.8	Final treatment of production run joints	
	5.9		18
	5.10	Identification and traceability	19
6	Thire	l-party check	19
Ann	ex A (in:	formative) Micro-joining and oxygenation-annealing procedure	20
Ann	ex B (in	formative) Preliminary Welding Procedure Specification (pWPS)	24
	ex C (inf	formative) Procedure qualification for micro-joining and oxygenation	
	anne	aling and Welding Procedure Qualification Record (WPQR)	27
	-	formative) Welding Procedure Specification (WPS)	33
Ann		formative) Check list for micro-joining and oxygenation-annealing procedure	26
	•	fication	
Rihl	liogranh	v	39

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. (Standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 44, *Welding and allied processes*, Subcommittee SC 10, *Quality management in the field of welding*. https://standards.itch.ai/catalog/standards/sist/08138650-37b7-4ecb-aaed-

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

A list of all parts in the ISO 17279 series can be found on the ISO website.


Introduction

The increasing use of 2nd generation high temperature superconductors (2G HTSs) and invention of resistance-free joining on 2G HTSs have created the need for this document in order to ensure that joining is carried out in the most effective way and that appropriate control is exercized over all aspects of the operation. ISO standards for micro-joining and joint evaluation procedure are accordingly essential to get the best and uniform quality of 2G HTS joint.

The technique in this document regarding resistance-free micro-joining is patent-registered and was reported to patent.statements@iso.org using the "Patent Statement and Licensing Declaration Form".

A superconductor is a material that conducts electricity without resistance and has diamagnetism below critical temperature, T, critical magnetic field, B_c , and critical current density, J_c . Once set in motion, electrical current flows forever in a closed loop of superconducting material under diamagnetism.

A 2G HTS consists of multi-layers and its total thickness is around between 60 μ m and 100 μ m with or without surrounding copper stabilizer. The superconducting layer made from ReBa₂Cu₃O_{7-x} (ReBCO, abbreviated term of ReBa₂Cu₃O_{7-x}) is only between 1 μ m and 2 μ m thick depending on manufacturer's specifications. Re stands for Rare Earth materials, of which gadolinium, yttrium and samarium are used for 2nd generation high temperature superconducting materials. Figure 1 shows schematic drawing of typical multiple layers with surrounded copper stabilizer, and the constituents and thicknesses of each layer in the 2G HTS. The two layers of No. 1 in Figure 1 does not exist in stabilizer-free 2G HTS.




Kev

- 1 20 μm Cu stabilizer
- 2 μm Ag overlayer
- 3 between 1 μm and 2 μm ReBCO super-conducting layer
- 5 buffing layers (total 160 nm)
- 50 μm hastelloy substrate

NOTE Not to scale.

Figure 1 — Typical 2G HTS multi-layers, and the constituents and thicknesses of each layer

Currently soldering, brazing or any filler is applied in superconducting industry as shown in Figure 2, which shows high electrical resistance at the joint providing fatal flaw in the superconductor.



Key

- 1 superconducting layer
- 2 solder

Figure 2 — Soldering to join 2G HTS

However, this document focuses on the direct autogenous joining of between 1 μm and 2 μm -thick superconducting layers of 2G HTSs as shown in Figure 3 without filler metals and recovery of superconducting properties by oxygenation annealing process, which shows almost no electrical resistance at the joint.



Figure 3 — Direct autogenous joining of two superconducting layers of 2G HTSs for superconducting joint

The International Organization for Standardization (ISO) draws attention to the fact that it is claimed that compliance with this document may involve the use of patents concerning 2G HTS resistance-free joining. ISO takes no position concerning the evidence, validity and scope of this patent right. The holders of these patent rights have assured ISO that they are willing to negotiate licenses under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holders of these patent rights is registered with ISO. Information may be obtained from:

KJoins, Inc. 913C, H-1, KIST Venture Town Korea Institute of Science and Technology 14-1 Hwarang ro, Seongbuk gu SEOUL 136–791 REP. OF KOREA

Tel.: +82 2 921 6966

Contact: Dr HeeSung ANN E-mail: andy@kjoins.com

Contact: Dr YoungKun OH Email: ykoh@kjoins.com

Contact: Dr MyungWhon LEE

Dae-A International IP & Law Firm 3F Hanyang B/D 830-71 Yeoksam dong, Gangnam gu SEOUL 135–936 REP. OF KOREA

Tel.: +82 2 565 2500 Fax: +82 2 565 2511

Contact: Patent Attorney Mr. BoHyun KIM

E-mail: bohkim@ipdraju.com

E-mail: mwlee@kjoinsicomh STANDARD PREVIEW

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. ISO shall not be held responsible for identifying any or all such patents.

SIST EN ISO 17279-1:2019

https://standards.iteh.ai/catalog/standards/sist/08138650-37b7-4ecb-aaed-23801f533a93/sist-en-iso-17279-1-2019

iTeh STANDARD PREVIEW (standards.iteh.ai)

Welding — Micro joining of 2nd generation high temperature superconductors —

Part 1:

General requirements for the procedure

1 Scope

This document provides concepts, specification and qualification of 2G HTS joining procedure. A welding procedure specification (WPS) is needed to provide a basis for planning joining operations and for quality control during joining. Joining is considered as a special process in the terminology of standards for quality systems. Standards for quality systems usually require that special processes be carried out in accordance with written procedure specifications. This has resulted in the establishment of a set of rules for qualification of the joining procedure prior to the release of the WPS to actual production. This document defines these rules.

This document does not cover soldering, brazing or any fillers, which are currently available in the industry. It can be applied for joining of all kinds of 2G HTSs.

This document does not apply to 1st Generation Bismuth Strontium Calcium Copper Oxide (1G BSCCO) type HTS and Low Temperature Superconductor (LTS) Joining.

2 Normative references SIST EN ISO 17279-1:2019

https://standards.iteh.ai/catalog/standards/sist/08138650-37b7-4ecb-aaed-

The following documents are referred to sinsthe text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 15607:2003, Specification and qualification of welding procedures for metallic materials — General rules

ISO 17279-2, Welding — Micro-joining of 2nd generation high temperature superconductors — Part 2: Personnel qualification for micro-joining and testing

ISO/TR 25901 (all parts), Welding and related processes — Vocabulary

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/TR 25901 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

3.1

high temperature superconductor

HTS

superconducting material with critical temperature higher than liquid nitrogen boiling point