

# ETSI TS 151 010-4 V15.2.0 (2020-01)



**Digital cellular telecommunications system (Phase 2+) (GSM);  
Mobile Station (MS) conformance specification;  
Part 4: Subscriber Identity Module (SIM)  
application toolkit conformance test specification  
(3GPP TS 51.010-4 version 15.2.0 Release 15)**

ICB S. ANWAR PREVIEW  
https://standards.iteh.ai/en/standards/s/347b-6295-4bcd-8ac2-19b4907028d1/347b-6295-4bcd-8ac2-19b4907028d1-15.2.0-01



---

**Reference**RTS/TSGC-0651010-4v120

---

**Keywords**GSM

---

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

---

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

---

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.

All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

**3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

---

# Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Legal Notice .....	2
Modal verbs terminology.....	2
Foreword.....	9
1 Scope .....	10
2 References .....	10
3 Definitions and abbreviations.....	12
3.1 Mobile station definition and configurations.....	12
3.2 Applicability.....	12
3.2.1 Applicability of the present document.....	12
3.2.2 Applicability of the individual tests.....	12
3.2.3 Applicability to terminal equipment .....	12
3.2.4 Definitions .....	12
3.2.4.1 Format of the table of optional features .....	12
3.2.4.2 Format of the applicability table .....	13
3.2.4.3 Status and notations.....	13
3.3 Table of optional features.....	14
3.4 Applicability table .....	20
3.5 Conventions for mathematical notations .....	55
3.6 Conventions on electrical terms .....	55
3.7 Terms on test conditions.....	55
4 Test equipment .....	55
5 Testing methodology in general .....	55
5.1 Testing of optional functions and procedures.....	55
5.2 Test interfaces and facilities.....	55
5.3 Different protocol layers .....	55
5.4 Information to be provided by the apparatus supplier.....	55
5.5 Definitions of transmit and receive times.....	56
6 Reference test methods.....	56
7 Implicit testing.....	56
8 Measurement uncertainty .....	56
9 Format of tests.....	56
10 Generic call set up procedures.....	59
11 - 26 .....	Not used.....
.....	59
27 Testing of the SIM/ME interface.....	59
27.1 -	
27.21 .....	Void.....
.....	60
27.22 SIM Application Toolkit .....	60
27.22.1A General Test purpose .....	60
27.22.2A Definition of default values for SIM Application Toolkit testing.....	60
27.22.1 Initialization of SIM Application Toolkit Enabled SIM by SIM Application Toolkit Enabled ME (Profile Download) .....	66
27.22.1.1 Definition and applicability.....	66
27.22.1.2 Conformance requirement.....	66
27.22.1.3 Test purpose .....	66
27.22.1.4 Method of test .....	66
27.22.1.4.1 Initial conditions.....	66

27.22.1.4.2	Procedure.....	67
27.22.1.5	Test requirement .....	68
27.22.2	Contents of the TERMINAL PROFILE command.....	68
27.22.2.1	Definition and applicability.....	68
27.22.2.2	Conformance requirement.....	68
27.22.2.3	Test purpose .....	69
27.22.2.4	Method of test .....	69
27.22.2.4.1	Initial conditions.....	69
27.22.2.4.2	Procedure.....	69
27.22.2.5	Test requirement .....	69
27.22.3	Servicing of proactive SIM commands.....	69
27.22.3.1	Definition and applicability.....	69
27.22.3.2	Conformance requirement.....	69
27.22.3.3	Test purpose .....	70
27.22.3.4	Method of test .....	70
27.22.3.4.1	Initial conditions.....	70
27.22.3.4.2	Procedure.....	70
27.22.3.5	Test requirement .....	70
27.22.4	Proactive SIM commands.....	70
27.22.4.1	DISPLAY TEXT.....	70
27.22.4.1.1	DISPLAY TEXT (Normal) .....	70
27.22.4.1.2	DISPLAY TEXT (Support of "No response from user") .....	79
27.22.4.1.3	DISPLAY TEXT (Display of extension text).....	80
27.22.4.1.4	DISPLAY TEXT (Sustained text).....	82
27.22.4.1.5	DISPLAY TEXT (Display of icons) .....	87
27.22.4.1.6	DISPLAY TEXT (UCS2 display supported).....	92
27.22.4.2	GET INKEY .....	93
27.22.4.2.1	GET INKEY(normal).....	93
27.22.4.2.2	GET INKEY (No response from User) .....	100
27.22.4.2.3	GET INKEY (UCS2 format display) .....	102
27.22.4.2.4	GET INKEY (UCS2 format of entry) .....	104
27.22.4.2.5	GET INKEY ("Yes/No" Response).....	106
27.22.4.2.6	GET INKEY (display of Icon) .....	108
27.22.4.2.7	GET INKEY (Help Information).....	115
27.22.4.3	GET INPUT .....	118
27.22.4.3.1	GET INPUT (normal).....	118
27.22.4.3.2	GET INPUT (No response from User).....	130
27.22.4.3.3	GET INPUT (UCS2 format display).....	132
27.22.4.3.4	GET INPUT (UCS2 format of entry).....	135
27.22.4.3.5	GET INPUT (default text).....	138
27.22.4.3.6	GET INPUT (display of Icon) .....	142
27.22.4.3.7	GET INPUT (Help Information) .....	149
27.22.4.4	MORE TIME .....	151
27.22.4.4.1	Definition and applicability .....	151
27.22.4.4.2	Conformance requirement .....	151
27.22.4.4.3	Test purpose .....	151
27.22.4.4.4	Method of test.....	151
27.22.4.4.5	Test requirement .....	152
27.22.4.5	PLAY TONE.....	152
27.22.4.5.1	Definition and applicability .....	152
27.22.4.5.2	Conformance requirement .....	152
27.22.4.5.3	Test purpose .....	152
27.22.4.5.4	Method of test.....	153
27.22.4.6	POLL INTERVAL.....	166
27.22.4.6.1	Definition and applicability .....	166
27.22.4.6.2	Conformance requirement .....	166
27.22.4.6.3	Test purpose .....	166
27.22.4.6.4	Method of test.....	166
27.22.4.6.5	Test requirement .....	167
27.22.4.7	REFRESH.....	167
27.22.4.7.1	REFRESH (normal).....	167
27.22.4.7.2	REFRESH (IMSI changing procedure).....	175

27.22.4.8	SET UP MENU and ENVELOPE MENU SELECTION .....	179
27.22.4.8.1	SET UP MENU (normal) and ENVELOPE MENU SELECTION .....	179
27.22.4.8.2	SET UP MENU (help request support) and ENVELOPE MENU SELECTION .....	191
27.22.4.8.3	SET UP MENU (next action support) and ENVELOPE MENU SELECTION .....	193
27.22.4.8.4	SET UP MENU (display of icons) and ENVELOPE MENU SELECTION .....	196
27.22.4.8.5	SET UP MENU (soft keys support) and ENVELOPE MENU SELECTION .....	201
27.22.4.9	SELECT ITEM .....	203
27.22.4.9.1	SELECT ITEM (mandatory features for ME supporting SELECT ITEM) .....	203
27.22.4.9.2	SELECT ITEM (next action support) .....	216
27.22.4.9.3	SELECT ITEM (default item support) .....	217
27.22.4.9.4	SELECT ITEM (help request support) .....	219
27.22.4.9.5	SELECT ITEM (icons support) .....	220
27.22.4.9.6	SELECT ITEM (presentation style) .....	225
27.22.4.9.7	SELECT ITEM (soft keys support) .....	227
27.22.4.9.8	SELECT ITEM (Support of "No response from user") .....	229
27.22.4.10	SEND SHORT MESSAGE .....	230
27.22.4.10.1	SEND SHORT MESSAGE (normal) .....	230
27.22.4.10.2	SEND SHORT MESSAGE (UCS2 support) .....	247
27.22.4.10.3	SEND SHORT MESSAGE (icon support) .....	249
27.22.4.11	SEND SS .....	255
27.22.4.11.1	SEND SS (normal) .....	255
27.22.4.11.2	SEND SS (Icon support) .....	266
27.22.4.11.3	SEND SS (UCS2 support) .....	273
27.22.4.12	SEND USSD .....	274
27.22.4.12.1	SEND USSD (normal) .....	274
27.22.4.12.2	SEND USSD (Icon support) .....	284
27.22.4.12.3	SEND USSD (UCS2 support) .....	290
27.22.4.13	SET UP CALL .....	292
27.22.4.13.1	SET UP CALL (normal) .....	292
27.22.4.13.2	SET UP CALL (second alpha identifier) .....	304
27.22.4.13.3	SET UP CALL (display of icons) .....	306
27.22.4.14	POLLING OFF .....	315
27.22.4.14.1	Definition and applicability .....	315
27.22.4.14.2	Conformance requirement .....	315
27.22.4.14.3	Test purpose .....	315
27.22.4.14.4	Method of test .....	315
27.22.4.14.5	Test requirement .....	317
27.22.4.15	PROVIDE LOCAL INFORMATION .....	317
27.22.4.15.1	Definition and applicability .....	317
27.22.4.15.2	Conformance requirement .....	317
27.22.4.15.3	Test purpose .....	317
27.22.4.15.4	Method of tests .....	318
27.22.4.15.5	Test requirement .....	324
27.22.4.16	SET UP EVENT LIST .....	324
27.22.4.16.1	SET UP EVENT LIST (normal) .....	324
27.22.4.17	PERFORM CARD APDU .....	333
27.22.4.17.1	PERFORM CARD APDU (normal) .....	333
27.22.4.17.2	PERFORM CARD APDU (detachable card reader) .....	351
27.22.4.18	POWER OFF CARD .....	352
27.22.4.18.1	POWER OFF CARD (normal) .....	352
27.22.4.18.2	POWER OFF CARD (detachable card reader) .....	354
27.22.4.19	POWER ON CARD .....	355
27.22.4.19.1	POWER ON CARD (normal) .....	355
27.22.4.19.2	POWER ON CARD (detachable card reader) .....	359
27.22.4.20	GET READER STATUS .....	360
27.22.4.20.1	GET READER STATUS (normal) .....	360
27.22.4.20.2	GET CARD READER STATUS (detachable card reader) .....	369
27.22.4.21	TIMER MANAGEMENT and ENVELOPE TIMER EXPIRATION .....	371
27.22.4.21.1	TIMER MANAGEMENT (normal) .....	371
27.22.4.21.2	ENVELOPE TIMER EXPIRATION (normal) .....	410
27.22.4.22	SET UP IDLE MODE TEXT .....	416
27.22.4.22.1	SET UP IDLE MODE TEXT (normal) .....	416

27.22.4.22.2	SET UP IDLE MODE TEXT (Icon support) .....	425
27.22.4.22.3	SET UP IDLE MODE TEXT (UCS2 support).....	432
27.22.4.23	RUN AT COMMAND.....	433
27.22.4.23.1	RUN AT COMMAND (normal) .....	433
27.22.4.23.2	RUN AT COMMAND (Icon support) .....	436
27.22.4.24	SEND DTMF .....	442
27.22.4.24.1	SEND DTMF (Normal).....	442
27.22.4.24.2	SEND DTMF (Display of icons).....	447
27.22.4.24.3	SEND DTMF (UCS2 support) .....	452
27.22.4.25	LANGUAGE NOTIFICATION .....	454
27.22.4.25.1	Definition and applicability .....	454
27.22.4.25.2	Conformance Requirement.....	454
27.22.4.25.3	Test purpose .....	454
27.22.4.25.4	Method of Test .....	454
27.22.4.25.5	Test requirement.....	456
27.22.4.26	LAUNCH BROWSER.....	457
27.22.4.26.1	LAUNCH BROWSER (No session already launched) .....	457
27.22.4.26.2	LAUNCH BROWSER (Interaction with current session).....	463
27.22.4.26.3	LAUNCH BROWSER (UCS2 support).....	468
27.22.4.26.4	LAUNCH BROWSER (icons support) .....	470
27.22.4.27	OPEN CHANNEL .....	476
27.22.4.27.1	Void .....	476
27.22.4.27.2	Open Channel (related to GPRS).....	476
27.22.4.28	CLOSE CHANNEL.....	491
27.22.4.28.1	Definition and applicability .....	491
27.22.4.28.2	Conformance requirements.....	491
27.22.4.28.3	Test purpose .....	491
27.22.4.28.4	Method of Test .....	491
27.22.4.29	RECEIVE DATA.....	497
27.22.4.29.1	Definition and applicability .....	497
27.22.4.29.2	Conformance requirements.....	497
27.22.4.29.3	Test purpose .....	497
27.22.4.29.4	Method of test.....	498
27.22.4.30	SEND DATA .....	506
27.22.4.30.1	Definition and applicability .....	506
27.22.4.30.2	Conformance requirements.....	506
27.22.4.30.3	Test purpose .....	506
27.22.4.30.4	Method of test.....	507
27.22.4.31	GET CHANNEL STATUS.....	520
27.22.4.31.1	Definition and applicability .....	520
27.22.4.31.2	Conformance requirements.....	520
27.22.4.31.3	Test purpose .....	520
27.22.4.31.4	Method of test.....	520
27.22.5	Data Download to SIM .....	529
27.22.5.1	SMS-PP Data Download.....	529
27.22.5.1.1	Definition and applicability .....	529
27.22.5.1.2	Conformance requirement .....	529
27.22.5.1.3	Test purpose .....	529
27.22.5.1.4	Method of Test .....	529
27.22.5.1.5	Test requirement .....	534
27.22.5.2	SMS-CB Data Download.....	535
27.22.5.2.1	Definition and applicability .....	535
27.22.5.2.2	Conformance requirement .....	535
27.22.5.2.3	Test purpose .....	535
27.22.5.2.4	Method of Test .....	535
27.22.5.2.5	Test requirement .....	538
27.22.6	CALL CONTROL BY SIM .....	538
27.22.6.1	Procedure for Mobile Originated calls .....	538
27.22.6.1.1	Definition and applicability .....	538
27.22.6.1.2	Conformance requirement .....	538
27.22.6.1.3	Test purpose .....	538
27.22.6.1.4	Method of tests .....	538

27.22.6.1.5	Test requirement .....	561
27.22.6.2	Procedure for Supplementary (SS) Services .....	561
27.22.6.2.1	Definition and applicability .....	561
27.22.6.2.2	Conformance requirement .....	561
27.22.6.2.3	Test purpose .....	561
27.22.6.2.4	Method of tests .....	562
27.22.6.2.5	Test requirement .....	569
27.22.6.3	Interaction with Fixed Dialling Number (FDN).....	569
27.22.6.3.1	Definition and applicability .....	569
27.22.6.3.2	Conformance requirement .....	569
27.22.6.3.3	Test purpose .....	569
27.22.6.3.4	Method of tests .....	569
27.22.6.3.5	Test requirement .....	575
27.22.6.4	Support of Barred Dialling Number (BDN) service.....	576
27.22.6.4.1	Definition and applicability .....	576
27.22.6.4.2	Conformance requirement .....	576
27.22.6.4.3	Test purpose .....	576
27.22.6.4.4	Method of tests .....	576
27.22.6.4.5	Test requirement .....	583
27.22.7	EVENT DOWNLOAD.....	583
27.22.7.1	MT Call Event.....	583
27.22.7.1.1	MT Call Event (normal) .....	583
27.22.7.2	Call Connected Event.....	585
27.22.7.2.1	Call Connected Event (MT and MO call).....	585
27.22.7.2.2	Call Connected Event (ME supporting SET UP CALL).....	587
27.22.7.3	Call Disconnected Event .....	590
27.22.7.3.1	Call Disconnected Event .....	590
27.22.7.4	Location Status Event .....	594
27.22.7.4.1	Location Status Event (normal).....	594
27.22.7.5	User Activity Event.....	598
27.22.7.5.1	User Activity Event (normal).....	598
27.22.7.6	Idle screen available event .....	600
27.22.7.6.1	Idle Screen Available (normal).....	600
27.22.7.7	Card reader status event .....	602
27.22.7.7.1	Card Reader Status (normal) .....	602
27.22.7.7.2	Card Reader Status(detachable card reader).....	607
27.22.7.8	Language selection event .....	609
27.22.7.8.1	Language selection event (normal).....	609
27.22.7.9	Browser termination event .....	611
27.22.7.9.1	Browser termination (normal) .....	611
27.22.7.10	Data available event .....	613
27.22.7.10.1	Definition and applicability .....	613
27.22.7.10.2	Conformance requirements.....	613
27.22.7.10.3	Test purpose .....	613
27.22.7.10.4	Method of test.....	613
27.22.7.11	Channel Status event .....	617
27.22.7.11.1	Definition and applicability .....	617
27.22.7.11.2	Conformance requirements.....	617
27.22.7.11.3	Test purpose .....	617
27.22.7.11.4	Method of test.....	617
27.22.8	MO SHORT MESSAGE CONTROL BY SIM.....	621
27.22.8.1	Definition and applicability.....	621
27.22.8.2	Conformance requirement.....	621
27.22.8.3	Test purpose .....	621
27.22.8.4	Method of tests.....	621
27.22.8.4.1	Initial conditions .....	621
27.22.8.4.2	Procedure.....	622
27.22.8.5	Test requirement .....	630
<b>Annex A:</b>	<b>Void .....</b>	<b>631</b>
<b>Annex B:</b>	<b>Void .....</b>	<b>632</b>



**Annex C: Void .....633**

**Annex D (normative): Details of Test-SIM (TestSIM).....634**

**Annex E (normative): Details of terminal profile support .....636**

**Annex F (informative): Change History .....642**

**History .....648**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**  
Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/da798d7b-6295-4bcd-8ac2-19b4907028df/etsi-ts-151-010-4-v15.2.0-2020-01>

---

# Foreword

This Technical Specification has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)  
Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/da798d7b-6295-4bcd-8ac2-19b4907028df/etsi-ts-151-010-4-v15.2.0-2020-01>

---

# 1 Scope

The present document describes the technical characteristics and methods of test for testing the SIM Application Toolkit implemented in Mobile Stations (MS) for the Pan European digital cellular communications system and Personal Communication Systems (PCS) operating in the 450 MHz, 480 MHz, 700 MHz, 750 MHz, 850 MHz, 900 MHz, 1 800 MHz and 1 900 MHz frequency band (GSM 400, GSM 700, GSM 750, GSM 850, GSM 900, DCS 1 800 and PCS 1 900) within the European digital cellular telecommunications system, in compliance with the relevant requirements, and in accordance with the relevant guidance given in ISO/IEC 9646-7 [19] and ETS 300 406 [20].

The present document is valid for MS implemented according to GSM Phase2+ R96, or R97, or R98, or R99.

The present document covers the minimum characteristics considered necessary in order to provide sufficient performance for mobile equipment and to prevent interference to other services or to other users, and to the PLMNs.

It does not necessarily include all the characteristics which may be required by a user or subscriber, nor does it necessarily represent the optimum performance achievable.

The present document is part of the GSM-series of technical specifications. The present document neither replaces any of the other GSM technical specifications or GSM related ETSs or ENs, nor is it created to provide full understanding of (or parts of) the GSM 400, GSM 700, GSM 850, GSM 900, DCS1800 and PCS1900 systems . The present document lists the requirements, and provides the methods of test for testing the SIM Application Toolkit implemented in a MS for conformance to the GSM standard.

For a full description of the system, reference should be made to all the GSM technical specifications or GSM related ETSs or ENs. Clause 2 provides a complete list of the GSM technical specifications, GSM related ETSs, ENs, and ETRs, on which this conformance test specifications is based.

If there is a difference between this present conformance document, and any other GSM technical specification or GSM related ETS or EN, or 3GPP TS, then the other GSM technical specification or GSM related ETS or EN or 3GPP TS shall prevail.

Normative requirements for the SIM and SIM Application Toolkit are only specified up to Rel-4. The present document is only available in this release for allowing maintenance of test cases. The core features related to those test cases remain applicable only to the releases in which they have been specified.

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the relevant Release*.
  - For a GSM Phase 2+ Release 1999 MS, references to GSM documents are to version 8.x.y (for 01.-series to 12.-series) or (3.x.y for 21.-series to 35.-series), when available.
  - For a GSM Phase 2+ Release 1998 MS, references to GSM documents are to version 7.x.y, when available.
  - For a GSM Phase 2+ Release 1997 MS, references to GSM documents are to version 6.x.y, when available.
  - For a GSM Phase 2+ Release 1996 MS, references to GSM documents are to version 5.x.y, when available.

Note: References to 3GPP Technical Specifications and Technical Reports throughout the present document shall be interpreted according to the Release shown in the formal reference in this clause, based upon the Release of the implementation under test.

EXAMPLE: References for a R99 MS shall be interpreted as:

- [1] 3GPP TS 21.905 R99
- [2] 3GPP TS 22.001 R99
- etc.
- [1] 3GPP TS 01.04 (R96 to R98): "Abbreviations and acronyms".  
3GPP TR 21.905 (R99 onwards): "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 02.01 (R96 to R98): "Principles of telecommunication services supported by a GSM Public Land Mobile Network (PLMN)".  
3GPP TS 22.001 (R99 onwards): "Principles of circuit telecommunication services supported by a Public Land Mobile Network (PLMN)".
- [3] 3GPP TS 02.03 (R96 to R98): "Teleservices supported by a GSM Public Land Mobile Network (PLMN)".  
3GPP TS 22.003 (R99 onwards): "Circuit Teleservices supported by a Public Land Mobile Network (PLMN)".
- [4] 3GPP TS 02.04 (R96 to R98): "General on supplementary services".  
3GPP TS 22.004 (R99 onwards): "General on supplementary services".
- [5] 3GPP TS 02.06 (R96 to R98): "Types of Mobile Stations (MS)".
- [6] 3GPP TS 02.07 (R96 to R98): "Mobile Station (MS) features".
- [7] 3GPP TS 03.38 (R96 to R98): "Alphabets and language-specific information".  
3GPP TS 23.038 (R99 onwards): "Alphabets and language-specific information".
- [8] 3GPP TS 03.40 (R96 to R98): "Technical realization of the Short Message Service (SMS); Point-to-Point (PP)".  
3GPP TS 23.040 (R99 onwards): "Technical realization of the Short Message Service (SMS)".
- [9] 3GPP TS 03.41 (R96 to R98): "Technical realization of Cell Broadcast Service (CBS)".  
3GPP TS 23.041 (R99 onwards): "Technical realization of Cell Broadcast Service (CBS)".
- [10] 3GPP TS 04.08 (R96 to R98): "Mobile radio interface; Layer 3 specification".  
3GPP TS 24.008 (R99 onwards): "Mobile radio interface layer 3 specification; Core network protocols; Stage 3".
- [11] 3GPP TS 04.11 (R96 to R98): "Point-to-Point (PP) Short Message Service (SMS) support on mobile radio interface".  
3GPP TS 24.011 (R99 onwards): "Point-to-Point (PP) Short Message Service (SMS) Support on mobile radio interface".
- [12] 3GPP TS 51.010-1 (Rel-5): "Mobile Station (MS) conformance specification; Part 1: Conformance specification".
- [13] 3GPP TS 11.11 (R96 to R99): "Specification of the Subscriber Identity Module - Mobile Equipment (SIM-ME) interface".
- [14] 3GPP TS 11.12 (R96): "Specification of the 3 Volt Subscriber Identity Module - Mobile Equipment (SIM-ME) interface".
- [15] 3GPP TS 11.14 (R96 to R99): "Specification of the SIM application toolkit for the Subscriber Identity Module - Mobile Equipment (SIM - ME) interface".
- [16] Void.
- [17a] ISO/IEC 10646-1: "Information technology - Universal Multiple Octet Coded Character Set (UCS) - Part 1: Architecture and Basic Multilingual Plane".
- [17b] ISO/IEC 10646-2: "Information technology - Universal Multiple Octet Coded Character Set (UCS) - Part 2: Supplementary Planes".

- [18] 3GPP TS 07.07 (R96 to R98): "AT command set for GSM Mobile Equipment (ME)"  
3GPP TS 27.007 (R99 onwards): "AT command set for 3G User Equipment (UE)".
- [19] ISO/IEC 9646-7 (1995): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 7: Implementation Conformance Statements".
- [20] ETSI ETS 300 406 (1995): "Methods for Testing and Specification (MTS); Protocol and profile conformance testing specifications; Standardization methodology".
- [21] 3GPP TS 31.124: "Mobile Equipment (ME) conformance test specification; Universal Subscriber Identity Module Application Toolkit (USAT) conformance test specification".
- [22] 3GPP TS 31.111: "USIM Application Toolkit (USAT)"

## 3 Definitions and abbreviations

### 3.1 Mobile station definition and configurations

The mobile station definition and configurations specified in TS 51.010-1 [12] clause 3.1 shall apply, unless otherwise specified in the present clause.

### 3.2 Applicability

#### 3.2.1 Applicability of the present document

The present specification applies to a terminal equipment that supports the SIM Application Toolkit optional feature.

#### 3.2.2 Applicability of the individual tests

Table A.1 lists the optional features for which the supplier of the implementation states the support.

#### 3.2.3 Applicability to terminal equipment

The applicability to terminal equipment specified in TS 51.010-1 [12] clause 3.2.3 shall apply, unless otherwise specified in the present clause.

See table B.1.

#### 3.2.4 Definitions

For the purposes of the present document, the terms and definitions given in TS 51.010-1 [12], clause 3.3, apply.

##### 3.2.4.1 Format of the table of optional features

Option

The optional feature supported or not by the implementation.

Support Answer notation

The support columns shall be filled in by the supplier of the implementation. The following common notations, defined in ISO/IEC 9646-7 [19], are used for the support column in the tables below.

- |        |                                     |
|--------|-------------------------------------|
| Y or y | supported by the implementation     |
| N or n | not supported by the implementation |