



TECHNICAL SPECIFICATION

**5G;
5GS;**
**User Equipment (UE) conformance specification;
Part 3: Protocol Test Suites
(3GPP TS 38.523-3 version 15.6.0 Release 15)**

PRE-REVIEW
https://standards.iteh.ai/catalog/standards/sist/e8dbac40-d775-48da-ba37-a9d3188612b0/38-523-v15.6.0-2020-01



ReferenceRTS/TSGR-0538523-3vf60

Keywords5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	9
1 Scope	10
2 References	10
3 Definitions, symbols and abbreviations	11
3.1 Definitions	11
3.2 Symbols.....	12
3.3 Abbreviations	12
4 Test system architecture	13
4.1 General system architecture	13
4.2 Component architecture	13
5 Test models	14
5.1 EN-DC.....	14
5.1.1 Layer 3.....	14
5.1.1.1 Single NR carrier	14
5.1.1.2 NR carrier aggregation.....	17
5.1.2 Layer 2.....	18
5.1.2.1 PDCP.....	18
5.1.2.2 RLC.....	19
5.1.2.3 MAC	20
5.1.2.3.1 Single NR carrier.....	20
5.1.2.3.2 NR carrier aggregation	22
5.2 NR/5GC.....	23
5.2.1 Layer 3.....	23
5.2.1.1 Single NR carrier	23
5.2.1.2 NR carrier aggregation.....	24
5.2.1.3 NR/E-UTRA Inter-RAT.....	25
5.2.1.4 NR supplementary uplink	26
5.2.2 Layer 2.....	27
5.2.2.1 SDAP	27
5.2.2.2 PDCP.....	28
5.2.2.3 RLC.....	29
5.2.2.4 MAC	30
5.2.2.4.1 Single NR carrier.....	30
5.2.2.4.2 NR carrier aggregation	31
6 System interface	32
6.1 Upper tester interface	32
6.2 Abstract system primitives	32
6.2.1 Introduction.....	32
6.2.2 General requirements and assumptions.....	32
6.2.3 E-UTRAN ASP definitions	32
6.2.4 NR ASP definitions	32
7 Test methods and design considerations	33
7.1 Common aspects	33
7.1.1 Introduction.....	33
7.1.2 Physical layer aspects	33
7.1.2.1 Search spaces and DCI.....	33
7.1.2.1.1 Parameters	33
7.1.2.1.1.1 Search space configuration	33
7.1.2.1.2 PDCCH search spaces	33

7.1.2.1.3	DCI formats	34
7.1.2.1.4	PDCCH candidate selection	34
7.1.2.2	Downlink resource allocation.....	35
7.1.2.2.1	Parameters	35
7.1.2.2.1.1	Time domain resource allocation	35
7.1.2.2.1.2	Frequency domain resource allocation configured at the UE via RRC signalling	35
7.1.2.2.1.3	DCI parameters	35
7.1.2.2.2	Timing	36
7.1.2.2.3	DL scheduling scheme	38
7.1.2.2.3.1	DL scheduling scheme: Frequency domain multiplexing, RA type 1, non-interleaved.....	39
7.1.2.2.4	Transport block size determination	39
7.1.2.2.4.1	Parameters affecting TBS determination	39
7.1.2.2.4.2	Automatic mode - Determination of TBS and corresponding I_{MCS} and L_{RBs}	43
7.1.2.2.4.3	Explicit mode - Determination of I_{MCS} and L_{RBs} for given TBS	44
7.1.2.3	Uplink grant	44
7.1.2.3.1	General principles and grant allocation types	44
7.1.2.3.1.1	PUCCH synchronisation in connected mode	44
7.1.2.3.1.2	Grant allocation types	44
7.1.2.3.1.2.1	Grant allocation by RACH procedure	44
7.1.2.3.1.2.2	Grant allocation type 1: Uplink grant triggered by SR.....	45
7.1.2.3.1.2.3	Grant allocation type 2: Periodic uplink grant.....	45
7.1.2.3.1.2.4	Grant allocation type 3: Single uplink grant.....	45
7.1.2.3.1.2.5	Grant allocation type 4: Periodic uplink grant triggered by SR	45
7.1.2.3.2	Determination of explicit uplink grants	45
7.1.2.3.2.1	Parameters.....	45
7.1.2.3.2.2	Determination of I_{MCS} and L_{RBs} for given TBS	47
7.1.2.3.3	Default grants	48
7.1.2.5	Noise generator	52
7.1.3	System information.....	52
7.1.4	Cell(s) handling	52
7.1.4.1	Multi-cells environment	52
7.1.4.2	Cell power change	52
7.1.5	Timing aspects	52
7.1.5.1	SS time	52
7.1.5.2	Cell(s) timing	52
7.2	EN-DC.....	53
7.2.1	Introduction.....	53
7.2.2	Physical layer aspects	53
7.2.2.1	Search spaces and DCI.....	53
7.2.3	System information.....	53
7.2.4	Bearers	53
7.2.5	Random Access procedure.....	54
7.2.6	PSCell change	54
7.2.6.1	Sequence of EN-DC NR inter-cell PSCell change	54
7.2.6.2	Sequence of EN-DC NR intra-cell PSCell change	54
7.2.6.3	UL grants used in RA procedure during EN-DC NR PSCell change.....	55
7.3	NR/5GC.....	55
7.3.1	Introduction.....	55
7.3.2	Physical layer aspects	55
7.3.3	System information.....	55
7.3.3.1	General SS requirements	55
7.3.3.2	Scheduling information	55
7.3.3.3	System information modification.....	58
7.3.3.4	Request for on demand system information.....	58
7.3.4	Paging and Short Message	59
7.3.5	RRC connection control.....	59
7.3.5.1	Early contention resolution	59
7.3.5.2	RRC connection release sequence.....	60
7.3.5.3	Handover	60
7.3.5.3.1	Sequence of intra-NR inter-cell handover	60
7.3.5.3.2	Sequence of intra-NR intra-cell handover	61
7.3.5.3.3	UL grants used in RA procedure during handover	61

7.3.6	Beareres	62
7.3.6.1	DRB Identity Management	62
8	Other SS requirements with TTCN-3 impact	62
8.1	Codec requirements	62
8.2	External function definitions	62
9	IXIT proforma	64
9.1	Introduction	64
9.2	E-UTRA and NR PIXIT	64
9.3	5GC PIXIT	66
10	Postambles.....	66
10.1	Introduction	66
10.2	EN-DC.....	66
10.3	NR/5GC.....	66
10.3.1	UE postamble states and procedures.....	66
10.3.2	Switch/Power off procedure in State 1N-A	67
10.3.3	Switch/Power off procedure in State 2N-A	67
10.3.4	Switch/Power off procedure in State 3N-A	67
10.3.5	Switch/Power off procedure in NR DEREGISTERED	67
11	Guidelines on test execution.....	67
11.1	Introduction	67
11.2	EN-DC.....	67
11.3	NR/5GC.....	68
11.3.1	NR/5GC single RAT	68
11.3.2	NR/5GC Inter-RAT	68
11.3.2.1	NR/E-UTRA Inter-RAT.....	68
11.3.3	NR MFBI.....	69
Annex A (normative):	Test Suites	70
A.1	Baseline of specifications	70
A.2	5GS Test Suites	70
A.2.1	EN-DC Test Suites	70
A.2.2	NR5GC Test Suites	72
Annex B:	NR TBS tables.....	74
B.1	Downlink TBS (normative).....	74
B.1.1	Downlink TBS using MCS index table 5.1.3.1-1	74
B.1.1.1	Downlink TBS using MCS index table 5.1.3.1-1, dmrs-AdditionalPosition = 0, number of CDM groups = 1	74
B.1.1.2	Downlink TBS using MCS index table 5.1.3.1-1, dmrs-AdditionalPosition = 1, number of CDM groups = 1	75
B.1.1.3	Downlink TBS using MCS index table 5.1.3.1-1, dmrs-AdditionalPosition = 2, number of CDM groups = 2, modulation order <= 2	75
B.1.1.4	Downlink TBS using MCS index table 5.1.3.1-1, dmrs-AdditionalPosition = 2, number of CDM groups = 2	77
B.1.2	Void.....	77
B.2	Uplink TBS (informative)	77
B.2.1	Uplink TBS using MCS index table 5.1.3.1-1	78
B.2.1.1	Uplink TBS using MCS index table 5.1.3.1-1, dmrs-AdditionalPosition = 0, number of CDM groups = 1	78
B.2.1.2	Uplink TBS using MCS index table 5.1.3.1-1, dmrs-AdditionalPosition = 1, number of CDM groups = 1	79
B.2.1.3	Void	80
B.2.1.4	Void	80
B.2.1.5	Uplink TBS using MCS index table 5.1.3.1-1, dmrs-AdditionalPosition = 2, number of CDM groups = 2	80
B.2.2	Void.....	81
B.2.3	Void.....	81

Annex C (informative):	Style guide and design principles	82
C.1	Style guide.....	82
C.2	Design principles.....	82
Annex D (normative):	TTCN-3 definitions.....	83
D.0	Introduction	83
D.1	NR_ASP_TypeDefs	83
D.1.1	ASN1_Container	83
D.1.2	System_Configuration.....	87
D.1.3	Cell_Configuration.....	88
D.1.3.1	Cell_Configuration_Common.....	89
D.1.3.2	PhysicalLayer	92
D.1.3.2.1	PhysicalLayer_Common	92
D.1.3.2.2	PhysicalLayer_Downlink.....	93
D.1.3.2.2.1	SS_PBCH_Block.....	94
D.1.3.2.2.2	CSI_Configuration	97
D.1.3.2.2.3	Cell_Level_Configuration_PDSCH.....	99
D.1.3.2.2.4	Downlink_BWP	100
D.1.3.2.2.4.1	PDSCH_Configuration	101
D.1.3.2.2.4.2	PDCCH_Configuration.....	101
D.1.3.2.2.4.2.1	Search_Space_Configuration	103
D.1.3.2.2.4.2.2	Search_Space_DCI_Assignment.....	105
D.1.3.2.3	PhysicalLayer_Uplink.....	106
D.1.3.2.3.1	Uplink_BWP	107
D.1.3.2.4	DCI_Configuration	108
D.1.3.2.4.1	Common_Fields	108
D.1.3.2.4.2	Resource_Allocation	110
D.1.3.2.4.3	PDSCH_Scheduling	114
D.1.3.2.4.4	PUSCH_Scheduling	118
D.1.3.3	MAC_Layer.....	122
D.1.3.3.1	MAC_Layer_Common	122
D.1.3.3.2	Random_Access_Procedure.....	123
D.1.3.3.2.1	Random_Access_Response.....	124
D.1.3.3.2.2	Contention_Resolution	127
D.1.3.4	System_Information_Control	128
D.1.3.5	Paging_Control	131
D.1.3.6	CCCH_DCCH_DTCH_Configuration	132
D.1.3.7	Cell_Group_Configuration	133
D.1.4	Cell_Power_Attenuation	134
D.1.5	Radio_Bearer_Configuration	134
D.1.5.1	RLC_Configuration	136
D.1.5.2	MAC_Configuration.....	138
D.1.6	AS_Security	139
D.1.7	Paging_Trigger.....	141
D.1.8	Delta_Value_Trigger.....	142
D.1.9	System_Indication_Control.....	142
D.1.10	PDCP_Count	143
D.1.11	PDCP_Handover	144
D.1.12	L1_Test_Mode	145
D.1.13	DCI_Trigger.....	145
D.1.14	System_Indications	150
D.1.15	System_Interface	151
D.2	NR_ASP_DrbDefs	152
D.2.1	PDU_TypeDefs	153
D.2.1.1	MAC_PDU	153
D.2.1.1.1	MAC_PDU_SubPDU	153
D.2.1.1.2	MAC_ControlElements.....	155
D.2.1.1.2.1	MAC_ControlElement_Common.....	156
D.2.1.1.2.2	MAC_ControlElement_BSR.....	156

D.2.1.1.2.3	MAC_ControlElement_ContentionResolutionId	157
D.2.1.1.2.4	MAC_ControlElement_TimingAdvance	157
D.2.1.1.2.5	MAC_ControlElement_PHR	157
D.2.1.1.2.6	MAC_ControlElement_SCellActivationDeactivation	158
D.2.1.1.2.7	MAC_ControlElement_DuplicationActivationDeactivation	158
D.2.1.1.2.8	MAC_ControlElement_SP_ResourceSetActivationDeactivation	158
D.2.1.1.2.9	MAC_ControlElement_CSI_TriggerStateSubselection	159
D.2.1.1.2.10	MAC_ControlElement_TCI_StatesActivationDeactivation	160
D.2.1.1.2.11	MAC_ControlElement_TCI_StateIndication	160
D.2.1.1.2.12	MAC_ControlElement_SP_CSI_ReportingActivationDeactivation	160
D.2.1.1.2.13	MAC_ControlElement_SP_SRS_ActivationDeactivation	161
D.2.1.1.2.14	MAC_ControlElement_PUCCH_SpatialRelationActivationDeactivation	162
D.2.1.1.2.15	MAC_ControlElement_ZP_ResourceSetActivationDeactivation	162
D.2.1.1.2.16	MAC_ControlElement_RecommendedBitrate	163
D.2.1.2	RLC_PDU	163
D.2.1.2.1	Common	164
D.2.1.2.2	TM_Data	164
D.2.1.2.3	UM_Data	164
D.2.1.2.4	AM_Data	165
D.2.1.2.5	AM_Status	167
D.2.2	DRB_Primitive_Definitions	169
D.2.2.1	DRB_Common	170
D.2.2.2	Downlink	171
D.2.2.3	Uplink	172
D.2.3	System_Interface	173
D.3	NR_ASP_SrbDefs	174
D.3.1	SRB_DATA_ASAPs	174
D.3.2	Port_Definitions	175
D.4	NR_CommonDefs	176
D.4.1	Common_Types	176
D.4.2	RRC_Nested_Types	176
D.4.3	ASP_CommonPart	176
D.4.3.1	ASP_CommonPart_Definitions	177
D.4.3.1.1	Routing_Info	177
D.4.3.2	REQ_ASP_CommonPart	177
D.4.3.3	CNF_ASP_CommonPart	177
D.4.3.4	IND_ASP_CommonPart	178
D.5	IP_ASP_TypeDefs	178
D.5.1	IP_Common	178
D.5.2	IP_Config	179
D.5.3	IPsec_Config	181
D.5.4	IP_SocketHandling	183
D.5.4.1	Socket_Common	183
D.5.4.2	Socket_Datagram	184
D.5.4.3	TCP_Socket	185
D.5.4.4	UDP_Socket	191
D.5.4.5	ICMP_Socket	193
D.5.4.6	Socket_Primitives	195
D.5.5	System_Interface	196
D.6	NR_PDCP_TypeDefs	198
D.6.1	NR_PDCP_Config_Parameters	198
D.6.2	NR_PDCP_Configuration	199
D.6.3	NR_PDCP_DrbDefs	201
D.7	SDAP_TypeDefs	202
D.7.1	SDAP_Configuration	202
D.7.2	SDAP_DrbDefs	203
D.8	NR_ASP_VirtualNoiseDefs	205

D.9	CommonDefs	206
D.10	CommonAspDefs	212
D.10.1	Cell_Configuration_Common	212
D.10.2	MAC_Layer	212
D.10.3	System_Indications	214
D.10.4	ASP_CommonPart	214
D.10.4.1	ASP_CommonPart_Definitions	214
D.10.4.1.1	Routing_Info	214
D.10.4.1.2	Timing_Info	214
D.10.4.2	REQ_ASP_CommonPart	216
D.10.4.3	CNF_ASP_CommonPart	216
D.10.4.4	IND_ASP_CommonPart	216
D.11	References to TTCN-3	217
Annex E (informative):	Change history	218
History		224

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/e8dbac40-d775-48da-ba37-a9d3188612bb/etsi-ts-138-523-3-v15.6.0-2020-01>

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

The present document is part 3 of a multi-part deliverable covering the 5G System (5GS) User Equipment (UE) protocol conformance specification, as identified below:

- 3GPP TS 38.523-1 [8]: "5GS; User Equipment (UE) conformance specification; Part 1: Protocol".
- 3GPP TS 38.523-2 [9]: "5GS; User Equipment (UE) conformance specification; Part 2: Applicability of protocol test cases".
- **3GPP TS 38.523-3: "5GS; User Equipment (UE) conformance specification; Part 3: Protocol Test Suites"** (the present document).

1 Scope

The present document specifies the protocol and signalling conformance testing in TTCN-3 for the 3GPP UE connecting to the 5G System (5GS) via its radio interface(s).

The following TTCN test specification and design considerations can be found in the present document:

- the test system architecture;
- the overall test suite structure;
- the test models and ASP definitions;
- the test methods and usage of communication ports definitions;
- the test configurations;
- the design principles and assumptions;
- TTCN styles and conventions;
- the partial PIXIT proforma;
- the test suites.

The Test Suites designed in the document are based on the test cases specified in prose in 3GPP TS 38.523-1 [8]. The applicability of the individual test cases is specified in 3GPP TS 38.523-2 [9].

The present document is valid for TTCN development for 5GS UE conformance test according to 3GPP Releases starting from Release 15 up to the Release indicated on the cover page of the present document.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] ISO/IEC 9646-1: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concepts".
- [3] ISO/IEC 9646-7: "Information technology - Open systems interconnection - Conformance testing methodology and framework - Part 7: Implementation Conformance Statements".
- [4] ETSI ES 201 873: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3".
- [5] 3GPP TS 38.508-1: "5GS; User Equipment (UE) conformance specification; Part 1: Common test environment".
- [6] 3GPP TS 38.508-2: "5GS; User Equipment (UE) conformance specification; Part 2: Common Implementation Conformance Statement (ICS) proforma".
- [7] 3GPP TS 38.509: "5GS; Special conformance testing functions for User Equipment (UE)".

- [8] 3GPP TS 38.523-1: "5GS; User Equipment (UE) conformance specification; Part 1: Protocol".
- [9] 3GPP TS 38.523-2: "5GS; User Equipment (UE) conformance specification; Part 2: Applicability of protocol test cases".
- [10] 3GPP TS 36.508: "Common test environments for User Equipment (UE) conformance testing".
- [11] 3GPP TS 36.509: "Terminal logical test interface; Special conformance testing functions".
- [12] 3GPP TS 36.523-3: "Evolved Universal Terrestrial Radio Access (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification; Part 3: Test suites".
- [13] 3GPP TS 38.321: "NR; Medium Access Control (MAC) protocol specification".
- [14] 3GPP TS 38.322: "NR; Radio Link Control (RLC) protocol specification".
- [15] 3GPP TS 38.323: "NR; Packet Data Convergence Protocol (PDCP) specification".
- [16] 3GPP TS 38.331: "NR; Radio Resource Control (RRC); Protocol specification".
- [17] 3GPP TS 36.331: "Evolved Universal Terrestrial Radio Access (E-UTRA) Radio Resource Control (RRC); Protocol Specification".
- [18] 3GPP TS 24.301: "Non-Access-Stratum (NAS) Protocol for Evolved Packet System (EPS); Stage 3".
- [19] 3GPP TS 38.211: "NR; Physical channels and modulation".
- [20] 3GPP TS 38.212: "NR; Multiplexing and channel coding".
- [21] 3GPP TS 38.213: "NR; Physical layer procedures for control".
- [22] 3GPP TS 38.214: "NR; Physical layer procedures for data".
- [23] 3GPP TS 36.211: "Evolved Universal Terrestrial Radio Access (E-UTRA); Physical channels and modulation".
- [24] 3GPP TS 38.304: "NR; User Equipment (UE) procedures in Idle mode and RRC Inactive state".
- [25] 3GPP TS 33.501: "Security architecture and procedures for 5G system".
- [26] 3GPP TS 24.501: "Non-Access-Stratum (NAS) Protocol for 5G System (5GS); Stage 3".
- [27] RFC 5448: "Improved Extensible Authentication Protocol Method for 3rd Generation Authentication and Key Agreement (EAP-AKA'")

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in 3GPP TR 21.905 [1].

In addition for the purposes of the present document, the following terms, definitions, symbols and abbreviations apply:

- such given in ISO/IEC 9646-1 [2] and ISO/IEC 9646-7 [3]

NOTE: Some terms and abbreviations defined in [2] and [3] are explicitly included below with small modification to reflect the terminology used in 3GPP.

Implementation eXtra Information for Testing (IXIT): A statement made by a supplier or implementer of an UEUT which contains or references all of the information (in addition to that given in the ICS) related to the UEUT and its testing environment, which will enable the test laboratory to run an appropriate test suite against the UEUT.

IXIT proforma: A document, in the form of a questionnaire, which when completed for an UEUT becomes an IXIT.

Protocol Implementation Conformance Statement (PICS): An ICS for an implementation or system claimed to conform to a given protocol specification.

Protocol Implementation eXtra Information for Testing (PIXIT): An IXIT related to testing for conformance to a given protocol specification.

3.2 Symbols

No specific symbols have been identified so far.

3.3 Abbreviations

For the purposes of the present document, the abbreviations given in 3GPP TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in 3GPP TR 21.905 [1].

5GC	5G Core Network
ASP	Abstract Service Primitive
ATS	Abstract Test Suite
AWGN	Additive White Gaussian Noise
CA	Carrier Aggregation
CBRA	Contention Based Random Access
CCE	Control Channel Element
CFRA	Contention Free Random Access
CORESET	Control Resource Set
DCI	Downlink Control Information
DL	Downlink
DL-SCH	Downlink Shared Channel
DMRS	Demodulation Reference Signal
EN-DC	E-UTRA-NR Dual Connectivity
EPC	Evolved Packet Core
FR1	Frequency Range 1
FR2	Frequency Range 2
HO	Handover
ICS	Implementation Conformance Statement
IUT	Implementation Under Test
IXIT	Implementation eXtra Information for Testing
LSB	Least Significant Bit
MCG	Master Cell Group
MN	Master Node
MSB	Most Significant Bit
NR	NR Radio Access
PDCCH	Physical Downlink Control Channel
PDSCH	Physical Downlink Shared Channel
PRACH	Physical Random Access Channel
PRB	Physical Resource Block
PSCell	Primary SCG Cell
PSS	Primary Synchronisation Signal
PUCCH	Physical Uplink Control Channel
PUSCH	Physical Uplink Shared Channel
RA	Random Access
RACH	Random Access Channel
RAR	Random Access Response
RAT	Radio Access Technology
RMSI	Remaining Minimum SI
SCG	Secondary Cell Group
SN	Secondary Node
SRS	Sounding Reference Signal