

Prosthetics — Testing of ankle-foot devices and foot units — Requirements and test methods

Prothèses — Essais des mécanismes de cheville-pied et des unités de pied — Exigences et méthodes d'essai

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 22675:2006/FDAmd 1

<https://standards.iteh.ai/catalog/standards/iso/4dcfc380-753d-4031-88c3-ed66dfdacc8e/iso-22675-2006-fdamd-1>

Document type: International Standard
Document subtype: Amendment
Document stage: (50) Approval
Document language: E

Copyright notice

This ISO document is a Draft International Standard and is copyright-protected by ISO. Except as permitted under the applicable laws of the user's country, neither this ISO draft nor any extract from it may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, photocopying, recording or otherwise, without prior written permission being secured.

Requests for permission to reproduce should be addressed to either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office

Case postale 56 ♦♦ CH-1211 Geneva 20

Tel. ~~+~~ + 41 22 749 01 11

Fax ~~+~~ + 41 22 749 09 47

E-mail ~~+~~ copyright@iso.org

Web ~~www.iso.org~~ www.iso.org

Reproduction may be subject to royalty payments or a licensing agreement.

Violators may be prosecuted.

iTeh Standards

(<https://standards.iteh.ai>)

Document Preview

ISO 22675:2006/FDAmd 1

<https://standards.iteh.ai/catalog/standards/iso/4dcfc380-753d-4031-88c3-ed66dfdacc8e/iso-22675-2006-fdamd-1>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

~~International Standards~~The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules given in the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

~~The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.~~

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

~~Amendment 1~~Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

~~For an explanation on the meaning of ISO specific terms and expressions related to ISO 22675:2006 was prepared by conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)~~Committee

~~The committee responsible for this document is ISO/TC 168, Prosthetics and orthotics and by Technical Committee CEN/TC 293, Assistive products for persons with disability in collaboration.~~

Prosthetics — Testing of ankle-foot devices and foot units — Requirements and test methods

AMENDMENT 1

Page 2, Clause 2

Update the normative reference to ISO 10328 to the 2015 version with the following text:

ISO 10328:2015, Prosthetics — Structural testing of lower limb prostheses — Requirements and test methods

Page 8, 7.2.3

Replace 7.2.3 with the following text:

Test loading levels: P3, P4, P5, P6, P7, and P8

NOTE 1 Field experience has shown that there is a need for lower limb prostheses which sustain loads above the level covered by test loading level P5. In order to allow the structural testing of such prostheses on a uniform basis, test loading levels P6, P7, and P8 have been developed for the principal structural tests and the separate structural tests on ankle-foot devices and foot units (see Annex C).

NOTE 2 The values of the dimensions and loads of test loading levels P3, P4, and P5 are specified in separate tables in Clause 8. It is suggested that the values of the dimensions and loads specified in C.3 and Table C.2 are appropriate for test loading level P6, and for P7 and P8 (pending validation), as an interim measure. Further test loading levels will be defined, if necessary.

Page 10, Table 5

Delete the NOTE and replace by the following:

For the additional test loading levels P6, P7, and P8, the test forces are specified in Table C.1.

Page 11, Table 6

Delete the NOTE and replace by the following:

The total length and the segmental lengths also apply to the additional test loading levels P6, P7, and P8 as specified in Annex C [see C.3 a)].

Page 12, Table 7

Delete the NOTE and replace by the following:

The specified dimensions also apply to the additional test loading levels P6, P7, and P8 as specified in Annex C [see C.3 a)].

Page 12, Table 8

Delete the NOTE and replace by the following:

The specified dimensions also apply to the additional test loading levels P6, P7, and P8 as specified in Annex C [see C.3 a)].

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

ISO 22675:2006/FDAmd 1

<https://standards.itih.ai/catalog/standards/iso/4dcfc380-753d-4031-88c3-ed66dfdacc8e/iso-22675-2006-fdamd-1>