

SLOVENSKI STANDARD

SIST EN 61158-6-13:2015

01-marec-2015

Nadomešča:

SIST EN 61158-6-13:2008

Industrijska komunikacijska omrežja - Specifikacije za procesna vodila - 6-13. del: Specifikacija protokola na aplikacijski ravni - Elementi tipa 13 (IEC 61158-6-13:2014)

Industrial communication networks - Fieldbus specifications - Part 6-13: Application layer protocol specification - Type 13 elements (IEC 61158-6-13:2014)

iTeh STANDARD PREVIEW

Industrielle Kommunikationsnetze - Feldbusse - Teil 6-13: Protokollspezifikation des Application Layer (Anwendungsschicht) - Typ 13-Elemente (IEC 61158-6-13:2014)

[SIST EN 61158-6-13:2015](#)

Réseaux de communication industriels - Spécifications des bus de terrain - Partie 6-13: Spécification du protocole de la couche application - Eléments de type 13 (CEI 61158-6-13:2014)

Ta slovenski standard je istoveten z: EN 61158-6-13:2014

ICS:

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.100.70	Uporabniški sloj	Application layer
35.110	Omreževanje	Networking

SIST EN 61158-6-13:2015

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61158-6-13:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/8f55ad1b-e7ed-4c30-8b34-cce1e74fcf4d/sist-en-61158-6-13-2015>

EUROPEAN STANDARD

EN 61158-6-13

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2014

ICS 25.040.40; 35.100.70; 35.110

Supersedes EN 61158-6-13:2008

English Version

**Industrial communication networks - Fieldbus specifications -
Part 6-13: Application layer protocol specification - Type 13
elements
(IEC 61158-6-13:2014)**

Réseaux de communication industriels - Spécifications des
bus de terrain - Partie 6-13: Spécification du protocole de la
couche application - Eléments de type 13
(CEI 61158-6-13:2014)

Industrielle Kommunikationsnetze - Feldbusse - Teil 6-13:
Protokollspezifikation des Application Layer
(Anwendungsschicht) - Typ 13-Elemente
(IEC 61158-6-13:2014)

This European Standard was approved by CENELEC on 2014-09-23. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

<https://standards.iteh.ai/catalog/standards/sist/8f55ad1b-e7ed-4c30-8b34->

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 65C/764/FDIS, future edition 2 of IEC 61158-6-13, prepared by SC 65C "Industrial networks" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61158-6-13:2014.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-06-23
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-09-23

This document supersedes EN 61158-6-13:2008.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

SIST EN 61158-6-13:2015
<https://standards.iteh.ai/catalog/standards/sist/8f55ad1b-e7ed-4c30-8b34-ccel151512015>
 Endorsement notice

The text of the International Standard IEC 61158-6-13:2014 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61158-1	NOTE	Harmonized as EN 61158-1.
IEC 61158-6	NOTE	Harmonized as EN 61158-6 series.
IEC 61784-1	NOTE	Harmonized as EN 61784-1.
IEC 61784-2	NOTE	Harmonized as EN 61784-2.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61158-3-13	-	Industrial communication networks - Fieldbus specifications - Part 3-13: Data link layer service definition - Type 13 elements	EN 61158-3-13	-
IEC 61158-4-13	-	Industrial communication networks - Fieldbus specifications - Part 4-13: Data-link layer protocol specification - Type 13 elements	EN 61158-4-13	-
IEC 61158-5-13	-	Industrial communication networks - Fieldbus specifications - Part 5-13: Application layer service definition - Type 13 elements	EN 61158-5-13	-
ISO/IEC 7498	series	Information technology - Open Systems Interconnection - Basic reference model	-	-
ISO/IEC 7498-1	-	Information technology - Open Systems Interconnection - Basic reference model: The basic model	-	-
ISO/IEC 8802-3	-	Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications	-	-
ISO/IEC 8822	-	Information technology - Open Systems Interconnection - Presentation service definition	-	-
ISO/IEC 8824-1	-	Information technology - Abstract Syntax Notation One (ASN.1): Specification of basic notation	-	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
ISO/IEC 9545	-	Information technology - Open Systems Interconnection - Application layer structure	-	-
ISO/IEC 9899	-	Information technology - Programming languages - C	-	-
IEEE 754	-	IEEE Standard for Floating-Point Arithmetic	-	-

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61158-6-13:2015

<https://standards.iteh.ai/catalog/standards/sist/8f55ad1b-e7ed-4c30-8b34-cce1e74fcf4d/sist-en-61158-6-13-2015>



IEC 61158-6-13

Edition 2.0 2014-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Industrial communication networks – Fieldbus specifications –
Part 6-13: Application layer protocol specification – Type 13 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 6-13: Spécification du protocole de la couche application – Éléments
de type 13**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE **XB**
CODE PRIX

ICS 25.040.40; 35.100.70; 35.110

ISBN 978-2-8322-1763-4

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
1.1 General.....	8
1.2 Specifications.....	8
1.3 Conformance.....	9
2 Normative references.....	9
3 Terms, definitions, symbols, abbreviations and conventions.....	9
3.1 ISO/IEC 7498-1 terms.....	10
3.2 ISO/IEC 8822 terms.....	10
3.3 ISO/IEC 9545 terms.....	10
3.4 ISO/IEC 8824-1 terms.....	10
3.5 Terms and definitions from IEC 61158-5-13.....	11
3.6 Other terms and definitions.....	11
3.7 Abbreviations and symbols.....	11
4 FAL syntax description.....	12
4.1 General.....	12
4.2 FAL-AR PDU abstract syntax.....	12
4.3 Abstract syntax of Asyn1 pduBody.....	15
4.4 Abstract syntax of Asyn2 pduBody.....	16
5 Transfer syntax.....	23
5.1 Encoding of data types.....	23
6 FAL protocol state machines.....	27
7 AP context state machine.....	28
8 FAL service protocol machine.....	28
9 AR protocol machine.....	29
9.1 Buffered-network-scheduled bi-directional pre-established connection (BNB-PEC) ARPM.....	29
9.2 Buffered-network-scheduled uni-directional pre-established connection (BNU-PEC) ARPM.....	31
9.3 Queued user-triggered uni-directional (QUU) ARPM.....	33
9.4 Queued user-triggered bi-directional connectionless (QUB-CL) ARPM.....	36
9.5 Queued user-triggered bi-directional connection-oriented with segmentation (QUB-COS) ARPM.....	40
10 DLL mapping protocol machine.....	58
10.1 Primitive definitions.....	58
10.2 DMPM state machine.....	59
Annex A (normative) Constant value assignments.....	61
A.1 Values of abort-code.....	61
A.2 NMT-command-ID.....	62
A.3 Type 13 specific error-code constants.....	62
A.4 Node-list.....	64
Bibliography.....	65
Figure 1 – Encoding of Time of Day value.....	26

Figure 2 – Encoding of Time Difference value	27
Figure 3 – Primitives exchanged between protocol machines	28
Figure 4 – State transition diagram of BNB-PEC ARPM	30
Figure 5 – State transition diagram of BNU-PEC ARPM	32
Figure 6 – State transition diagram of QUU ARPM	35
Figure 7 – State transition diagram of QUB-CL ARPM	38
Figure 8 – State transition diagram of QUB-COS (CmdL) ARPM	43
Figure 9 – State transition diagram of QUB-COS (SeqL) ARPM	55
Figure 10 – State transition diagram of DMPM	59
Table 1 – Use of signaling-flags	14
Table 2 – Values of error-type	18
Table 3 – Transfer syntax for bit sequences	23
Table 4 – Transfer syntax for data type UNSIGNEDn	24
Table 5 – Transfer syntax for data type INTEGERn	25
Table 6 – Primitives issued by user to BNB-PEC ARPM	29
Table 7 – Primitives issued by BNB-PEC ARPM to user	29
Table 8 – BNB-PEC ARPM state table – sender transactions	30
Table 9 – BNB-PEC ARPM state table – receiver transactions	31
Table 10 – Function BuildFAL-PDU	31
Table 11 – Primitives issued by user to BNU-PEC ARPM	31
Table 12 – Primitives issued by BNU-PEC ARPM to user	31
Table 13 – BNU-PEC ARPM state table – sender transactions	33
Table 14 – BNU-PEC ARPM state table – receiver transactions	33
Table 15 – Function BuildFAL-PDU	33
Table 16 – Primitives issued by user to QUU ARPM	33
Table 17 – Primitives issued by QUU ARPM to user	34
Table 18 – QUU ARPM state table – sender transactions	35
Table 19 – QUU ARPM state table – receiver transactions	35
Table 20 – Function BuildFAL-PDU	36
Table 21 – Primitives issued by user to QUB-CL ARPM	36
Table 22 – Primitives issued by QUB-CL ARPM to user	37
Table 23 – QUB-CL ARPM state table – sender transactions	39
Table 24 – QUB-CL ARPM state table – receiver transactions	40
Table 25 – Function BuildFAL-PDU	40
Table 26 – Primitives issued by user to QUB-COS (CmdL) ARPM	41
Table 27 – Primitives issued by QUB-COS (CmdL) ARPM to user	42
Table 28 – QUB-COS (CmdL) ARPM state table – sender transactions	44
Table 29 – QUB-COS (CmdL) ARPM state table – receiver transactions	49
Table 30 – Function BuildSegment	51
Table 31 – Function RoundUp	51
Table 32 – Function MoreFollows	51

Table 33 – Function AddSegment	52
Table 34 – Function GetIntermediatePDU	52
Table 35 – Primitives issued by QUB-COS (CmdL) to QUB-COS (SeqL)	52
Table 36 – Primitives issued by QUB-COS (SeqL) to QUB-COS (CmdL)	53
Table 37 – Parameters used with primitives exchanged between QUB-COS (SeqL) and QUB-COS (CmdL)	53
Table 38 – QUB-COS (SeqL) ARPM states	54
Table 39 – QUB-COS (SeqL) ARPM state table – sender transactions	55
Table 40 – QUB-COS (SeqL) ARPM state table – receiver transactions	56
Table 41 – Function BuildFAL-PDU	58
Table 42 – Function IncrementCounter	58
Table 43 – Function AddToHistoryBuffer	58
Table 44 – Primitives issued by ARPM to DMPM	58
Table 45 – Primitives issued by DMPM to ARPM	58
Table 46 – Primitives issued by DMPM to data-link layer	59
Table 47 – Primitives issued by data-link layer to DMPM	59
Table 48 – DMPM state table – sender transactions	60
Table 49 – DMPM state table – receiver transactions	60
Table A.1 – Values of abort-code	61
Table A.2 – Values of NMTCommandID	62
Table A.3 – Type 13 specific error-code constants	63
Table A.4 – Node-list format	64

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
FIELD BUS SPECIFICATIONS –**
**Part 6-13: Application layer protocol specification –
Type 13 elements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol Type to be used with other layer protocols of the same Type, or in other Type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol Types are specified in IEC 61784-1 and IEC 61784-2.

International Standard IEC 61158-6-13 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2007. This edition constitutes a technical revision. The main changes with respect to the previous edition are listed below:

- addition of synchronization feature,
- corrections and
- editorial improvements.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/764/FDIS	65C/774/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

The list of all the parts of the IEC 61158 series, under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under <http://webstore.iec.ch> in the data related to the specific publication. At this date, the publication will be:

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61158-6-13:2015](https://standards.iteh.ai/catalog/standards/sist/8f55ad1b-e7ed-4c30-8b34-cce1e74fcf4d/sist-en-61158-6-13-2015)

<https://standards.iteh.ai/catalog/standards/sist/8f55ad1b-e7ed-4c30-8b34-cce1e74fcf4d/sist-en-61158-6-13-2015>

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC 61158-1.

The application protocol provides the application service by making use of the services available from the data-link or other immediately lower layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer application entities (AEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- as a guide for implementors and designers;
- for use in the testing and procurement of equipment;
- as part of an agreement for the admittance of systems into the open systems environment;
- as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[SIST EN 61158-6-13:2015](https://standards.iteh.ai/catalog/standards/sist/8f55ad1b-e7ed-4c30-8b34-cce1e74fcf4d/sist-en-61158-6-13-2015)

<https://standards.iteh.ai/catalog/standards/sist/8f55ad1b-e7ed-4c30-8b34-cce1e74fcf4d/sist-en-61158-6-13-2015>

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 6-13: Application layer protocol specification – Type 13 elements

1 Scope

1.1 General

The fieldbus application layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a “window between corresponding application programs.”

This standard provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 13 fieldbus. The term “time-critical” is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This standard specifies interactions between remote applications and defines the externally visible behavior provided by the Type 13 fieldbus application layer in terms of

- a) the formal abstract syntax defining the application layer protocol data units conveyed between communicating application entities;
- b) the transfer syntax defining encoding rules that are applied to the application layer protocol data units;
- c) the application context state machine defining the application service behavior visible between communicating application entities;
- d) the application relationship state machines defining the communication behavior visible between communicating application entities.

The purpose of this standard is to define the protocol provided to

- 1) define the wire-representation of the service primitives defined in IEC 61158-5-13, and
- 2) define the externally visible behavior associated with their transfer.

This standard specifies the protocol of the Type 13 fieldbus application layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498) and the OSI application layer structure (ISO/IEC 9545).

1.2 Specifications

The principal objective of this standard is to specify the syntax and behavior of the application layer protocol that conveys the application layer services defined in IEC 61158-5-13.

A secondary objective is to provide migration paths from previously-existing industrial communications protocols. It is this latter objective which gives rise to the diversity of protocols standardized in IEC 61158-6.

1.3 Conformance

This standard does not specify individual implementations or products, nor does it constrain the implementations of application layer entities within industrial automation systems. Conformance is achieved through implementation of this application layer protocol specification.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE All parts of the IEC 61158 series, as well as IEC 61784-1 and IEC 61784-2 are maintained simultaneously. Cross-references to these documents within the text therefore refer to the editions as dated in this list of normative references.

IEC 61158-3-13, *Industrial communication networks – Fieldbus specifications – Part 3-13: Data-link layer service definition – Type 13 elements*

IEC 61158-4-13, *Industrial communication networks – Fieldbus specifications – Part 4-13: Data-link layer protocol specification – Type 13 elements*

IEC 61158-5-13, *Industrial communication networks – Fieldbus specifications – Part 5-13: Application layer service definition – Type 13 elements*

ISO/IEC 7498 (all parts), *Information technology – Open Systems Interconnection – Basic Reference Model*

<https://standards.iteh.ai/catalog/standards/sist/8f55ad1b-e7ed-4c30-8b34-cce1e74fcf4d/sist-en-61158-6-13-2015>

ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model*

ISO/IEC 8802-3, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications*

ISO/IEC 8822, *Information technology – Open Systems Interconnection – Presentation service definition*

ISO/IEC 8824-1, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation*

ISO/IEC 9545, *Information technology – Open Systems Interconnection – Application Layer structure*

ISO/IEC 9899, *Information technology – Programming languages – C*

IEEE 754, *IEEE Standard for Floating-Point Arithmetic*

3 Terms, definitions, symbols, abbreviations and conventions

For the purposes of this document, the following terms, definitions, symbols, abbreviations and conventions apply.