



Smart Secure Platform (SSP); Part 1: General characteristics (Release 15)

ITeH STANDARD PREVIEW
(standards.iteh.ai)
Full standard: https://standards.iteh.ai/catalog/standards/sist/2ceef73e-2746-4f1e-9c16-d61fd5-4d89666/etsi-ts-103-666-1-v15-1-0-2020-01

Reference

RTS/SCP-00TSSPv10-1

Keywords

M2M, MFF

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	11
Foreword.....	11
Modal verbs terminology.....	12
1 Scope	13
2 References	13
2.1 Normative references	13
2.2 Informative references.....	15
3 Definition of terms, symbols and abbreviations.....	15
3.1 Terms.....	15
3.2 Symbols.....	16
3.3 Abbreviations	16
4 Introduction	17
4.1 Background	17
4.2 Document layout	18
4.3 References to UICC.....	18
4.4 ASN.1 syntax	18
4.4.1 Introduction.....	18
4.4.2 Start of ASN.1	18
5 SSP architecture	19
5.1 Overview	19
5.2 SSP software architecture.....	19
5.3 SSP hardware architecture.....	20
5.4 Protocol stacks.....	21
5.5 Execution frameworks.....	21
6 SSP characteristics	22
6.1 Form factors	22
6.2 Power.....	22
6.2.1 Power mode	22
6.2.2 Power sources	22
6.2.2.1 Types of power sources.....	22
6.2.2.2 Power source of type Interface.....	22
6.2.2.3 Power source of type Independent	22
6.2.3 Power consumption.....	23
6.3 Clock	23
6.4 SSP initialization	23
6.4.1 SSP interface session	23
6.4.2 Capability exchange.....	24
6.4.2.1 Overall description.....	24
6.4.2.2 SSP not supporting SCL.....	24
6.4.2.3 SSP supporting SCL.....	24
6.4.2.4 Capabilities of the terminal	24
6.4.2.5 Capabilities of the SSP.....	25
6.5 Storage.....	26
6.6 Data management.....	26
6.6.1 UICC file system	26
6.6.2 SSP file system	26
6.6.2.1 Overview.....	26
6.6.2.2 SSP file system structure.....	27
6.6.2.2.1 Layout.....	27
6.6.2.2.2 Node types	28
6.6.2.2.3 Node descriptor	28
6.6.2.2.4 Node identity	29
6.6.2.2.5 File handling.....	30

6.6.2.2.6	Administrative operations.....	31
6.6.2.2.7	SSP file system access rights.....	31
6.6.2.3	Primitives of the SSP file system.....	32
6.6.2.3.1	FS-ADMIN-GET-CAPABILITIES-Service-Command.....	32
6.6.2.3.2	FS-ADMIN-CREATE-NODE-Service-Command.....	33
6.6.2.3.3	FS-ADMIN-DELETE-NODE-Service-Command.....	34
6.6.2.3.4	FS-ADMIN-UPDATE-NODE-ATTRIBUTES-Service-Command.....	34
6.6.2.3.5	FS-OP-FILE-OPEN-Service-Command.....	35
6.6.2.3.6	FS-OP-FILE-CLOSE-Service-Command.....	36
6.6.2.3.7	FS-OP-NODE-GET-INFO-Service-Command.....	36
6.6.2.3.8	FS-OP-FILE-READ-Service-Command.....	37
6.6.2.3.9	FS-OP-FILE-WRITE-Service-Command.....	38
6.6.2.3.10	FS-OP-FILE-GET-POSITION-Service-Command.....	39
6.6.2.4	Response code.....	40
6.6.2.4.1	Overview.....	40
6.6.2.4.2	Response code to SSP file system primitives.....	41
6.7	SSP identification.....	41
6.8	Runtime environment.....	41
6.8.1	CAT Runtime Environment.....	41
6.9	SSP suspension.....	42
6.10	SSP Applications.....	42
6.10.1	Overview.....	42
6.10.2	Ownership and security considerations.....	43
6.10.3	Lifecycle management.....	43
6.10.4	Identification and discovery.....	43
6.11	SSP security.....	43
6.11.1	SSP security architecture.....	43
6.11.2	Mandatory requirements.....	44
6.11.2.1	Overview.....	44
6.11.2.2	Security of SSP code.....	44
6.11.2.3	Privacy of data.....	45
6.11.2.3.1	Secure storage.....	45
6.11.2.4	SSP transactions.....	45
6.11.2.5	Attack resistance.....	45
6.11.3	Optional requirements.....	45
6.11.3.1	Overview.....	45
6.11.3.2	Random number generator.....	45
6.11.3.3	Remote provisioning.....	45
6.11.3.4	Remote auditing.....	46
6.11.4	Security certification.....	46
6.11.4.1	Overview.....	46
6.12	User interface.....	46
6.12.1	Web-based user interface.....	46
6.12.1.1	Overview.....	46
6.12.1.2	Port values.....	46
6.12.1.3	Presentation of SSP user interface.....	47
6.13	Accessor authentication service.....	47
6.13.1	Overview.....	47
6.13.2	Access control.....	48
6.13.2.1	Overview.....	48
6.13.2.2	Description.....	48
6.13.2.3	Accessor rights to a resource.....	49
6.13.3	Access control list.....	50
6.13.4	Accessor.....	50
6.13.4.1	Overview.....	50
6.13.4.2	Anonymous accessor.....	51
6.13.4.3	Accessor identity.....	51
6.13.4.4	Accessor conditions.....	51
6.13.4.5	Access rights.....	53
6.13.4.6	Operations on an accessor.....	53
6.13.4.6.1	Creation.....	53
6.13.4.6.2	Deletion.....	54

6.13.4.6.3	Update of the access control list	54
6.13.4.6.4	Update of the conditions and credentials	54
6.13.4.6.5	Update of the group list	54
6.13.4.7	Accessor credentials	54
6.13.4.8	Accessor credential policy	55
6.13.4.9	Accessor credential status	56
6.13.5	Primitives of the access control	57
6.13.5.1	AAS-OP-GET-CAPABILITIES-Service-Command	57
6.13.5.2	AAS-ADMIN-CREATE-ACCESSOR-Service-Command	58
6.13.5.3	AAS-ADMIN-UPDATE-ACCESSOR-Service-Command	59
6.13.5.4	AAS-ADMIN-DELETE-ACCESSOR-Service-Command	60
6.13.5.5	AAS-OP-AUTHENTICATE-ACCESSOR-Service-Command	60
6.13.5.6	AAS-OP-ACCESS-SERVICE-Service-Command	61
6.13.5.7	AAS-OP-GET-CHALLENGE-Service-Command	62
6.13.6	Response code	63
6.13.6.1	Overview	63
6.13.6.2	Response code to access control primitives	63
7	Physical interfaces	64
7.1	Overview	64
7.2	Reset	64
7.3	ISO/IEC 7816 interface	64
7.3.1	Electrical specifications	64
7.3.1.1	Electrical specifications of the interface	64
7.3.1.2	Contacts	64
7.3.2	Initial communication establishment procedures	65
7.3.2.1	SSP interface activation and deactivation	65
7.3.2.2	Supply voltage switching	65
7.3.2.3	Answer To Reset content	65
7.3.2.4	PPS procedure	65
7.3.2.5	Reset procedure	65
7.3.2.6	Clock stop mode	65
7.3.2.7	Bit/character duration and sampling time	65
7.3.2.8	Error handling	65
7.3.3	Data link protocols	66
7.3.3.1	Overview	66
7.3.3.2	Character frame	66
7.3.3.3	Protocol T=1	66
7.4	SPI interface	66
7.5	I2C interface	66
7.6	SWP interface	66
7.7	USB interface	66
7.8	Proprietary interface	66
8	SSP Common Layer (SCL)	66
8.1	Introduction	66
8.2	SCL network	67
8.3	Protocol layers	67
8.3.1	Overview	67
8.3.2	Network layer	68
8.3.3	Transport layer	68
8.3.4	Session layer	68
8.4	SCL core services	68
8.4.1	Overview	68
8.4.2	Common core features	68
8.4.3	Link gate	68
8.4.3.1	Link service gate	68
8.4.3.1.1	General description	68
8.4.3.1.2	Additional registry entries	68
8.4.3.1.3	SSP_MTU	68
8.4.3.2	Link application gate	69
8.4.4	Administration gate	69

8.4.4.1	Administration service gate.....	69
8.4.4.2	Administration application gate.....	69
8.4.5	Identity gate.....	69
8.4.5.1	Identity service gate.....	69
8.4.5.1.1	General description.....	69
8.4.5.1.2	Additional registry entries.....	69
8.4.5.1.3	CAPABILITY_EXCHANGE.....	70
8.4.5.1.4	GATE_URN_LIST.....	70
8.4.5.2	Identity application gate.....	70
8.4.6	Loopback gate.....	70
8.4.6.1	Loopback service gate.....	70
8.4.6.2	Loopback application gate.....	70
8.5	SCL procedures.....	70
8.5.1	Host registration.....	70
8.5.2	Host deregistration.....	70
8.5.3	Pipe management.....	71
8.5.4	Registry access.....	71
8.5.5	Hosts and gates discovery.....	71
8.5.6	Loopback testing.....	71
9	Secure SCL.....	71
9.1	Protocol stack.....	71
9.2	Secure datagram.....	72
9.3	Security protocol.....	73
9.3.1	Overview.....	73
9.3.2	Shared secret initialization.....	73
9.3.3	Secure SCL shared keys generation.....	74
9.4	Accessor authentication service procedure.....	74
9.4.1	Initialization.....	74
10	Communication layers above SCL.....	75
10.1	Overview.....	75
10.2	APDU protocol.....	75
10.2.1	Introduction.....	75
10.2.2	Command-response pairs.....	75
10.2.2.1	General definition.....	75
10.2.2.2	CLA byte.....	75
10.2.2.3	INS byte.....	75
10.2.2.4	Coding of SW1 and SW2.....	76
10.2.3	SSP commands.....	76
10.2.3.1	Overview.....	76
10.2.3.2	EXCHANGE CAPABILITIES.....	76
10.2.3.2.1	Description.....	76
10.2.3.2.2	Command parameters.....	76
10.2.3.2.3	Command data.....	76
10.2.3.2.4	Command response.....	76
10.2.3.3	SELECT.....	76
10.2.4	Logical channels.....	77
10.2.4.1	Overview.....	77
10.2.4.2	MANAGE CHANNEL.....	77
10.2.5	UICC file system commands.....	77
10.2.5.1	Overview.....	77
10.2.5.2	Methods for selecting a file.....	77
10.2.5.3	Reservation of file IDs.....	77
10.2.5.4	Security features.....	78
10.2.5.5	Additional commands.....	78
10.2.6	Card Application Toolkit.....	78
10.2.6.1	Overview.....	78
10.2.6.2	Terminal profile.....	78
10.2.6.3	Proactive polling.....	79
10.2.6.4	Additional commands.....	79
10.2.7	SSP suspension.....	79

10.2.8	APDU transfer over SCL.....	79
10.2.8.1	Overview.....	79
10.2.8.2	UICC APDU gate.....	79
10.2.8.2.1	UICC APDU overview.....	79
10.2.8.2.2	UICC APDU service gate.....	80
10.2.8.2.3	UICC APDU application gate.....	80
10.2.8.2.4	State diagram for the UICC APDU gate.....	80
10.3	File system protocol.....	81
10.3.1	Overview.....	81
10.3.2	Presentation layer.....	82
10.3.3	File system control service gate.....	82
10.3.3.1	Overview.....	82
10.3.3.2	Commands.....	82
10.3.3.3	Responses.....	83
10.3.3.4	Events.....	83
10.3.4	File system control application gate.....	83
10.3.4.1	Overview.....	83
10.3.4.2	Commands.....	83
10.3.4.3	Responses.....	83
10.3.4.4	Events.....	83
10.3.5	File system data service gate.....	84
10.3.5.1	Overview.....	84
10.3.5.2	Commands.....	84
10.3.5.3	Responses.....	84
10.3.5.4	Events.....	84
10.3.6	File system data application gate.....	84
10.3.6.1	Overview.....	84
10.3.6.2	Commands.....	84
10.3.6.3	Responses.....	84
10.3.6.4	Events.....	84
10.4	Transmission Control Protocol support.....	84
10.4.1	Overview.....	84
10.4.2	Management of TCP connections.....	86
10.4.2.1	TCP connection request.....	86
10.4.2.1.1	TCP active connection request (client mode).....	86
10.4.2.1.2	TCP passive connection request (server mode).....	86
10.4.2.2	TCP connection established.....	86
10.4.2.3	TCP end of connection.....	86
10.4.3	Presentation layer.....	86
10.4.4	TCP control service gate.....	87
10.4.4.1	Overview.....	87
10.4.4.2	Commands.....	87
10.4.4.2.1	List of commands.....	87
10.4.4.2.2	TCP-REQUEST-CONNECTION-Service-Command.....	87
10.4.4.2.3	TCP-CLOSE-CONNECTION-Service-Command.....	88
10.4.4.2.4	TCP-GET-STATUS-CONNECTION-Service-Command.....	89
10.4.4.3	Responses.....	90
10.4.4.4	Events.....	91
10.4.5	TCP control application gate.....	91
10.4.5.1	Overview.....	91
10.4.5.2	Commands.....	91
10.4.5.2.1	List of commands.....	91
10.4.5.2.2	TCP-ACCEPT-CONNECTION-Application-Command.....	91
10.4.5.3	Responses.....	92
10.4.5.4	Events.....	92
10.4.5.4.1	List of events.....	92
10.4.5.4.2	EVT-TCP-ERROR-Application-Event.....	93
10.4.6	TCP data service gate.....	94
10.4.6.1	Overview.....	94
10.4.6.2	Commands.....	94
10.4.6.3	Responses.....	94
10.4.6.4	Events.....	94

10.4.7	TCP data application gate	94
10.4.7.1	Overview	94
10.4.7.2	Commands	94
10.4.7.3	Responses	94
10.4.7.4	Events	94
10.4.8	Application protocols	94
10.4.8.1	HTTP(S) protocol	94
10.4.8.2	TLS protocol	95
10.5	User Datagram Protocol support	95
10.5.1	Overview	95
10.5.2	Presentation layer	96
10.5.3	UDP service gate	96
10.5.3.1	Overview	96
10.5.3.2	Commands	96
10.5.3.2.1	List of commands	96
10.5.3.2.2	UDP-REQUEST-SOCKET-Command	96
10.5.3.2.3	UDP-CLOSE-SOCKET-Command	97
10.5.3.3	Responses	98
10.5.3.4	Events	98
10.5.3.4.1	List of events	98
10.5.3.4.2	EVT-UDP-DATAGRAM-OUT-Service-Event	99
10.5.4	UDP application gate	99
10.5.4.1	Overview	99
10.5.4.2	Commands	99
10.5.4.3	Responses	99
10.5.4.4	Events	99
10.5.4.4.1	List of events	99
10.5.4.4.2	EVT-UDP-DATAGRAM-IN-Application-Event	100
10.5.4.4.3	EVT-UDP-ERROR-Application-Event	100
10.5.5	Application protocols	101
10.5.5.1	CoAP over UDP Protocol	101
10.6	CRON service support	101
10.6.1	Overview	101
10.6.2	Presentation layer	101
10.6.3	CRON service gate	102
10.6.3.1	Overview	102
10.6.3.2	Commands	102
10.6.3.2.1	List of commands	102
10.6.3.2.2	CRON-REQUEST-TIMER-Command	102
10.6.3.2.3	CRON-READ-DATE-TIME-Command	103
10.6.3.2.4	CRON-KILL-TIMER-Command	104
10.6.3.2.5	CRON-KILL-ALL-TIMERS-Command	104
10.6.3.3	Responses	104
10.6.3.4	Events	105
10.6.4	CRON application gate	105
10.6.4.1	Commands	105
10.6.4.2	Responses	105
10.6.4.3	Events	106
10.6.4.3.1	List of events	106
10.6.4.3.2	CRON-ELAPSED-TIMER-Event	106
10.7	Contactless related applications support	106
10.7.1	Introduction	106
10.7.2	HCP tunneling over SCL	106
10.7.2.1	Overview	106
10.7.2.2	SCL HCI service gate	107
10.7.2.3	SCL HCI application gate	107
10.8	Card Application Toolkit (CAT) over SCL	107
10.8.1	Overview	107
10.8.2	Structure of Card Application Toolkit (CAT) communications	108
10.8.3	CAT application gate	108
10.8.3.1	Overview	108
10.8.3.2	Commands	108

10.8.3.3	Responses.....	109
10.8.3.4	Events.....	109
10.8.3.4.1	Supported events	109
10.8.3.4.2	EVT_ENVELOPE_CMD.....	109
10.8.3.4.3	EVT_TERMINAL_RESPONSE.....	109
10.8.3.5	Registry	109
10.8.4	CAT service gate	110
10.8.4.1	Overview.....	110
10.8.4.2	Commands	110
10.8.4.3	Responses.....	110
10.8.4.4	Events.....	110
10.8.4.4.1	Supported events	110
10.8.4.4.2	EVT_PROACTIVE_CMD.....	110
10.8.4.4.3	EVT_ENVELOPE_RSP.....	110
10.8.4.5	Registry	111
10.8.5	State diagram for the CAT application gate.....	111
10.9	Access control protocol.....	112
10.9.1	Introduction.....	112
10.9.2	Presentation layer.....	113
10.9.3	Accessor authentication service gate	113
10.9.3.1	Overview.....	113
10.9.3.2	Commands	114
10.9.3.3	Responses.....	114
10.9.3.4	Events.....	114
10.9.4	Accessor authentication application gate.....	114
10.9.4.1	Overview.....	114
10.9.4.2	Commands	114
10.9.4.3	Responses.....	114
10.9.4.4	Events.....	114
11	SSP classes	115
11.1	Overview	115
Annex A (informative): Example of SCL flow.....		116
Annex B (informative): Support for UICC applications over SCL.....		117
B.1	UICC APDU service gate.....	117
Annex C (normative): SCL secure pipe		118
C.1	Overview	118
C.2	Authentication tokens.....	118
C.2.1	Description	118
C.2.2	Format	118
C.3	Certification paths	119
C.3.1	Description	119
C.3.2	Format	119
C.3.3	Identifiers and value used by certificate management.....	119
C.3.3.1	ECC domain parameters	119
C.3.3.2	Algorithm identifiers and parameters	120
C.3.3.3	Certificate policy OID	120
C.3.3.4	Certificate revocation.....	120
C.3.4	Long term keys.....	121
C.3.5	Functions	121
C.4	Datagram encryption	121
C.4.1	Principle	121
C.4.2	SharedInfo	121
C.4.3	Encryption/decryption.....	122
Annex D (informative): TCP service procedures.....		123

D.1	Connection request in active mode	123
D.2	Connection request in passive mode	124
D.3	Connection request failure.....	125
D.4	Connection closing.....	126
Annex E (informative):	UDP service procedures	127
E.1	UDP socket request.....	127
E.2	Socket closing	128
Annex F (informative):	CRON service procedures.....	129
F.1	CRON timer request.....	129
F.2	CRON timer killing.....	130
F.3	CRON read date command.....	131
Annex G (informative):	File system protocol service procedures	132
G.1	File reading.....	132
G.2	File writing	133
G.3	File writing from data stream.....	134
G.4	File reading from data stream.....	135
G.5	File reading and get the position	136
Annex H (informative):	Example of access control.....	138
Annex J (informative):	Accessor authentication service procedures.....	139
J.1	Accessor creation	139
J.2	Accessor deletion	139
J.3	Accessor update.....	140
J.4	Accessor authentication session opening	141
Annex K (informative):	UML code of figures	142
Annex L (normative):	ASN.1 definitions	143
L.1	End of ASN.1	143
L.2	Complete ASN.1 file.....	143
Annex M (informative):	Change history	144
History		145

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Smart Card Platform (SCP).

The contents of the present document are subject to continuing work within TC SCP and may change following formal TC SCP approval. If TC SCP modifies the contents of the present document, it will then be republished by ETSI with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 0 early working draft;
 - 1 presented to TC SCP for information;
 - 2 presented to TC SCP for approval;
 - 3 or greater indicates TC SCP approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

The present document is part 1 of a multi-part deliverable covering Smart Secure Platform (SSP), as identified below:

Part 1: "General characteristics";

Part 2: "Integrated SSP (iSSP) characteristics".

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/2ce0bfde-2746-4f1e-9c16-d61fd5-4d89666/etsi-ts-103-666-1-v15.1.0-2020-01>

1 Scope

The present document is part of a serie of documents that specify the technical solution for the Smart Secure Platform (SSP), according to the requirements listed in ETSI TS 103 465 [2].

The present document contains generic technical solutions for different aspects of SSP functionality. It does not specify any specific type of SSP.

The types of SSP are referred to as classes. The class specifications (for example the integrated SSP technical specification in ETSI TS 103 666-2 [8]) refer to the present document for common SSP functionality.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

- In the case of a reference to a TC SCP document, a non-specific reference implicitly refers to the latest version of that document in the same Release as the present document.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI TS 102 221: "Smart Cards; UICC Terminal interface; Physical and logical characteristics".
- [2] ETSI TS 103 465: "Smart Cards; Smart Secure Platform (SSP); Requirements Specification".
- [3] ISO/IEC 7816-3: "Identification cards -- Integrated circuit cards -- Part 3: Cards with contacts -- Electrical interface and transmission protocols".
- [4] ISO/IEC 7816-4: "Identification cards -- Integrated circuit cards -- Part 4: Organization, security and commands for interchange".
- [5] ETSI TS 102 613: "Smart Cards; UICC - Contactless Front-end (CLF) Interface; Physical and data link layer characteristics".
- [6] ETSI TS 102 223: "Smart Cards; Card Application Toolkit (CAT)".
- [7] ETSI TS 102 226: "Smart Cards; Remote APDU structure for UICC based applications".
- [8] ETSI TS 103 666-2: "Smart Secure Platform (SSP); Part 2: Integrated SSP (iSSP) characteristics".
- [9] ORACLE: "Application Programming Interface, Java Card™ Platform, 3.0.5 Classic Edition".
- [10] ORACLE: "Runtime Environment Specification, Java Card™ Platform, 3.0.5 Classic Edition".
- [11] ORACLE: "Virtual Machine Specification Java Card™ Platform, 3.0.5 Classic Edition".

NOTE: ORACLE Java Card™ Specifications can be downloaded at <https://docs.oracle.com/javacard/3.0.5/index.html>.

- [12] ETSI TS 102 241: "Smart Cards; UICC Application Programming Interface (UICC API) for Java Card™".