

SLOVENSKI STANDARD

SIST EN 61158-6-20:2015

01-marec-2015

Nadomešča:

SIST EN 61158-6-20:2012

Industrijska komunikacijska omrežja - Specifikacije za procesna vodila - 6-20. del: Specifikacija protokola na aplikacijski ravni - Elementi tipa 20 (IEC 61158-6-20:2014)

Industrial communication networks - Fieldbus specifications - Part 6-20: Application layer protocol specification - Type 20 elements (IEC 61158-6-20:2014)

iTeh STANDARD PREVIEW

Industrielle Kommunikationsnetze - Feldbusse - Teil 6-20: Protokollspezifikation des Application Layer (Anwendungsschicht) - Typ 20-Elemente (IEC 61158-6-20:2014)

[SIST EN 61158-6-20:2015](#)

Réseaux de communication industriels - Spécifications des bus de terrain - Partie 6-20: Spécification du protocole de la couche application - Elements de type 20 (CEI 61158-6-20:2014)

Ta slovenski standard je istoveten z: EN 61158-6-20:2014

ICS:

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.100.70	Uporabniški sloj	Application layer
35.110	Omreževanje	Networking

SIST EN 61158-6-20:2015

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61158-6-20:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/2e5f4c4c-de29-431d-8d6c-0dc77d6ff3a7/sist-en-61158-6-20-2015>

EUROPEAN STANDARD

EN 61158-6-20

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2014

ICS 25.040.40; 35.100.70; 35.110

Supersedes EN 61158-6-20:2012

English Version

**Industrial communication networks - Fieldbus specifications -
Part 6-20: Application layer protocol specification - Type 20
elements
(IEC 61158-6-20:2014)**

Réseaux de communication industriels - Spécifications des
bus de terrain - Partie 6-20: Spécification du protocole de la
couche application - Eléments de type 20
(CEI 61158-6-20:2014)

Industrielle Kommunikationsnetze - Feldbusse - Teil 6-20:
Protokollspezifikation des Application Layer
(Anwendungsschicht) - Typ 20-Elemente
(IEC 61158-6-20:2014)

This European Standard was approved by CENELEC on 2014-09-23. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

[https://standards.iteh.ai/catalog/standards/sist/2e5f4c4c-de29-431d-8d6c-](https://standards.iteh.ai/catalog/standards/sist/2e5f4c4c-de29-431d-8d6c-0dc77d6ff3a7/sist-en-61158-6-20-2015)

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 65C/764/FDIS, future edition 3 of IEC 61158-6-20, prepared by SC 65C "Industrial networks" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61158-6-20:2014.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-06-23
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-09-23

This document supersedes EN 61158-6-20:2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

[SIST EN 61158-6-20:2015](https://standards.iteh.ai/catalog/standards/sist/2e5f4c4c-de29-431d-8d6c-0dc715111111/sist-en-61158-6-20-2015)
<https://standards.iteh.ai/catalog/standards/sist/2e5f4c4c-de29-431d-8d6c-0dc715111111/sist-en-61158-6-20-2015>

Endorsement notice

The text of the International Standard IEC 61158-6-20:2014 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61784-1	NOTE	Harmonized as EN 61784-1.
IEC 61784-2	NOTE	Harmonized as EN 61784-2.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61158-1	2014	Industrial communication networks - Fieldbus specifications - Part 1: Overview and guidance for the IEC 61158 and IEC 61784 series	EN 61158-1	2014
IEC 61158-5-20	2014	Industrial communication networks - Fieldbus specifications - Part 5-20: Application layer service definition - Type 20 elements	EN 61158-5-20	2014
IEC 62591	2010	Industrial communication networks - Wireless communication network and communication profiles - WirelessHART™	EN 62591	2010
ISO/IEC 7498-1	-	Information technology - Open Systems Interconnection - Basic reference model: The basic model	-	-
ISO/IEC 8824-1	-	Information technology - Abstract Syntax Notation One (ASN.1): Specification of basic notation	-	-
ISO/IEC 8859-1	-	Information technology - 8-bit single-byte coded graphic character sets - Part-1: Latin alphabet No. 1	-	-
ISO/IEC 9545	-	Information technology - Open Systems Interconnection - Application layer structure	-	-
ISO/IEC/IEEE 60559	-	Information technology - Microprocessor Systems - Floating-Point arithmetic	-	-
IEEE 802.15.4	-	IEEE Standard for Local and metropolitan area networks - Part 15.4: Low-Rate Wireless Personal Area Networks (LR-WPANs)	-	-

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61158-6-20:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/2e5f4c4c-de29-431d-8d6c-0dc77d6ff3a7/sist-en-61158-6-20-2015>



IEC 61158-6-20

Edition 3.0 2014-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial communication networks – Fieldbus specifications –
Part 6-20: Application layer protocol specification – Type 20 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 6-20: Spécification du protocole de la couche application – Eléments
de type 20**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE **XC**
CODE PRIX

ICS 25.040.40; 35.100.70; 35.110

ISBN 978-2-8322-1766-5

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	7
INTRODUCTION	9
1 Scope	10
2 Normative references	10
3 Terms, definitions, symbols, abbreviations and conventions	11
3.1 Terms and definitions from other ISO/IEC standards	11
3.2 IEC 61158-1 terms	12
3.3 Type 20 fieldbus application-layer specific definitions	14
3.4 Abbreviations and symbols	17
3.5 Conventions	18
3.6 Conventions used in state machines	18
4 Abstract syntax	20
5 Transfer syntax	20
5.1 Common APDU fields	20
5.2 Common APDU structure	22
5.3 Device application service-specific APDU structures	24
5.4 Data coding rules	51
6 Common procedures	56
6.1 Delayed response	56
6.2 Publish mode procedure	56
7 FAL protocol state machines	56
7.1 General	56
7.2 AREP mapping to data link layer	57
7.3 Client ARPM	58
7.4 Server ARPM	60
7.5 Functions used by FAL state machines	61
Annex A (normative) Application process status	63
A.1 General	63
A.2 Device malfunction	63
A.3 Configuration changed	63
A.4 Cold start	64
A.5 More status available	64
A.6 Loop current fixed	64
A.7 Loop current saturated	64
A.8 Non-primary variable out of limits	65
A.9 Primary variable out of limits	65
Annex B (normative) Device and dynamic variable	66
B.1 Device variable	66
B.2 Dynamic variable	66
B.3 Primary variable	67
B.4 Device variable classification	68
B.5 Device families	68
B.6 Device variable status	68
Annex C (normative) Common tables	70
C.1 Overview	70

C.1.1	General	70
C.1.2	Enumeration	70
C.1.3	Bit Field	70
C.2	Table definitions	70
C.2.1	Publish mode control codes	70
C.2.2	Write device variable codes	70
C.2.3	Device variable family codes	70
C.2.4	Device variable classification codes	70
C.2.5	Analog channel saturated codes	70
C.2.6	Analog channel fixed codes	70
C.2.7	Standardized status 0 codes	71
C.2.8	Standardized status 1 codes	71
C.2.9	Standardized status 2 codes	71
C.2.10	Standardized status 3 codes	71
C.2.11	Publish trigger mode codes	71
C.2.12	Transfer function codes	71
C.2.13	Alarm Selection Codes	71
C.2.14	Write Protect Codes	72
C.2.15	Physical layer signalling codes	72
C.2.16	Flag Assignment codes	72
C.2.17	Loop current mode codes	73
C.2.18	Trim point codes	73
C.2.19	Analog channel flag codes	73
C.2.20	Device variable codes	73
C.2.21	Device profile codes	74
Annex D (normative)	Command requirements	75
D.1	General	75
D.2	Stateless request and response	75
D.3	Read command	75
D.4	Write command	75
D.5	Action command	75
D.6	Indexed command	76
D.7	Multi-transaction command	76
Bibliography	77
Figure 1	– Request APDU	22
Figure 2	– Normal response APDU	22
Figure 3	– Command error response from slave to master	23
Figure 4	– Aggregated command APDU	24
Figure 5	– Coding without identification	51
Figure 6	– Coding of Integer type data	51
Figure 7	– Coding of Integer16 type data	52
Figure 8	– Coding of Unsigned type data	52
Figure 9	– Coding of Unsigned16 type data	52
Figure 10	– Coding of single precision Floating Point type data	52
Figure 11	– Coding of double precision Floating Point type data	53
Figure 12	– Coding of Date type data	53

Figure 13 – Client state machine.....	58
Figure 14 – Server state machine	60
Figure A.1 – Loop current saturation and alarm levels.....	65
Figure B.1 – Device and Dynamic variables	66
Figure B.2 – Primary variable domains.....	67
Figure B.3 – Device variable status.....	69
Table 1 – Conventions used for state machines	19
Table 2 – Response code values	20
Table 3 – Application process status values.....	21
Table 4 – Extended status values	21
Table 5 – Identify request APDU	24
Table 6 – Identify response value field.....	25
Table 7 – Identify command specific response codes.....	25
Table 8 – Read primary variable response value field	26
Table 9 – Read primary variable command specific response codes	26
Table 10 – Read loop current and percent of range value field.....	26
Table 11 – Read loop current and percent of range command specific response codes	27
Table 12 – Read dynamic variables and loop current value field	27
Table 13 – Read dynamic variables and loop current command specific response codes.....	27
Table 14 – Write loop configuration value field.....	28
Table 15 – Write loop configuration command specific response codes.....	28
Table 16 – Read loop configuration value field.....	29
Table 17 – Read loop configuration command specific response codes	29
Table 18 – Read dynamic variable families classifications value field.....	29
Table 19 – Read dynamic variable families classifications command specific response codes.....	29
Table 20 – Read device variables with status request value field	30
Table 21 – Read device variables with status value field.....	30
Table 22 – Read device variables with status command specific response codes.....	31
Table 23 – Read message response value field	32
Table 24 – Read message command specific response codes	32
Table 25 – Read tag, descriptor, date response value field	33
Table 26 – Read tag, descriptor, date command specific response codes	33
Table 27 – Read primary variable transducer information response value field.....	33
Table 28 – Read primary variable transducer information command specific response codes.....	34
Table 29 – Read device information response value field	34
Table 30 – Read device information command specific response codes.....	35
Table 31 – Read final assembly number response value field	35
Table 32 – Read final assembly number command specific response codes	35
Table 33 – Write message value field.....	35
Table 34 – Write message command specific response codes	36

Table 35 – Write tag, descriptor, date value field	36
Table 36 – Write tag, descriptor, date command specific response codes	36
Table 37 – Write final assembly number value field	37
Table 38 – Write final assembly number command specific response codes	37
Table 39 – Read long tag response value field	37
Table 40 – Read long tag command-specific response codes	37
Table 41 – Write long tag value field	38
Table 42 – Write long tag command specific Response codes	38
Table 43 – Write primary variable range value field	39
Table 44 – Write primary variable range command specific response codes	39
Table 45 – Enter-exit fixed current mode request value field	40
Table 46 – Enter-exit fixed current mode response value field	40
Table 47 – Enter-exit fixed current mode command specific response codes	40
Table 48 – Write primary variable unit value field	41
Table 49 – Write primary variable unit command specific response codes	41
Table 50 – Trim loop current zero request value field	41
Table 51 – Trim loop current zero command specific response codes	41
Table 52 – Trim loop current gain request value field	42
Table 53 – Trim loop current gain command specific response codes	42
Table 54 – Read dynamic variable assignment response value field	43
Table 55 – Read dynamic variable assignment command specific response codes	43
Table 56 – Write dynamic variable assignment value field	44
Table 57 – Write dynamic variable assignment command specific response codes	44
Table 58 – Write number of response preambles value field	45
Table 59 – Write number of response preambles command specific response codes	45
Table 60 – Read device variable trim points request value field	45
Table 61 – Read device variable trim points response value field	46
Table 62 – Read device variable trim points command specific response codes	46
Table 63 – Read device variable trim guidelines request value field	46
Table 64 – Read device variable trim guidelines response value field	46
Table 65 – Read device variable trim points command specific response codes	47
Table 66 – Write device variable trim point value field	47
Table 67 – Write device variable trim point command specific response codes	48
Table 68 – Reset device variable trim value field	48
Table 69 – Reset device variable trim command specific response codes	49
Table 70 – Aggregated command specific response codes	50
Table 71 – Coding for Date type	53
Table 72 – Coding for one octet Enumerated Type	54
Table 73 – One octet bit field	54
Table 74 – Packed ASCII character set	55
Table 75 – Acceptable subset of ISO Latin-1 characters	56
Table 76 – Client machine state transitions	59
Table 77 – Server machine state transitions	61

Table 78 – Function FormReqApdu	61
Table 79 – Function Command	61
Table 80 – Function CommErr.....	61
Table 81 – Function RespCode	62
Table 82 – Function Commcode.....	62
Table 83 – Function ApStatus	62
Table 84 – Function Value	62
Table A.1 – Commands that cause configuration change	63
Table C.1 – Transfer function codes	71
Table C.2 – Alarm Selection codes	72
Table C.3 – Write Protect codes	72
Table C.4 – Physical layer signalling codes	72
Table C.5 – Flag Assignment codes	73
Table C.6 – Loop current mode codes.....	73
Table C.7 – Trim point codes	73
Table C.8 – Analog channel flag codes	73
Table C.9 – Device variable codes	74

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 61158-6-20:2015](https://standards.iteh.ai/catalog/standards/sist/2e5f4c4c-de29-431d-8d6c-0dc77d6fb3a7/sist-en-61158-6-20-2015)

<https://standards.iteh.ai/catalog/standards/sist/2e5f4c4c-de29-431d-8d6c-0dc77d6fb3a7/sist-en-61158-6-20-2015>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
FIELDBUS SPECIFICATIONS –**
**Part 6-20: Application layer protocol specification –
Type 20 elements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol types are specified in IEC 61784-1 and IEC 61784-2.

International Standard IEC 61158-6-20 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This third edition cancels and replaces the second edition published in 2010. This edition constitutes a technical revision.

The main changes with respect to the previous edition are listed below:

- a) added protocol for new services that are added to IEC 61158-5-20;
- b) added normative annexes;
- c) updated then references, terms, definitions, symbols, abbreviations;
- d) corrected the editorial errors and the text.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/764/FDIS	65C/774/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be:

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or [SIST EN 61158-6-20:2015](#)
- amended. <https://standards.iteh.ai/catalog/standards/sist/2e5f4c4c-de29-431d-8d6c-0dc77d6f3a7/sist-en-61158-6-20-2015>

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC 61158-1.

The application protocol provides the application service by making use of the services available from the data-link or other immediately lower layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer application entities (AEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- as a guide for implementors and designers;
- for use in the testing and procurement of equipment;
- as part of an agreement for the admittance of systems into the open systems environment;
- as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[SIST EN 61158-6-20:2015](https://standards.iteh.ai/catalog/standards/sist/2e5f4c4c-de29-431d-8d6c-0dc77d6ff3a7/sist-en-61158-6-20-2015)

<https://standards.iteh.ai/catalog/standards/sist/2e5f4c4c-de29-431d-8d6c-0dc77d6ff3a7/sist-en-61158-6-20-2015>