



**Digital cellular telecommunications system (Phase 2+) (GSM);
Universal Mobile Telecommunications System (UMTS);
LTE;
5G;
NR, E-UTRA, UTRA and GSM/EDGE;
Multi-Standard Radio (MSR) Base Station (BS)
conformance testing
(3GPP TS 37.141 version 14.11.0 Release 14)**



Reference

RTS/TSGR-0437141v0

Keywords

5G,GSM,LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	11
1 Scope	12
2 References	12
3 Definitions, symbols and abbreviations	13
3.1 Definitions	13
3.2 Symbols.....	16
3.3 Abbreviations	18
4 General test conditions and declarations	20
4.1 Measurement uncertainties and test requirements	20
4.1.1 General.....	20
4.1.2 Acceptable uncertainty of Test System.....	20
4.1.2.1 Measurement of transmitter	21
4.1.2.2 Measurement of receiver	22
4.1.3 Interpretation of measurement results	24
4.2 Base Station classes.....	25
4.3 Regional requirements.....	25
4.4 Operating bands and band categories	27
4.4.1 Band category 1 aspects (BC1).....	30
4.4.2 Band category 2 aspects (BC2).....	31
4.4.3 Band category 3 aspects (BC3).....	31
4.5 Channel arrangement.....	31
4.5.1 Channel spacing.....	31
4.5.1A CA Channel spacing	32
4.5.2 Channel raster	32
4.5.3 Carrier frequencies and numbering.....	32
4.6 Manufacturer's declarations of regional and optional requirements	32
4.6.1 Operating band and frequency range	32
4.6.2 Spurious emissions category.....	33
4.6.3 Additional operating band unwanted emissions	33
4.6.4 Co-existence with other systems.....	33
4.6.5 Co-location with other Base Stations.....	33
4.6.6 NB-IoT sub-carrier spacing	34
4.6.7 NB-IoT power dynamic range	34
4.7 Capability set definition and manufacturer's declarations of supported RF configurations	34
4.7.1 Definition of Capability Sets (CS).....	34
4.7.2 Manufacturer's declarations of supported RF configurations	37
4.8 MSR test configurations	40
4.8.1 TC1: UTRA multicarrier operation	40
4.8.1.1 TC1a generation.....	40
4.8.1.2 TC1b generation.....	40
4.8.1.3 TC1 power allocation.....	40
4.8.1a NTC1: UTRA multicarrier non-contiguous operation	40
4.8.1a.1 NTC1a generation.....	41
4.8.1a.2 NTC1 power allocation	41
4.8.2 TC2: E-UTRA multicarrier operation.....	41
4.8.2.1 TC2 generation.....	41
4.8.2.2 TC2 power allocation.....	41
4.8.2a NTC2: E-UTRA multicarrier non-contiguous operation	41
4.8.2a.1 NTC2 generation.....	42
4.8.2a.2 NTC2 power allocation.....	42
4.8.3 TC3: UTRA and E-UTRA multi RAT operation.....	42

4.8.3.1	TC3a generation.....	42
4.8.3.2	TC3b generation.....	43
4.8.3.3	TC3 power allocation.....	43
4.8.3a	NTC3: UTRA and E-UTRA multi RAT non-contiguous operation.....	43
4.8.3a.1	NTC3a generation.....	43
4.8.3a.2	NTC3 power allocation.....	44
4.8.4	TC4: BC2 transmitter operation.....	44
4.8.4.1	TC4a generation.....	44
4.8.4.2	TC4b generation.....	44
4.8.4.3	TC4c generation.....	45
4.8.4.4	TC4d generation.....	45
4.8.4.5	TC4e generation.....	45
4.8.4.6	TC4 power allocation.....	46
4.8.4a	NTC4: Non-contiguous multi RAT operations with GSM for the transmitter.....	46
4.8.4a.1	NTC4a generation.....	46
4.8.4a.2	NTC4b generation.....	47
4.8.4a.3	NTC4c generation.....	47
4.8.4a.4	NTC4 power allocation.....	48
4.8.5	TC5: BC2 receiver operation.....	48
4.8.5.1	TC5a generation.....	48
4.8.5.2	TC5b generation.....	49
4.8.5a	NTC5: Non-contiguous multi RAT operations with GSM for the receiver.....	49
4.8.5a.1	NTC5a generation.....	49
4.8.5a.2	NTC5b generation.....	49
4.8.5a.3	NTC5c generation.....	49
4.8.6	TC6: Single carrier for receiver tests.....	50
4.8.6.1	TC6a generation.....	50
4.8.6.2	TC6b generation.....	50
4.8.6.3	TC6c generation.....	50
4.8.7	Generation of MB-MSR test configurations.....	50
4.8.7.1	TC7a: MB-MSR test configuration for full carrier allocation.....	50
4.8.7.1.1	TC7a generation.....	50
4.8.7.1.2	TC7a power allocation.....	51
4.8.7.2	TC7b: MB-MSR test configuration with high PSD per carrier.....	51
4.8.7.2.1	TC7b generation.....	51
4.8.7.2.2	TC7b power allocation.....	52
4.8.7.3	TC7c: MB-MSR test configuration with GSM/EDGE single RAT operation in one band.....	52
4.8.7.3.1	TC7c generation.....	52
4.8.7.3.2	TC7c power allocation.....	53
4.8.8	TC8: NB-IoT standalone multi-carrier operation.....	53
4.8.8.1	TC8 generation.....	53
4.8.8.2	TC8 power allocation.....	53
4.8.9	TC9: GSM and NB-IoT standalone multi-carrier operation.....	53
4.8.9.1	TC9 generation.....	54
4.8.9.2	TC9 power allocation.....	54
4.8.10	TC10: UTRA and NB-IoT standalone multi-carrier operation.....	54
4.8.10.1	TC10 generation.....	54
4.8.10.2	TC10 power allocation.....	54
4.8.11	TC11: E-UTRA and NB-IoT standalone multi-carrier operation.....	54
4.8.11.1	TC11 generation.....	55
4.8.11.2	TC11 power allocation.....	55
4.8.12	TC12: GSM and UTRA and NB-IoT standalone multi-carrier operation.....	55
4.8.12.1	TC12 generation.....	55
4.8.12.2	TC12 power allocation.....	56
4.8.13	TC13: GSM and E-UTRA and NB-IoT standalone multi-carrier operation.....	56
4.8.13.1	TC13 generation.....	56
4.8.13.2	TC13 power allocation.....	56
4.8.14	TC14: UTRA and E-UTRA and NB-IoT standalone multi-carrier operation.....	56
4.8.14.1	TC14 generation.....	56
4.8.14.2	TC14 power allocation.....	57
4.8.15	TC15: GSM and E-UTRA with NB-IoT in-band multi-carrier operation.....	57
4.8.15.1	TC15 generation.....	57

4.8.15.2	TC15 power allocation	57
4.8.16	TC16: UTRA and E-UTRA with NB-IoT in-band multi-carrier operation	57
4.8.16.1	TC16 generation.....	57
4.8.16.2	TC16 power allocation.....	58
4.8.17	TC17: E-UTRA and E-UTRA with NB-IoT in-band multi-carrier operation	58
4.8.17.1	TC17 generation.....	58
4.8.17.2	TC17 power allocation.....	58
4.8.18	TC18: GSM and E-UTRA with NB-IoT guard-band multi-carrier operation	58
4.8.18.1	TC18 generation.....	58
4.8.18.2	TC18 power allocation.....	59
4.8.19	TC19: UTRA and E-UTRA with NB-IoT guard-band multi-carrier operation	59
4.8.19.1	TC19 generation.....	59
4.8.19.2	TC19 power allocation.....	59
4.8.20	TC20: E-UTRA and E-UTRA with NB-IoT guard-band multi-carrier operation	59
4.8.20.1	TC20 generation.....	59
4.8.20.2	TC20 power allocation.....	60
4.9	RF channels and test models	60
4.9.1	RF channels	60
4.9.2	Test models	61
4.10	BS configurations	62
4.10.1	Transmit configurations	62
4.10.1.1	Transmission with multiple transmitter antenna connectors	62
4.10.2	Receive configurations	62
4.10.2.1	Reception with multiple receiver antenna connectors, receiver diversity	62
4.10.3	Duplexers.....	63
4.10.4	Power supply options.....	63
4.10.5	Ancillary RF amplifiers	63
4.10.6	BS with integrated Iuant BS modem	64
4.10.7	BS using antenna arrays.....	64
4.10.7.1	Receiver tests	64
4.10.7.2	Transmitter tests.....	65
4.11	Format and interpretation of tests.....	65
4.12	Requirements for BS capable of multi-band operation	66
4.13	Tests for BS capable of multi-band operation with three or more bands	66
5	Applicability of requirements and test configurations	67
5.1	Multi-RAT capable Base Stations	68
5.2	Single-RAT Multi-carrier capable Base Stations	83
5.3	Multi-band capable Base Stations	90
6	Transmitter characteristics	92
6.1	General	92
6.2	Base Station output power.....	93
6.2.1	Base Station maximum output power	93
6.2.1.1	Definition and applicability.....	93
6.2.1.2	Minimum requirement	93
6.2.1.3	Test purpose	93
6.2.1.4	Method of test	93
6.2.1.4.1	Initial conditions	93
6.2.1.4.2	Procedure.....	94
6.2.1.5	Test requirements	94
6.2.2	E-UTRA DL RS power.....	94
6.2.2.1	Definition and applicability.....	94
6.2.2.2	Minimum requirement	94
6.2.2.3	Test purpose	94
6.2.2.4	Method of test	94
6.2.2.5	Test requirements.....	95
6.2.3	UTRA FDD primary CPICH power	95
6.2.3.1	Definition and applicability.....	95
6.2.3.2	Minimum requirement	95
6.2.3.3	Test purpose	95
6.2.3.4	Method of test	95

6.2.3.5	Test requirements	95
6.2.3A	UTRA FDD secondary CPICH power	95
6.2.3A.1	Definition and applicability	95
6.2.3A.2	Minimum requirement	95
6.2.3A.3	Test purpose	95
6.2.3A.4	Method of test	96
6.2.3A.5	Test requirements	96
6.2.4	UTRA TDD primary CCPCH power	96
6.2.4.1	Definition and applicability	96
6.2.4.2	Minimum requirement	96
6.2.4.3	Test purpose	96
6.2.4.4	Method of test	96
6.2.4.5	Test requirements	96
6.2.5	NB-IoT DL NRS power	96
6.2.5.1	Definition and applicability	96
6.2.5.2	Minimum requirement	97
6.2.5.3	Test purpose	97
6.2.5.4	Method of test	97
6.2.5.5	Test requirements	97
6.3	Output power dynamics	97
6.3.1	Definition and applicability	97
6.3.2	Minimum Requirement	97
6.3.3	Test purpose	97
6.3.4	Method of test	97
6.3.4.1	Initial conditions for GSM/EDGE output power dynamics for CS7	98
6.3.4.2	Procedure for GSM/EDGE output power dynamics	98
6.3.5	Test Requirement	98
6.4	Transmit ON/OFF power	98
6.4.1	Definition and applicability	98
6.4.2	Minimum Requirement	99
6.4.3	Test purpose	99
6.4.4	Method of test	99
6.4.4.1	Initial conditions	99
6.4.4.2	Procedure	99
6.4.5	Test requirement	99
6.5	Transmitted signal quality	100
6.5.1	Modulation quality	100
6.5.1.1	Definition and applicability	100
6.5.1.2	Minimum Requirement	100
6.5.1.3	Test purpose	100
6.5.1.4	Method of test	100
6.5.1.4.1	Initial conditions	100
6.5.1.4.2	Procedure	100
6.5.1.5	Test Requirements	101
6.5.1.5.1	E-UTRA test requirement	101
6.5.1.5.2	UTRA FDD test requirement	101
6.5.1.5.3	UTRA TDD test requirement	101
6.5.1.5.4	GSM/EDGE test requirement	101
6.5.1.5.5	NB-IoT test requirement	101
6.5.2	Frequency error	101
6.5.2.1	Definition and applicability	101
6.5.2.2	Minimum Requirement	101
6.5.2.3	Test purpose	101
6.5.2.4	Method of test	101
6.5.2.5	Test Requirements	102
6.5.2.5.1	E-UTRA test requirement	102
6.5.2.5.2	UTRA FDD test requirement	102
6.5.2.5.3	UTRA TDD test requirement	102
6.5.2.5.4	GSM/EDGE test requirement	102
6.5.2.5.5	NB-IoT test requirement	102
6.5.3	Time alignment error	102
6.5.3.1	Definition and applicability	102

6.5.3.2	Minimum requirement	102
6.5.3.3	Test purpose	102
6.5.3.4	Method of test	102
6.5.3.5	Test requirement	103
6.6	Unwanted emissions.....	103
6.6.1	Transmitter spurious emissions.....	103
6.6.1.1	Definition and applicability.....	103
6.6.1.2	Minimum requirement	103
6.6.1.3	Test purpose	103
6.6.1.4	Method of test	104
6.6.1.4.1	Initial conditions.....	104
6.6.1.4.2	Procedure.....	104
6.6.1.5	Test requirements.....	104
6.6.1.5.1	Spurious emissions (Category A).....	104
6.6.1.5.2	Spurious emissions (Category B).....	105
6.6.1.5.3	Additional test requirement for BC2 (category B).....	105
6.6.1.5.4	Protection of the BS receiver of own or different BS.....	105
6.6.1.5.5	Additional spurious emission requirements.....	106
6.6.1.5.6	Co-location with other Base Stations	114
6.6.2	Operating band unwanted emissions	119
6.6.2.1	Definition and applicability.....	119
6.6.2.2	Minimum requirement	119
6.6.2.3	Test purpose	119
6.6.2.4	Method of test	119
6.6.2.4.1	Initial conditions.....	119
6.6.2.4.2	Procedure.....	120
6.6.2.5	Test requirement	120
6.6.2.5.1	Test requirements for Band Categories 1 and 3.....	120
6.6.2.5.2	Test requirements for Band Category 2.....	126
6.6.2.5.3	Test requirements for GSM/EDGE single-RAT requirements.....	131
6.6.2.5.4	Test requirements for additional requirements	132
6.6.2.5.4.1	Limits in FCC Title 47	132
6.6.2.5.4.2	Unsynchronized operation for BC3	132
6.6.2.5.4.3	Protection of DTT.....	132
6.6.2.5.4.4	Co-existence with services in adjacent frequency bands	132
6.6.2.5.4.7	Additional requirements for band 48	134
6.6.3	Occupied bandwidth	134
6.6.3.1	Definition and applicability.....	134
6.6.3.2	Minimum requirements.....	134
6.6.3.3	Test purpose	134
6.6.3.4	Method of test	134
6.6.3.5	Test requirement	135
6.6.4	Adjacent Channel Leakage power Ratio (ACLR)	135
6.6.4.1	Definition and applicability.....	135
6.6.4.2	Minimum requirement	135
6.6.4.3	Test purpose	135
6.6.4.4	Method of test	135
6.6.4.4.1	Initial conditions.....	135
6.6.4.4.2	Procedure.....	136
6.6.4.5	Test requirements.....	136
6.6.4.5.1	E-UTRA test requirement.....	136
6.6.4.5.2	UTRA FDD test requirement	138
6.6.4.5.3	UTRA TDD test requirement	138
6.6.4.5.4	Cumulative ACLR requirement in non-contiguous spectrum	138
6.6.4.5.5	NB-IoT test requirement.....	139
6.7	Transmitter intermodulation.....	140
6.7.1	Definition and applicability	140
6.7.2	Minimum requirement	140
6.7.2A	Additional requirement for Band 41	140
6.7.3	Test purpose.....	140
6.7.4	Method of test	140
6.7.4.1	Initial conditions	140

6.7.4.2	Procedure	140
6.7.4.2.1	General minimum requirement test procedure	140
6.7.4.2.2	Additional minimum requirement (BC1 and BC2) test procedure	141
6.7.4.2.3	Additional minimum requirement (BC3) test procedure	142
6.7.5	Test requirements.....	143
6.7.5.1	General test requirement	143
6.7.5.2	Additional test requirement (BC1 and BC2).....	143
6.7.5.3	Additional test requirement (BC3).....	143
6.7.5.4	Additional test requirement for Band 41	144
7	Receiver characteristics.....	144
7.1	General	144
7.2	Reference sensitivity level.....	144
7.2.1	Definition and applicability	144
7.2.2	Minimum requirement	144
7.2.3	Test purpose.....	144
7.2.4	Method of test	144
7.2.4.1	Initial conditions for GSM/EDGE reference sensitivity level for CS7 and CS15.....	145
7.2.4.2	Procedure for GSM/EDGE reference sensitivity level for CS7 and CS15.....	145
7.2.5	Test requirements.....	145
7.3	Dynamic range	145
7.3.1	Definition and applicability	145
7.3.2	Minimum requirement	145
7.3.3	Test purpose.....	145
7.3.4	Method of test	146
7.3.4.1	Initial conditions for GSM/EDGE dynamic range for CS7 and CS15	146
7.3.4.2	Procedure for GSM/EDGE dynamic range for CS7 and CS15	146
7.3.5	Test requirements.....	146
7.4	In-band selectivity and blocking	147
7.4.1	Definition and applicability	147
7.4.2	Minimum requirement	147
7.4.3	Test purpose.....	147
7.4.4	Method of test	147
7.4.4.1	Initial conditions	147
7.4.4.2	Procedure for general blocking	147
7.4.4.3	Procedure for narrowband blocking	148
7.4.4.4	Procedure for additional narrowband blocking for GSM/EDGE	148
7.4.4.4.1	Initial conditions for additional narrowband blocking for GSM/EDGE for CS7 and CS15.....	148
7.4.4.4.2	Procedure for additional narrowband blocking for GSM/EDGE for CS7 and CS15.....	148
7.4.4.5	Procedure for GSM/EDGE AM suppression	149
7.4.4.5.1	Initial conditions for GSM/EDGE AM suppression for CS7 and CS15.....	149
7.4.4.5.2	Procedure for GSM/EDGE AM suppression for CS7 and CS15.....	149
7.4.4.6	Procedure for additional BC3 blocking requirement.....	149
7.4.5	Test requirements.....	150
7.4.5.1	General blocking test requirement	150
7.4.5.2	General narrowband blocking test requirement	151
7.4.5.3	Additional narrowband blocking test requirement for GSM/EDGE	153
7.4.5.4	GSM/EDGE test requirements for AM suppression	153
7.4.5.5	Additional BC3 blocking test requirement.....	153
7.5	Out-of-band blocking	154
7.5.1	Definition and applicability	154
7.5.2	Minimum requirement	154
7.5.3	Test purpose.....	154
7.5.4	Method of test	154
7.5.4.1	Initial conditions	154
7.5.4.2	Procedure	155
7.5.5	Test requirements.....	155
7.5.5.1	General out-of-band blocking test requirements	155
7.5.5.2	Co-location test requirements.....	156
7.6	Receiver spurious emissions.....	160
7.6.1	Definition and applicability	160
7.6.2	Minimum requirements.....	160

7.6.3	Test purpose.....	160
7.6.4	Method of test	160
7.6.4.1	Initial conditions	160
7.6.4.2	Procedure	161
7.6.5	Test requirements.....	161
7.6.5.1	General test requirements.....	161
7.6.5.2	Additional test requirement for BC2 (Category B)	161
7.7	Receiver intermodulation	162
7.7.1	Definition and applicability	162
7.7.2	Minimum requirement	162
7.7.3	Test purpose.....	162
7.7.4	Method of test.....	162
7.7.4.1	Initial conditions	162
7.7.4.2	Procedure for general and narrowband intermodulation.....	163
7.7.4.3	Procedure for additional narrowband intermodulation for GSM/EDGE.....	163
7.7.4.3.1	Initial conditions for additional narrowband intermodulation for GSM/EDGE for CS7 and CS15	163
7.7.4.3.2	Procedure for additional narrowband intermodulation for GSM/EDGE for CS7 and CS15	163
7.7.5	Test requirements.....	164
7.7.5.1	General intermodulation test requirement.....	164
7.7.5.2	General narrowband intermodulation test requirement	165
7.7.5.3	Additional narrowband intermodulation test requirement for GSM/EDGE.....	167
7.8	In-channel selectivity	168
7.8.1	Definition and applicability	168
7.8.2	Minimum requirement	168
7.8.3	Test purpose.....	168
7.8.4	Method of testing.....	168
7.8.5	Test requirements.....	168
8	Performance requirements.....	168
Annex A (normative): Characteristics of interfering signals		169
A.1	UTRA FDD interfering signal.....	169
A.2	UTRA TDD interfering signal	169
A.3	E-UTRA interfering signal.....	169
Annex B (normative): Environmental requirements for the BS equipment		170
B.1	General	170
B.2	Normal test environment.....	170
B.3	Extreme test environment.....	170
B.3.1	Extreme temperature	170
B.4	Vibration.....	171
B.5	Power supply	171
B.6	Measurement of test environments.....	171
Annex C (informative): Test Tolerances and Derivation of test requirements.....		172
C.1	Measurement of transmitter.....	173
C.2	Measurement of receiver	177
Annex D (informative): Measurement system set-up.....		180
D.1	Transmitter	180
D.1.1	Base station output power, transmitter ON/OFF power, modulation quality, transmitter spurious emissions and operating band unwanted emissions.....	180
D.1.2	Transmitter intermodulation.....	180

D.2	Receiver.....	181
D.2.1	Blocking characteristics	181
D.2.2	Receiver spurious emissions.....	181
D.2.3	Receiver intermodulation	181
Annex E (normative): E-UTRA Test model for BC3 CS3 BS.....		182
E.0	BC3 CS3 Test model description	182
E.1	E-UTRA Test Model 1.1 (E-TM1.1_BC3CS3)	183
E.2	E-UTRA Test Model 1.2 (E-TM1.2_BC3CS3)	183
E.3	E-UTRA Test Model 2 (E-TM2_BC3CS3)	183
E.4	E-UTRA Test Model 3.1 (E-TM3.1_BC3CS3)	183
E.5	E-UTRA Test Model 3.2 (E-TM3.2_BC3CS3)	183
E.6	E-UTRA Test Model 3.3 (E-TM3.3_BC3CS3)	183
Annex F (informative): Change history		184
History		191

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/fa1bc349-1d67-4ac2-bb81-5bccc29a18be/etsi-ts-137-141-v14.11.0-2020-01>

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/fa1bc349-1d67-4ac2-bb81-5bccc29a18be/etsi-ts-137-141-v14.11.0-2020-01>

1 Scope

The present document specifies the Radio Frequency (RF) test methods and conformance requirements for E-UTRA, UTRA, GSM/EDGE and NB-IoT Multi-Standard Radio (MSR) Base Station (BS). These have been derived from, and are consistent with the E-UTRA, UTRA, GSM/EDGE and NB-IoT MSR BS specification defined in [2].

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 37.104: "E-UTRA, UTRA and GSM/EDGE; Multi-Standard Radio (MSR) Base Station (BS) radio transmission and reception".
- [3] 3GPP TS 25.104: "Base Station (BS) radio transmission and reception (FDD) ".
- [4] 3GPP TS 25.105: "Base Station (BS) radio transmission and reception (TDD) ".
- [5] 3GPP TS 36.104: "Evolved Universal Terrestrial Radio Access (E-UTRA); Base Station (BS) radio transmission and reception".
- [6] 3GPP TS 45.005: "Radio transmission and reception".
- [7] ITU-R Recommendation M.1545, "Measurement uncertainty as it applies to test limits for the terrestrial component of International Mobile Telecommunications-2000".
- [8] "Title 47 of the Code of Federal Regulations (CFR)", Federal Communications Commission.
- [9] 3GPP TS 36.141: "Evolved Universal Terrestrial Radio Access (E-UTRA); Base Station (BS) conformance testing".
- [10] 3GPP TS 25.141: "Base Station (BS) conformance testing (FDD) ".
- [11] 3GPP TS 51.021: "Base Station System (BSS) equipment specification; Radio aspects".
- [12] 3GPP TS 25.142: "Base Station (BS) conformance testing (TDD) ".
- [13] Recommendation ITU-R SM.329-10, "Unwanted emissions in the spurious domain".
- [14] 3GPP TR 25.942: "Radio Frequency (RF) system scenarios".
- [15] ITU-R recommendation SM.328: "Spectra and bandwidth of emissions".
- [16] IEC 60721: "Classification of environmental conditions".
- [17] IEC 60721-3-3: "Classification of environmental conditions - Part 3-3: Classification of groups of environmental parameters and their severities - Stationary use at weather protected locations".
- [18] IEC 60721-3-4: "Classification of environmental conditions - Part 3: Classification of groups of environmental parameters and their severities - Section 4: Stationary use at non-weather protected locations".