

# ETSI TS 137 145-2 V15.6.0 (2020-01)



**Universal Mobile Telecommunications System (UMTS);  
LTE;  
Active Antenna System (AAS) Base Station (BS)  
conformance testing;  
Part 2: radiated conformance testing  
(3GPP TS 37.145-2 version 15.6.0 Release 15)**



---

**Reference**RTS/TSGR-0437145-2vf60

---

**Keywords**LTE,UMTS

---

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

---

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

---

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.

All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

**3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

---

# Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Legal Notice .....	2
Modal verbs terminology.....	2
Foreword.....	14
1 Scope .....	15
2 References .....	15
3 Definitions, symbols and abbreviations .....	17
3.1 Definitions .....	17
3.2 Symbols.....	21
3.3 Abbreviations .....	23
4 General test conditions and declarations .....	24
4.1 Measurement uncertainties and test requirements .....	24
4.1.1 General.....	24
4.1.2 Acceptable uncertainty of Test System.....	26
4.1.2.1 General .....	26
4.1.2.2 Measurement of transmitter .....	27
4.1.2.3 Measurement of receiver .....	30
4.1.2.4 Measurement of performance requirement .....	32
4.1.3 Interpretation of measurement results .....	32
4.2 Conducted and radiated requirement reference points .....	32
4.3 Base station classes for AAS BS .....	33
4.4 Regional requirements.....	33
4.5 Operating bands and band categories.....	35
4.6 Channel arrangements .....	35
4.7 Requirements for AAS BS capable of multi-band operation .....	35
4.8 AAS BS configurations .....	35
4.8.1 Transmit configurations .....	35
4.8.2 Receive configurations .....	36
4.8.3 Power supply options.....	37
4.8.4 BS with integrated Iuant BS modem .....	37
4.9 Capability sets .....	37
4.10 Manufacturer declarations .....	38
4.11 Test signal configurations for testing .....	45
4.11.1 General.....	45
4.11.1A NR Test signal used to build Test Configurations .....	45
4.11.2 Test signal configurations .....	45
4.11.2.1 ATCR1: UTRA multicarrier operation .....	45
4.11.2.1.1 General .....	45
4.11.2.1.2 ATCR1a generation.....	45
4.11.2.1.3 ATCR1b generation.....	45
4.11.2.1.4 ATCR1 power allocation.....	46
4.11.2.2 ANTCR1: UTRA FDD multicarrier non-contiguous operation.....	46
4.11.2.2.1 General .....	46
4.11.2.2.2 ANTCR1 generation.....	46
4.11.2.2.3 ANTCR1 power allocation.....	46
4.11.2.3 ATCR2: E-UTRA multicarrier operation.....	47
4.11.2.3.1 General .....	47
4.11.2.3.2 ATCR2a generation.....	47
4.11.2.3.3 ATCR2b generation.....	47
4.11.2.3.4 ATCR2 power allocation.....	48
4.11.2.4 ANTCR2: E-UTRA multicarrier non-contiguous operation .....	48
4.11.2.4.1 General .....	48
4.11.2.4.2 ANTCR2 generation.....	48
4.11.2.4.3 ANTCR2 power allocation.....	48

4.11.2.5	ATCR3: UTRA and E-UTRA multi RAT operation .....	49
4.11.2.5.1	General .....	49
4.11.2.5.2	ATCR3a generation.....	49
4.11.2.5.3	ATCR3b generation.....	49
4.11.2.5.4	ATCR3 power allocation.....	49
4.11.2.6	ANTCR3: UTRA and E-UTRA multi RAT non-contiguous operation.....	50
4.11.2.6.1	General .....	50
4.11.2.6.2	ANTCR3a generation.....	50
4.11.2.6.3	ANTCR3 power allocation.....	50
4.11.2.7	ATCR4: Single carrier for receiver tests.....	51
4.11.2.7.1	ATCR4a generation.....	51
4.11.2.7.2	ATCR4b generation.....	51
4.11.2.7.3	ATCR4c generation.....	51
4.11.2.7.3A	ATCR4d generation.....	51
11.2.7.4	ATCR4 power allocation.....	51
4.11.2.8	Generation of MB-MSR test configurations .....	51
4.11.2.8.1	ATCR5a: MB-MSR test configuration for full carrier allocation.....	51
4.11.2.8.1.1	General.....	51
4.11.2.8.1.2	ATCR5a generation .....	51
4.11.2.8.1.3	ATCR5a power allocation .....	52
4.11.2.8.2	ATCR5b: MB-MSR test configuration with high PSD per carrier.....	52
4.11.2.8.2.1	General.....	52
4.11.2.8.2.2	ATCR5b generation.....	52
4.11.2.8.2.3	ATCR5b power allocation .....	53
4.11.2.9	ATCR6: Single carrier for Transmitter tests .....	53
4.11.2.9.1	ATCR6a generation.....	53
4.11.2.9.2	ATCR6b generation.....	53
4.11.2.9.3	Void.....	54
4.11.2.9.3A	ATCR6d generation.....	54
4.11.2.9.4	ATCR6 power allocation.....	54
4.11.2.10	ATCR7: E-UTRA and NR multi RAT operation.....	54
4.11.2.10.1	General .....	54
4.11.2.10.2	ATCR7 generation.....	54
4.11.2.10.3	ATCR7 power allocation.....	54
4.11.2.11	ANTCR7: E-UTRA and NR multi RAT non-contiguous operation .....	55
4.11.2.11.1	General .....	55
4.11.2.11.2	ANTCR7 generation.....	55
4.11.2.11.3	ANTCR7 power allocation.....	55
4.11.12.3	ATCR8: NR multicarrier operation.....	55
4.11.2.12.1	General .....	55
4.11.2.12.2	ATCR8a generation.....	56
4.11.2.3.3	ATCR8b generation.....	56
4.11.2.12.4	ATCR8 power allocation.....	56
4.11.2.13	ANTCR8: NR multicarrier non-contiguous operation .....	57
4.11.2.13.1	General .....	57
4.11.2.13.2	ANTCR8 generation.....	57
4.11.2.13.3	ANTCR8 power allocation.....	57
4.12	RF channels and test models .....	57
4.12.1	RF channels .....	57
4.12.2	Test models .....	58
4.13	Format and interpretation of tests.....	59
4.14	Reference coordinate system.....	60
4.15	Co-location requirements .....	61
4.15.1	General.....	61
4.15.2.2	Co-location test antenna characteristics .....	62
5	Applicability of Requirements .....	63
5.1	General .....	63
5.2	Test configurations for AAS BS for operating bands where MSR with more than 1 RAT is supported .....	66
5.3	Test configurations for multi-carrier capable AAS BS in operating bands where one RAT capability sets are supported .....	73
5.3.1	General.....	73

5.3.2	AAS BS supporting one RAT only MSR in the operating band.....	74
5.3.3	AAS BS supporting Single-RAT UTRA in the operating band.....	78
5.3.4	AAS BS supporting Single-RAT E-UTRA in the operating band.....	79
5.4	Test configurations for AAS BS operating bands with multi-band dependencies.....	81
5.4.1	AAS BS operating bands with multi-band dependencies supporting MSR operation.....	81
5.4.2	AAS BS operating bands with multi-band dependencies supporting Single-RAT only.....	82
6	Radiated transmitter characteristics.....	84
6.1	General.....	84
6.2	Radiated Transmit Power.....	84
6.2.1	Definition and applicability.....	84
6.2.2	Minimum Requirement.....	85
6.2.3	Test purpose.....	85
6.2.4	Method of test.....	85
6.2.4.1	Initial conditions.....	85
6.2.4.2	Procedure.....	86
6.2.5	Test Requirement.....	86
6.3	OTA Base Station output power.....	86
6.3.1	General.....	86
6.3.2	OTA Maximum output power.....	86
6.3.2.1	Definition and applicability.....	86
6.3.2.2	Minimum Requirement.....	87
6.3.2.3	Test purpose.....	87
6.3.2.4	Method of test.....	87
6.3.2.4.1	Initial conditions.....	87
6.3.2.4.2	Procedure.....	87
6.3.2.5	Test Requirement.....	88
6.3.3	OTA E-UTRA DL RS power.....	88
6.3.3.1	Definition and applicability.....	88
6.3.3.2	Minimum Requirement.....	88
6.3.3.3	Test purpose.....	88
6.3.3.4	Method of test.....	88
6.3.3.4.1	Initial conditions.....	88
6.3.3.4.2	Procedure.....	89
6.3.3.5	Test Requirement.....	89
6.4	OTA Output power dynamics.....	89
6.4.1	General.....	89
6.4.2	OTA UTRA Inner loop power control in the downlink.....	89
6.4.2.1	Definition and applicability.....	89
6.4.2.2	Minimum requirement.....	89
6.4.2.3	Test purpose.....	90
6.4.2.4	Method of test.....	90
6.4.2.4.1	Initial conditions.....	90
6.4.2.4.2	Procedure.....	90
6.4.2.5	Test Requirement.....	91
6.4.3	OTA Power control dynamic range.....	91
6.4.3.1	Definition and applicability.....	91
6.4.3.2	Minimum Requirement.....	91
6.4.3.3	Test purpose.....	91
6.4.3.4	Method of test.....	92
6.4.3.4.1	Initial conditions.....	92
6.4.3.4.2	Procedure.....	92
6.4.3.5	Test Requirement.....	92
6.4.4	OTA total power dynamic range.....	93
6.4.4.1	Definition and applicability.....	93
6.4.4.2	Minimum Requirement.....	93
6.4.4.3	Test purpose.....	93
6.4.4.4	Method of test.....	93
6.4.4.4.1	Initial conditions.....	93
6.4.4.4.2	Procedure.....	93
6.4.4.4.2.1	General procedure.....	93
6.4.4.4.2.2	UTRA FDD.....	94

6.4.4.4.2.3	E-UTRA.....	94
6.4.4.4.2.4	NR.....	94
6.4.4.5	Test Requirement .....	95
6.4.4.5.1	UTRA FDD .....	95
6.4.4.5.2	E-UTRA .....	95
6.4.4.5.3	NR .....	95
6.4.5	OTA IPDL time mask.....	96
6.4.5.1	Definition and applicability.....	96
6.4.5.2	Minimum Requirement .....	96
6.4.5.3	Test purpose .....	96
6.4.5.4	Method of test .....	96
6.4.5.4.1	Initial conditions.....	96
6.4.5.4.2	Procedure.....	97
6.4.5.5	Test Requirement .....	97
6.4.6	OTA RE Power control dynamic range .....	97
6.4.6.1	Definition and applicability.....	97
6.4.6.2	Minimum Requirement .....	98
6.4.6.3	Method of test .....	98
6.5	OTA Transmit ON/OFF power .....	98
6.5.1	General.....	98
6.5.2	OTA Transmitter OFF power .....	98
6.5.2.1	Definition and applicability.....	98
6.5.2.2	Minimum Requirement .....	98
6.5.2.3	Test purpose .....	98
6.5.2.4	Method of test .....	98
6.5.2.4.1	Initial conditions.....	98
6.5.2.4.2	Procedure.....	99
6.5.2.5	Test Requirement .....	99
6.5.3	OTA Transmitter transient period.....	100
6.5.3.1	Definition and applicability.....	100
6.5.3.2	Minimum Requirement .....	100
6.5.3.3	Test purpose .....	100
6.5.3.4	Method of test .....	100
6.5.3.4.1	Initial conditions.....	100
6.5.3.4.2	Procedure.....	101
6.5.3.5	Test Requirement .....	101
6.6	OTA Transmitted signal quality .....	101
6.6.1	General.....	101
6.6.2	OTA Frequency Error.....	102
6.6.2.1	Definition and applicability.....	102
6.6.2.2	Minimum Requirement .....	102
6.6.2.3	Test purpose .....	102
6.6.2.4	Method of test .....	102
6.6.2.5	Test Requirement .....	102
6.6.2.5.1	UTRA FDD test requirement .....	102
6.6.2.5.2	E-UTRA and NR test requirement .....	102
6.6.3	OTA Time alignment error .....	103
6.6.3.1	Definition and applicability.....	103
6.6.3.2	Minimum Requirement .....	103
6.6.3.3	Test purpose .....	103
6.6.3.4	Method of test .....	103
6.6.3.4.1	Initial conditions.....	103
6.6.3.4.1.1	General test conditions.....	103
6.6.3.4.1.2	UTRA FDD.....	104
6.6.3.4.1.3	E-UTRA and NR .....	104
6.6.3.4.2	Procedure.....	104
6.6.3.4.2.1	General Procedure.....	104
6.6.3.4.2.2	UTRA FDD Procedure .....	104
6.6.3.4.2.3	E-UTRA and NR Procedure .....	104
6.6.3.5	Test Requirement .....	105
6.6.3.5.1	UTRA FDD test requirement .....	105
6.6.3.5.2	E-UTRA test requirement.....	105

6.6.3.5.3	NR test requirement.....	105
6.6.4	OTA modulation quality .....	106
6.6.4.1	Definition and applicability.....	106
6.6.4.2	Minimum Requirement .....	106
6.6.4.3	Test purpose .....	106
6.6.4.4	Method of test .....	106
6.6.4.4.1	UTRA method of test .....	106
6.6.4.4.1.1	Initial conditions .....	106
6.6.4.4.1.2	Procedure .....	106
6.6.4.4.1.2.1	General procedure .....	106
6.6.4.4.1.2.3	PCDE procedure .....	107
6.6.4.4.1.2.4	RCDE procedure .....	107
6.6.4.4.2	E-UTRA and NR method of test .....	107
6.6.4.4.2.1	Initial conditions .....	107
6.6.4.4.2.2	Procedure .....	108
6.6.4.5	Test Requirement .....	109
6.6.4.5.1	UTRA test requirement .....	109
6.6.4.5.2	E-UTRA and NR test requirement .....	109
6.7	OTA Unwanted Emissions .....	110
6.7.1	General.....	110
6.7.2	OTA occupied bandwidth.....	110
6.7.2.1	Definition and applicability.....	110
6.7.2.2	Minimum Requirement .....	110
6.7.2.3	Test purpose .....	111
6.7.2.4	Method of test .....	111
6.7.2.4.1	Initial conditions .....	111
6.7.2.4.1.1	General test conditions.....	111
6.7.2.4.1.2	UTRA FDD.....	111
6.7.2.4.1.3	E-UTRA and NR .....	111
6.7.2.4.2	Procedure.....	111
6.7.2.5	Test Requirement .....	112
6.7.2.5.1	MSR .....	112
6.7.2.5.2	UTRA FDD .....	113
6.7.2.5.3	E-UTRA .....	113
6.7.3	OTA Adjacent Channel Leakage power Ratio.....	113
6.7.3.1	Definition and applicability.....	113
6.7.3.2	Minimum Requirement .....	113
6.7.3.3	Test purpose .....	113
6.7.3.4	Method of test .....	113
6.7.3.4.1	Initial conditions.....	113
6.7.3.4.1.1	General test conditions.....	113
6.7.3.4.1.2	MSR.....	113
6.7.3.4.1.3	UTRA FDD.....	114
6.7.3.4.1.4	E-UTRA.....	114
6.7.3.4.1.5	NR.....	114
6.7.3.4.2	Procedure.....	114
6.7.3.4.2.1	General.....	114
6.7.3.4.2.2	MSR.....	115
6.7.3.4.2.3	UTRA FDD.....	115
6.7.3.4.2.4	E-UTRA.....	115
6.7.3.5	Test Requirement .....	116
6.7.3.5.1	MSR .....	116
6.7.3.5.1.1	MSR E-UTRA test requirement .....	116
6.7.3.5.1.2	MSR UTRA FDD test requirement .....	118
6.7.3.5.1.3	OTA Cumulative ACLR test requirement in non-contiguous spectrum.....	119
6.7.3.5.1.4	NR test requirement .....	121
6.7.3.5.2	UTRA FDD .....	122
6.7.3.5.2.1	OTA ACLR.....	122
6.7.3.5.2.2	OTA Cumulative ACLR test requirement in non-contiguous spectrum or multiple bands .....	123
6.7.3.5.3	E-UTRA .....	124
6.7.3.5.3.1	OTA ACLR.....	124
6.7.3.5.3.2	OTA Cumulative ACLR test requirement in non-contiguous spectrum.....	126



6.7.4	OTA Spectrum emission mask .....	127
6.7.4.1	Definition and applicability .....	127
6.7.4.2	Minimum requirement .....	127
6.7.4.3	Test purpose .....	127
6.7.4.4	Method of test .....	127
6.7.4.4.1	Initial conditions .....	127
6.7.4.4.1.1	General test conditions .....	127
6.7.4.4.1.2	UTRA FDD .....	128
6.7.4.4.2	Procedure .....	128
6.7.4.5	Test Requirement .....	129
6.7.4.5.1	UTRA FDD .....	129
6.7.5	OTA Operating band unwanted emission .....	139
6.7.5.1	Definition and applicability .....	139
6.7.5.2	Minimum Requirement .....	139
6.7.5.3	Test purpose .....	140
6.7.5.4	Method of test .....	140
6.7.5.4.1	Initial conditions .....	140
6.7.5.4.2	Procedure .....	140
6.7.5.5	Test Requirement .....	141
6.7.5.5.1	General .....	141
6.7.5.5.2	MSR Band categories 1 and 3 .....	141
6.7.5.5.3	MSR Band Category 2 .....	149
6.7.5.5.4	MSR Additional requirements .....	156
6.7.5.5.4.1	Limits in FCC Title 47 .....	156
6.7.5.5.4.2	Unsynchronized operation for BC3 .....	156
6.7.5.5.4.3	Protection of DTT .....	157
6.7.5.5.5	E-UTRA .....	157
6.7.5.5.5.1	General .....	157
6.7.5.5.5.2	Wide Area BS (Category A) .....	158
6.7.5.5.5.3	Wide Area BS Category B (Option 1) .....	163
6.7.5.5.5.4	Wide Area BS Category B (Option 2) .....	167
6.7.5.5.5.5	Local Area BS (Category A and B) .....	169
6.7.5.5.5.6	Medium Range BS (Category A and B) .....	171
6.7.5.5.5.7	Additional requirements .....	176
6.7.6	OTA Spurious emission .....	178
6.7.6.1	General .....	178
6.7.6.2	Mandatory Requirements .....	178
6.7.6.2.1	Definition and applicability .....	178
6.7.6.2.2	Minimum Requirement .....	178
6.7.6.2.3	Test purpose .....	178
6.7.6.2.4	Method of test .....	179
6.7.6.2.4.1	Initial conditions .....	179
6.7.6.2.4.2	Procedure .....	179
6.7.6.2.5	Test Requirement .....	180
6.7.6.2.5.1	MSR operation .....	180
6.7.6.2.5.2	Single RAT UTRA operation .....	181
6.7.6.2.5.3	Single RAT E-UTRA operation .....	182
6.7.6.3	Protection of the BS receiver of own or different BS .....	182
6.7.6.3.1	Definition and applicability .....	182
6.7.6.3.2	Minimum Requirement .....	182
6.7.6.3.3	Test purpose .....	183
6.7.6.3.4	Method of test .....	183
6.7.6.3.4.1	Initial conditions .....	183
6.7.6.3.4.2	Procedure .....	183
6.7.6.3.5	Test Requirement .....	184
6.7.6.3.5.1	MSR operation .....	184
6.7.6.3.5.2	Single RAT UTRA operation .....	185
6.7.6.3.5.3	Single RAT E-UTRA operation .....	185
6.7.6.4	Additional spurious emissions requirements .....	185
6.7.6.4.1	Definition and applicability .....	185
6.7.6.4.2	Minimum Requirement .....	185
6.7.6.4.3	Test purpose .....	186

6.7.6.4.4	Method of test.....	186
6.7.6.4.4.1	Initial conditions .....	186
6.7.6.4.4.2	Procedure .....	186
6.7.6.4.5	Test Requirement.....	187
6.7.6.4.5.1	MSR operation.....	187
6.7.6.4.5.1.1	E-UTRA and NR MSR operation .....	187
6.7.6.4.5.2	Single RAT UTRA operation .....	196
6.7.6.4.5.3	Single RAT E-UTRA operation.....	203
6.7.6.5	Co-location with other base stations .....	214
6.7.6.5.1	Definition and applicability .....	214
6.7.6.5.2	Minimum Requirement .....	214
6.7.6.5.3	Test purpose .....	214
6.7.6.5.4	Method of test.....	214
6.7.6.5.4.1	Initial conditions .....	214
6.7.6.5.4.2	Procedure .....	214
6.7.6.5.5	Test Requirement.....	214
6.8	OTA Transmitter intermodulation.....	232
6.8.1	Definition and applicability .....	232
6.8.2	Minimum Requirement .....	232
6.8.3	Test purpose.....	232
6.8.4	Method of test.....	232
6.8.4.1	Initial conditions .....	232
6.8.4.2	Procedure .....	233
6.8.5	Test Requirement.....	235
7	Radiated receiver characteristics .....	239
7.1	General .....	239
7.2	OTA sensitivity .....	240
7.2.1	Definition and applicability .....	240
7.2.2	Minimum Requirement.....	241
7.2.3	Test Purpose.....	241
7.2.4	Method of test.....	241
7.2.4.1	Initial conditions .....	241
7.2.4.2	Procedure .....	241
7.2.5	Test Requirements .....	242
7.2.5.1	General .....	242
7.2.5.2	UTRA FDD Test Requirements .....	242
7.2.5.3	UTRA TDD 1,28Mcp option Test Requirements .....	242
7.2.5.4	E-UTRA Test Requirements .....	243
7.2.5.5	NR Test Requirements .....	243
7.3	OTA Reference sensitivity level .....	243
7.3.1	Definition and applicability .....	243
7.3.2	Minimum Requirement.....	244
7.3.3	Test purpose.....	244
7.3.4	Method of test.....	244
7.3.4.1	Initial conditions .....	244
7.3.4.2	Procedure .....	244
7.3.5	Test Requirement.....	245
7.3.5.1	General .....	245
7.3.5.2	UTRA FDD Test Requirements.....	245
7.3.5.3	E-UTRA Test Requirements .....	245
7.3.5.4	NR Test Requirements .....	246
7.4	OTA Dynamic range .....	247
7.4.1	Definition and applicability .....	247
7.4.2	Minimum Requirement.....	247
7.4.3	Test purpose.....	247
7.4.4	Method of test.....	247
7.4.4.1	Initial conditions .....	247
7.4.4.2	Procedure .....	248
7.4.5	Test Requirement.....	248
7.4.5.1	UTRA FDD operation.....	248
7.4.5.2	E-UTRA operation.....	249

7.4.5.3	NR operation .....	250
7.5	OTA Adjacent channel selectivity, general blocking, and narrowband blocking .....	254
7.5.1	Definition and applicability .....	254
7.5.2	Minimum Requirement .....	254
7.5.3	Test purpose .....	255
7.5.4	Method of test .....	255
7.5.4.1	Initial conditions .....	255
7.5.4.2	Procedure .....	255
7.5.4.2.1	General procedure .....	255
7.5.4.2.2	MSR operation .....	255
7.5.4.2.2.1	Procedure for general blocking .....	255
7.5.4.2.2.2	Procedure for narrowband blocking .....	256
7.5.4.2.2.3	Procedure for additional BC3 blocking requirement .....	256
7.5.4.2.3	Single RAT UTRA FDD operation .....	256
7.5.4.2.4	Single RAT E-UTRA operation .....	257
7.5.4.2.4.1	Procedure for adjacent channel selectivity .....	257
7.5.4.2.4.2	Procedure for narrow-band blocking .....	257
7.5.5	Test Requirement .....	257
7.5.5.1	MSR operation .....	257
7.5.5.1.1	General blocking test requirement .....	257
7.5.5.1.2	General narrowband blocking test requirement .....	259
7.5.5.1.3	Additional BC3 blocking test requirement .....	260
7.5.5.2	Single RAT UTRA FDD operation .....	261
7.5.5.3	Single RAT E-UTRA operation .....	261
7.6	OTA Blocking .....	264
7.6.1	General .....	264
7.6.2	General Requirement .....	265
7.6.2.1	Definition and applicability .....	265
7.6.2.2	Minimum Requirement .....	265
7.6.2.3	Test purpose .....	265
7.6.2.4	Method of test .....	265
7.6.2.4.1	Initial conditions .....	265
7.6.2.4.2	Procedure .....	265
7.6.2.4.2.1	General procedure .....	265
7.6.2.5	Test Requirement .....	267
7.6.2.5.1	MSR operation .....	267
7.6.3	Co-location Requirement .....	270
7.6.3.1	Definition and applicability .....	270
7.6.3.2	Minimum Requirement .....	271
7.6.3.3	Test purpose .....	271
7.6.3.4	Method of test .....	271
7.6.3.4.1	Initial conditions .....	271
7.6.3.4.2	Procedure .....	271
7.6.3.5	Test Requirement .....	271
7.7	OTA Receiver spurious emissions .....	286
7.7.1	Definition and applicability .....	286
7.7.2	Minimum Requirement .....	287
7.7.3	Test purpose .....	287
7.7.4	Method of test .....	287
7.7.4.1	Initial conditions .....	287
7.7.4.2	Procedure .....	287
7.7.5	Test Requirement .....	288
7.8	OTA Receiver intermodulation .....	288
7.8.1	Definition and applicability .....	288
7.8.2	Minimum Requirement .....	289
7.8.3	Test purpose .....	289
7.8.4	Method of test .....	289
7.8.4.1	Initial conditions .....	289
7.8.4.2	Procedure .....	289
7.8.4.2.1	General procedure .....	289
7.8.4.2.2	MSR operation .....	290
7.8.4.2.3	Single RAT UTRA FDD operation .....	290

7.8.4.2.4	Single RAT E-UTRA operation .....	290
7.8.5	Test Requirement .....	291
7.8.5.1	MSR operation .....	291
7.8.5.1.1	General intermodulation test requirement .....	291
7.8.5.1.2	General narrowband intermodulation test requirement .....	293
7.8.5.2	Single RAT UTRA operation.....	296
7.8.5.3	Single RAT E- UTRA operation .....	297
7.9	OTA In-channel selectivity .....	301
7.9.1	Definition and applicability .....	301
7.9.2	Minimum Requirement .....	301
7.9.3	Test purpose.....	302
7.9.4	Method of test .....	302
7.9.4.1	Initial conditions .....	302
7.9.4.2	Procedure .....	302
7.9.5	Test Requirement .....	303
7.9.5.1	E-UTRA test requirement .....	303
7.9.5.2	NR test requirement .....	304
8	Radiated performance requirements.....	306
8.1	General .....	306
8.1.1	OTA demodulation branches .....	307
8.2	Radiated performance requirements for MSR.....	307
8.3	Radiated performance requirements for UTRA FDD.....	307
8.3.1	General.....	307
8.3.2	Definitions and applicability .....	308
8.3.3	Minimum requirements .....	309
8.3.4	Test purposes .....	309
8.3.5	Method of test .....	309
8.3.5.1	Initial conditions .....	309
8.3.5.2	Procedure .....	309
8.3.6	Test requirements.....	310
8.4	Radiated performance requirements for E-UTRA.....	311
8.4.1	General.....	311
8.4.2	Definitions and applicability .....	312
8.4.3	Minimum requirements .....	312
8.4.4	Test purposes .....	312
8.4.5	Method of test .....	313
8.4.5.1	Initial conditions .....	313
8.4.5.2	Procedure .....	313
8.4.6	Test requirements.....	314
8.5	Radiated performance requirements for NR.....	314
8.5.1	General.....	314
8.5.2	Definitions and applicability .....	315
8.5.3	Minimum requirements .....	315
8.5.4	Test purposes .....	315
8.5.5	Method of test .....	316
8.5.5.1	Initial conditions .....	316
8.5.5.2	Procedure .....	316
8.5.6	Test requirements.....	317
<b>Annex A (normative):</b>	<b>Test system characterization.....</b>	<b>318</b>
<b>Annex B (normative):</b>	<b>Calibration.....</b>	<b>319</b>
<b>Annex C (informative):</b>	<b>Test tolerances and derivation of test requirements.....</b>	<b>320</b>
C.1	General .....	320
C.2	Measurement of transmitter (OTA).....	321
C.3	Measurement of receiver (OTA) .....	323
<b>Annex D (informative):</b>	<b>Test system set-up .....</b>	<b>324</b>

D.1	Transmitter .....	324
D.1.1	Radiated Transmit Power, OTA E-UTRA DL RS power, output power dynamics and Transmitter signal quality .....	324
D.1.2	OTA Base Station output power, ACLR, OTA spectrum emissions mask, OTA operating band unwanted emissions .....	325
D.1.3	OTA spurious emissions .....	325
D.1.4	OTA Co-location emissions, TX OFF power .....	326
D.1.5	OTA Transmitter Intermodulation .....	326
D.2	Receiver .....	327
D.2.1	OTA sensitivity and OTA Reference sensitivity .....	327
D.2.2	OTA Dynamic range .....	327
D.2.3	OTA Adjacent channel selectivity, general blocking, and narrowband blocking .....	328
D.2.4	OTA Blocking .....	329
D.2.5	OTA Receiver spurious emissions .....	330
D.2.6	OTA Receiver intermodulation .....	330
D.2.7	OTA In-channel selectivity .....	331
D.3	Performance requirements .....	332
<b>Annex E (normative): Estimation of Measurement Uncertainty .....</b>		<b>333</b>
E.1	General .....	333
E.2	Measurement methodology descriptions .....	333
E.3	Measurement uncertainty budget format .....	333
E.4	Measurement uncertainty budgets .....	333
E.5	Measurement error contribution descriptions .....	333
<b>Annex F (normative): TRP measurement grids .....</b>		<b>334</b>
F.1	General .....	334
F.2	Spherical equal angle grid .....	334
F.2.1	General .....	334
F.2.2	Reference angular step criteria .....	334
F.3	Spherical equal area grid .....	336
F.4	Spherical Fibonacci grid .....	336
F.5	Orthogonal cut grid .....	337
F.5.1	General .....	337
F.5.2	Operating band unwanted emissions .....	338
F.5.3	Spurious unwanted emissions .....	338
F.6	Wave vector space grid .....	338
F.7	Orthogonal 2 cuts with pattern multiplication .....	339
F.8	Void .....	339
F.9	Full sphere with sparse sampling .....	339
F.10	Beam-based directions .....	340
F.11	Peak method .....	340
F.12	Equal sector with peak average .....	340
F.13	Pre-scan .....	341
<b>Annex G (normative): Environmental requirements for the BS equipment .....</b>		<b>342</b>
G.1	General .....	342
G.2	Normal test environment .....	342