# INTERNATIONAL STANDARD

ISO 5838-1

Third edition 2013-03-01

## Implants for surgery — Metallic skeletal pins and wires —

Part 1: **General requirements** 

 ${\it Implants chirurgicaux-Fils et broches pour os-}$ 

iTeh STPartie I: Matériaux et propriétés mécaniques (standards.iteh.ai)

ISO 5838-1:2013 https://standards.iteh.ai/catalog/standards/sist/20846d4c-745a-4615-a63a-641355398b52/iso-5838-1-2013



## iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 5838-1:2013 https://standards.iteh.ai/catalog/standards/sist/20846d4c-745a-4615-a63a-641355398b52/iso-5838-1-2013



### COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents			Page
Fore	word		iv
1	Scop	oe	1
2	Norn	mative references	1
3	Mate	erial	2
4	Mechanical properties		2
5	Meth	hod of manufacture	2
6	Finis	sh	2
7	Steri	ilization	2
8	Pack	ackaging	
9	Information supplied by the manufacturer		3
	9.1	General	
	9.2	Instructions for use	3
	9.3	Marking on implant	

## iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 5838-1:2013 https://standards.iteh.ai/catalog/standards/sist/20846d4c-745a-4615-a63a-641355398b52/iso-5838-1-2013

## **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 5838-1 was prepared by Technical Committee ISO/TC 150, *Implants for surgery*, Subcommittee SC 5, *Osteosynthesis and spinal devices*.

This third edition cancels and replaces the second edition (ISO 5838-1:1995), which has been technically revised to add to the requirements for finish (Clause 6), to add a reference to ISO 14630 and to introduce new requirements for sterilization (Clause 7), packaging (Clause 8) and information supplied by the manufacturer (Clause 9). (standards.iteh.ai)

ISO 5838 consists of the following parts, under the general title Implants for surgery — Metallic skeletal pins and wires:

https://standards.iteh.ai/catalog/standards/sist/20846d4c-745a-4615-a63a-

- Part 1: General requirements
- 641355398b52/jso-5838-1-2013
- Part 2: Steinmann skeletal pins Dimensions
- Part 3: Kirschner skeletal wires

## Implants for surgery — Metallic skeletal pins and wires —

## Part 1:

## **General requirements**

## 1 Scope

This part of ISO 5838 specifies general requirements for metallic skeletal pins and wires for use in bone surgery, excluding wires for binding and twisting.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3651-2, Determination of resistance to intergranular corrosion of stainless steels — Part 2: Ferritic, austenitic and ferritic-austenitic (duplex) stainless steels — Corrosion test in media containing sulfuric acid 

Teh STANDARD PREVIEW

ISO 5832-1, Implants for surgery — Metallic materials — Part 1: Wrought stainless steel

ISO 5832-2, Implants for surgery — Metallic materials — Part 2: Unalloyed titanium ISO 5838-12013

ISO 5832-3, Implants for surgery avcat Metallica materials 6d4c-Part 43:15 Wrought titanium 6-aluminium 4-vanadium alloy 641355398b52/iso-5838-1-2013

ISO 5832-5, Implants for surgery — Metallic materials — Part 5: Wrought cobalt-chromium-tungsten-nickel alloy

ISO 5832-6, Implants for surgery — Metallic materials — Part 6: Wrought cobalt-nickel-chromium-molybdenum alloy

ISO 5832-7, Implants for surgery — Metallic materials — Part 7: Forgeable and cold-formed cobalt-chromium-nickel-molybdenum-iron alloy

ISO 5832-8, Implants for surgery — Metallic materials — Part 8: Wrought cobalt-nickel-chromium-molybdenum-tungsten-iron alloy

ISO 5832-9, Implants for surgery — Metallic materials — Part 9: Wrought high nitrogen stainless steel

ISO 5832-11, Implants for surgery — Metallic materials — Part 11: Wrought titanium 6-aluminium 7-niobium allov

ISO 5832-12, Implants for surgery — Metallic materials — Part 12: Wrought cobalt-chromium-molybdenum alloy

ISO 5832-14, Implants for surgery — Metallic materials — Part 14: Wrought titanium 15-molybdenum 5-zirconium 3-aluminium alloy

ISO 6892-1, Metallic materials — Tensile testing — Part 1: Method of test at room temperature

ISO 14630:2012, Non-active surgical implants — General requirements

#### **Material** 3

Skeletal pins and wires shall be made of wrought materials in accordance with ISO 5832-1, ISO 5832-2, ISO 5832-3, ISO 5832-5, ISO 5832-6, ISO 5832-7, ISO 5832-8, ISO 5832-9, ISO 5832-11, ISO 5832-12 and ISO 5832-14.

#### **Mechanical properties** 4

The mechanical properties shall be in accordance with the requirements given in Table 1. The test methods in ISO 6892-1 shall be used in determining compliance with the tensile requirements.

Ultimate tensile Diameter **Elongation**a strength Type of material d min. min. MPa % mm 3  $1 < d \le 2.8$ 1 240 5 1 100  $2.8 < d \le 4$ Wrought stainless steel 5  $4 < d \le 6$ 960 1400b ≤8 ≤ 3 730 3 Wrought unalloyed titanium<sup>c</sup> >3 **750** 5 1 030 Wrought titanium alloys ≤ 6 3 anda<u>r</u>as.ite 7

Table 1 — Mechanical properties

#### Method of manufacture 5

Wrought cobalt-chromium base alloy

Skeletal pins and wires shall be manufactured by a cold drawing or a cold working process. Welds are not permissible. If local heating is needed for re-shaping points made of stainless steel, this can only be permitted provided that the whole of the final product can be shown to satisfy the intergranular corrosion test according to ISO 3651-2.

#### Finish 6

The external surface finish shall be free from burs, scratches and other defects visible to the naked eye. The products shall be appropriately treated to provide surface passivation.

Special attention should be paid to screw threads, if applicable.

### **Sterilization**

The requirements of ISO 14630:2012, Clause 9, shall apply.

Gauge length =  $5.65\sqrt{S_0}$  where  $S_0$  is the original cross-sectional area in mm<sup>2</sup> or equal to 50 mm if possible. If this is not possible, for wires smaller in diameter than 2,5 mm, a gauge length of 100 mm or 200 mm, equal to the total length between the grips, may be used (ISO 6892-1). However, in this case, the minimum value of elongation shall be agreed between the interested parties.

ISO 5832-1 includes an extra-hard classification to accommodate the need for very high strength stainless steels for osteosynthesis devices.

In specific clinical applications, the cross-sectional dimensions of the pin or wire used should correspond to the strength of the material.

## 8 Packaging

The requirements of ISO 14630:2012, Clause 10, shall apply.

## 9 Information supplied by the manufacturer

### 9.1 General

 $The requirements of ISO\,14630:2012, Clause\,11, apply together with the following particular requirement.$ 

### 9.2 Instructions for use

The requirements of ISO 14630:2012, 11.3, apply, and shall include the following details when relevant:

- a) the product name,
- b) characteristic sizes,
- c) material specification, and
- d) the appropriate drill bit dimensional characteristics.

## 9.3 Marking on implant

The requirements of ISO 04630:2012, 11.5, apply, and shall include the following details when the dimensions permit: (standards.iteh.ai)

- the manufacturer's name or trademark, and
- the batch code. <u>ISO 5838-1:2013</u> https://standards.iteh.ai/catalog/standards/sist/20846d4c-745a-4615-a63a-

Additional markings could include length and diameter or cross-sectional size for skeletal pins.

ISO 5838-1:2013(E)

# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 5838-1:2013 https://standards.iteh.ai/catalog/standards/sist/20846d4c-745a-4615-a63a-641355398b52/iso-5838-1-2013