

ETSI GR ZSM 004 V2.1.1 (2022-01)



Zero-touch network and Service Management (ZSM); Landscape

(<https://standards.iteh.ai>)
Document Preview

[ETSI GR ZSM 004 V2.1.1 \(2022-01\)](https://standards.iteh.ai/catalog/standards/sist/424c94d7-d2cf-4b48-a023-48a9e4fla3bc/etsi-gr-zsm-004-v2-1-1-2022-01)

<https://standards.iteh.ai/catalog/standards/sist/424c94d7-d2cf-4b48-a023-48a9e4fla3bc/etsi-gr-zsm-004-v2-1-1-2022-01>

Disclaimer

The present document has been produced and approved by the Zero-touch network and Service Management (ZSM) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG. It does not necessarily represent the views of the entire ETSI membership.

Reference

RGR/ZSM-004ed211_Landscape

Keywords

management, network, service

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2022.
All rights reserved.

Contents

Intellectual Property Rights	6
Foreword.....	6
Modal verbs terminology.....	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	7
3 Definition of terms, symbols and abbreviations.....	21
3.1 Terms.....	21
3.2 Symbols.....	21
3.3 Abbreviations	21
4 Void.....	22
5 Landscape of ZSM Related Standards Developing Organizations (SDOs)	22
5.1 Introduction	22
5.2 ETSI ISG NFV	22
5.2.1 Use Cases and Requirements relevant to ZSM in ISG NFV.....	22
5.2.2 Architecture Framework relevant to ZSM in ISG NFV.....	23
5.2.3 Interfaces, Information Models, and Templates relevant to ZSM in ISG NFV	24
5.3 ETSI ISG MEC	25
5.3.1 Use Cases and Requirements relevant to ZSM in ISG MEC.....	25
5.3.2 Architecture Framework relevant to ZSM in ISG MEC.....	26
5.4 ETSI ISG ENI	28
5.4.1 Use Cases and Requirements relevant to ZSM in ISG ENI.....	28
5.4.2 Architecture relevant to ZSM in ISG ENI	29
5.4.2.1 Introduction.....	29
5.4.2.2 Functional Architecture.....	29
5.4.2.3 Technologies Applied in Architecture	31
5.4.2.4 Architecture Requirements.....	31
5.4.2.5 Reference Points	32
5.4.3 ENI application relevant to ZSM.....	33
5.5 Void.....	33
5.6 TM Forum	33
5.6.1 Open Digital Architecture.....	33
5.6.1.1 Introduction.....	33
5.6.1.2 ODA High Level Description	34
5.6.1.3 ODA deliverables.....	36
5.6.2 TM Forum Open API Program.....	38
5.6.2.1 Description.....	38
5.6.3 TMF Forum Open Source Activities	39
5.6.3.1 TMF Business Operation System (BOS)	39
5.6.3.2 Use of Industry Open Source	39
5.6.4 Autonomous Networks	39
5.6.5 AIOps Service Management.....	42
5.6.6 Closed-Loop & Anomaly Detection & Resolution Automation.....	44
5.6.7 AI Governance.....	45
5.7 MEF.....	46
5.7.1 Overview	46
5.7.2 LSO Reference Architecture and Framework.....	47
5.7.3 LSO APIs and LSO Capabilities.....	48
5.8 3GPP SA2	48
5.8.1 5G Network Automation relevant to ZSM in 3GPP SA2	48
5.8.2 5G Service-Based Architecture relevant to ZSM in 3GPP SA2	49
5.9 3GPP SA5	50
5.9.1 Performance Management relevant to ZSM in 3GPP SA5.....	50

5.9.2	Fault Management relevant to ZSM in 3GPP SA5.....	50
5.9.3	Configuration Management relevant to ZSM in 3GPP SA5.....	51
5.9.4	Network Policy Management relevant to ZSM in 3GPP SA5.....	51
5.9.5	Intent Driven Management relevant to ZSM in 3GPP SA5.....	51
5.9.6	Self-Organization Network relevant to ZSM in 3GPP SA5.....	52
5.9.7	Management and Orchestration relevant to ZSM in 3GPP SA5.....	52
5.10	ONF.....	53
5.10.1	CORD Platform relevant to ZSM in ONF.....	53
5.10.2	Information Modeling relevant to ZSM in ONF.....	54
5.10.2.1	General.....	54
5.10.2.2	CoreModel.....	54
5.10.2.3	UML.....	54
5.10.2.4	Papyrus.....	54
5.10.2.5	ONF-CIM.....	55
5.10.3	Intent based Networking.....	55
5.11	ITU-T SG 13.....	55
5.11.1	Machine learning relevant to ZSM in ITU-T SG 13.....	55
5.11.2	Architectural framework for machine learning in future networks.....	56
5.12	IETF/IRTF.....	58
5.12.1	Network Management relevant to ZSM in IETF.....	58
5.12.1.1	Autonomic Networking Integrated Model and Approach (ANIMA).....	58
5.12.1.2	Network Configuration (NETCONF).....	58
5.12.1.3	Network Modeling (NETMOD).....	59
5.12.1.4	Home Networking.....	59
5.12.2	Operations and Management relevant to ZSM in IETF.....	59
5.12.2.1	Operations and Management Area (OPSA).....	59
5.12.2.2	L2VPN Service Model (L2SM).....	60
5.12.2.3	Application-Layer Traffic Optimization (ALTO).....	60
5.12.3	Network Management relevant to ZSM in IRTF.....	60
5.12.3.1	Network Management Research Group (NMRG).....	60
5.13	GSMA.....	62
5.13.1	Network Slicing Management relevant to ZSM in GSMA.....	62
5.13.2	Generic Network Slicing Template.....	62
5.14	Broadband Forum (BBF).....	63
5.14.1	Transport Network Slice Management relevant to ZSM in BBF.....	63
5.15	OASIS.....	64
5.15.1	Service Management relevant to ZSM in OASIS.....	64
5.16	DMTF.....	66
5.16.1	Introduction.....	66
5.16.2	Technologies.....	68
5.17	IEEE.....	69
5.18	ETSI ISG SAI.....	69
5.18.1	Overview.....	69
5.19	ETSI ISG F5G.....	70
5.19.1	Overview.....	70
5.20	O-RAN Alliance.....	70
6	Landscape of ZSM Related Open Source Communities (OSCs).....	71
6.1	Introduction.....	71
6.2	OSM.....	71
6.2.1	Management and Orchestration in OSM relevant to ISG ZSM.....	71
6.2.2	FM and PM in OSM relevant to ISG ZSM.....	72
6.2.3	Closed loop automation in OSM relevant to ISG ZSM.....	74
6.3	OPNFV.....	76
6.3.1	OPNFV Platform relevant to ISG ZSM.....	76
6.3.2	Integration and Test relevant to ISG ZSM.....	76
6.4	OpenStack.....	77
6.4.1	Overview.....	77
6.4.2	Infrastructure Resource Management relevant to ISG ZSM.....	77
6.5	ONAP.....	79
6.5.1	ONAP Architecture relevant to ISG ZSM.....	79
6.5.2	CLAMP.....	80

6.5.3	Edge Automation	81
6.5.4	DCAE	83
6.6	Openslice	85
6.6.1	Introduction.....	85
6.6.2	Openslice Architecture relevant to ISG ZSM	85
6.6.3	Service specification in OpenSlice relevant to ISG ZSM	87
6.6.4	Assurance framework in OpenSlice relevant to ISG ZSM	88
6.6.5	Multi-stakeholder ecosystem in OpenSlice relevant to ISG ZSM	89
7	Conclusions and Recommendations.....	90
7.1	Conclusions	90
7.2	Recommendations	91
Annex A:	ONAP in ZSM Architecture	94
Annex B:	OSM in ZSM Architecture.....	98
Annex C:	Openslice in ZSM Architecture	100
Annex D:	Change History	102
History		103

iTeh Standards (<https://standards.iteh.ai>) Document Preview

ETSI GR ZSM 004 V2.1.1 (2022-01)

<http://standards.iteh.ai/catalog/standards/sist/42944cdd-174c-ba00-8439-4a1f3a16c000/etsi-gr-zsm-004-v211-2022-01>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This Group Report (GR) has been produced by ETSI Industry Specification Group (ISG) Zero-touch network and Service Management (ZSM).

Modal verbs terminology

In the present document "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document updates the existing landscape report for Zero-touch network and Service Management (ZSM) based on its current and future developments. It identifies and includes information about activities in other bodies (such as Standards Developing Organizations, Open Source Communities, and Industry Associations) that are relevant to the work in ISG ZSM. Recommendations will be derived for the ISG ZSM work.

2 References

2.1 Normative references

Normative references are not applicable in the present document.

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI GS ZSM 007: "Zero-touch network and Service Management (ZSM); Terminology for concepts in ZSM".
- [i.2] ETSI GS ZSM 001: "Zero-touch network and Service Management (ZSM); Requirements based on documented scenarios".
- [i.3] ETSI GR NFV 001 (V1.2.1): "Network Functions Virtualisation (NFV); Use Cases".
- [i.4] ETSI GS NFV 004 (V1.1.1): "Network Functions Virtualisation (NFV); Virtualisation Requirements".
- [i.5] ETSI GS NFV 002 (V1.2.1): "Network Functions Virtualisation (NFV); Architectural Framework".
- [i.6] ETSI GS NFV-MAN 001 (V1.1.1): "Network Functions Virtualisation (NFV); Management and Orchestration".
- [i.7] ETSI GS NFV-IFA 013 (V3.1.1): "Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; Os-Ma-Nfvo reference point - Interface and Information Model Specification".
- [i.8] ETSI GS NFV-IFA 014 (V3.1.1): "Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; Network Service Templates Specification".
- [i.9] ETSI GS NFV-IFA 011 (V3.1.1): "Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; VNF Descriptor and Packaging Specification".
- [i.10] ETSI GR NFV-IFA 023 (V3.1.1): "Network Functions Virtualisation (NFV); Management and Orchestration; Report on Policy Management in Mano; Release 3".
- [i.11] ETSI GR NFV-IFA 015 (V3.1.1): "Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; Report on NFV Information Model".
- [i.12] ETSI GR NFV-IFA 024 (V2.1.1): "Network Function Virtualisation (NFV) Release 2; Information Modeling; Report on External Touchpoints related to NFV Information Model".

- [i.13] ETSI GS NFV-IFA 027 (V2.4.1): "Network Functions Virtualisation (NFV) Release 2; Management and Orchestration; Performance Measurements Specification".
- [i.14] ETSI GR NFV-IFA 021 (V3.1.1): "Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; Report on management of NFV-MANO and automated deployment of EM and other OSS functions".
- [i.15] ETSI GS NFV-IFA 031 (V3.1.1): "Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; Requirements and interfaces specification for management of NFV-MANO".
- [i.16] ETSI GR NFV-IFA 022 (V3.1.1): "Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; Report on Management and Connectivity for Multi-Site Services".
- [i.17] ETSI GS NFV-SOL 004 (V2.5.1): "Network Functions Virtualisation (NFV) Release 2; Protocols and Data Models; VNF Package specification".
- [i.18] ETSI GS NFV-SOL 005 (V2.4.1): "Network Functions Virtualisation (NFV) Release 2; Protocols and Data Models; RESTful protocols specification for the Os-Ma-nfvo Reference Point".
- [i.19] ETSI GR NFV-IFA 028: "Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; Report on architecture options to support multiple administrative domains".
- [i.20] ETSI GS NFV-IFA 030: "Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; Multiple Administrative Domain Aspect Interfaces Specification".
- [i.21] ETSI GS NFV-IFA 032: "Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; Interface and Information Model Specification for Multi-Site Connectivity Services".
- [i.22] ETSI GS MEC 002 (V2.1.1): "Multi-access Edge Computing (MEC); Phase 2: Use Cases and Requirements".
- [i.23] ETSI GS MEC 003 (V2.1.1): "Multi-access Edge Computing (MEC); Framework and Reference Architecture".
- [i.24] ETSI GS MEC 010-1 (V1.1.1): "Mobile Edge Computing (MEC); Mobile Edge Management; Part 1: System, host and platform management".
- [i.25] ETSI GS MEC 010-2 (V2.1.1): "Multi-access Edge Computing (MEC); MEC Management; Part 2: Application lifecycle, rules and requirements management".
- [i.26] ETSI GS MEC 012 (V1.1.1): "Mobile Edge Computing (MEC); Radio Network Information API".
- [i.27] ETSI GS MEC 013 (V1.1.1): "Mobile Edge Computing (MEC); Location API".
- [i.28] ETSI GS MEC 014 (V1.1.1): "Mobile Edge Computing (MEC); UE Identity API".
- [i.29] ETSI GS MEC 015 (V1.1.1): "Mobile Edge Computing (MEC); Bandwidth Management API".
- [i.30] ETSI GS MEC 028 (V2.1.1): "Multi-access Edge Computing (MEC); WLAN Information API".
- [i.31] ETSI GS MEC 029 (V2.1.1): "Multi-access Edge Computing (MEC); Fixed Access Information API".
- [i.32] ETSI GS MEC 030 (V2.1.1): "Multi-access Edge Computing (MEC); V2X Information Service API".
- [i.33] ETSI GR ENI 001 (V1.1.1): "Experiential Networked Intelligence (ENI); ENI use cases".
- [i.34] ETSI GS ENI 002 (V2.1.1): "Experiential Networked Intelligence (ENI); ENI requirements".
- [i.35] ETSI GS ENI 005 (V1.1.1): "Experiential Networked Intelligence (ENI); System Architecture".

[i.36] TM Forum Frameworkx™.

NOTE: Available at <https://www.tmforum.org/frameworkx-homepage/>.

[i.37] TM Forum Open Digital Architecture.

NOTE: Available at <https://www.tmforum.org/collaboration/open-digital-architecture-oda-project/>.

[i.38] TM Forum Open APIs.

NOTE: Available at <https://www.tmforum.org/open-apis/>.

[i.39] TM Forum Catalyst Program.

NOTE: Available at <https://www.tmforum.org/collaboration/catalyst-program/catalyst-program-benefits/>.

[i.40] LF ONAP External APIs Framework Project.

NOTE: Available at <https://wiki.onap.org/display/DW/External+API+Framework+Project>.

[i.41] TMF Open Digital Lab project.

NOTE: Available at <https://www.tmforum.org/open-digital-lab/>.

[i.42] Open API Map portal.

NOTE: Available at https://projects.tmforum.org/wiki/display/API/Open+API+Table?_ga=2.120461313.863093364.1543419979-18401513.1531316873.

[i.43] TM Forum IG1166: "ODA Architecture Vision R18.0.0".

NOTE: Available at <https://www.tmforum.org/resources/exploratory-report/ig1166-oda-architecture-vision-r18-0-0/>.

[i.44] TM Forum IG1167: "ODA Functional Architecture R19.0.1".

NOTE: Available at <https://www.tmforum.org/resources/standard/ig1167-oda-functional-architecture-r19-0-0/>.

[i.45] TM Forum GB998: "Open Digital Architecture (ODA) Concepts & Principles R19.0.1".

NOTE: Available at <https://www.tmforum.org/resources/reference/gb998-open-digital-architecture-oda-concepts-principles-r19-0-0/>.

[i.46] TM Forum GB921: "Business Process Framework (eTOM) Suite Release 18.5".

NOTE: Available at <https://www.tmforum.org/resources/suite/gb921-business-process-framework-etom-suite-release-18-5/>.

[i.47] TM Forum GB922: "Standards Addenda for Information Framework R18.5".

NOTE: Available at <https://www.tmforum.org/resources/suite/gb922-standards-addenda-information-framework-r18-5/>.

[i.48] TM Forum IG1171: "ODA Component Definition R19.0.1".

NOTE: Available at <https://www.tmforum.org/resources/exploratory-report/ig1171-oda-component-definition-r19-0-0/>.

[i.49] TM Forum TMF071: "ODA Terminology R19.0.1".

NOTE: Available at <https://www.tmforum.org/resources/reference/tmf071-oda-terminology-r19-0-0/>.

[i.50] TM Forum TMF633: "Service Catalog API REST Specification R18.5.1".

NOTE: Available at <https://www.tmforum.org/resources/specification/tmf633-service-catalog-api-rest-specification-r18-5-0/>.

[i.51] TM Forum TMF641: "Service Ordering API REST Specification R18.5.1".

NOTE: Available at <https://www.tmforum.org/resources/specification/tmf641-service-ordering-api-rest-specification-r18-5-0/>.

[i.52] TM Forum TMF652: "Resource Ordering Management API REST Specification R16.5.1".

NOTE: Available at <https://www.tmforum.org/resources/specification/tmf652-resource-ordering-management-api-rest-specification-r16-5-1/>.

[i.53] TM Forum TMF640: "Service Activation and Configuration API REST Specification R18.5.1".

NOTE: Available at <https://www.tmforum.org/resources/specification/tmf640-service-activation-and-configuration-api-rest-specification-r18-5-0/>.

[i.54] TM Forum TMF638: "Service Inventory API REST Specification R18.5.1".

NOTE: Available at <https://www.tmforum.org/resources/specification/tmf638-service-inventory-api-rest-specification-r18-5-0/>.

[i.55] TM Forum TR262: "Management Platform Blueprint and Application to Hybrid Infrastructure R17.5.1".

NOTE: Available at <https://www.tmforum.org/resources/technical-report/tr262-management-platform-blueprint-and-application-to-hybrid-infrastructure-r17-5-0/>.

[i.56] TM Forum TR229A: "User Stories for Hybrid Infrastructure Platform R17.0.1".

NOTE 1: Available at <https://www.tmforum.org/resources/technical-report/tr229a-user-stories-for-hybrid-infrastructure-platform-r17-0-1/>.

NOTE 2: A list of all public TM Forum documents (currently over 500) can be found here - https://www.tmforum.org/resources/?filter_security=2597.

NOTE 3: All "member only" TM Forum documents are available for formal Liaison.

[i.57] MEF 55: "Lifecycle Service Orchestration (LSO): Reference Architecture and Framework", March 2016.

NOTE: Available at https://www.mef.net/Assets/Technical_Specifications/PDF/MEF_55.pdf.

[i.58] MEF 55.0.1: "Amendment to MEF 55 - Operational Threads", October 2017.

NOTE: Available at <http://www.mef.net/resources/technical-specifications/download?id=99&fileid=file1>.

[i.59] 3GPP TR 23.791 (V16.1.0): "Study of Enablers for Network Automation for 5G (Release 16)".

[i.60] ETSI TS 123 501 (V15.4.0): "5G; System Architecture for the 5G System (3GPP TS 23.501 version 15.4.0 Release 15)".

[i.61] ETSI TS 123 503 (V15.4.0): "5G; Policy and Charging Control Framework for the 5G System; Stage 2 (3GPP TS 23.503 version 15.4.0 Release 15)".

[i.62] 3GPP TR 23.742 (V1.1.0): "Study on Enhancements to the Service-Based Architecture (Release 16)".

[i.63] ETSI TS 128 521 (V15.0.0): "LTE; Telecommunication management; Performance Management (PM) for mobile networks that include virtualized network functions; Procedures (3GPP TS 28.521 version 15.0.0 Release 15)".

[i.64] ETSI TS 128 550 (V15.0.0): "5G; Management and orchestration; Performance assurance (3GPP TS 28.550 version 15.0.0 Release 15)".

[i.65] ETSI TS 128 552 (V16.6.0): "5G; Management and orchestration; 5G performance measurements (3GPP TS 28.552 version 16.6.0 Release 16)".

- [i.66] ETSI TS 128 554 (V15.1.0): "5G; Management and orchestration; 5G end to end Key Performance Indicators (KPI) (3GPP TS 28.554 version 15.1.0 Release 15)".
- [i.67] ETSI TS 128 515 (V15.0.0): "LTE; Telecommunication management; Fault Management (FM) for mobile networks that include virtualized network functions; Requirements (3GPP TS 28.515 version 15.0.0 Release 15)".
- [i.68] ETSI TS 128 516 (V15.0.0): "LTE; Telecommunication management; Fault Management (FM) for mobile networks that include virtualized network functions; Procedures (3GPP TS 28.516 version 15.0.0 Release 15)".
- [i.69] ETSI TS 128 517 (V15.0.0): "LTE; Telecommunication management; Fault Management (FM) for mobile networks that include virtualized network functions; Stage 2 (3GPP TS 28.517 version 15.0.0 Release 15)".
- [i.70] ETSI TS 128 518 (V15.0.0): "LTE; Telecommunication management; Fault Management (FM) for mobile networks that include virtualized network functions; Stage 3 (3GPP TS 28.518 version 15.0.0 Release 15)".
- [i.71] ETSI TS 128 545 (V15.1.0): "5G; Management and orchestration; Fault Supervision (FS) (3GPP TS 28.545 version 15.1.0 Release 15)".
- [i.72] ETSI TS 128 510 (V15.0.0): "LTE; Telecommunication management; Configuration Management (CM) for mobile networks that include virtualized network functions; Requirements (3GPP TS 28.510 version 15.0.0 Release 15)".
- [i.73] ETSI TS 128 511 (V15.0.0): "LTE; Telecommunication management; Configuration Management (CM) for mobile networks that include virtualized network functions; Procedures (3GPP TS 28.511 version 15.0.0 Release 15)".
- [i.74] ETSI TS 128 512 (V15.0.0): "LTE; Telecommunication management; Configuration Management (CM) for mobile networks that include virtualized network functions; Stage 2 (3GPP TS 28.512 version 15.0.0 Release 15)".
- [i.75] ETSI TS 128 513 (V15.0.0): "LTE; Telecommunication management; Configuration Management (CM) for mobile networks that include virtualized network functions; Stage 3 (3GPP TS 28.513 version 15.0.0 Release 15)".
- [i.76] ETSI TS 128 311: "5G; LTE; Management and orchestration; Network policy management for mobile networks based on Network Function Virtualization (NFV) scenarios (3GPP TS 28.311)".
- [i.77] 3GPP TR 32.871 (V15.0.0): "Study on policy management for mobile networks based on Network Function Virtualization (NFV) scenarios (Release 15)".
- [i.78] 3GPP TR 28.812 (V0.1.0): "Telecommunication management; Study on scenarios for Intent driven management services for mobile networks (Release 16)".
- [i.79] 3GPP TR 28.861 (V0.1.0): "Telecommunication management; Study on the Self-Organizing Networks (SON) for 5G networks (Release 16)".
- [i.80] ETSI TS 128 530 (V15.1.0): "5G; Management and orchestration; Concepts, use cases and requirements (3GPP TS 28.530 version 15.1.0 Release 15)".
- [i.81] ETSI TS 128 531 (V16.6.0): "5G; Management and orchestration; Provisioning (3GPP TS 28.531 version 16.6.0 Release 16)".
- [i.82] ETSI TS 128 532 (V15.1.0): "5G; Management and orchestration; Generic management services (3GPP TS 28.532 version 15.1.0 Release 15)".
- [i.83] ETSI TS 128 533 (V15.0.0): "5G; Management and orchestration; Architecture framework (3GPP TS 28.533 version 15.0.0 Release 15)".
- [i.84] ETSI TS 128 540 (V15.1.0): "5G; Management and orchestration; 5G Network Resource Model (NRM); Stage 1 (3GPP TS 28.540 version 15.1.0 Release 15)".

- [i.85] ETSI TS 128 541 (V15.1.0): "5G; Management and orchestration; 5G Network Resource Model (NRM); Stage 2 and stage 3 (3GPP TS 28.541 version 15.1.0 Release 15)".
- [i.86] 3GPP TR 28.801 (V15.1.0): "Telecommunication management; Study on management and orchestration of network slicing for next generation network (Release 15)".
- [i.87] CORD®.
- NOTE: Available at <https://www.opennetworking.org/cord/>.
- [i.88] R-CORD.
- NOTE: Available at <https://www.opennetworking.org/r-cord/>.
- [i.89] M-CORD.
- NOTE: Available at <https://www.opennetworking.org/m-cord/>.
- [i.90] E-CORD.
- NOTE: Available at <https://www.opennetworking.org/e-cord/>.
- [i.91] ONF TR-512: "CoreModel".
- NOTE: Available at https://www.opennetworking.org/wp-content/uploads/2018/12/TR-512_v1.4_OnfCoreIm-info.zip.
- [i.92] ONF TR-514: "UML".
- NOTE: Available at https://www.opennetworking.org/wp-content/uploads/2018/08/TR-514_UML_Modeling_Guidelines_v1.3-1-1.pdf.
- [i.93] ONF TR-515: "Papyrus".
- NOTE: Available at https://www.opennetworking.org/wp-content/uploads/2018/08/TR-515_Papyrus_Guidelines_v1.3-1-1.pdf.
- [i.94] ONF TR-513: "CIM".
- NOTE: Available at https://www.opennetworking.org/wp-content/uploads/2014/10/TR-513_CIM_Overview_1.2.pdf.
- [i.95] ONF TR-523: "Intent".
- NOTE: Available at https://www.opennetworking.org/wp-content/uploads/2014/10/TR-523_Intent_Definition_Principles.pdf.
- [i.96] FG-ML5G ToR.
- NOTE: Available at https://www.itu.int/en/ITU-T/focusgroups/ml5g/Documents/FG-ML5G_ToRs.docx.
- [i.97] Recommendation ITU-T Y.Sup55: "ITU-T Y.3170-series - Machine learning in future networks including 5G IMT-2020: Use cases".
- [i.98] Recommendation ITU-T Y.3172: "Architectural framework for machine learning in future networks including IMT-2020".
- NOTE: Available at <https://www.itu.int/rec/T-REC-Y.3172-201906-I/en>.
- [i.99] Recommendation ITU-T Y.3173: "Framework for evaluating intelligence levels of future networks including IMT-2020".
- NOTE: Available at <https://www.itu.int/rec/T-REC-Y.3173/en>.
- [i.100] Recommendation ITU-T Y.3174: "Framework for data handling to enable machine learning in future networks including IMT-2020".
- NOTE: Available at <https://www.itu.int/rec/T-REC-Y.3174/en>.

- [i.101] Recommendation ITU-T Y.3176/ITU-T Y.ML-IMT2020-MP: "ML marketplace integration in future networks including IMT-2020".
- [i.102] ANIMA WG.
- NOTE: Available at <https://datatracker.ietf.org/wg/anima/about/>.
- [i.103] NETCONF WG.
- NOTE: Available at <https://datatracker.ietf.org/group/netconf/about/>.
- [i.104] NETMOD WG.
- NOTE: Available at <https://datatracker.ietf.org/wg/netmod/about/>.
- [i.105] OPSAWG WG.
- NOTE: Available at <https://datatracker.ietf.org/wg/opsawg/about/>.
- [i.106] L2SM WG.
- NOTE: Available at <https://datatracker.ietf.org/wg/l2sm/about/>.
- [i.107] ALTO WG.
- NOTE: Available at <https://datatracker.ietf.org/wg/alto/about/>.
- [i.108] HOMENET WG (more remote but still relevant).
- NOTE: Available at <https://datatracker.ietf.org/wg/homenet/about/>.
- [i.109] NMRG.
- NOTE: Available at <https://datatracker.ietf.org/rg/nmrng/about/>.
- [i.110] IETF RFC 8993: "A Reference Model for Autonomic Networking".
- NOTE: Available at <https://datatracker.ietf.org/doc/rfc8993/>.
- [i.111] IETF RFC 8994: "An Autonomic Control Plane (ACP)".
- NOTE: Available at <https://datatracker.ietf.org/doc/rfc8994/>.
- [i.112] IETF RFC 8995: "Bootstrapping Remote Secure Key Infrastructures (BRSKI)".
- NOTE: Available at <https://datatracker.ietf.org/doc/rfc8995/>.
- [i.113] draft-ietf-anima-constrained-voucher-15: "Constrained Bootstrapping Remote Secure Key Infrastructure (BRSKI)".
- NOTE: Available at <https://datatracker.ietf.org/doc/draft-ietf-anima-constrained-voucher/>.
- [i.114] IETF RFC 8990: "A Generic Autonomic Signaling Protocol (GRASP)".
- NOTE: Available at <https://datatracker.ietf.org/doc/rfc8990/>.
- [i.115] IETF RFC 8991: "Generic Autonomic Signaling Protocol Application Program Interface (GRASP API)".
- NOTE: Available at <https://datatracker.ietf.org/doc/RFC8991/>.
- [i.116] IETF RFC 6241: "NETCONF Protocol".
- NOTE: Available at <https://www.rfc-editor.org/rfc/rfc6241.txt>.
- [i.117] IETF RFC 8040: "RESTCONF Protocol".
- NOTE: Available at <https://www.rfc-editor.org/rfc/rfc8040.txt>.

[i.118] IETF RFC 8526: "NETCONF Extensions to Support the Network Management Datastore Architecture".

NOTE: Available at <https://datatracker.ietf.org/doc/RFC8526>.

[i.119] IETF RFC 8527: "RESTCONF Extensions to Support the Network Management Datastore Architecture".

NOTE: Available at <https://datatracker.ietf.org/doc/RFC8527>.

[i.120] IETF RFC 8342: "Network Management Datastore Architecture (NMDA)".

NOTE: Available at <https://www.rfc-editor.org/info/rfc8342>.

[i.121] IETF RFC 8640: "Dynamic Subscription to YANG Events and Datastores over NETCONF".

NOTE: Available at <https://www.rfc-editor.org/info/rfc8640>.

[i.122] draft-ietf-netconf-notification-capabilities-00: "YangPush Notification Capabilities".

NOTE: Available at <https://datatracker.ietf.org/doc/draft-ietf-netconf-notification-capabilities/>.

[i.123] draft-ietf-netconf-notification-messages-04: "Notification Message Headers and Bundles".

NOTE: Available at <https://datatracker.ietf.org/doc/draft-ietf-netconf-notification-messages/>.

[i.124] IETF RFC 8650: "Dynamic Subscription to YANG Events and Datastores over RESTCONF".

NOTE: Available at <https://datatracker.ietf.org/doc/rfc8650>.

[i.125] IETF RFC 8639: "Subscription to YANG Notifications".

NOTE: Available at <https://datatracker.ietf.org/doc/RFC8639>.

[i.126] IETF RFC 5277: "NETCONF Event Notifications".

NOTE: Available at <https://datatracker.ietf.org/doc/rfc5277/>.

[i.127] IETF RFC 6470: "Network Configuration Protocol (NETCONF) Base Notifications".

NOTE: Available at <https://datatracker.ietf.org/doc/rfc6470/>.

[i.128] draft-bryskin-netconf-automation-yang-02: "Generalized Network Control Automation YANG Model".

NOTE: Available at https://datatracker.ietf.org/doc/draft-bryskin-netconf-automation-yang/?include_text=1.

[i.129] IETF RFC 7950: "The YANG 1.1 Data Modeling Language".

NOTE: Available at <http://www.rfc-editor.org/info/rfc7950>.

[i.130] draft-ietf-netmod-syslog-model-26: "A YANG Data Model for Syslog Configuration".

NOTE: Available at <https://datatracker.ietf.org/doc/draft-ietf-netmod-syslog-model/>.

[i.131] IETF RFC 6020: "YANG - A Data Modeling Language for the Network Configuration Protocol (NETCONF)".

[i.132] IETF RFC 6244: "An Architecture for Network Management Using NETCONF and YANG".

NOTE: Available at <https://datatracker.ietf.org/doc/rfc6244/>.

[i.133] IETF RFC 8343: "A YANG Data Model for Interface Management".

NOTE: Available at <https://www.rfc-editor.org/rfc/rfc8343.txt>.

[i.134] IETF RFC 7317: "A YANG Data Model for System Management".

NOTE: Available at <https://datatracker.ietf.org/doc/rfc7317/>.