### INTERNATIONAL STANDARD

ISO 4671

Third edition 2007-12-15 **AMENDMENT 1** 2011-09-01

# Rubber and plastics hoses and hose assemblies — Methods of measurement of the dimensions of hoses and the lengths of hose assemblies

AMENDMENT 1: Clarification of position at which outside diameter is measured

Tuyaux et flexibles en caoutonouc et en plastique — Méthodes de mesurage des dimensions des tuyaux et de la longueur des flexibles

AMENDEMENT 1: Clarification concernant la position à laquelle le diametre exterieur est monte diametre exterieur est monte de la longueur des flexibles 1,000 per la position à laquelle le 1,000 per la position à la p



ISO 4671:2007/Amd.1:2011(E)

### iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 4671:2007/Amd 1:2011 https://standards.iteh.ai/catalog/standards/sist/ad369a43-cb71-4209-b3e3-760a4052dd0a/iso-4671-2007-amd-1-2011



#### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

Amendment 1 to ISO 4671:2007 was prepared by Technical Committee ISO/TC 45, Rubber and rubber products, Subcommittee SC 1, Hoses (rubber and plastics).

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 4671:2007/Amd 1:2011 https://standards.iteh.ai/catalog/standards/sist/ad369a43-cb71-4209-b3e3-760a4052dd0a/iso-4671-2007-amd-1-2011

# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 4671:2007/Amd 1:2011 https://standards.iteh.ai/catalog/standards/sist/ad369a43-cb71-4209-b3e3-760a4052dd0a/iso-4671-2007-amd-1-2011

# Rubber and plastics hoses and hose assemblies — Methods of measurement of the dimensions of hoses and the lengths of hose assemblies

AMENDMENT 1: Clarification of position at which outside diameter is measured

Page 3, Subclause 5.1

In the first paragraph, replace the second sentence by the following:

Measurements shall be made at a minimum distance of 25 mm from the ends of the hose in methods 1, 2, 3 and 5 and at the end of the hose in method 4.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 4671:2007/Amd 1:2011 https://standards.iteh.ai/catalog/standards/sist/ad369a43-cb71-4209-b3e3-760a4052dd0a/iso-4671-2007-amd-1-2011 ISO 4671:2007/Amd.1:2011(E)

## iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 4671:2007/Amd 1:2011 https://standards.iteh.ai/catalog/standards/sist/ad369a43-cb71-4209-b3e3-760a4052dd0a/iso-4671-2007-amd-1-2011

ICS 23.040.70; 83.140.40

Price based on 1 page