



SLOVENSKI STANDARD
oSIST prEN ISO 20344:2020
01-junij-2020

Osebna varovalna oprema - Metode preskušanja obutve (ISO/DIS 20344:2020)

Personal protective equipment - Test methods for footwear (ISO/DIS 20344:2020)

Persönliche Schutzausrüstung - Prüfverfahren für Schuhe (ISO/DIS 20344:2020)

Équipement de protection individuelle - Méthodes d'essai pour les chaussures (ISO/DIS 20344:2020)

ITeH STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: prEN ISO 20344

[oSIST prEN ISO 20344:2020](https://standards.iteh.ai/catalog/standards/sist/a69762e5-93aa-45c7-9d57-8f64482968b3/osist-pren-iso-20344-2020)

<https://standards.iteh.ai/catalog/standards/sist/a69762e5-93aa-45c7-9d57-8f64482968b3/osist-pren-iso-20344-2020>

ICS:

13.340.50 Varovanje nog in stopal Leg and foot protection

oSIST prEN ISO 20344:2020

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[oSIST prEN ISO 20344:2020](https://standards.iteh.ai/catalog/standards/sist/a69762e5-93aa-45c7-9d57-8f64482968b3/osist-pren-iso-20344-2020)

<https://standards.iteh.ai/catalog/standards/sist/a69762e5-93aa-45c7-9d57-8f64482968b3/osist-pren-iso-20344-2020>

DRAFT INTERNATIONAL STANDARD

ISO/DIS 20344

ISO/TC 94/SC 3

Secretariat: **BSI**Voting begins on:
2020-04-13Voting terminates on:
2020-07-06

Personal protective equipment — Test methods for footwear

Équipement de protection individuelle — Méthodes d'essai pour les chaussures

ICS: 13.340.50

iTeh STANDARD PREVIEW (standards.iteh.ai)

[oSIST prEN ISO 20344:2020](https://standards.iteh.ai/catalog/standards/sist/a69762e5-93aa-45c7-9d57-8f64482968b3/osist-pren-iso-20344-2020)<https://standards.iteh.ai/catalog/standards/sist/a69762e5-93aa-45c7-9d57-8f64482968b3/osist-pren-iso-20344-2020>

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

This document is circulated as received from the committee secretariat.

ISO/CEN PARALLEL PROCESSING



Reference number
ISO/DIS 20344:2020(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

[oSIST prEN ISO 20344:2020
https://standards.iteh.ai/catalog/standards/sist/a69762e5-93aa-45c7-9d57-8f64482968b3/osist-pren-iso-20344-2020](https://standards.iteh.ai/catalog/standards/sist/a69762e5-93aa-45c7-9d57-8f64482968b3/osist-pren-iso-20344-2020)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	viii
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 General testing parameters	2
4.1 Sampling.....	2
4.2 Conditioning before and during the test.....	3
4.3 Prerequisites on the testing procedure.....	3
4.4 Test report.....	3
5 Test methods for whole footwear	5
5.1 Specific ergonomic features.....	5
5.1.1 Sampling and conditioning.....	5
5.1.2 Test method.....	6
5.1.3 Test report.....	6
5.2 Determination of upper/outsole and sole interlayer bond strength.....	7
5.2.1 Principle.....	7
5.2.2 Test equipment.....	7
5.2.3 Sampling and conditioning.....	7
5.2.4 Test method.....	7
5.2.5 Test report.....	11
5.3 Determination of dimensions of toecap.....	11
5.3.1 Sampling and conditioning.....	11
5.3.2 Test method.....	11
5.3.3 Test report.....	11
5.4 Determination of impact resistance.....	12
5.4.1 Test equipment.....	12
5.4.2 Sampling and conditioning.....	14
5.4.3 Test methods.....	14
5.4.4 Test report.....	16
5.5 Determination of compression resistance.....	16
5.5.1 Equipment.....	16
5.5.2 Sampling and conditioning.....	16
5.5.3 Test method.....	16
5.5.4 Test report.....	17
5.6 Behaviour of toecaps (thermal and chemical).....	18
5.6.1 Sampling and conditioning.....	18
5.6.2 Behaviour of toecaps (thermal and chemical).....	18
5.7 Determination of leakproofness.....	19
5.7.1 Test equipment.....	19
5.7.2 Sampling and conditioning.....	19
5.7.3 Test method.....	19
5.7.4 Test report.....	19
5.8 Dimensions of perforation resistant inserts.....	19
5.8.1 Sampling and conditioning.....	19
5.8.2 Test method.....	19
5.8.3 Test report.....	20
5.9 Determination of the perforation resistance of footwear with a metallic perforation resistant insert.....	20
5.9.1 Test equipment.....	20
5.9.2 Sampling and conditioning.....	21
5.9.3 Test method.....	21
5.9.4 Test report.....	22

ISO/DIS 20344:2020(E)

5.10	Determination of the perforation resistance of footwear with a non-metallic perforation resistant insert.....	22
5.10.1	General.....	22
5.10.2	Equipment.....	22
5.10.3	Test nail for Type Y, as described in ISO 22568-4:2019, A.1.2.....	22
5.10.4	Sampling and conditioning.....	22
5.10.5	Test method.....	22
5.10.6	Test report.....	23
5.11	Behaviour of perforation resistant inserts (thermal and chemical).....	24
5.11.1	Sampling and conditioning.....	24
5.11.2	Behaviour of perforation resistant inserts (thermal and chemical).....	25
5.12	Determination of the flex resistance of perforation-resistant inserts.....	25
5.12.1	Sampling and conditioning.....	25
5.12.2	Test method.....	25
5.13	Determination of electrical resistance.....	25
5.13.1	Principle.....	25
5.13.2	Equipment.....	26
5.13.3	Sampling and conditioning.....	26
5.13.4	Test method.....	27
5.13.5	Test report.....	27
5.14	Determination of footwear slip resistance.....	27
5.14.1	Sampling and conditioning.....	27
5.14.2	Test method.....	27
5.15	Determination of insulation against heat.....	28
5.15.1	Equipment.....	28
5.15.2	Sampling and conditioning.....	28
5.15.3	Test method.....	29
5.15.4	Test report.....	29
5.16	Determination of insulation against cold.....	29
5.16.1	Equipment.....	29
5.16.2	Sampling and conditioning.....	30
5.16.3	Test method.....	30
5.16.4	Test report.....	31
5.17	Determination of energy absorption of the seat region.....	31
5.17.1	Equipment.....	31
5.17.2	Sampling and conditioning.....	32
5.17.3	Test method.....	33
5.17.4	Test report.....	33
5.18	Determination of resistance to water for whole footwear: Trough test.....	33
5.18.1	Principle.....	33
5.18.2	Test equipment.....	33
5.18.3	Sampling and conditioning.....	34
5.18.4	Test method.....	34
5.18.5	Test report.....	34
5.19	Dynamic footwear water penetration test.....	35
5.19.1	Principle.....	35
5.19.2	Equipment.....	35
5.19.3	Sampling and conditioning.....	35
5.19.4	Test method.....	35
5.19.5	Test report.....	37
5.20	Determination of impact resistance of a metatarsal protection.....	37
5.20.1	Test equipment.....	37
5.20.2	Sampling and conditioning.....	39
5.20.3	Test method.....	39
5.20.4	Test report.....	41
5.21	Determination of the dimension of the ankle protection.....	41
5.21.1	Sampling and conditioning.....	41
5.21.2	Test method.....	41

5.21.3	Test report.....	42
5.22	Determination of the shock absorption capacity of ankle protection materials incorporated into the upper.....	42
5.22.1	Principle.....	42
5.22.2	Test equipment.....	42
5.22.3	Sampling and conditioning.....	43
5.22.4	Test method.....	44
5.22.5	Test report.....	44
5.23	Determination of cutting resistance.....	44
5.23.1	Sampling and conditioning.....	44
5.23.2	Dimension of the cut resistant protective area.....	44
5.23.3	Cut resistance.....	45
5.23.4	Test report.....	45
5.24	Scuff caps.....	46
5.24.1	Sampling and conditioning.....	46
5.24.2	Test method.....	46
5.24.3	Test report.....	46
5.25	Determination of seam strength.....	46
5.25.1	Sampling and conditioning.....	46
5.25.2	Test procedure.....	46
5.25.3	Test report.....	46
6	Test methods for upper, lining and tongue.....	47
6.1	Determination of thickness of upper.....	47
6.1.1	Sampling and conditioning.....	47
6.1.2	Test method.....	47
6.1.3	Test report.....	47
6.2	Measurement of the height of the upper.....	47
6.2.1	Sampling and conditioning.....	47
6.2.2	Test method for the complete upper.....	47
6.2.3	Test method for the determination of the area for non-water vapour permeable materials.....	48
6.3	Determination of tear strength of the upper, lining and/or tongue.....	50
6.3.1	Sampling and conditioning.....	50
6.3.2	Test method.....	50
6.3.3	Test report.....	51
6.4	Determination of the tensile properties of the upper material.....	51
6.4.1	Sampling and conditioning.....	51
6.4.2	Test method.....	51
6.4.3	Test report.....	52
6.5	Determination of upper flexing resistance.....	52
6.5.1	Sampling and conditioning.....	52
6.5.2	Test method.....	52
6.5.3	Test report.....	54
6.6	Determination of water vapour permeability (WVP).....	55
6.6.1	Principle.....	55
6.6.2	Sampling and conditioning.....	55
6.6.3	Pre-treatment test method.....	55
6.6.4	WVP measurement.....	55
6.6.5	Test report.....	55
6.7	Determination of water vapour absorption (WVA).....	55
6.7.1	Principle.....	55
6.7.2	Test equipment.....	55
6.7.3	Sampling and conditioning.....	56
6.7.4	Test method.....	56
6.7.5	Test report.....	58
6.8	Determination of water vapour coefficient (WVC).....	58
6.8.1	Calculation of WVC.....	58
6.8.2	Test report.....	58

ISO/DIS 20344:2020(E)

6.9	Determination of pH value.....	58
6.9.1	Sampling and conditioning.....	58
6.9.2	Test method.....	58
6.9.3	Test report.....	59
6.10	Determination of resistance to hydrolysis of upper.....	59
6.10.1	Sampling and conditioning.....	59
6.10.2	Test method.....	59
6.10.3	Test report.....	59
6.11	Determination of chromium VI content.....	59
6.11.1	Sampling and conditioning.....	59
6.11.2	Test method.....	59
6.11.3	Test report.....	59
6.12	Determination of abrasion resistance of lining and insock.....	60
6.12.1	Principle.....	60
6.12.2	Test equipment.....	60
6.12.3	Sampling and conditioning.....	61
6.12.4	Test method.....	61
6.12.5	Test report.....	62
6.13	Determination of water penetration and water absorption for upper.....	63
6.13.1	Principle.....	63
6.13.2	Test equipment.....	63
6.13.3	Sampling and conditioning.....	63
6.13.4	Test method.....	63
6.13.5	Test report.....	64
7	Test methods for insole and insock.....	65
7.1	Determination of insole thickness.....	65
7.1.1	Sampling and conditioning.....	65
7.1.2	Test method.....	65
7.1.3	Test report.....	65
7.2	Determination of water absorption and desorption of insole and insock.....	65
7.2.1	Principle.....	65
7.2.2	Test equipment.....	65
7.2.3	Sampling and conditioning.....	65
7.2.4	Test method.....	66
7.2.5	Test report.....	67
7.3	Determination of abrasion resistance of insole.....	67
7.3.1	Principle.....	67
7.3.2	Test equipment.....	67
7.3.3	Sampling and conditioning.....	67
7.3.4	Test method.....	68
7.3.5	Test report.....	68
8	Test methods for outsole.....	69
8.1	General remarks.....	69
8.2	Determination of outsole dimensions.....	69
8.2.1	Sampling and conditioning.....	69
8.2.2	Determination of the cleated area.....	69
8.2.3	Outsole thickness.....	69
8.2.4	Determination of cleat height in the waist area.....	71
8.3	Determination of tear strength of outsole.....	72
8.3.1	Sampling and conditioning.....	72
8.3.2	Test method.....	72
8.3.3	Test report.....	73
8.4	Determination of outsole abrasion resistance.....	73
8.4.1	Sampling and conditioning.....	73
8.4.2	Test method.....	73
8.4.3	Test report.....	73
8.5	Determination of footwear rigidity.....	73

8.5.1	Principle	73
8.5.2	Test equipment	73
8.5.3	Sampling and conditioning	73
8.5.4	Test method	74
8.5.5	Test report	76
8.6	Determination of flexing resistance of outsole	76
8.6.1	Principle	76
8.6.2	Test equipment	76
8.6.3	Sampling and conditioning	76
8.6.4	Test method	76
8.6.5	Test report	78
8.7	Determination of resistance to hydrolysis of outsole	78
8.7.1	Sampling and conditioning	78
8.7.2	Test method	78
8.7.3	Test report	78
8.8	Determination of resistance to fuel oil	78
8.8.1	Sampling and conditioning	78
8.8.2	Test methods	78
8.8.3	General method	78
8.8.4	Method for outsole materials which shrink or become hardened	79
8.8.5	Test report	79
8.9	Determination of resistance to hot contact	79
8.9.1	Test equipment	79
8.9.2	Test apparatus	79
8.9.3	Sampling and conditioning	81
8.9.4	Test methods	81
8.9.5	Test report	82
Annex A (informative) Assessment of footwear by the laboratory during testing of thermal behaviour		
	oSIST prEN ISO 20344:2020	83
Annex B (informative) Footwear sizes		
	https://standards.iteh.ai/catalog/standards/sist/a69762e5-93aa-45c7-9d57-8164462968b3/osist-pr-en-iso-20344-2020	85
Bibliography		
		86

ISO/DIS 20344:2020(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 94 *Personal safety – Personal protective equipment*, Subcommittee SC 3, *Footwear*. <https://standards.iteh.ai/catalog/standards/sist/a69762e5-93aa-45c7-9d57-8548261813e1/iso-20344-2020>

This second edition cancels and replaces the first edition (ISO 20344:2011), which has been technically revised.

The main changes compared to the previous edition are as follows:

- for each test same organisation (1 principle 2 test equipment's 3 sampling and conditioning 4 test method 5 test report)
- Systematic inclusion of a clause test report in all the test methods
- Several tests are not described anymore in this standard but in the standard, reference is made to specific standards (ISO 22649, ISO 11640, ISO 17707, etc...)
- 2. All reference standards are dated
- 2. New standards are taken into account (ISO17075 part 1and 2, ISO 22568 part 1 to 4);
- [4.2](#) Conditioning pass from 48 H to 24 H
- [5.14](#) slip resistance, New test condition
- [5.10](#) non-metallic perforation insert reference to the new ISO 22568.
- [5.4](#) new drawing for impact test
- 5.18.4New detection of water resistance
- 5.19.4New detection of water resistance
- [5.21.2](#) clarification in the position of the ankle protection

- [5.24](#) new tests for scuff caps, seam strength, dimension of ankle protection, cleats height in the waist area,
- [6.2.3](#) Determination of the area for non-water permeable material
- [Annex A](#) is deleted;
- new [annex A](#) with new drawings of footwear degradations
- [Annex B](#) new system of sizing in accordance with ISO TC137 recommendations

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/a69762e5-93aa-45c7-9d57-8f64482968b3/osist-pren-iso-20344-2020>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[oSIST prEN ISO 20344:2020](https://standards.iteh.ai/catalog/standards/sist/a69762e5-93aa-45c7-9d57-8f64482968b3/osist-pren-iso-20344-2020)

<https://standards.iteh.ai/catalog/standards/sist/a69762e5-93aa-45c7-9d57-8f64482968b3/osist-pren-iso-20344-2020>

Personal protective equipment — Test methods for footwear

1 Scope

This International Standard specifies methods for testing footwear designed as personal protective equipment.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 34-1:2015, *Rubber, vulcanized or thermoplastic — Determination of tear strength — Part 1: Trouser, angle and crescent test pieces*

ISO 868:2003, *Plastics and ebonite — Determination of indentation hardness by means of a durometer (Shore hardness)*

ISO 1817:2011, *Rubber, vulcanised — Determination of the effect of liquids*

ISO 3290-1:2014, *Rolling bearings — Balls — Part 1: Steel balls*

ISO 3376:2019, *Leather — Physical and mechanical tests — Determination of tensile strength and percentage extension*

ISO 3377-2:2016, *Leather — Physical and mechanical tests — Determination of tear load — Part 2: Double edge tear*

ISO 4045:2018, *Leather — Chemical tests — Determination of pH and difference figure*

ISO 4643:1992, *Moulded plastics footwear — Lined or unlined poly(vinyl chloride) boots for general industrial use — Specification*

ISO 4649:2017, *Rubber, vulcanized or thermoplastic — Determination of abrasion resistance using a rotating cylindrical drum device*

ISO 4674-1:2016, *Rubber- or plastics-coated fabrics — Determination of tear resistance — Part 1: Constant rate of tear methods*

ISO 5402-1:2017, *Leather — Determination of flex resistance — Part 1: Flexometer method*

ISO 5403-1:2011, *Leather — Determination of water resistance of flexible leather — Part 1: Repeated linear compression (penetrometer)*

ISO 5423:1992, *Moulded plastics footwear — Lined or unlined polyurethane boots for general industrial use — Specification*

ISO 6487+A1:2017, *Road vehicles — Measurement techniques in impact tests - instrumentation*

ISO 7500-1:2018, *Metallic materials — Calibration and verification of static uniaxial testing machines — Part 1: Tension/compression testing machines — Calibration and verification of the force-measuring system*

ISO 6487+A1:2017, *Road vehicles — Measurement techniques in impact tests - instrumentation*

ISO 11640:2018, *Leather — Tests for colour fastness — Colour fastness to cycles of to-and-fro rubbing*

ISO/DIS 20344:2020(E)

ISO 12947-1:1998+Cor. 1:2002, *Textiles – Determination of the abrasion resistance of fabrics by the Martindale method – Part 1 Martindale abrasion testing apparatus*

ISO 13287:2019, *Personal protective equipment — Footwear — Test method for slip resistance*

ISO 14268:2012, *Leather — Physical and mechanical tests — Determination of water vapour permeability*

ISO 17697:2016, *Footwear — Test methods for uppers, lining and insoles — Seam strength*

ISO 17707:2005, *Footwear — Test methods for outsoles — Flex resistance*

ISO 17075-1:2017, *Leather — Chemical determination of chromium(VI) content in leather — Part 1: Colorimetric method*

ISO 17075-2:2017, *Leather — Chemical determination of chromium(VI) content in leather — Part 2: Chromatographic method*

ISO 20345:2021, *Personal protective equipment — Safety footwear*

ISO 20346:2021, *Personal protective equipment — Protective footwear*

ISO 20347:2021, *Personal protective equipment — Occupational footwear*

ISO 22568-1:2019, *Foot and leg protectors — Requirements and test methods for footwear components — Part 1: Metallic toecaps*

ISO 22568-2:2019, *Foot and leg protectors — Requirements and test methods for footwear component — Part 2: Non-metallic toecaps*

ISO 22568-3, *Foot and leg protectors — Requirements and test methods for footwear components — Part 3: Metallic perforation resistant inserts*

ISO 22568-4:2019, *Foot and leg protectors — Requirements and test methods for footwear components — Part 4: Non-metallic perforation resistant inserts*

ISO 22649:2016, *Footwear — Test methods for insoles and insoles — Water absorption and desorption*

ISO 23529:2016, *Rubber — General procedures for preparing and conditioning test pieces for physical test methods*

ISO 23388:2018, *Protective gloves against mechanical risks*

EN 15090:2012, *Footwear for firefighters*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 20345:2021, ISO 20346:2021 and ISO 20347:2021 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

4 General testing parameters

4.1 Sampling

The minimum number of samples to be tested, together with the minimum number of test pieces taken from each sample, shall be in accordance with [Table 1](#).

Wherever possible and necessary to ensure the essential safety requirements, test pieces shall be taken from the whole footwear. This paragraph is applicable to all of [Table 1](#).

Where samples are required from each of three sizes, these shall comprise the smallest, middle and largest size of the footwear under test [indicated as (SML) in [Table 1](#)]. Where [Table 1](#) does not specify (SML) any three sizes of footwear may be used.

NOTE 1 If it is not possible to obtain a large enough test piece from the footwear, then a sample of the material from which the component has been manufactured may be used instead. This should be noted in the test report.

NOTE 2 Footwear sizes are defined in [Annex B](#).

4.2 Conditioning before and during the test

All test pieces shall be conditioned in a standard atmosphere of $(23 \pm 2) ^\circ\text{C}$ and $(50 \pm 5) \% \text{RH}$ for a minimum of 24 h before testing, unless otherwise stated in the test method.

If the test requires a defined condition (temperature $(23 \pm 2) ^\circ\text{C}$ and/or $(50 \pm 5) \% \text{RH}$), it is mentioned in the test method. Where the testing in conditioned atmosphere is not required, the maximum time which shall elapse between removal from the conditioning atmosphere and the start of testing shall not be greater than 10 min, unless otherwise stated in the test method.

4.3 Prerequisites on the testing procedure

When tolerances are not specified in this document (text or figures), a maximum tolerance of $\pm 10 \%$ shall be applied.

When several test pieces are tested, at least the worst results shall be reported unless specified in the test method. A result shall be reported for each tested size.

Footwear shall be tested as it is intended to be used, unless otherwise specified in the test method. For instance, if there is a removable insole, it shall remain in place to perform the tests.

For each of the required measurements performed in accordance with this standard, a corresponding estimate of the uncertainty of measurement should be evaluated. One of the following approaches shall be used:

- a statistical method, e.g. as given in ISO 5725-2 [2];
- a mathematical method, e.g. as given in ISO/IEC Guide 98-1 [3];
- uncertainty and conformity assessment as given in ISO/IEC Guide 98-4 [4]
- JCGM 100:2008[5]

4.4 Test report

For each test method, the test report shall contain the following information.

- Name and address of the testing laboratory
- Date of issue of the test report
- Reference to this standard and the number of the used clause
- The reference of the sample;
- The results as defined in each test method
- Any deviation from the test method.