
Živila - Odkrivanje prisotnosti alergenov v živilih z metodami molekularne biologije
- 5. del: Gorčica (*Sinapis alba*) in soja (*Glycine max*) - Kvalitativno odkrivanje
specifičnega niza DNK v obarjenih klobasah s PCR v realnem času

Foodstuffs - Detection of food allergens by molecular biological methods - Part 5:
Mustard (*Sinapis alba*) and soya (*Glycine max*) - Qualitative detection of a specific DNA
sequence in cooked sausages by real-time PCR

Lebensmittel - Nachweis von Lebensmittelallergenen mit molekularbiologischen
Verfahren - Teil 5: Senf (*Sinapis alba*) sowie Soja (*Glycine max*) - Qualitativer Nachweis
einer spezifischen DNA-Sequenz in Brühwürsten mittels Real-time PCR

SIST-TS CEN/TS 15634-5:2016

<https://standards.iteh.ai/catalog/standards/sist/6ca1e6d1-7510-4380-9470-8659878a4e9e/sist-ts-cen-ts-15634-5-2016>

Ta slovenski standard je istoveten z: FprCEN/TS 15634-5

ICS:

07.100.30	Mikrobiologija živil	Food microbiology
67.120.10	Meso in mesni proizvodi	Meat and meat products

kSIST-TS FprCEN/TS 15634-5:2016 **en,fr,de**

TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

FINAL DRAFT
FprCEN/TS 15634-5

December 2015

ICS 07.100.30; 67.120.10

English Version

Foodstuffs - Detection of food allergens by molecular biological methods - Part 5: Mustard (*Sinapis alba*) and soya (*Glycine max*) - Qualitative detection of a specific DNA sequence in cooked sausages by real-time PCR

Lebensmittel - Nachweis von Lebensmittelallergenen mit molekularbiologischen Verfahren - Teil 5: Senf (*Sinapis alba*) sowie Soja (*Glycine max*) - Qualitativer Nachweis einer spezifischen DNA-Sequenz in Brühwürsten mittels Real-time PCR

This draft Technical Specification is submitted to CEN members for formal vote. It has been drawn up by the Technical Committee CEN/TC 275.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a Technical Specification. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a Technical Specification.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword.....	3
1 Scope	4
2 Principle	4
3 Reagents	4
4 Apparatus and equipment	6
5 Sampling.....	6
6 Procedure.....	6
6.1 General.....	6
6.2 Sample preparation.....	7
6.3 DNA extraction with CTAB.....	7
6.4 DNA purification by means of solid phase extraction.....	7
6.5 Measuring the mass concentration of the extracted DNA and setting to target concentration	8
6.6 Real-time PCR.....	8
6.7 Temperature/Time program.....	9
7 Validation status and performance criteria.....	9
7.1 General information on the interpretation of the real-time PCR.....	9
7.2 Reliability of the method.....	10
7.2.1 Setup of the interlaboratory study	10
7.2.2 Results of the interlaboratory study samples.....	10
7.2.3 Qualitative interpretation.....	10
8 Test report.....	12
Bibliography.....	13

European foreword

This document (FprCEN/TS 15634-5:2015) has been prepared by Technical Committee CEN/TC 275 “Food analysis - Horizontal methods”, the secretariat of which is held by DIN.

This document is currently submitted to the Formal Vote.

EN 15634, *Foodstuffs — Detection of food allergens by molecular biological methods*, is currently composed with the following parts:

- *Part 1: General considerations*;
- *Part 2: Celery (*Apium graveolens*) — Qualitative determination of a specific DNA sequence in cooked sausages by real-time PCR* [Technical Specification];
- *Part 3: Hazelnut (*Corylus avellana*) — Qualitative detection of a specific DNA sequence in chocolate by real-time PCR* [Technical Specification; currently at Formal Vote stage];
- *Part 4: Peanut (*Arachis hypogaea*) — Qualitative detection of a specific DNA sequence in chocolate by real-time PCR* [Technical Specification; currently at Formal Vote stage];
- *Part 5: Mustard (*Sinapis alba*) and soya (*Glycine max*) — Qualitative detection of a specific DNA sequence in cooked sausages by real-time PCR* [Technical Specification; currently at Formal Vote stage].

(<https://standards.iteh.ai>)
Document Preview

[SIST-TS CEN/TS 15634-5:2016](https://standards.iteh.ai/catalog/standards/sist/6ca1e6d1-7510-4380-9420-8659878a4e9e/sist-ts-cen-ts-15634-5-2016)

<https://standards.iteh.ai/catalog/standards/sist/6ca1e6d1-7510-4380-9420-8659878a4e9e/sist-ts-cen-ts-15634-5-2016>

1 Scope

This draft Technical Specification specifies a procedure for the qualitative detection of species specific DNA from white mustard (*Sinapis alba*) and soya (*Glycine max*) in cooked sausages using singleplex real-time PCR based on the genes MADS-D (mustard) and lectin (soya). A mustard content of 10 mg/kg or greater and a soya content of 10 mg/kg or greater can be detected with a probability of > 95 %.

2 Principle

The DNA of the sample is extracted and is set to a definite concentration after photometric measurement. A 74 base pair (bp) long sequence of the DNA for the MADS-D protein of *Sinapis alba* (NCBI accession no. Y08626) or a 81 bp long sequence from the soya lectin gene is multiplied from the sample DNA by real-time PCR. The amplicons formed are detected and verified by annealing a sequence-specific probe and generating a fluorescence signal [4].

3 Reagents

As a rule, analytical grade chemical reagents suitable for molecular biology shall be used. The water used shall be double distilled or equivalent quality. Solutions should be prepared by dissolving the appropriate reagents in water and autoclaving, unless indicated differently.

3.1 DNA extraction with CTAB:

3.1.1 Chloroform.

3.1.2 Ethanol, volume fraction $\varphi = 96 \%$.

3.1.3 Ethylenediaminetetraacetic acid disodium salt (Na_2EDTA).

3.1.4 Cetyltrimethylammoniumbromide (CTAB).

3.1.5 Hydrochloric acid, mass fraction $w = 37 \%$.

3.1.6 Isoamyl alcohol.

3.1.7 Isopropanol.

3.1.8 Proteinase K.

3.1.9 Sodium chloride.

3.1.10 Sodium hydroxide.

3.1.11 Tris(hydroxymethyl)aminomethane (TRIS).

3.1.12 Chloroform isoamyl alcohol mixture.

Mix 24 parts by volume of chloroform (3.1.1) with one part by volume of isoamyl alcohol (3.1.6).

Commercially available comparable mixtures can be used.

3.1.13 CTAB extraction buffer solution, containing CTAB (mass concentration $\rho = 20 \text{ g/l}$), sodium chloride (substance concentration $c = 1,4 \text{ mol/l}$), TRIS ($c = 0,1 \text{ mol/l}$), $\text{Na}_2\text{-EDTA}$ ($c = 0,02 \text{ mol/l}$). Adjust the pH value with hydrochloric acid to 8,0.