

ETSI TS 128 550 V15.4.0 (2020-03)



5G;
Management and orchestration;
Performance assurance
(3GPP TS 28.550 version 15.4.0 Release 15)

*iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standards text
https://standards.iteh.ai/catalog/standards/sist/128-550-2020-03
4faf-91fb-1ff1590b246a1/etsi-ts-128-550-v15-4-0-2020-03*



ReferenceRTS/TSGS-0528550vF40

Keywords5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	8
1 Scope	9
2 References	9
3 Definitions and abbreviations.....	10
3.1 Definitions	10
3.2 Abbreviations	10
4 Concepts and overview	10
4.1 Overview	10
4.2 Management data analytics	10
4.3 PM services	11
5 Specification level requirements	11
5.1 Use cases	11
5.1.0 Introduction.....	11
5.1.1 NF PM services.....	12
5.1.1.1 NF measurement job control service.....	12
5.1.1.1.1 Creation of measurement job for NF(s).....	12
5.1.1.1.2 Termination of measurement job for NF(s).....	12
5.1.1.1.3 Query of measurement jobs for NF(s).....	13
5.1.1.2 NF performance data file reporting service.....	13
5.1.1.2.1 3GPP NF performance data file reporting.....	13
5.1.1.3 NF performance data streaming service.....	14
5.1.1.3.1 3GPP NF performance data streaming.....	14
5.1.2 NSSI PM services	15
5.1.2.1 NSSI measurement job control service.....	15
5.1.2.1.1 Creation of measurement job for NSSI(s).....	15
5.1.2.1.2 Termination of measurement job for NSSI(s).....	16
5.1.2.1.3 Query of measurement jobs for NSSI(s).....	16
5.1.2.2 NSSI performance data file reporting service	17
5.1.2.2.1 NSSI performance data file reporting.....	17
5.1.2.3 NSSI performance data streaming service	17
5.1.2.3.1 NSSI performance data streaming.....	17
5.1.3 NSI PM services	18
5.1.3.1 NSI measurement job control service	18
5.1.3.1.1 Creation of measurement job for NSI(s).....	18
5.1.3.1.2 Termination of measurement job for NSI(s).....	20
5.1.3.1.3 Query of measurement jobs for NSI(s).....	20
5.1.3.2 NSI performance data file reporting service	21
5.1.3.2.1 NSI performance data file reporting.....	21
5.1.3.3 NSI performance data streaming service.....	21
5.1.3.3.1 NSI performance data streaming.....	21
5.1.4 Network/Sub-network PM services	22
5.1.4.1 Network/Sub-network measurement job control service	22
5.1.4.1.1 Creation of measurement job for network(s)/sub-network(s).....	22
5.1.4.1.2 Termination of measurement job for network(s)/sub-network(s).....	23
5.1.4.1.3 Query of measurement jobs for network(s).....	23
5.1.4.2 Network/Sub-network performance data file reporting service	24
5.1.4.2.1 Network/Sub-network performance data file reporting.....	24
5.1.4.3 Network/Sub-network performance data streaming service	24
5.1.4.3.1 Network/Sub-network performance data streaming.....	24
5.1.5 Management data analytics.....	25

5.1.5.1	Management data analytics for NSIs/NSSIs	25
5.1.5.2	Management data analytics for network	26
5.2	Requirements	26
5.2.1	Requirements for NF measurement job control service	26
5.2.2	Requirements for NF performance data file reporting service	27
5.2.3	Requirements for NF performance data streaming service	27
5.2.4	Requirements for NSSI measurement job control service	27
5.2.5	Requirements for NSSI performance data file reporting service	27
5.2.6	Requirements for NSSI performance data streaming service	27
5.2.7	Requirements for NSI measurement job control service	27
5.2.8	Requirements for NSI performance data file reporting service	28
5.2.9	Requirements for NSI performance data streaming service	28
5.2.10	Requirements for network/sub-network measurement job control service	28
5.2.11	Requirements for network/sub-network performance data file reporting service	29
5.2.12	Requirements for network/sub-network performance data streaming service	29
5.2.13	Management data analytics service	29
6.	Performance assurance specific operations and notifications	29
6.1	Measurement job control related operations	29
6.1.1	Operation createMeasurementJob (M)	29
6.1.1.1	Definition	29
6.1.1.2	Input parameters	30
6.1.1.3	Output parameters	33
6.1.1.4	Exceptions	33
6.1.2	Operation stopMeasurementJob (M)	33
6.1.2.1	Definition	33
6.1.2.2	Input parameters	34
6.1.2.3	Output parameters	34
6.1.2.4	Exceptions	34
6.1.3	Operation listMeasurementJobs (M)	34
6.1.3.1	Definition	34
6.1.3.2	Input parameters	34
6.1.3.3	Output parameters	35
6.1.3.4	Exceptions	35
6.2	Performance data streaming related operations	36
6.2.1	Operation establishStreamingConnection (M)	36
6.2.1.1	Definition	36
6.2.1.2	Input parameters	36
6.2.1.3	Output parameters	37
6.2.1.4	Exceptions	37
6.2.2	Operation terminateStreamingConnection (M)	37
6.2.2.1	Definition	37
6.2.2.2	Input parameters	37
6.2.2.3	Output parameters	37
6.2.2.4	Exceptions	38
6.2.3	Operation reportStreamData (M)	38
6.2.3.1	Definition	38
6.2.3.2	Input parameters	38
6.2.3.3	Output parameters	38
6.2.3.4	Exceptions	38
6.2.4	Operation getStreamInfo (M)	39
6.2.4.1	Definition	39
6.2.4.2	Input parameters	39
6.2.4.3	Output parameters	39
6.2.4.4	Exceptions	39
6.2.5	Operation addStreamInfo (M)	40
6.2.5.1	Definition	40
6.2.5.2	Input parameters	40
6.2.5.3	Output parameters	41
6.2.5.4	Exceptions	41
6.2.6	Operation updateStreamInfo (M)	41
6.2.6.1	Definition	41

6.2.6.2	Input parameters	41
6.2.6.3	Output parameters	42
6.2.6.4	Exceptions	42
6.2.7	Operation deleteStreamInfo (M)	42
6.2.7.1	Definition	42
6.2.7.2	Input parameters	42
6.2.7.3	Output parameters	42
6.2.7.4	Exceptions	42
7.	Performance assurance services components	42
7.1	Measurement job control services	42
7.2	Performance data file reporting services	43
7.3	Performance data streaming services	44
7.4	Void	45
8	RESTful HTTP-based solution set of performance measurement job control service specific operations and notifications	45
8.1	Mapping of operations	45
8.1.1	Introduction	45
8.1.2	Operation "createMeasurementJob"	46
8.1.3	Operation "listMeasurementJobs"	46
8.1.4	Operation "stopMeasurementJob"	47
8.2	Resources	47
8.2.0	Resource structure	47
8.2.1	Resource definitions	48
8.2.1.1	Void	48
8.2.1.2	Resource "/measJobs"	48
8.2.1.2.1	Description	48
8.2.1.2.2	URI	48
8.2.1.2.3	HTTP methods	48
8.2.1.3	Resource "/measJobs/{jobId}"	49
8.2.1.3.1	Description	49
8.2.1.3.2	URI	49
8.2.1.3.3	HTTP methods	49
8.3	Data type definitions	51
8.3.1	General	51
8.3.2	Void	51
8.3.3	Void	51
8.3.4	Structured general data types	51
8.3.5	Structured path data types	51
8.3.6	Query, message body and resource data types	52
8.3.6.1	Type measJobCreation-RequestType	52
8.3.6.2	Type measJobCreation-ResponseType	52
8.3.6.3	Type measJobsRetrieval-ResponseType	52
8.3.6.4	Type error-ResponseType	52
8.3.6.5	Type measJobInfo-ResourceType	53
8.3.7	Referenced structured data types	53
8.3.7.1	Type schedule-Type	53
8.3.7.2	Type timeInterval-Type	53
8.3.7.3	Type scheduleOfDay-Type	53
8.3.7.4	Void	54
8.3.7.5	Type unsupportedMeas-Type	54
8.3.8	Simple data types and enumerations	54
8.3.8.1	General	54
8.3.8.2	Simple data types	54
8.3.8.3	Enumeration reportingMethod-Type	54
8.3.8.4	Enumeration priority-Type	54
8.3.8.5	Enumeration scheduleOption-Type	55
8.3.8.6	Enumeration dayOfWeek-Type	55
9	RESTful HTTP-based solution set of performance data streaming operations with WebSocket-based extensions	55

9.1	Introduction	55
9.2	Mapping of operations	55
9.2.1	Introduction	55
9.2.2	Operation "establishStreamingConnection"	56
9.2.3	Operation "terminateStreamingConnection"	57
9.2.4	Operation "reportStreamData"	58
9.2.5	Operation "getStreamInfo"	58
9.2.6	Operation "addStreamInfo"	59
9.2.7	Operation "updateStreamInfo"	59
9.2.8	Operation "deleteStreamInfo"	60
9.3	Resources	60
9.3.1	Resource structure	60
9.3.2	Resource definitions	61
9.3.2.1	Resource "/streamInfoList"	61
9.3.2.1.1	Description	61
9.3.2.1.2	URI	61
9.3.2.1.3	HTTP methods	61
9.3.2.1a	Resource "/streamInfoList/{streamId}"	63
9.3.2.1a.1	Description	63
9.3.2.1a.2	URI	63
9.3.2.1a.3	HTTP methods	63
9.3.2.2	Resource "/streamingConnection"	64
9.3.2.2.1	Description	64
9.3.2.2.2	URI	65
9.3.2.2.3	HTTP methods	65
9.4	Data type definitions	66
9.4.1	General	66
9.4.2	Structured general data types	67
9.4.3	Structured path data types	67
9.4.4	Query, message body and resource data types	67
9.4.4.1	Type streamInfoListPost-RequestType	67
9.4.4.2	Type error-ResponseType	67
9.4.4.3	Type streamInfoToUpdate-RequestType	67
9.4.4.4	Type streamInfoListPost-ResponseType	67
9.4.4.5	Type streamInfoRetrieval-ResponseType	67
9.4.4.6	Type streamInfoListRetrieval-ResponseType	67
9.4.4.7	Type streamInfoUpdate-ResponseType	68
9.4.4.8	Type streamInfoListUpdate-ResponseType	68
9.4.5	Referenced structured data types	68
9.4.5.1	Type streamInfoIn-Type	68
9.4.5.2	Type streamInfoOut-Type	68
9.4.6	Simple data types and enumerations	68
9.4.6.1	General	68
9.4.6.2	Simple data types	69
Annex A :	Void	70
Annex B (informative):	Procedures for performance assurance services	71
B.1	NF measurement job creation	71
B.2	NSSI measurement job creation	72
B.3	NSI measurement job creation	73
B.4	Network measurement job creation	75
B.5	NF measurement job termination	76
B.6	NSSI measurement job termination	77
B.7	NSI measurement job termination	78
B.8	Network measurement job termination	79

Annex C (normative):	Performance Data Stream Unit content description	80
Annex D (informative):	Performance data streaming holistic sequence	81
D.1	Performance data streaming for starting measurement collection.....	81
D.1.1	Sequence flow	81
D.1.2	PlantUML codes.....	82
D.2	Performance data streaming for stopping measurement collection.....	83
D.2.1	Sequence flow	83
D.2.2	PlantUML codes.....	84
Annex E (normative):	OpenAPI specification.....	86
E.1	Introduction	86
E.2	Performance assurance service.....	86
E.3	Performance data streaming service	91
Annex F (normative):	ASN.1 definition for performance data stream units	100
F.1	ASN.1 definition rule	100
F.2	ASN.1 definition	100
Annex F (informative):	Change history	102
History		103

ITeH STANDARD PREVIEW
 (standards.iteh.ai)
 Full standard:
<https://standards.iteh.ai/catalog/standards/sist/abe212cb-f25-4faf-91fb-1f1590b246a1/etsi-ts-128-550-v15.4.0-2020-03>

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

PREVIEW
iTech STANDARD
(standards.itih.ai)
Full standard:
<https://standards.itih.ai/catalog/standards/sist/abe212cb-1215-4faf-91fb-1f1590b246a1/etsi-ts-128-550-v15.4.0-2020-03>

1 Scope

The present document specifies the stage 1, 2 and 3 of performance assurance related management services for 5G networks including network slicing.

The present document does not specify the performance measurements.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 28.552: "Management and orchestration; 5G performance measurements".
- [3] 3GPP TS 28.541: "Management and orchestration; 5G Network Resource Model (NRM); Stage 2 and stage 3".
- [4] ITU-T Recommendation X.721 (1992): "Information technology - Open Systems Interconnection - Structure of management information: Definition of management information".
- [5] 3GPP TS 28.622: "Telecommunication management; Generic Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)".
- [6] ISO 8601:2000(E) Data elements and interchange formats – Information interchange – Representation of dates and times".
- [7] 3GPP TS 28.532: "Management and orchestration; Generic management services".
- [8] Void
- [9] Void
- [10] Void
- [11] Void
- [12] Void
- [13] 3GPP TS 28.628: "Telecommunication management; Self-Organizing Networks (SON) Policy Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)".
- [14] 3GPP TS 32.158: "Management and orchestration; Design rules for Representational State Transfer (REST) Solution Sets (SS)".
- [15] ITU-T Recommendation X.680 (08/2015) "Information Technology - Abstract Syntax Notation One (ASN.1): Specification of basic notation" (Same as the ISO/IEC International Standard 8824-1).
- [16] ITU-T Recommendation X.681 (08/2015) "Information Technology - Abstract Syntax Notation One (ASN.1): Information object specification" (Same as the ISO/IEC International Standard 8824-2).

- [17] ITU-T Recommendation X.691 (08/2015) "Information technology - ASN.1 encoding rules: Specification of Packed Encoding Rules (PER)" (Same as the ISO/IEC International Standard 8825-2).
- [18] IETF RFC 6455: "The WebSocket Protocol".
- [19] IETF RFC 793: "TRANSMISSION CONTROL PROTOCOL".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in 3GPP TR 21.905 [1].

3.2 Abbreviations

For the purposes of the present document, the abbreviations given in 3GPP TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in 3GPP TR 21.905 [1].

4 Concepts and overview

4.1 Overview

The 5G networks and network slicing are designed to support eMBB, URLLC and mMTC services. Some services have ultra-low latency, high data capacity, and strict reliability requirements, as any faults or performance issues in the networks can cause service failure which may result in property damage and body injury. Therefore, it is necessary to collect real-time performance data that can be used by analytic applications (e.g., network optimization, SON, etc.) to detect the potential issues in advance, and take appropriate actions to prevent or mitigate the issues. Also, the performance data shall be able to be consumed by multiple analytic applications with specific purposes.

4.2 Management data analytics

The raw performance data of NFs of the mobile network can be analysed, together with other management data (e.g., alarm information, configuration data), and formed into one or more management analytical data for NFs, sub-networks, NSSIs or NSIs. The management analytical data can be used to diagnose ongoing issues impacting the performance of the mobile network and predict any potential issues (e.g., potential failure and/or performance degradation). For example, the analysis of NSI/NSSI resource usage can form a management analytical data indicating whether a certain resource is deteriorating. The analysis and correlation of the overall performance data of mobile network may indicate overload situation and potential failure(s).

SON Capacity and Coverage Optimization (CCO) is one typical case that may consume the management analytical data. CCO provides optimal coverage and capacity for the E-UTRAN, see clause 4.5 of TS 28.628 [13], which may also be applicable for 5G radio networks. The management analytical data related to coverage and capacity help the SON CCO to realise the situation of coverage and capacity or interference, and to trigger corresponding optimization if needed.

NOTE: Details of the management analytical data including e.g. format, categorisation and method/algorithm of calculations are to be defined.

4.3 PM services

The PM for 5G networks and network slicing is comprised of the management services listed in the table 4.3-1 below:

Table 4.3-1: PM services for 5G networks and network slicing

Management service	Description
Measurement job control service for NF	The management service for creating, terminating and querying the measurement job(s) for the NF(s).
Performance data file reporting service for NF	The management service for reporting the NF performance data file.
Performance data streaming service for NF	The management service for reporting the NF performance data stream.
Measurement job control service for NSSI	The management service for creating, terminating and querying the measurement job(s) for the NSSI(s).
Performance data file reporting service for NSSI	The management service for reporting the NSSI performance data file.
Performance data streaming service for NSSI	The management service for reporting the NSSI performance data stream.
Measurement job control service for NSI	The management service for creating, terminating and querying the measurement job(s) for the NSI(s).
Performance data file reporting service for NSI	The management service for reporting the NSI performance data file.
Performance data streaming service for NSI	The management service for reporting the NSI performance data stream.
Measurement job control service for network/sub-network	The management service for creating, terminating and querying the measurement job(s) for the network(s)/subnetwork(s). The measurement job for the network(s)/subnetwork(s) is to collect the network/subnetwork performance data that are not specific to network slicing.
Performance data file reporting service for network/sub-network	The management service for reporting the file of the network/subnetwork performance data that is not specific to network slicing.
Performance data streaming service for network/sub-network	The management service for reporting the stream of the network/subnetwork performance data that is not specific to network slicing.

5 Specification level requirements

5.1 Use cases

5.1.0 Introduction

The steps of the use cases are logical illustration on how the management service request can be fulfilled. Depending on the deployment scenario, other steps can be used to fulfil the management service request.

5.1.1 NF PM services

5.1.1.1 NF measurement job control service

5.1.1.1.1 Creation of measurement job for NF(s)

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to create a measurement job for collecting the performance data of NF(s).	
Actors and Roles	An authorized consumer of NF measurement job control service.	
Telecom resources	NF(s); Producer of the NF measurement job control service.	
Assumptions	N/A	
Pre-conditions	- The NF(s) have been deployed. - The NF measurement job control service producer is in operation.	
Begins when	The authorized consumer needs to create measurement job for collecting the performance data of NF(s).	
Step 1 (M)	The authorized consumer requests the NF measurement job control service producer to create measurement job to collect the performance data of NF(s). The request needs to indicate that the performance data needs to be reported by performance data file or by performance data streaming.	
Step 2 (M)	The NF measurement job control service producer requests the NF(s) to collect the performance data, per the received measurement job creation request.	
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The measurement job for NF(s) has been created, and the NF measurement job control service producer generates the performance data for the NF measurement job.	
Traceability	REQ-MJCS_NF-FUN-1, REQ-MJCS_NF-FUN-2, REQ-MJCS_NF-FUN-3, REQ-MJCS_NF-FUN-4 and REQ-MJCS_NF-FUN-7	

5.1.1.1.2 Termination of measurement job for NF(s)

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to request the NF measurement job control service producer to terminate a NF measurement job.	
Actors and Roles	An authorized consumer of NF measurement job control service.	
Telecom resources	NF(s) NF measurement job control service producer.	
Assumptions	N/A	
Pre-conditions	The NF measurement job has been created.	
Begins when	The authorized consumer does not need the NF measurement job that is collecting the performance data of NF(s).	
Step 1 (M)	The authorized consumer requests the NF measurement job control service producer to terminate a measurement job that is collecting the performance data of NF(s).	
Step 2 (M)	The NF measurement job control service producer terminates the measurement job and may request the NF(s) to stop collecting the measurements requested by the measurement job.	
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The NF measurement job is terminated, or still retained but not does not serve the subject consumer anymore.	
Traceability	REQ-MJCS_NF-FUN-5	