

SLOVENSKI STANDARD SIST EN 3660-001:2016

01-marec-2016

Nadomešča:

SIST EN 3660-001:2009

Aeronavtika - Dodatki za okrogle in pravokotne električne in optične konektorje - 001. del: Tehnična specifikacija

Aerospace series - Cable outlet accessories for circular and rectangular electrical and optical connectors - Part 001: Technical specification

Luft- und Raumfahrt - Endgehäuse für elektrische und optische Rund- und Rechtecksteckverbinder - Teil 001: Technische Lieferbedingungen

Série aérospatiale - Accessoires arri<u>ère pour connecte</u>urs circulaires et rectangulaires électriques et optiques « Partiel 001ai Spécification téchnique 23-4fbf-af8b-54195ad0e534/sist-en-3660-001-2016

Ta slovenski standard je istoveten z: EN 3660-001:2016

ICS:

31.220.99 Druge elektromehanske Other electromechanical

komponente components

49.060 Letalska in vesoljska Aerospace electric

električna oprema in sistemi equipment and systems

SIST EN 3660-001:2016 en,fr,de

SIST EN 3660-001:2016

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 3660-001:2016</u> https://standards.iteh.ai/catalog/standards/sist/37511f00-8623-4fbf-af8b-54195ad0e534/sist-en-3660-001-2016 EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM EN 3660-001

January 2016

ICS 49.060

Supersedes EN 3660-001:2006

English Version

Aerospace series - Cable outlet accessories for circular and rectangular electrical and optical connectors - Part 001: Technical specification

Série aérospatiale - Accessoires arrière pour connecteurs circulaires et rectangulaires électriques et optiques - Partie 001 : Spécification technique

Luft- und Raumfahrt - Endgehäuse für elektrische und optische Rund- und Rechtecksteckverbinder - Teil 001: Technische Lieferbedingungen

This European Standard was approved by CEN on 8 June 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iteland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Coi	Page		
Euro	European foreword3		
1	Scope	4	
2	Normative references		
3	Terms and definitions	5	
4	Conditions of use		
5	Design and description	6	
6	Dimensions and mass	6	
7	Operation	7	
8	Tests		
9	Quality assurance	9	
10	Designation and marking		
11	Delivery condition	13	
12			
13	Storage(standards, iteh, ai)	14	

<u>SIST EN 3660-001:2016</u> https://standards.iteh.ai/catalog/standards/sist/37511f00-8623-4fbf-af8b-54195ad0e534/sist-en-3660-001-2016

European foreword

This document (EN 3660-001:2016) has been prepared by the Aerospace and Defence Industries Association of Europe - Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this European Standard has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2016, and conflicting national standards shall be withdrawn at the latest by July 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 3660-001:2006.

According to the CEN-CENELEO Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom. Siehaicatalog/standards/sist/37511f00-8623-4fbf-af8b-54195ad0e534/sist-en-3660-001-2016

1 Scope

This European Standard defines cable outlet accessories for use with circular and rectangular, electrical and optical connectors on aerospace equipment. These may be sealed or unsealed and include accessories suitable for the suppression of radio frequency and electromagnetic interference.

This European Standard is used in conjunction with circular and rectangular electrical and optical connectors for varying temperature ranges, environmental conditions, fire resistant and non-fire resistant applications as designated in the product standards.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 2591- 1), Aerospace series — Elements of electrical and optical connection — Test methods

EN 3660-002, Aerospace series — Cable outlet accessories for circular and rectangular electrical and optical connectors — Part 002: Index of product standards

EN 9100, Aerospace series — Quality Management Systems — Requirements for Aviation, Space and Defense Organizations

iTeh STANDARD PREVIEW

EN 9133, Aerospace series — Quality management systems — Qualification procedure for aerospace standard parts

ISO 261, ISO general purpose metric screw threads General plan https://standards.iteh.ai/catalog/standards/sist/37511f00-8623-4fbf-af8b-

ISO 263, ISO inch screw threads — General plan and selection for screws, bolts and nuts — Diameter range 0.06 to 6 in

ISO 965-1, ISO general-purpose metric screw threads — Tolerances — Part 1: Principles and basic data

IEC 60050-581, International electrotechnical vocabulary — Electromechanical components for electronic equipment

MIL-HDBK-454B, General Guidelines for Electronic Equipment ²⁾

4

¹⁾ All parts quoted in Table 3.

²⁾ Published by: DoD National (US) Mil. Department of Defense http://www.defenselink.mil/

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-581 apply together with the following.

3.1

backshell

non-preferred term, use cable outlet accessory

3.2

cable screen termination

a device for terminating the cable screen to the cable outlet and giving electrical continuity

3.3

cable tie

a flexible strap or cord for securing a cable bundle to a cable outlet

3.4

coupling nut

an accessory or part of a component which secures the cable outlet to the body of the connector

4 Conditions of use

4.1 General iTeh STANDARD PREVIEW

In accordance with the individual the product standard, refer to EN 3660-002.

4.2 Accessory styles

SIST EN 3660-001:2016

https://standards.iteh.ai/catalog/standards/sist/37511f00-8623-4fbf-af8b-54195ad0e534/sist-en-3660-001-2016

See Table 1.

Table 1

Style	Description	
A	A Cable outlet, unsealed	
B Cable outlet, sealed		
С	Cable outlet, shielded, unsealed	
D	Cable outlet, shielded, sealed	
Е	E Conduit adapter, unsealed	
F	F Conduit adapter, sealed	
G	G Adaptor (misc. incl. rectangular), unsealed	
Н	Adaptor (misc. incl. rectangular), sealed	
J	Cable outlet, for heat shrinkable boot, sealed	
К	Cable outlet, for heat shrinkable boot, shielded, sealed	
Z	Various components, tools	

4.3 Material/finish classes

See Table 2.

Table 2

Class	Temperature range	Material/finish
A	– 65 °C to 175 °C	Aluminium/black anodised
J	– 65 °C to 175 °C	Non-metallic/olive drab cadmium plated
К	– 65 °C to 260 °C	Stainless steel/passivated
KE	– 65 °C to 200 °C	Stainless steel/passivated
М	– 65 °C to 200 °C	Non-metallic/electroless nickel plated
N(F)	– 65 °C to 200 °C	Aluminium/electroless nickel plated
P	– 65 °C to 175 °C	Non-metallic/unplated
Т	– 65 °C to 175 °C	Aluminium /nickel PTFE(Teflon) plated
W	– 65 °C to 175 °C	Aluminium/olive drab cadmium plated
Z	– 65 °C to 175 °C	Aluminium/black zinc nickel plated

iTeh STANDARD PREVIEW

Design and description (standards.iteh.ai)

5.1 Design

SIST EN 3660-001:2016

Cable outlet accessories shall be designed and constructed to withstand normal handling incident to installation and maintenance in service. They shall be capable of being fitted to and removed from connectors by use of hand only unless otherwise specified in the product standard. The cable outlet accessory product standard shall contain outline drawings relating to general installation and interchangeability.

5.2 Materials

Materials shall be suitable for the purpose intended and as specified in the product standard. When a definite material is not specified, a material shall be used which will enable the accessory to meet the performance requirements specified in the product standard.

When dissimilar materials are employed in intimate contact with each other, protection against corrosion shall be used to ensure that the differential electromotive potential does not exceed 0,25 V.

5.3 Finish

The finish shall be in accordance with the product standard.

5.4 Threads

The threads shall conform to either ISO 261, ISO 263 or ISO 965-1 where applicable.

Dimensions and mass

The dimensions of cable outlets and their mass shall be as defined in the product standard.

7 Operation

Installation instructions and tooling, where necessary, shall be defined in the product standard.

8 Tests

Tests from the parts of EN 2591-100 applicable to cable outlet accessories are detailed in Table 3.

All tests shall be carried out with the cable outlet accessory fitted to a receptacle connector or simulation thereof unless otherwise specified in the product standard.

Table 3

EN 2591-	Designation of the test	Remarks
101	Visual inspection	Initial examination. Details to be examined:
		identification of materials in accordance with the product standard.identification;
		- appearance;
		– marking;
	iTeh STANDAR	surface finish.Final examination.
	(standards	No loosening of parts, cracks, excessive wear, detached part, etc. shall be observed.
102	Examination of dimensions and mass 0-(https://standards.iteh.ai/catalog/standards.54195ad0e534/sist-en-3	In accordance with the product standard. NOTE 11 0 In 8 the 4 case 8 of an approved inspection system, 201 piece parts (without relation to manufacturing batches of finished products) can be used for dimensional inspection.
205	Housing (shell) electrical continuity	In accordance with the product standard
212	Surface transfer impedance (from 100 MHz to 1 GHz) ^a	In accordance with the product standard
212	Shielding effectiveness from 100 MHz to 1 GHz	In accordance with the product standard
214	Lightning strike, current and voltage	In accordance with the product standard.
	pulse	Test set up and mounting should be as per EN 2591-214, except the accessory under test shall be fitted directly to an empty receptacle connector or suitable simulation thereof (no plug connector is required).
301	Endurance at temperature	In accordance with the product standard
305	Rapid change of temperature	In accordance with the product standard
306	Mould growth	Unless otherwise required by the product standard Method A. Duration 28 days. Nil Growth. No prior washing. No surface etching.
307	Salt mist	In accordance with the product standard