



SLOVENSKI STANDARD
oSIST prEN ISO 28139:2017
01-julij-2017

Oprema za zaščito poljščin - Nahrbtna škropilnica na zračni tlak s pogonskim motorjem - Varnostne in okoljske zahteve in preskusne metode (ISO/DIS 28139:2017)

Equipment for crop protection - Knapsack combustion engine-driven air-blast sprayers - Safety and environmental requirements and test methods (ISO/DIS 28139:2017)

Knapsack combustion engine driven mistblowers

Matériel de protection des cultures - Atomiseurs à dos à moteur - Exigences de sécurité et environnementales (ISO/DIS 28139:2017)

Ta slovenski standard je istoveten z: prEN ISO 28139

<https://standards.iteh.ai/catalog/standards/sist/fc8608ac-7adb-44df-a8d6-92ca5dd5249e/sist-en-iso-28139-2017>

ICS:

65.060.40 Oprema za nego rastlin Plant care equipment

oSIST prEN ISO 28139:2017

en,fr,de

DRAFT INTERNATIONAL STANDARD

ISO/DIS 28139

ISO/TC 23/SC 6

Secretariat: AFNOR

Voting begins on:
2017-05-01Voting terminates on:
2017-07-22

Equipment for crop protection — Knapsack combustion engine-driven air-blast sprayers — Safety and environmental requirements and test methods

Matériel de protection des cultures — Atomiseurs à dos à moteur — Exigences de sécurité et environnementales

ICS: 65.060.40

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[SIST EN ISO 28139:2021](https://standards.iteh.ai/catalog/standards/sist/fc8608ac-7adb-44df-a8d6-92ca5dd5249e/sist-en-iso-28139-2021)

<https://standards.iteh.ai/catalog/standards/sist/fc8608ac-7adb-44df-a8d6-92ca5dd5249e/sist-en-iso-28139-2021>

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

This document is circulated as received from the committee secretariat.

ISO/CEN PARALLEL PROCESSING



Reference number
ISO/DIS 28139:2017(E)

© ISO 2017

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

SIST EN ISO 28139:2021

<https://standards.iteh.ai/catalog/standards/sist/fc8608ac-7adb-44df-a8d6-92ca5dd5249e/sist-en-iso-28139-2021>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 General safety and environmental requirements	3
5 Safety requirements and/or protective measures	3
5.1 General.....	3
5.2 Stability when in operation.....	3
5.3 Exhaust system.....	4
5.4 Air tube and chemical hoses.....	4
5.5 Controls.....	5
5.5.1 General.....	5
5.5.2 Handle.....	5
5.5.3 Throttle trigger.....	5
5.5.4 Engine stopping device.....	5
5.5.5 Starting device.....	5
5.5.6 Liquid line shut-off valve.....	6
5.6 Machine support.....	6
5.6.1 Harness.....	6
5.7 Power-driven components.....	6
5.8 Fuel tank.....	6
5.9 Protection against contact with hot parts.....	7
5.10 Electrical requirements.....	8
5.10.1 General.....	8
5.10.2 Ignition circuit.....	8
5.11 Vibration.....	8
5.11.1 Reduction by design at source and by protective measures.....	8
5.11.2 Vibration measurement.....	9
5.12 Noise.....	9
5.12.1 Reduction by design at source and by protective measures.....	9
5.12.2 Noise measurement.....	9
5.13 Electromagnetic immunity.....	9
5.13.1 Requirements.....	9
5.13.2 Verification.....	9
6 Environmental requirements and related test methods and minimum performance limits	9
6.1 General.....	9
6.2 Material of construction.....	10
6.2.1 Test for compatibility of sprayer components.....	10
6.3 Absorbency of carrying straps.....	10
6.4 Spray tank.....	10
6.5 Strainers and filters.....	11
6.6 Droplet size.....	11
6.7 Air hoses and chemicals hoses.....	11
6.8 Fan.....	12
6.9 Mass of total residual liquid.....	12
6.10 Stability.....	12
6.11 Liquid flow rate.....	12
6.12 Test report.....	12
7 Tests	12
7.1 Test liquids and equipment.....	12
7.2 Test conditions.....	13

ISO/DIS 28139:2017(E)

7.2.1	General.....	13
7.2.2	Engine speed.....	13
7.3	Spray liquid output.....	13
7.4	Mass of total residual liquid.....	14
7.5	Stability.....	14
7.6	Contents gauge scale and total tank volume.....	14
7.7	Filling rate.....	15
7.8	Air velocity.....	15
7.9	Droplet size test.....	17
7.10	Potential ground deposit.....	18
7.11	Potential vertical deposit.....	19
8	Information for use.....	19
8.1	General.....	19
8.2	Technical data.....	21
8.3	Marking.....	22
8.4	Warnings.....	22
Annex A (informative) List of significant hazards.....		23
Annex B (normative) Sampling grid position for air velocity determination.....		28
Annex C (normative) Stability test.....		29
Annex D (informative) Examples of machines.....		30
Annex E (informative) Safety signs.....		31
Annex F (informative) Position of sprayer and Petri dishes for potential ground deposit determination.....		33
Annex G (informative) Sprayer locking device.....		34
Annex H (informative) Device for detecting potential vertical deposits.....		35
Annex I (informative) Minimum content of Test Report.....		36
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC amended by Directive 2009/127/EC aimed to be covered.....		40
Bibliography.....		41

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 28139 was prepared by Technical Committee ISO/TC 23, *Tractors and machinery for agriculture and forestry*, Subcommittee SC 6, *Equipment for crop protection*.

This second edition of ISO 28139 cancels and replaces ISO 28139:2009 and ISO 10988:2011 *Equipment for crop protection -- Knapsack motorized air-assisted sprayers -- Test methods and performance limits*, which has been technically revised

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[SIST EN ISO 28139:2021](https://standards.iteh.ai/catalog/standards/sist/fc8608ac-7adb-44df-a8d6-92ca5dd5249e/sist-en-iso-28139-2021)

<https://standards.iteh.ai/catalog/standards/sist/fc8608ac-7adb-44df-a8d6-92ca5dd5249e/sist-en-iso-28139-2021>

Equipment for crop protection — Knapsack combustion engine-driven air-blast sprayers — Safety and environmental requirements and test methods

1 Scope

This International Standard specifies safety requirements and their verification, environmental requirements and related test methods and minimum performance limits, for the design and construction of knapsack combustion engine-driven air-blast sprayers as defined in ISO 5681.

NOTE 1 ISO 5681 is currently under revision.

NOTE 2 An example of this machine is given in [Annex D](#).

It describes methods for the elimination or reduction of hazards arising from their use. In addition, it specifies the type of information on safe working practices to be provided by the manufacturer.

It addresses general operating parameters as well as the potential deposition of spray droplets under specified controlled conditions.

This International Standard deals with all significant hazards, hazardous situations and events, excepting those arising from vibration transmitted at the back of operator.

It is applicable to knapsack combustion engine-driven air-blast sprayers when they are used as intended and under the conditions foreseen by the manufacturer (see Table A.1).

It is not applicable to:

- hydraulic pressure sprayers,
- thermal sprayers,
- cold foggers,
- sprayers adapted for the application of dry material.

It is not applicable to knapsack combustion engine-driven air-blast sprayers manufactured before the date of its publication.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

ISO 3767-5, *Tractors, machinery for agriculture and forestry, powered lawn and garden equipment — Symbols for operator controls and other displays — Part 5: Symbols for manual portable forestry machines*

ISO 3864-1, *Graphical symbols — Safety colours and safety signs — Part 1: Design principles for safety signs and safety markings*

ISO/DIS 28139:2017(E)

ISO 5681, *Equipment for crop protection — Vocabulary*

ISO 5682-1, *Equipment for crop protection — Spraying equipment — Part 1: Test methods for sprayer nozzles*

ISO 8893, *Forestry machinery — Portable brush-cutters and grass-trimmers — Engine performance and fuel consumption*

ISO 9357:1990, *Equipment for crop protection — Agricultural sprayers — Tank nominal volume and filling hole diameter*

ISO 11684, *Tractors, machinery for agriculture and forestry, powered lawn and garden equipment — Safety signs and hazard pictorials — General principles*

ISO 12100:2010, *Safety of machinery — General principles for design — Risk assessment and risk reduction*

ISO 13857:2008, *Safety of machinery — Safety distances to prevent hazard zones being reached by upper and lower limbs*

ISO 14982:1998, *Agricultural and forestry machinery — Electromagnetic compatibility — Test methods and acceptance criteria*

ISO 19732, *Equipment for crop protection — Sprayer filters — Colour coding for identification*

ISO 19932-1:2013, *Equipment for crop protection — Knapsack sprayers — Part 1: Safety and environmental requirements*

ISO 19932-2:2013, *Equipment for crop protection — Knapsack sprayers — Part 2: Test methods*

ISO 22867, *Forestry and gardening machinery — Vibration test code for portable hand-held machines with internal combustion engine — Vibration at the handles*

ISO 22868, *Forestry and gardening machinery — Noise test code for portable hand-held machines with internal combustion engine — Engineering method (Grade 2 accuracy)*

ISO/TR 11688-1, *Acoustics — Recommended practice for the design of low-noise machinery and equipment — Part 1: Planning*

IEC 60745-1:2006, *Hand-held motor-operated electric tools — Safety — Part 1: General requirements*

IEC 61032:1997, *Protection of persons and equipment by enclosures — Probes for verification*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 12100, ISO 5681, ISO 19932-1 and the following apply.

3.1

harness

adjustable strap(s) used to suspend the machine from the operator

3.2

silencer

device for directing the exhaust gases

3.3

engine stopping device

control fitted to the machine which stops the engine

3.4

throttle trigger

throttle control

device, usually a lever, activated by the operator's hand or finger, for controlling the engine speed

3.5**throttle lock**

device for temporarily setting the throttle in a partially open position

3.6**throttle trigger lockout**

device that prevents unintentional activation of the throttle trigger

3.8**air tube**

tube for the air flow between the fan and the nozzle

3.9**normal operation**

use of the machine that is reasonably foreseeable and which is consistent with such activities as distribution of chemicals, starting, stopping, fuelling, filling with chemicals and emptying

3.10**throttle limiting device**

manually activated device allowing different maximum positions of the throttle without preventing the return of the throttle to the idling position, designed to facilitate operation of the engine over a longer working period

4 General safety and environmental requirements

Knapsack combustion engine-driven air-blast sprayers shall be so designed that they can be safely used in accordance with their intended purpose, achieve minimal exposure levels to the operator and avoid unnecessary waste of plant protection products into the environment.

5 Safety requirements and/or protective measures

5.1 General

Machinery shall comply with the safety requirements and/or protective measures of this clause. In addition, the machine shall be designed according to the principles of ISO 12100 for relevant but not significant hazards which are not dealt with by this International Standard.

It is recommended that the overall mass of the knapsack mistblower at the maximum load, measured with full fuel and chemical tanks, as indicated by the manufacturer, not exceed 25 kg.

NOTE to be reviewed during DIS stage. Note 2 to entry: in some Regions the specified limit could be exceeded.

Wearing parts (such as nozzles, filters, anti-drip valves, valves, diaphragms) specified in the instruction handbook shall be changeable without special tools, unless provided with the sprayer, by an operator wearing appropriate protective gloves and without contamination of the operator and the environment.

Compliance shall be checked by inspection and function test.

5.2 Stability when in operation

The centre of gravity of the upright sprayer shall not be located at a horizontal distance greater than 150 mm from the back support of the harness with fuel and spray tanks filled to their nominal volume and with the equipment ready for use.

Compliance shall be checked by measurement as described in 5.6 of ISO 19932-2:2013.

ISO/DIS 28139:2017(E)

5.3 Exhaust system

The exhaust outlet shall be located so as to direct exhaust emissions away from the operator in the normal operating position.

Compliance shall be checked by inspection and functional testing.

5.4 Air tube and chemical hoses

The air tube shall be fitted with a handle on which a throttle trigger complying with 6.5.2 and an engine stopping device complying with 6.5.3 are mounted.

To adjust the flow of chemicals to the nozzle, an on-off valve shall be fitted such that it can be easily reached by the operator in working position.

The minimum length of the air tube from the middle of the hand grip to the extremity of the air tube shall be 500 mm as shown in Figure 1.

Dimensions in mm




Figure 1 — Length of the air tube

The air tube shall not be detachable without the use of a tool. This requirement does not apply to machines where the air tube detaching does not allow to reach the moving elements according to ISO 13857.

Compliance shall be checked by inspection, functional testing and measurement.