

ETSI TS 144 018 V15.5.0 (2020-04)



**Digital cellular telecommunications system (Phase 2+) (GSM);
Mobile radio interface layer 3 specification;
GSM/EDGE Radio Resource Control (RRC) protocol
(3GPP TS 44.018 version 15.5.0 Release 15)**

*Full document available at:
https://standards.iteh.ai/catalog/standards/sist/13d-0841-4435-b237-2c427f99a9eb/etsi-ts-144-018-v15-5-0-2020-04*



ReferenceRTS/TSGR-0644018vf50

KeywordsGSM

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	19
1 Scope	20
1.1 Scope of the Technical Specification	20
1.2 Application to the interface structures.....	20
1.3 Structure of layer 3 procedures.....	20
1.4 Test procedures	20
1.5 Use of logical channels.....	21
1.6 Overview of control procedures	21
1.6.1 List of procedures	21
1.7 Applicability of implementations	23
1.7.1 Voice Group Call Service (VGCS) and Voice Broadcast Service (VBS).....	23
1.7.2 General Packet Radio Service (GPRS)	23
1.7.3 Multimedia Broadcast/Multicast Service (MBMS)	23
1.8 Restrictions	24
2 References	24
2.1 Abbreviations	28
2.1.1 Random values.....	28
2.1.2 Vocabulary.....	28
3 Radio Resource management procedures.....	31
3.1 Overview/General	31
3.1.1 General.....	31
3.1.2 Services provided to upper layers	31
3.1.2.1 Idle mode	31
3.1.2.2 Dedicated mode.....	32
3.1.2.3 Group receive mode	32
3.1.2.4 Group transmit mode.....	32
3.1.2.5 Packet idle mode	33
3.1.2.6 Packet transfer mode	33
3.1.2.7 Dual transfer mode (DTM).....	33
3.1.3 Services required from data link and physical layers.....	33
3.1.4 Change of dedicated channels.....	33
3.1.4.1 Change of dedicated channels using SAPI = 0.....	33
3.1.4.2 Change of dedicated channels using other SAPIs than 0	34
3.1.5 Procedure for Service Request and Contention Resolution	34
3.1.6 Preemption.....	35
3.2 Idle mode procedures and general procedures in packet idle and packet transfer modes.....	36
3.2.1 Mobile Station side	36
3.2.2 Network side	38
3.2.2.1 System information broadcasting.....	38
3.2.2.2 Paging	40
3.2.2.3 Sending of ETWS Primary Notification	40
3.2.3 Inter-RAT cell re-selection based on priority information.....	41
3.2.3.1 General	41
3.2.3.2 Common priorities information.....	41
3.2.3.3 Provision of individual priorities information.....	42
3.2.4 (void).....	42
3.3 RR connection establishment	42
3.3.1 RR connection establishment initiated by the mobile station	42
3.3.1.1 Entering the dedicated mode : immediate assignment procedure	43
3.3.1.1.1 Permission to access the network	43
3.3.1.1.1a Implicit reject indication from the network.....	43

3.3.1.1.2	Initiation of the immediate assignment procedure.....	44
3.3.1.1.3	Answer from the network.....	45
3.3.1.1.3.1	On receipt of a CHANNEL REQUEST message.....	45
3.3.1.1.3.2	Assignment rejection.....	46
3.3.1.1.3.2a	Implicit Reject procedure.....	46
3.3.1.1.4	Assignment completion.....	47
3.3.1.1.4.1	Early classmark sending.....	47
3.3.1.1.4.2	Service information sending.....	48
3.3.1.1.5	Abnormal cases.....	48
3.3.1.2	Entering the group transmit mode: uplink access procedure.....	49
3.3.1.2.1	Mobile station side.....	49
3.3.1.2.1.1	Uplink investigation procedure - talker priority not supported by the network.....	49
3.3.1.2.1.1a	Uplink investigation procedure - talker priority supported by the network.....	50
3.3.1.2.1.2	Uplink access procedure with talker priority not supported by the network.....	50
3.3.1.2.1.2a	Uplink access procedure - with talker priority supported by the network using uplink access procedure.....	51
3.3.1.2.1.2a.1	Talker priority normal, privileged or emergency.....	51
3.3.1.2.1.2a.2	Emergency mode reset request.....	52
3.3.1.2.1.2b	Priority uplink request procedure.....	52
3.3.1.2.1.2b.1	Talker priority privileged or emergency.....	52
3.3.1.2.1.2b.2	Emergency mode reset request.....	53
3.3.1.2.1.2b.3	Validation of priority uplink requests for ciphered voice group calls.....	53
3.3.1.2.1.2c	Uplink access procedure for sending application-specific data.....	53
3.3.1.2.1.2c.1	General.....	53
3.3.1.2.1.2c.2	Using the Voice Group Call Channel.....	54
3.3.1.2.1.2c.3	Using the RACH.....	54
3.3.1.2.2	Network side - talker priority not supported by the network.....	54
3.3.1.2.2a	Network side - network supports talker priority using uplink access procedure.....	54
3.3.1.2.2a.1	Uplink FREE.....	54
3.3.1.2.2a.1.1	Uplink Access cause - Normal, Privileged, or Emergency priority request.....	54
3.3.1.2.2a.1.2	Uplink Access cause - Emergency mode reset request.....	55
3.3.1.2.2a.2	Uplink BUSY.....	55
3.3.1.2.2a.2.1	Uplink Access with cause priority less than or equal to current talker priority.....	55
3.3.1.2.2a.2.2	Uplink Access with cause priority higher than current talker priority.....	55
3.3.1.2.2a.2.3	Uplink Access with cause Emergency mode reset request.....	55
3.3.1.2.2b	Network side - network supports talker priority using priority uplink procedure.....	55
3.3.1.2.2b.1	Uplink FREE.....	55
3.3.1.2.2b.1.1	Uplink Access cause - Normal, Privileged, or Emergency priority request.....	55
3.3.1.2.2b.1.2	Uplink Access cause - Emergency mode reset request.....	56
3.3.1.2.2b.2	Uplink BUSY.....	56
3.3.1.2.2b.2.1	Priority Uplink Request with cause priority less than or equal to current talker priority.....	56
3.3.1.2.2b.2.2	Priority Uplink Request with cause priority higher than current talker priority.....	56
3.3.1.2.2b.2.3	Priority Uplink Request with cause Emergency mode reset request.....	56
3.3.1.2.2b.2.4	Validation of Priority Uplink Requests for ciphered voice group calls.....	56
3.3.1.2.2c	Network side - network supports sending application-specific data by mobile station.....	57
3.3.1.2.2c.1	General.....	57
3.3.1.2.2c.2	Using the Voice Group Call Channel.....	57
3.3.1.2.2c.3	Using the RACH.....	57
3.3.1.2.3	Abnormal cases.....	57
3.3.1.3	Dedicated mode and GPRS.....	57
3.3.1.4	Preliminary Access Barring Check.....	57
3.3.2	Paging procedure for RR connection establishment.....	58
3.3.2.1	Paging initiation by the network.....	58
3.3.2.1.1	Paging initiation using paging subchannel on CCCH.....	58
3.3.2.1.2	Paging initiation using paging subchannel on PCCCH.....	59
3.3.2.1.3	Paging initiation using PACCH.....	59
3.3.2.2	Paging response.....	60
3.3.2.3	Abnormal cases.....	60
3.3.3	Notification procedure.....	60
3.3.3.1	Notification of a call.....	60
3.3.3.2	Joining a VGCS or VBS call.....	61
3.3.3.2.1	General.....	61

3.3.3.2.2	Segmentation of notifications	62
3.3.3.2.2.1	General	62
3.3.3.2.2.2	Segmentation of notifications on NCH	62
3.3.3.2.2.3	Segmentation of notifications on PCH	64
3.3.3.3	Reduced NCH monitoring mechanism	65
3.3.3.4	Notification response procedure	66
3.4	Procedures in dedicated mode and in group transmit mode	66
3.4.1	SACCH procedures	66
3.4.1.1	General	66
3.4.1.2	Measurement Report and Enhanced Measurement Report	67
3.4.1.2.1	Parameters for Measurements and Reporting	68
3.4.1.2.1.1	Deriving the 3G Neighbour Cell list from the 3G Neighbour Cell Description sent on BCCH or on SACCH	69
3.4.1.2.1.1a	Deriving the E-UTRAN Neighbour Cell list from the Repeated E-UTRAN Neighbour Cell information sent on BCCH or on SACCH	70
3.4.1.2.1.1b	Deriving the E-UTRAN Neighbour Cell list from the Repeated E-UTRAN Neighbour Cell information sent on BCCH or on SACCH (abnormal cases)	71
3.4.1.2.1.2	Deriving the GSM Neighbour Cell list from the BSICs and the BA (list)	72
3.4.1.2.1.3	Deriving the Neighbour Cell list from the GSM Neighbour Cell list and the 3G Neighbour Cell list	72
3.4.1.2.1.4	Real Time Differences	72
3.4.1.2.1.5	Report Priority Description	72
3.4.1.2.1.6	GPRS Parameters	73
3.4.1.2.1.7	The 3G Cell Reselection list	73
3.4.1.2.1.7a	(void)	73
3.4.1.2.1.7b	Closed Subscriber Group Information	73
3.4.1.2.1.7c	The 3G Frequency list	73
3.4.1.2.1.8	CCN Support description	74
3.4.1.2.1.9	3G_CCN_ACTIVE Description	74
3.4.1.2.1.9a	E-UTRAN_CCN_ACTIVE Description	74
3.4.1.2.1.10	GSM Neighbour Cell Selection parameters	74
3.4.1.2.1.11	Fast Acquisition of System Information	75
3.4.1.2.1.12	Reporting of CSG Cells and Hybrid Cells	76
3.4.1.3	Extended measurement report \$(MAFA)\$	76
3.4.2	Transfer of messages and link layer service provision	77
3.4.3	Channel assignment procedure	77
3.4.3.1	Channel assignment initiation	77
3.4.3.2	Assignment completion	79
3.4.3.3	Abnormal cases	79
3.4.4	Handover procedure	80
3.4.4.1	Handover initiation	81
3.4.4.2	Physical channel establishment	84
3.4.4.2.1	Finely synchronized cell case	84
3.4.4.2.2	Non synchronized cell case	84
3.4.4.2.3	Pseudo-synchronized cell case	85
3.4.4.2.4	Pre-synchronized cell case	85
3.4.4.3	Handover completion	86
3.4.4.4	Abnormal cases	86
3.4.4a	Handover to UTRAN procedure	87
3.4.4a.1	Handover to UTRAN initiation	88
3.4.4a.2	Handover to UTRAN completion	88
3.4.4a.3	Abnormal cases	88
3.4.4b	Handover to CDMA2000 procedure	89
3.4.4b.1	Handover to CDMA2000 initiation	89
3.4.4b.2	Handover to CDMA2000 completion	89
3.4.4b.3	Abnormal cases	89
3.4.4c	Intermode handover to GERAN Iu mode procedure	90
3.4.4c.1	General	90
3.4.4c.2	Initiation of the handover to GERAN <i>Iu mode</i> procedure	90
3.4.4c.3	Completion of the Handover to GERAN <i>Iu Mode</i> procedure	90
3.4.4c.4	Abnormal cases	91
3.4.4d	CS to PS SRVCC procedure	91

3.4.4d.1	CS to PS SRVCC procedure initiation	91
3.4.4d.2	CS to PS SRVCC procedure completion	92
3.4.4d.3	Abnormal cases	92
3.4.5	Frequency redefinition procedure	92
3.4.5.1	Abnormal cases	93
3.4.6	Channel mode modify procedure	93
3.4.6.1	Normal channel mode modify procedure	93
3.4.6.1.1	Initiation of the channel mode modify procedure	93
3.4.6.1.2	Completion of channel mode modify procedure	94
3.4.6.1.3	Abnormal cases	94
3.4.6.2	Channel mode modify procedure for a voice group call talker	94
3.4.6.2.1	Initiation of the channel mode modify procedure	94
3.4.6.2.2	Completion of mode change procedure	95
3.4.6.2.3	Abnormal cases	95
3.4.7	Ciphering mode setting procedure	95
3.4.7.1	Ciphering mode setting initiation	95
3.4.7.2	Ciphering mode setting completion	95
3.4.7a	Selective Ciphering of Downlink SACCH	96
3.4.8	Additional channel assignment procedure	96
3.4.8.1	Additional assignment procedure initiation	97
3.4.8.2	Additional assignment procedure completion	97
3.4.8.3	Abnormal cases	97
3.4.9	Partial channel release procedure	97
3.4.9.1	Partial release procedure initiation	97
3.4.9.2	Abnormal cases	97
3.4.10	Classmark change procedure	98
3.4.11	Classmark interrogation procedure	98
3.4.11.1	Classmark interrogation initiation	98
3.4.11.2	Classmark interrogation completion	98
3.4.12	Indication of notifications and paging information	99
3.4.13	RR connection release procedure	99
3.4.13.1	Normal release procedure	99
3.4.13.1.1	Channel release procedure initiation in dedicated mode and in group transmit mode	99
3.4.13.1.1a	Channel release procedure initiation in dual transfer mode	101
3.4.13.1.2	Abnormal cases	101
3.4.13.2	Radio link failure in dedicated mode or dual transfer mode	101
3.4.13.2.1	Mobile side	102
3.4.13.2.2	Network side	102
3.4.13.3	RR connection abortion in dedicated mode or dual transfer mode	102
3.4.13.4	Uplink release procedure	103
3.4.13.5	Radio link failure in group transmit mode	103
3.4.13.5.1	Mobile side	103
3.4.13.5.2	Network side	103
3.4.13.6	RR connection abortion requested by upper layers	104
3.4.14	Receiving a RR STATUS message by a RR entity	104
3.4.15	Group receive mode procedures	104
3.4.15.1	Mobile station side	104
3.4.15.1.1	Reception of the VGCS or VBS channel	104
3.4.15.1.1.1	General	104
3.4.15.1.1.2	Reception on ciphered VGCS or VBS channel	104
3.4.15.1.2	Monitoring of downlink messages and related procedures	104
3.4.15.1.2.1	(void)	105
3.4.15.1.2.2	(void)	105
3.4.15.1.2.3	Channel mode modify procedure	105
3.4.15.1.2.4	Notification and paging information	105
3.4.15.1.2.4.1	Use of Reduced NCH monitoring	105
3.4.15.1.2.5	Uplink status messages	105
3.4.15.1.2.6	Channel release message	106
3.4.15.1.2.7	Information on paging channel restructuring	106
3.4.15.1.3	Uplink reply procedure	106
3.4.15.1.4	Leaving the group receive mode	106
3.4.15.1.4.1	Returning to idle mode	106

3.4.15.1.4.2	Going to group transmit mode	106
3.4.15.2	Network side	107
3.4.15.2.1	Provision of messages on the VGCS or VBS channel downlink	107
3.4.15.2.1.1	General	107
3.4.15.2.1.2	Provision of general information messages	107
3.4.15.2.1.3	Provision of messages related to the voice group call uplink channel	108
3.4.15.2.1.4	Provision of messages related to the voice broadcast uplink channel	108
3.4.15.2.2	Release of the VGCS or VBS Channels	109
3.4.15.2a	VBS/VGCS reconfiguration procedure	109
3.4.15.2a.1	Normal behaviour	109
3.4.15.2a.2	Abnormal cases	109
3.4.15.3	Failure cases	110
3.4.15.3a	Additional Information procedure	110
3.4.15.3b	SMS to on going group call procedure	110
3.4.16	Configuration change procedure	111
3.4.16.1	Configuration change initiation	111
3.4.16.2	Configuration change completion	111
3.4.16.3	Abnormal cases	112
3.4.17	Mapping of user data substreams onto timeslots in a multislot configuration	112
3.4.18	Handling of classmark information at band change	112
3.4.19	(void)	113
3.4.20	(void)	113
3.4.21	Application Procedures	113
3.4.21.1	General	113
3.4.21.2	Location Services (LCS)	113
3.4.21.2A	Earthquake and Tsunami Warning System (ETWS)	113
3.4.21.3	Application Information Transfer	113
3.4.21.3.1	Normal Procedure without Segmentation	113
3.4.21.3.2	Normal Procedure with Segmentation	113
3.4.21.3.3	Abnormal Cases	114
3.4.22	RR procedures related to packet resource establishment while in dedicated mode	115
3.4.22.1	Packet request procedure while in dedicated mode	115
3.4.22.1.1	Entering the dual transfer mode	115
3.4.22.1.1.1	Permission to access the network	115
3.4.22.1.1.2	Initiation of establishment of the packet request procedure	116
3.4.22.1.1.3	Answer from the network	116
3.4.22.1.1.3.1	Packet assignment	116
3.4.22.1.1.3.2	RR reallocation only	117
3.4.22.1.1.3.3	Packet request rejection	117
3.4.22.1.1.4	Packet request completion	117
3.4.22.1.1.5	Abnormal cases	118
3.4.22.2	Packet notification procedure in dedicated mode	119
3.4.22.2.1	Packet notification initiation by the network	119
3.4.22.2.2	Packet notification response	119
3.4.22.3	Packet downlink assignment in dedicated mode	119
3.4.22.3.1	Initiation of the packet downlink assignment procedure in dedicated mode	120
3.4.22.3.2	Packet downlink assignment completion	120
3.4.22.3.3	Abnormal cases	120
3.4.22.4	Modification of packet resources while in DTM	122
3.4.23	RR procedures related to packet resource maintenance while in dual transfer mode	122
3.4.23.1	General	122
3.4.23.2	RR and packet resource reallocation whilst in dual transfer mode	122
3.4.23.2.1	General	122
3.4.23.2.2	Normal resource reallocation case	123
3.4.23.2.3	Abnormal cases	124
3.4.24	RR procedures related to packet resource release while in dual transfer mode	125
3.4.25	GPRS suspension procedure	126
3.4.25.1	General	126
3.4.25.2	MS in class B mode of operation	126
3.4.25.3	Dual transfer mode not supported	126
3.4.26	GPRS Transparent Transport Procedure	126
3.4.27	RR procedures related to dedicated mode MBMS notification	127

3.4.27.1	General	127
3.4.27.2	MBMS announcement procedure in dedicated mode	127
3.4.27.2.1	General	127
3.4.27.2.2	MBMS announcement initiation by the network.....	127
3.4.27.2.3	MBMS notification response.....	127
3.4.28	Transmission of application-specific data by the talker.....	128
3.4.28.1	General	128
3.5	RR procedures on CCCH and EC-CCCH related to temporary block flow establishment	128
3.5.0	General.....	128
3.5.1	Packet paging procedure using CCCH.....	128
3.5.1.1	Packet paging initiation by the network.....	129
3.5.1.2	On receipt of a packet paging request	130
3.5.1.3	Packet Paging for MBMS notification on CCCH	130
3.5.1.3.1	General	130
3.5.1.3.2	MBMS pre-notification	130
3.5.1.3.3	MBMS notification.....	131
3.5.1.3.4	Response to MBMS notification	132
3.5.1a	Packet paging procedure using EC-CCCH	133
3.5.1a.1	Packet paging initiation by the network.....	133
3.5.2	Packet access procedure using CCCH	135
3.5.2.1	Entering the packet transfer mode: packet access procedure	135
3.5.2.1.1	Permission to access the network	135
3.5.2.1.2	Initiation of the packet access procedure: channel request	136
3.5.2.1.2a	EC Packet access procedure (EC-CCCH)	143
3.5.2.1.3	Packet immediate assignment.....	147
3.5.2.1.3.1	On receipt of a CHANNEL REQUEST or EGPRS PACKET CHANNEL REQUEST or EC PACKET CHANNEL REQUEST message or EGPRS MULTILATERATION REQUEST	147
3.5.2.1.3.2	One phase packet access	149
3.5.2.1.3.3	Single block packet access	151
3.5.2.1.3.3a	Multiblock packet access	151
3.5.2.1.3.4	Packet access rejection.....	152
3.5.2.1.3a	Packet immediate assignment (EC-CCCH).....	153
3.5.2.1.3a.1	On receipt of an EC PACKET CHANNEL REQUEST or EC MULTILATERATION REQUEST message	153
3.5.2.1.3a.2	Packet access rejection.....	154
3.5.2.1.4	Packet access completion.....	155
3.5.2.1.4a	Packet access completion (EC-CCCH)	155
3.5.2.1.5	Abnormal cases	155
3.5.2.1.5a	Abnormal cases (EC-CCCH).....	156
3.5.2.1.6	(void).....	156
3.5.2.2	Sending an RLC/MAC control message: single block packet access procedure	156
3.5.2a	Packet access procedure using EC-CCCH.....	156
3.5.2a.1	EC-GSM-IoT Preliminary Access Barring Check	157
3.5.2a.2	EC-GSM-IoT Implicit Reject procedure.....	158
3.5.3	Packet downlink assignment procedure using CCCH	158
3.5.3.1	Entering the packet transfer mode: packet downlink assignment procedure.....	158
3.5.3.1.2	Initiation of the packet downlink assignment procedure	158
3.5.3.1.3	Packet downlink assignment completion.....	161
3.5.3.1.4	Abnormal cases	161
3.5.3.2	Sending an RLC/MAC control message: single block packet downlink assignment procedure.....	161
3.5.3.2a	Sending an RLC/MAC control message: multiple blocks packet downlink assignment procedure....	162
3.5.4	MBMS packet access procedure using CCCH.....	162
3.5.4.1	General	162
3.5.4.2	On receipt of a CHANNEL REQUEST message.....	163
3.5.4.3	On receipt of an IMMEDIATE ASSIGNMENT message	163
3.5.4.4	On receipt of an IMMEDIATE ASSIGNMENT REJECT message	163
3.5.4.5	On receipt of an MBMS ASSIGNMENT message.....	163
3.5.4.6	Abnormal cases	163
3.5.5	Packet downlink assignment procedure using EC-CCCH	163
3.5.5.1	Entering the packet transfer mode: packet downlink assignment procedure.....	164
3.5.5.2	Initiation of the packet downlink assignment procedure.....	164

3.5.5.3	Packet downlink assignment completion	165
3.5.5.4	Abnormal cases	165
3.6	RR Procedures in packet transfer mode	165
3.6.1	RR Connection establishment using enhanced DTM CS establishment.....	165
3.6.2	Completion of RR Connection establishment.....	165
3.6.2.1	Connection established in response to an encapsulated IMMEDIATE ASSIGNMENT message.....	165
3.6.2.2	Connection established in response to an encapsulated DTM ASSIGNMENT COMMAND message	166
3.7	DTM Handover procedure	166
3.7.1	General.....	166
3.7.2	DTM Handover from GERAN A/Gb mode to GERAN A/Gb mode procedure	166
3.7.2.1	Abnormal cases	167
3.7.3	DTM Handover from GERAN A/Gb mode to UTRAN procedure	168
3.8	Network sharing	168
3.8.1	General.....	168
3.8.2	Network side.....	168
3.8.2.1	Provision of network sharing information.....	168
3.8.2.2	EC System information broadcasting.....	169
3.8.3	Mobile station side.....	169
3.8.4	Abnormal cases.....	170
3.9	Power Efficient Operation (PEO).....	171
3.9.1	General.....	171
3.9.2	PEO Power Saving States	171
3.9.3	Extended DRX (eDRX)	172
3.9.4	BCCH Acquisition.....	172
3.9.4.1	Deferred System Information Acquisition for PEO	173
3.10	EC Operation.....	174
3.10.1	General.....	174
3.10.2	Power Saving States.....	174
3.10.3	Extended DRX (eDRX)	175
3.10.4	EC-BCCH Acquisition	175
3.10.5	Extended Coverage	177
3.10.6	EC-CCCH/D Operation	177
3.11	Multilateration Timing Advance	178
3.11.1	General.....	178
3.11.2	RLC Data Block Method	179
3.11.3	Access Burst Method	179
3.11.4	Extended Access Burst Method	179
3.11.5	BSS Support of Multilateration Timing Advance.....	180
4	Elementary procedures for Mobility Management.....	180
5	Elementary procedures for circuit-switched Call Control.....	180
6	Support for packet services	180
7	Examples of structured procedures	181
8	Handling of unknown, unforeseen, and erroneous protocol data.....	181
8.1	General	181
8.2	Message too short.....	181
8.3	(void).....	181
8.4	Unknown or unforeseen message type	181
8.5	Non-semantical mandatory information element errors	182
8.5.1	Radio resource management	183
8.6	Unknown and unforeseen IEs in the non-imperative message part.....	183
8.6.1	IEs unknown in the message	183
8.6.2	Out of sequence IEs	183
8.6.3	Repeated IEs	183
8.7	Non-imperative message part errors.....	183
8.7.1	Syntactically incorrect optional IEs	183
8.7.2	Conditional IE errors	183
8.8	Messages with semantically incorrect contents.....	184
8.9	Incomplete rest octets.....	184

9	Message functional definitions and contents	184
9.1	Messages for Radio Resources management	186
9.1.1	Additional assignment	189
9.1.1.1	Mobile Allocation	189
9.1.1.2	Starting Time	189
9.1.1.3	Extended TSC Set	189
9.1.2	Assignment command	189
9.1.2.1	Mode of the First Channel (Channel Set 1) and Mode of Channel Set "X" ($2 \leq X \leq 8$)	191
9.1.2.2	Description of the Second Channel	191
9.1.2.3	Mode of the Second Channel	191
9.1.2.4	Mobile Allocation and Frequency List, after the starting time	191
9.1.2.5	Starting Time	191
9.1.2.6	Reference cell frequency list	192
9.1.2.7	Cell Channel Description	192
9.1.2.8	Cipher Mode Setting	192
9.1.2.9	VGCS target mode Indication	192
9.1.2.10	Description of the multislot allocation	193
9.1.2.11	Multi Rate configuration	193
9.1.2.12	VGCS Ciphering Parameters	193
9.1.2.13	Extended TSC Set, after time	193
9.1.2.14	Extended TSC Set, before time	193
9.1.3	Assignment complete	193
9.1.4	Assignment failure	194
9.1.5	Channel mode modify	194
9.1.5.1	Channel Description	195
9.1.5.2	VGCS target mode Indication	195
9.1.5.3	Multi Rate configuration	195
9.1.5.4	VGCS Ciphering Parameters	195
9.1.5.5	Extended TSC Set	195
9.1.6	Channel mode modify acknowledge	196
9.1.6.1	Extended TSC Set	196
9.1.7	Channel release	196
9.1.7.1	Group Channel Description / Group Channel Description 2	197
9.1.7.2	Group Cipher Key Number	197
9.1.7.3	UTRAN Freq List	198
9.1.7.4	Cell Channel Description	198
9.1.7.5	VGCS Ciphering Parameters	198
9.1.7.6	Talker Identity	198
9.1.7.7	Talker Priority Status	198
9.1.7.8	VGCS AMR Configuration	198
9.1.7.9	Individual priorities	198
9.1.8	Channel request	198
9.1.9	Ciphering mode command	200
9.1.10	Ciphering mode complete	201
9.1.10.1	Mobile Equipment Identity	201
9.1.11	Classmark change	201
9.1.11.1	Additional Mobile Station Classmark Information	202
9.1.11.2	Mobile Station Classmark	202
9.1.11a	UTRAN Classmark Change	202
9.1.11b	cdma2000 Classmark Change	202
9.1.11c	(void)	203
9.1.11d	GERAN IU Mode Classmark Change	203
9.1.12	Classmark enquiry	204
9.1.12a	(void)	205
9.1.12b	Configuration change command	205
9.1.12b.1	Description of the multislot allocation	205
9.1.12b.2	Mode of Channel Set "X" ($1 \leq X \leq 8$)	205
9.1.12c	Configuration change acknowledge	206
9.1.12d	Configuration change reject	206
9.1.12e	DTM Assignment Command	206
9.1.12e.1	(void)	207
9.1.12e.2	RR Packet Uplink Assignment and RR Packet Downlink Assignment IEs	207

9.1.12e.3	MultiRate configuration	207
9.1.12e.4	Ciphering Mode Setting	208
9.1.12e.5	(void).....	208
9.1.12e.6	Mobile Allocation and Frequency List.....	208
9.1.12e.7	Mobile Allocation C2, Frequency List C2, Channel Description C2 and Description of the Downlink Packet Channel Assignment Type 2.....	208
9.1.12e.8	Extended TSC Set	208
9.1.12f	DTM Assignment Failure	209
9.1.12g	DTM Information	209
9.1.12g.1	Routeing Area Identification	209
9.1.12h	DTM Reject	210
9.1.12i	DTM Request.....	210
9.1.13	Frequency redefinition	211
9.1.13.1	Cell Channel Description	211
9.1.13.2	Carrier Indication	211
9.1.13.3	Mobile Allocation C2 and Channel Description C2.....	211
9.1.13.4	Extended TSC Set	211
9.1.13a	(void)	212
9.1.13b	GPRS suspension request	212
9.1.13b.1	General	212
9.1.13b.2	Routeing Area Identification	212
9.1.13b.3	Temporary Logical Link Identity	212
9.1.14	Handover access	212
9.1.15	Handover command	213
9.1.15.1	Synchronization Indication	215
9.1.15.2	Mode of the First Channel (Channel Set 1) and Mode of Channel Set "X" (2= X ≤8).....	215
9.1.15.3	Description of the Second Channel	215
9.1.15.4	Mode of the Second Channel	216
9.1.15.5	Frequency Channel Sequence, Frequency List, Frequency short list and Mobile Allocation, after time.	216
9.1.15.6	Starting Time.....	216
9.1.15.7	Reference cell frequency list	217
9.1.15.8	Real Time Difference.....	217
9.1.15.9	Timing Advance.....	217
9.1.15.10	Cipher Mode Setting	217
9.1.15.11	VGCS target mode indication	217
9.1.15.12	Description of the multislot allocation	218
9.1.15.13	MultiRateconfiguration	218
9.1.15.14	Dynamic ARFCN Mapping	218
9.1.15.15	VGCS Target cell Ciphering information	218
9.1.15.16	Dedicated Service Information.....	218
9.1.15.17	Extended TSC Set, after time	218
9.1.15.18	Extended TSC Set, before time	219
9.1.15a	Inter System To UTRAN Handover Command.....	219
9.1.15b	Inter System To cdma2000 Handover Command	219
9.1.15c	HANDOVER TO GERAN Iu MODE Command	220
9.1.15d	Inter System To E-UTRAN Handover Command	220
9.1.16	Handover complete	220
9.1.16.1	Mobile Observed Time Difference	221
9.1.16.2	Mobile Observed Time Difference on Hyperframe level.....	221
9.1.17	Handover failure	221
9.1.17.1	PS Cause	221
9.1.18	Immediate assignment	221
9.1.18.0a	Dedicated mode or TBF	223
9.1.18.0b	Channel Description.....	223
9.1.18.0c	Packet Channel Description	223
9.1.18.0d	Request Reference.....	224
9.1.18.0e	Timing Advance.....	224
9.1.18.1	Mobile Allocation	224
9.1.18.2	Starting Time.....	224
9.1.18.3	IA Rest Octets (Frequency parameters, before time)	224
9.1.18.4	IA Rest Octets (assignment of uplink or downlink TBF).....	225

9.1.18.5	Extended TSC Set	225
9.1.18.6	Request Reference N.....	225
9.1.18a	(void)	225
9.1.18b	Immediate packet assignment	225
9.1.19	Immediate assignment extended	226
9.1.19.1	Unnecessary IEs	227
9.1.19.2	Mobile Allocation	227
9.1.19.3	Starting Time.....	227
9.1.19.4	Maximum message length.....	227
9.1.19.5	IAX Rest Octets	227
9.1.20	Immediate assignment reject.....	227
9.1.20.1	Use of the indexes	228
9.1.20.2	Filling of the message	228
9.1.20.2a	Request Reference.....	228
9.1.20.3	Wait Indication.....	229
9.1.20.4	IAR Rest Octets	229
9.1.21	Measurement report	229
9.1.21a	Notification/FACCH.....	229
9.1.21a.1	(void).....	232
9.1.21a.2	(void).....	232
9.1.21a.3	(void).....	232
9.1.21a.4	(void).....	232
9.1.21b	Notification/NCH	232
9.1.21b.1	(void).....	233
9.1.21b.2	(void).....	233
9.1.21c	(void)	233
9.1.21d	Notification response	233
9.1.21e	(void)	234
9.1.21f	Packet Assignment.....	234
9.1.21f.1	RR Packet Uplink Assignment and RR Packet Downlink Assignment IEs	234
9.1.21f.2	(void).....	234
9.1.21f.3	Frequency List C2, Mobile Allocation C2 and Description of the Downlink Packet Channel Assignment Type 2	234
9.1.21f.4	Extended TSC Set	235
9.1.21g	Packet Notification	235
9.1.21g.1	P-TMSI	235
9.1.21g.2	Mobile identity	235
9.1.21h	VBS/VGCS reconfigure	235
9.1.21i	VBS/VGCS reconfigure2	236
9.1.21j	MBMS Announcement	237
9.1.22	Paging request type 1	238
9.1.22.1	Unnecessary IE	238
9.1.22.2	Channels needed for Mobiles 1 and 2	238
9.1.22.3	Mobile Identities	239
9.1.22.4	P1 Rest Octets	239
9.1.23	Paging request type 2.....	239
9.1.23.1	Channels needed for Mobiles 1 and 2	239
9.1.23.2	Mobile Identity 3.....	240
9.1.23.3	P2 Rest Octets	240
9.1.24	Paging request type 3.....	240
9.1.24.1	Channels needed for Mobiles 1 and 2	241
9.1.24.2	P3 Rest Octets	241
9.1.25	Paging response	241
9.1.25.1	Mobile Station Classmark	241
9.1.25.2	Additional Update Parameters	241
9.1.26	Partial release.....	242
9.1.26.1	Channel Description	242
9.1.27	Partial release complete	242
9.1.28	Physical information	242
9.1.28a	(void)	243
9.1.29	RR Status	243
9.1.30a	Synchronization channel information	243