



**Methods for Testing and Specification (MTS);
The Testing and Test Control Notation version 3;
Part 1: TTCN-3 Core Language**

[ETSI ES 201 873-1 V4.13.1 \(2021-06\)](https://standards.iteh.ai/catalog/standards/sist/7d864461-ad58-4ec8-8ece-a2a3f378392e/etsi-es-201-873-1-v4-13-1-2021-06)

<https://standards.iteh.ai/catalog/standards/sist/7d864461-ad58-4ec8-8ece-a2a3f378392e/etsi-es-201-873-1-v4-13-1-2021-06>

Reference

RES/MTS-201873-1v4.13.1

Keywords

language, methodology, testing, TTCN-3

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSI/DeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2021.
All rights reserved.

Contents

Intellectual Property Rights	13
Foreword.....	13
Modal verbs terminology.....	14
1 Scope	15
2 References	15
2.1 Normative references	15
2.2 Informative references.....	16
3 Definition of terms, symbols and abbreviations.....	18
3.1 Terms.....	18
3.2 Symbols.....	23
3.3 Abbreviations	23
4 Introduction	25
4.0 General	25
4.1 The core language and presentation formats	25
4.2 Unanimity of the specification	27
4.3 Conformance.....	27
5 Basic language elements	27
5.0 General	27
5.1 Identifiers and keywords.....	28
5.2 Scope rules	28
5.2.0 General.....	28
5.2.1 Scope of formal parameters.....	31
5.2.2 Uniqueness of identifiers	31
5.3 Ordering of language elements.....	32
5.4 Parameterization.....	32
5.4.0 General.....	32
5.4.1 Formal parameters	33
5.4.1.0 General.....	33
5.4.1.1 Formal parameters of kind value.....	33
5.4.1.2 Formal parameters of kind template.....	36
5.4.2 Actual parameters	38
5.5 Cyclic Definitions.....	43
6 Types and values	44
6.0 General	44
6.1 Basic types and values.....	45
6.1.0 Simple basic types and values.....	45
6.1.1 Basic string types and values	46
6.1.1.0 General	46
6.1.1.1 Accessing individual string elements	48
6.1.2 Subtyping of basic types	49
6.1.2.0 General	49
6.1.2.1 Lists of templates	49
6.1.2.2 Lists of types	49
6.1.2.3 Ranges.....	50
6.1.2.4 String length restrictions	50
6.1.2.5 Pattern subtyping of character string types	51
6.1.2.6 Mixing subtyping mechanisms.....	51
6.1.2.6.1 Mixing patterns, lists and ranges	51
6.1.2.6.2 Using length restriction with other constraints	52
6.2 Structured types and values	52
6.2.0 General.....	52
6.2.1 Record type and values	54
6.2.1.0 General.....	54

6.2.1.1	Referencing fields of a record type	57
6.2.1.2	Optional elements in a record.....	58
6.2.1.3	Nested type definitions for field types	58
6.2.2	Set type and values	59
6.2.2.0	General	59
6.2.2.1	Referencing fields of a set type	59
6.2.2.2	Optional elements in a set	59
6.2.2.3	Nested type definition for field types	59
6.2.3	Records and sets of single types	59
6.2.3.0	General	59
6.2.3.1	Nested type definitions.....	62
6.2.3.2	Referencing elements of record of and set of types	62
6.2.4	Enumerated type and values	63
6.2.5	Unions.....	65
6.2.5.0	General.....	65
6.2.5.1	Referencing fields of a union type	66
6.2.5.2	Option and union.....	67
6.2.5.3	Nested type definition for field types	67
6.2.6	The anytype	68
6.2.7	Arrays	68
6.2.8	The default type	70
6.2.9	Communication port types.....	70
6.2.10	Component types	72
6.2.10.1	Component type definition.....	72
6.2.10.2	Reuse of component types	73
6.2.11	Component references	75
6.2.12	Addressing entities inside the SUT	77
6.2.13	Subtyping of structured types	79
6.2.13.0	General	79
6.2.13.1	Length subtyping of record ofs and set ofs	79
6.2.13.2	List subtyping of structured types and anytype.....	80
6.2.13.3	Subtyping of the iterated type of record ofs and set ofs	83
6.2.13.4	Mixing subtyping mechanisms.....	84
6.2.14	The timer type.....	84
6.2.15	Map types	84
6.2.15.0	General.....	84
6.2.15.1	Map Type Definition.....	84
6.2.15.2	Indexed Assignment Notation.....	85
6.2.15.3	Unmapping Keys.....	85
6.2.15.4	Index Notation.....	86
6.2.15.5	Accessing the Keys of a Map.....	86
6.2.15.6	Accessing the Values of a Map.....	87
6.2.15.7	Referencing of Elements of a Map.....	87
6.2.15.8	Nested type definitions.....	87
6.2.16	The open type	87
6.3	Type compatibility	88
6.3.0	General.....	88
6.3.1	Compatibility of non-structured types	88
6.3.2	Compatibility of structured types.....	90
6.3.2.0	General	90
6.3.2.1	Compatibility of enumerated types	90
6.3.2.2	Compatibility of record and record of types	91
6.3.2.3	Compatibility of set and set of types.....	92
6.3.2.4	Compatibility of union types.....	93
6.3.2.5	Compatibility of anytype types	93
6.3.2.6	Compatibility between sub-structures	94
6.3.2.7	Compatibility of the open type.....	94
6.3.3	Compatibility of component types.....	95
6.3.4	Type compatibility of communication and connection operations	95
6.3.5	Type conversion.....	96
6.3.6	Type compatibility of port types.....	96
6.3.7	Type compatibility of timer types.....	96

6.3.8	Type Compatibility of Map Types.....	96
6.4	Type synonym.....	96
7	Expressions.....	96
7.0	General.....	96
7.1	Operators.....	97
7.1.0	General.....	97
7.1.1	Arithmetic operators.....	99
7.1.2	List operator.....	99
7.1.3	Relational operators.....	100
7.1.4	Logical operators.....	103
7.1.5	Bitwise operators.....	103
7.1.6	Shift operators.....	104
7.1.7	Rotate operators.....	104
7.1.8	Presence checking operators.....	105
7.1.8.0	General.....	105
7.1.8.1	The ispresent operator.....	106
7.1.8.2	The ischosen operator.....	107
7.1.8.3	The isvalue operator.....	108
7.1.8.4	The isbound operator.....	110
7.2	Field references and list elements.....	111
7.3	Decoded field reference.....	111
8	Modules.....	112
8.0	General.....	112
8.1	Definition of a module.....	112
8.2	Module definitions part.....	113
8.2.0	General.....	113
8.2.1	Module parameters.....	114
8.2.2	Groups of definitions.....	115
8.2.3	Importing from modules.....	116
8.2.3.0	General.....	116
8.2.3.1	General format of import.....	117
8.2.3.2	Importing single definitions.....	123
8.2.3.3	Importing groups.....	124
8.2.3.4	Importing definitions of the same kind.....	125
8.2.3.5	Importing all definitions of a module.....	126
8.2.3.6	Import definitions from other TTCN-3 editions and from non-TTCN-3 modules.....	127
8.2.3.7	Importing of import statements from TTCN-3 modules.....	128
8.2.3.8	Compatibility of language specifications in imports.....	129
8.2.4	Definition of friend modules.....	130
8.2.5	Visibility of definitions.....	130
8.3	Module control part.....	132
9	Port types, component types and test configurations.....	133
9.0	General.....	133
9.1	Communication ports.....	133
9.2	Test system interface.....	136
10	Declaring constants.....	138
11	Declaring variables.....	138
11.0	General.....	138
11.1	Value variables.....	139
11.2	Template variables.....	140
12	Declaring timers.....	141
13	Declaring messages.....	142
14	Declaring procedure signatures.....	143
15	Declaring templates.....	144
15.0	General.....	144
15.1	Declaring message templates.....	145

15.2	Declaring signature templates	147
15.3	Global and local templates	148
15.4	In-line Templates.....	149
15.5	Modified templates.....	150
15.6	Referencing elements of templates or template fields	155
15.6.0	General.....	155
15.6.1	Referencing individual string elements.....	155
15.6.2	Referencing record and set fields.....	155
15.6.3	Referencing record of and set of elements	156
15.6.4	Referencing signature parameters.....	159
15.6.5	Referencing union alternatives.....	160
15.7	Template matching mechanisms	161
15.7.0	General.....	161
15.7.1	Specific values	162
15.7.2	Special symbols that can be used instead of values	163
15.7.3	Special symbols that can be used inside values	164
15.7.4	Special symbols which describe attributes of values	164
15.8	Template Restrictions.....	165
15.9	Match Operation.....	168
15.10	Value of Operation	169
15.11	Concatenating templates of string and list types	170
15.12	The omit operation	172
15.13	The present operation	173
16	Functions, altsteps and testcases	174
16.0	General	174
16.1	Functions	174
16.1.0	General.....	174
16.1.1	Invoking functions	176
16.1.2	Predefined functions	177
16.1.3	External functions.....	179
16.1.4	Invoking functions from specific places 873-1.V4.13.1.(2021-06)	180
16.1.5	Explicit control functions standards.iteh.ai/catalog/standards/sist/7d864461-ad58-4ec8-8ece-a2a3f378392e/etsi-es-201-873-1-v4-13-1-2021-06	181
16.2	Altsteps.....	181
16.2.0	General.....	181
16.2.1	Invoking altsteps.....	183
16.3	Test cases.....	185
17	Void.....	186
18	Overview of program statements and operations	186
19	Basic program statements.....	188
19.0	General	188
19.1	Assignments	189
19.2	The If-else statement	190
19.3	The Select statements	191
19.3.1	The Select case statement	191
19.3.2	The Select union statement	192
19.4	The For statement.....	193
19.5	The While statement.....	194
19.6	The Do-while statement	194
19.7	The Label statement	194
19.8	The Goto statement	195
19.9	The Stop execution statement.....	196
19.10	The Return statement.....	197
19.11	The Log statement	198
19.12	The Break statement	199
19.13	The Continue statement.....	200
19.14	Statement block	201
20	Statement and operations for alternative behaviours.....	201
20.0	General	201

20.1	The snapshot mechanism.....	202
20.2	The Alt statement	202
20.3	The Repeat statement	206
20.4	The Interleave statement	207
20.5	Default Handling	209
20.5.0	General.....	209
20.5.1	The default mechanism.....	210
20.5.2	The Activate operation.....	210
20.5.3	The Deactivate operation	211
21	Configuration Operations	212
21.0	General	212
21.1	Connection Operations	213
21.1.0	General.....	213
21.1.1	The Connect and Map operations	214
21.1.2	The Disconnect and Unmap operations	216
21.2	Test case operations.....	217
21.2.0	General.....	217
21.2.1	Test case stop operation.....	218
21.3	Component Operations.....	218
21.3.0	General.....	218
21.3.1	The Create operation.....	218
21.3.2	The Start component operation.....	220
21.3.3	The Stop component operation	221
21.3.4	The Kill component operation	222
21.3.5	The Alive operation	223
21.3.6	The Running operation	224
21.3.7	The Done operation	225
21.3.8	The Killed operation	227
21.3.9	Summary of the use of any and all with components	230
21.3.10	The Call test component behaviour operation	230
22	Communication operations.....	232
22.0	General	232
22.1	The communication mechanisms	232
22.1.0	General.....	232
22.1.1	Principles of message-based communication.....	232
22.1.2	Principles of procedure-based communication	233
22.1.3	Principles of unicast, multicast and broadcast communication.....	233
22.1.4	General format of communication operations	234
22.1.4.0	General	234
22.1.4.1	General format of the sending operations	234
22.1.4.2	General format of the receiving operations	235
22.2	Message-based communication.....	236
22.2.0	General.....	236
22.2.1	The Send operation	236
22.2.2	The Receive operation	237
22.2.3	The Trigger operation	241
22.3	Procedure-based communication.....	244
22.3.0	General.....	244
22.3.1	The Call operation	244
22.3.2	The Getcall operation.....	248
22.3.3	The Reply operation.....	251
22.3.4	The Getreply operation	252
22.3.5	The Raise operation	255
22.3.6	The Catch operation.....	256
22.4	The Check operation	260
22.5	Controlling communication ports.....	262
22.5.0	General.....	262
22.5.1	The Clear port operation	262
22.5.2	The Start port operation	263
22.5.3	The Stop port operation	263

22.5.4	The Halt port operation.....	264
22.5.5	The Checkstate port operation	264
22.6	Use of any and all with ports	266
23	Timer operations	266
23.0	General	266
23.1	The timer mechanism.....	267
23.2	The Start timer operation.....	267
23.3	The Stop timer operation.....	268
23.4	The Read timer operation	268
23.5	The Running timer operation.....	269
23.6	The Timeout operation	270
23.7	Summary of use of any and all with timers	271
24	Test verdict operations	271
24.0	General	271
24.1	The Verdict mechanism.....	271
24.2	The Setverdict operation	272
24.3	The Getverdict operation.....	273
25	External actions	274
26	Module control	274
26.0	General	274
26.1	The Execute statement.....	275
26.2	Test suite execution	276
26.3	Parallel control components	278
27	Specifying attributes.....	278
27.0	General	278
27.1	The Attribute mechanism	279
27.1.0	General.....	279
27.1.1	Scope of attributes	279
27.1.2	Overwriting rules for attributes.....	280
27.1.2.0	General	280
27.1.2.1	Additional default overwriting rules for variant attributes	282
27.1.2.2	Overwriting rules for multiple encoding.....	283
27.1.3	Changing attributes of imported language elements	283
27.2	The With statement	284
27.3	Display attributes.....	285
27.4	Encoding attributes.....	286
27.5	Variant attributes	287
27.6	Extension attributes	289
27.7	Optional attributes	289
27.8	Retrieving attribute values.....	291
27.9	Dynamic configuration of encoding used by ports.....	292
Annex A (normative): BNF and static semantics		294
A.1	TTCN-3 BNF	294
A.1.0	General	294
A.1.1	Conventions for the syntax description	294
A.1.2	Statement terminator symbols	294
A.1.3	Identifiers	294
A.1.4	Comments.....	294
A.1.5	TTCN-3 terminals	295
A.1.5.0	General.....	295
A.1.5.1	Use of whitespaces and newlines.....	297
A.1.6	TTCN-3 syntax BNF productions	298
A.1.6.0	TTCN-3 module.....	298
A.1.6.1	Module definitions part.....	298
A.1.6.1.0	General	298
A.1.6.1.1	Typedef definitions	298
A.1.6.1.2	Constant definitions	300

A.1.6.1.3	Template definitions.....	300
A.1.6.1.4	Function definitions	302
A.1.6.1.5	Signature definitions	303
A.1.6.1.6	Testcase definitions.....	303
A.1.6.1.7	Altstep definitions	303
A.1.6.1.8	Import definitions.....	303
A.1.6.1.9	Group definitions	304
A.1.6.1.10	External function definitions.....	304
A.1.6.1.11	Void.....	305
A.1.6.1.12	Module parameter definitions	305
A.1.6.1.13	Friend module definitions	305
A.1.6.2	Module control function	305
A.1.6.3	Local definitions	305
A.1.6.3.1	Variable instantiation	305
A.1.6.3.2	Timer instantiation	305
A.1.6.4	Operations.....	305
A.1.6.4.1	Component operations	305
A.1.6.4.2	Port operations	306
A.1.6.4.3	Timer operations	308
A.1.6.4.4	Testcase operation.....	308
A.1.6.5	Type.....	308
A.1.6.6	Value.....	309
A.1.6.7	Parameterization	310
A.1.6.8	Statements.....	310
A.1.6.8.1	With statement	310
A.1.6.8.2	Behaviour statements	311
A.1.6.8.3	Basic statements	312
A.1.6.9	Miscellaneous productions	314

Annex B (normative): Matching values 315

B.1	Template matching mechanisms.....	315
B.1.0	General	315
B.1.1	Matching specific values	315
B.1.2	Matching mechanisms instead of values	315
B.1.2.0	General.....	315
B.1.2.1	Template list	315
B.1.2.2	Complemented template list	316
B.1.2.3	Any value.....	317
B.1.2.4	Any value or none.....	318
B.1.2.5	Value range.....	319
B.1.2.6	SuperSet.....	319
B.1.2.7	SubSet.....	320
B.1.2.8	Omitting optional fields	322
B.1.2.9	Matching decoded content	322
B.1.2.10	Matching enumerated value with value list	324
B.1.3	Matching mechanisms inside values	324
B.1.3.0	General.....	324
B.1.3.1	Any element.....	324
B.1.3.1.0	General	324
B.1.3.1.1	Using single character wildcards.....	324
B.1.3.2	Any number of elements or no element	325
B.1.3.2.0	General	325
B.1.3.2.1	Using multiple character wildcards.....	325
B.1.3.3	Permutation.....	325
B.1.4	Matching attributes of values	327
B.1.4.0	General.....	327
B.1.4.1	Length restrictions	327
B.1.4.2	The IfPresent indicator.....	328
B.1.5	Matching character pattern	329
B.1.5.0	General.....	329
B.1.5.1	Set expression	331

B.1.5.2	Reference expression	331
B.1.5.3	Match expression n times	333
B.1.5.4	Match a referenced character set.....	333
B.1.5.5	Type compatibility rules for patterns	334
B.1.5.6	Case insensitive pattern matching.....	334
Annex C (normative): Predefined TTCN-3 functions.....		335
C.0	General exception handling procedures	335
C.1	Conversion functions.....	335
C.1.1	Integer to character	335
C.1.2	Integer to universal character	335
C.1.3	Integer to bitstring	335
C.1.4	Integer to enumerated.....	336
C.1.5	Integer to hexstring.....	336
C.1.6	Integer to octetstring	336
C.1.7	Integer to charstring.....	337
C.1.8	Integer to float	337
C.1.9	Float to integer	337
C.1.10	Character to integer	337
C.1.11	Character to octetstring	337
C.1.12	Universal character to integer.....	338
C.1.13	Bitstring to integer.....	338
C.1.14	Bitstring to hexstring	338
C.1.15	Bitstring to octetstring	338
C.1.16	Bitstring to charstring.....	339
C.1.17	Hexstring to integer.....	339
C.1.18	Hexstring to bitstring.....	339
C.1.19	Hexstring to octetstring	340
C.1.20	Hexstring to charstring	340
C.1.21	Octetstring to integer	340
C.1.22	Octetstring to bitstring	340
C.1.23	Octetstring to hexstring	341
C.1.24	Octetstring to character string	341
C.1.25	Octetstring to character string, version II	341
C.1.26	Charstring to integer.....	342
C.1.27	Character string to hexstring	342
C.1.28	Character string to octetstring	342
C.1.29	Character string to float.....	343
C.1.30	Enumerated to integer	343
C.1.31	Octetstring to universal character string.....	344
C.1.32	Universal character string to octetstring.....	344
C.1.33	Value or template to universal charstring.....	345
C.2	Length/size functions	346
C.2.1	Length of strings and lists	346
C.2.2	Number of elements in a structured value.....	347
C.3	Presence checking functions	348
C.3.1	Void.....	348
C.3.2	Void.....	348
C.3.3	Void.....	348
C.3.4	Void.....	348
C.3.5	Matching mechanism detection.....	348
C.4	String/list handling functions	349
C.4.1	The Regexp function	349
C.4.2	The Substring function	351
C.4.3	The Replace function.....	352
C.5	Codec functions.....	353
C.5.1	The encoding function.....	353
C.5.2	The decoding function.....	353

C.5.3	The encoding to universal charstring function	353
C.5.4	The decoding from universal charstring function.....	354
C.5.5	The encoding to octetstring function.....	356
C.5.6	The decoding from octetstring function	356
C.5.7	Retrieving the type of string encoding	357
C.5.8	Removing BOMs of UCS encoding schemes.....	357
C.6	Other functions.....	358
C.6.1	The random number generator function	358
C.6.2	The testcasename function	358
C.6.3	The hostId function	359
Annex D (normative): Preprocessing macros.....		360
D.0	General	360
D.1	Preprocessing macro <code>__MODULE__</code>	360
D.2	Preprocessing macro <code>__FILE__</code>	360
D.3	Preprocessing macro <code>__BFILE__</code>	360
D.4	Preprocessing macro <code>__LINE__</code>	360
D.5	Preprocessing macro <code>__SCOPE__</code>	361
Annex E (informative): Library of Useful Types		363
E.1	Limitations	363
E.2	Useful TTCN-3 types.....	363
E.2.1	Useful simple basic types.....	363
E.2.1.0	Signed and unsigned single byte integers.....	363
E.2.1.1	Signed and unsigned short integers.....	363
E.2.1.2	Signed and unsigned long integers.....	364
E.2.1.3	Signed and unsigned longlong integers.....	364
E.2.1.4	IEEE 754 floats.....	364
E.2.2	Useful character string types.....	365
E.2.2.0	UTF-8 character string "utf8string"	365
E.2.2.1	BMP character string "bmpstring".....	365
E.2.2.2	UTF-16 character string "utf16string"	365
E.2.2.3	ISO/IEC 10646 character string "iso8859string"	365
E.2.2.4	Status values for TTCN-3 objects.....	366
E.2.2.5	Template kinds of TTCN-3 objects	366
E.2.3	Useful structured types.....	366
E.2.3.0	Fixed-point decimal literal.....	366
E.2.4	Useful atomic string types.....	367
E.2.4.1	Single Recommendation ITU-T T.50 character type.....	367
E.2.4.2	Single universal character type.....	367
E.2.4.3	Single bit type.....	367
E.2.4.4	Single hex type	367
E.2.4.5	Single octet type	367
Annex F (informative): Operations on TTCN-3 active objects.....		368
F.0	General	368
F.1	Test components.....	368
F.1.1	Test component references.....	368
F.1.2	Dynamic behaviour of PTCs	369
F.1.3	Dynamic behaviour of the MTC.....	371
F.2	Timers.....	372
F.3	Ports.....	372
F.3.0	General	372
F.3.1	Configuration Operations	372

F.3.2	Port Controlling Operations	373
F.3.3	Communication Operations.....	374
Annex G (informative): Deprecated language features.....		375
G.1	Group style definition of module parameters.....	375
G.2	Void.....	375
G.3	Using a11 in port type definitions.....	375
G.4	sizeof for length of lists.....	375
G.5	Void.....	375
G.6	Mixed ports	375
G.7	Void.....	375
G.8	Void.....	376
G.9	Void.....	376
G.10	Void.....	376
G.11	Void.....	376
G.12	Void.....	376
G.13	Assignment of less restrictive templates to more restrictive templates.....	376
G.14	Mixing case and case else branches in select statements.....	376
G.15	Partially initialized global and local templates.....	376
G.16	Template modification of less restrictive templates to more restrictive templates	377
Annex H (informative): Bibliography.....		378
History	https://standards.iteh.ai/catalog/standards/sist/7d864461-ad58-4ec8-8ece-a2a3b78392e/etsi-es-201-873-1-v4-13-1-2021-06	379

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

ITEH STANDARD PREVIEW
(standards.iteh.ai)

Foreword

ETSI ES 201 873-1 V4.13.1 (2021-06)

This final draft ETSI Standard (ES) has been produced by ETSI Technical Committee Methods for Testing and Specification (MTS), and is now submitted for the ETSI standards Membership Approval Procedure.

The present document is part 1 of a multi-part deliverable covering the Testing and Test Control Notation version 3, as identified below:

- Part 1:** "TTCN-3 Core Language";
- Part 3: "TTCN-3 Graphical presentation Format (GFT)";
- Part 4: "TTCN-3 Operational Semantics";
- Part 5: "TTCN-3 Runtime Interface (TRI)";
- Part 6: "TTCN-3 Control Interface (TCI)";
- Part 7: "Using ASN.1 with TTCN-3";
- Part 8: "The IDL to TTCN-3 Mapping";
- Part 9: "Using XML schema with TTCN-3";
- Part 10: "TTCN-3 Documentation Comment Specification";
- Part 11: "Using JSON with TTCN-3".

NOTE 1: Part 2: "TTCN-3 Tabular presentation Format (TFT)" of this multi-part deliverable is in status "historical".

NOTE 2: Part 3 of this multi-part deliverable is not maintained.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ETSI ES 201 873-1 V4.13.1 \(2021-06\)](#)

<https://standards.iteh.ai/catalog/standards/sist/7d864461-ad58-4ec8-8ece-a2a3f378392e/etsi-es-201-873-1-v4-13-1-2021-06>

1 Scope

The present document defines the Core Language of TTCN-3. TTCN-3 can be used for the specification of all types of reactive system tests over a variety of communication ports. Typical areas of application are protocol testing (including mobile and Internet protocols), service testing (including supplementary services), module testing, testing of CORBA[®] based platforms, APIs, etc. TTCN-3 is not restricted to conformance testing and can be used for many other kinds of testing including interoperability, robustness, regression, system and integration testing. The specification of test suites for physical layer protocols is outside the scope of the present document.

TTCN-3 is intended to be used for the specification of test suites which are independent of test methods, layers and protocols. In addition to the textual format defined in the present document, while GFT (ETSI ES 201 873-3 [i.2]) defines a graphical presentation format for TTCN-3. The specification of these formats is outside the scope of the present document.

While the design of TTCN-3 has taken the eventual implementation of TTCN-3 translators and compilers into consideration the means of realization of Executable Test Suites (ETS) from Abstract Test Suites (ATS) is outside the scope of the present document.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI ES 201 873-4: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 4: TTCN-3 Operational Semantics".
- [2] ISO/IEC 10646: "Information technology -- Universal Coded Character Set (UCS)".
- [3] Void.

NOTE: The corresponding ISO/IEC standard is ISO/IEC 9646-3: "Information technology -- Open Systems Interconnection -- Conformance testing methodology and framework -- Part 3: The Tree and Tabular Combined Notation (TTCN)".

- [4] Recommendation ITU-T T.50: "International Reference Alphabet (IRA) (Formerly International Alphabet No. 5 or IA5) - Information technology - 7-bit coded character set for information interchange".

NOTE: The corresponding ISO/IEC standard is ISO/IEC 646: "Information technology -- ISO 7-bit coded character set for information interchange".

- [5] Void.

NOTE: The corresponding ISO/IEC standard is ISO/IEC 9646-1: "Information technology -- Open Systems Interconnection -- Conformance testing methodology and framework; Part 1: General concepts".

- [6] IEEE 754TM: "IEEE Standard for Floating-Point Arithmetic".