DRAFT AMENDMENT ISO 7010:2011/DAM 160



ISO/TC 145/SC 2

Secretariat: DIN

Voting begins on 2012-06-25

Voting terminates on 2012-11-25

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • MEXICYHAPODHAR OPFAHU3ALUN IIO CTAHDAPTU3ALUN • ORGANISATION INTERNATIONALE DE NORMALISATION

Graphical symbols — Safety colours and safety signs — Registered safety signs

AMENDMENT 160: Safety sign M040: Lower liferaft to the water in launch sequence

Symboles graphiques — Couleurs de sécurité et signaux de sécurité — Signaux de sécurité enregistrés AMENDEMENT 160: Signal de sécurité M040: Abaisser le radeau de sauvetage à l'eau dans l'ordre de lancement

iTeh STANDARD PREVIEW (standards.iteh.ai)

ICS 01.080.10; 01.080.20

<u>ISO 7010:2011/DAmd 160</u> https://standards.iteh.ai/catalog/standards/sist/dfd9baf5-3af8-49ec-91e8fe4dd546f357/iso-7010-2011-damd-160

To expedite distribution, this document is circulated as received from the committee secretariat. ISO Central Secretariat work of editing and text composition will be undertaken at publication stage.

Pour accélérer la distribution, le présent document est distribué tel qu'il est parvenu du secrétariat du comité. Le travail de rédaction et de composition de texte sera effectué au Secrétariat central de l'ISO au stade de publication.

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 7010:2011/DAmd 160 https://standards.iteh.ai/catalog/standards/sist/dfd9baf5-3af8-49ec-91e8fe4dd546f357/iso-7010-2011-damd-160

Copyright notice

This ISO document is a Draft International Standard and is copyright-protected by ISO. Except as permitted under the applicable laws of the user's country, neither this ISO draft nor any extract from it may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, photocopying, recording or otherwise, without prior written permission being secured.

Requests for permission to reproduce should be addressed to either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Reproduction may be subject to royalty payments or a licensing agreement.

Violators may be prosecuted.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

Amendment 160 to ISO 7010:2011 was prepared by Technical Committee ISO/TC 145, *Graphical symbols*, Subcommittee SC 2, *Safety identification, signs, shapes, symbols and colours*.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 7010:2011/DAmd 160</u> https://standards.iteh.ai/catalog/standards/sist/dfd9baf5-3af8-49ec-91e8fe4dd546f357/iso-7010-2011-damd-160

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 7010:2011/DAmd 160 https://standards.iteh.ai/catalog/standards/sist/dfd9baf5-3af8-49ec-91e8fe4dd546f357/iso-7010-2011-damd-160

Graphical symbols — Safety colours and safety signs — Registered safety signs — Amendment 160: Safety sign M040: Lower liferaft to the water in launch sequence

IMPORTANT — The colours represented in the electronic file of this International Standard can be neither viewed on screen nor printed as true representations. Although the copies of this International Standard printed by ISO have been produced to correspond (with an acceptable tolerance as judged by the naked eye) to the requirements of ISO 3864-4, it is not intended that these printed copies be used for colour matching. Instead consult ISO 3864-4 which provides colorimetric and photometric properties together with, as a guideline, references from colour order systems.

Add safety sign M040 to the alphabetical summary in Table 1 and to category M in Tables 2 and 5 as follows:

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 7010:2011/DAmd 160</u> https://standards.iteh.ai/catalog/standards/sist/dfd9baf5-3af8-49ec-91e8fe4dd546f357/iso-7010-2011-damd-160

Reference No. ISO 7010-M040 Referent Lower liferaft to the water in launch sequence Function To signify that the liferaft must be lowered in launch sequence Image content Liferaft on single fall, arrow pointing down, two wavy lines en SIA NDAKD PREVIE Hazard The liferaft is not lowered to the water at the appropriate time and subsequently there is not enough survival craft in the water for embarkation Human behaviour that is intended to be caused after understanding the safety sign's meaning Lowering the liferaft at the appropriate timerds.iteh.ai/catalog/standards/sist/dfd9baf5-3af8-49ec-91e8fe4dd546f357/iso-7010-2011-damd-160 **Related referents** ISO 7010-E038, ISO 7010-E039 Additional information Test data obtained according to ISO 9186-1:2007 are not available. Consequently, a supplementary text sign shall be used to increase comprehension except when the safety sign is supplemented by manuals, instructions or training.

Safety sign M040: Lower liferaft to the water in launch sequence