

ETSI GS CIM 004 V1.1.2 (2020-06)



Context Information Management (CIM); Application Programming Interface (API)

STANDARD PREVIEW
(standard-ietf:ai)
Full standard available at: <https://standards.ietf.org/standards/113d38d2-f2b6-464e-8569-ae7ca4dbd466/etsi-gs-cim-004-v1.1.2-2020-06>

Disclaimer

The present document has been produced and approved by the cross-cutting Context Information Management (CIM) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG. It does not necessarily represent the views of the entire ETSI membership.

Reference

RGS/CIM-0004v112

Keywords

API, architecture, GAP, information model,
interoperability, smart city

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	10
Foreword.....	10
Modal verbs terminology.....	10
Executive summary	10
Introduction	10
1 Scope	12
2 References	12
2.1 Normative references	12
2.2 Informative references.....	13
3 Definition of terms, symbols and abbreviations.....	14
3.1 Terms.....	14
3.2 Symbols.....	15
3.3 Abbreviations	16
4 Context Information Management Framework.....	16
4.1 Introduction	16
4.2 NGSI-LD Information Model.....	17
4.2.1 Introduction.....	17
4.2.2 NGSI-LD Meta Model.....	17
4.2.3 Cross Domain Ontology	18
4.2.4 NGSI-LD domain-specific models and instantiation	19
4.2.5 UML representation.....	20
4.3 NGSI-LD Architectural considerations.....	20
4.3.1 Introduction.....	20
4.3.2 Centralized architecture	21
4.3.3 Distributed architecture.....	21
4.3.4 Federated architecture.....	22
4.4 Core NGSI-LD @context.....	23
4.5 NGSI-LD Data Representation.....	23
4.5.1 NGSI-LD Entity Representation.....	23
4.5.2 NGSI-LD Property Representation.....	24
4.5.3 NGSI-LD Relationship Representation	24
4.5.4 Simplified Representation.....	25
4.6 Data Representation Restrictions	25
4.6.1 Supported text encodings.....	25
4.6.2 Supported names.....	25
4.6.3 Supported data types for Values	26
4.6.4 Supported Entity Content.....	26
4.7 Geospatial Properties.....	27
4.7.1 GeoJSON Geometries.....	27
4.7.2 Representation of GeoJSON Geometries in JSON-LD	27
4.8 Temporal properties	28
4.9 NGSI-LD Query Language	28
4.10 NGSI-LD Geo-query language.....	31
4.11 NGSI-LD Temporal Query language	33
5 API Operation Definition	34
5.1 Introduction	34
5.2 Data types.....	34
5.2.1 Introduction.....	34
5.2.2 Common members	34
5.2.3 @context.....	34
5.2.4 Entity	34
5.2.5 Property	35

5.2.6	Relationship	35
5.2.7	GeoProperty	35
5.2.8	EntityInfo	36
5.2.9	CsourceRegistration	36
5.2.10	RegistrationInfo	37
5.2.11	TimeInterval	37
5.2.12	Subscription	38
5.2.13	GeoQuery	39
5.2.14	NotificationParams	39
5.2.14.1	NotificationParams data type definition	39
5.2.14.2	Additional members	39
5.2.15	EndPoint	40
5.3	Notification data types	40
5.3.1	Notification	40
5.3.2	CsourceNotification	41
5.3.3	TriggerReasonEnumeration	41
5.4	NGSI-LD Fragments	41
5.5	Common behaviours	42
5.5.1	Introduction	42
5.5.2	Error types	42
5.5.3	Error payloads	42
5.5.4	JSON-LD validation	43
5.5.5	Default @context assignment	43
5.5.6	Operation execution	43
5.5.7	Term to URI expansion	43
5.5.8	JSON-LD Merge Patch Behaviour	43
5.6	Context Information Provision	44
5.6.1	Create Entity	44
5.6.1.1	Description	44
5.6.1.2	Use case diagram	44
5.6.1.3	Input data	44
5.6.1.4	Behaviour	44
5.6.1.5	Output data	44
5.6.2	Update Entity Attributes	44
5.6.2.1	Description	44
5.6.2.2	Use case diagram	45
5.6.2.3	Input data	45
5.6.2.4	Behaviour	45
5.6.2.5	Output data	45
5.6.3	Append Entity Attributes	45
5.6.3.1	Description	45
5.6.3.2	Use case diagram	45
5.6.3.3	Input data	46
5.6.3.4	Behaviour	46
5.6.3.5	Output data	46
5.6.4	Partial Attribute update	47
5.6.4.1	Description	47
5.6.4.2	Use case diagram	47
5.6.4.3	Input data	47
5.6.4.4	Behaviour	47
5.6.4.5	Output data	48
5.6.5	Delete Entity Attribute	48
5.6.5.1	Description	48
5.6.5.2	Use case diagram	48
5.6.5.3	Input data	48
5.6.5.4	Behaviour	48
5.6.5.5	Output data	49
5.6.6	Delete Entity	49
5.6.6.1	Description	49
5.6.6.2	Use case diagram	49
5.6.6.3	Input data	49
5.6.6.4	Behaviour	49

5.6.6.5	Output data	49
5.7	Context Information Consumption	50
5.7.1	Retrieve Entity	50
5.7.1.1	Description	50
5.7.1.2	Use case diagram	50
5.7.1.3	Input data	50
5.7.1.4	Behaviour	50
5.7.1.5	Output data	50
5.7.2	Query Entities	51
5.7.2.1	Description	51
5.7.2.2	Use case diagram	51
5.7.2.3	Input data	51
5.7.2.4	Behaviour	51
5.7.2.5	Output data	52
5.8	Context Information Subscription	52
5.8.1	Create Subscription	52
5.8.1.1	Description	52
5.8.1.2	Use case diagram	52
5.8.1.3	Input data	52
5.8.1.4	Behaviour	53
5.8.1.5	Output data	53
5.8.2	Update Subscription	53
5.8.2.1	Description	53
5.8.2.2	Use case diagram	53
5.8.2.3	Input data	54
5.8.2.4	Behaviour	54
5.8.2.5	Output data	54
5.8.3	Retrieve Subscription	54
5.8.3.1	Description	54
5.8.3.2	Use case diagram	54
5.8.3.3	Input data	55
5.8.3.4	Behaviour	55
5.8.3.5	Output data	55
5.8.4	Query Subscriptions	55
5.8.4.1	Description	55
5.8.4.2	Use case diagram	55
5.8.4.3	Input data	56
5.8.4.4	Behaviour	56
5.8.4.5	Output data	56
5.8.5	Delete Subscription	56
5.8.5.1	Description	56
5.8.5.2	Use case diagram	56
5.8.5.3	Input data	57
5.8.5.4	Behaviour	57
5.8.5.5	Output data	57
5.8.6	Notification behaviour	57
5.9	Context Source Registration	58
5.9.1	Introduction	58
5.9.2	Register Context Source	58
5.9.2.1	Description	58
5.9.2.2	Use case diagram	58
5.9.2.3	Input data	59
5.9.2.4	Behaviour	59
5.9.2.5	Output data	60
5.9.3	Update Context Source Registration	60
5.9.3.1	Description	60
5.9.3.2	Use case diagram	60
5.9.3.3	Input data	60
5.9.3.4	Behaviour	60
5.9.3.5	Output data	61
5.9.4	Delete Context Source Registration	61
5.9.4.1	Description	61

5.9.4.2	Use case diagram	61
5.9.4.3	Input data	61
5.9.4.4	Behaviour	61
5.9.4.5	Output data	61
5.10	Context Source Discovery	62
5.10.1	Retrieve Context Source Registration	62
5.10.1.1	Description	62
5.10.1.2	Use case diagram	62
5.10.1.3	Input data	62
5.10.1.4	Behaviour	62
5.10.1.5	Output data	62
5.10.2	Query context source registrations	63
5.10.2.1	Description	63
5.10.2.2	Use case diagram	63
5.10.2.3	Input data	63
5.10.2.4	Behaviour	63
5.10.2.5	Output data	64
5.11	Context Source Registration Subscription	64
5.11.1	Introduction	64
5.11.2	Create Context Source Registration Subscription	64
5.11.2.1	Description	64
5.11.2.2	Use case diagram	64
5.11.2.3	Input data	65
5.11.2.4	Behaviour	65
5.11.2.5	Output data	65
5.11.3	Update context source discovery subscription	65
5.11.3.1	Description	65
5.11.3.2	Use case diagram	66
5.11.3.3	Input data	66
5.11.3.4	Behaviour	66
5.11.3.5	Output data	66
5.11.4	Retrieve context source discovery subscription	66
5.11.4.1	Description	66
5.11.4.2	Use case diagram	67
5.11.4.3	Input data	67
5.11.4.4	Behaviour	67
5.11.4.5	Output data	67
5.11.5	Query Context Source Discovery subscriptions	67
5.11.5.1	Description	67
5.11.5.2	Use case diagram	67
5.11.5.3	Input data	68
5.11.5.4	Behaviour	68
5.11.5.5	Output data	68
5.11.6	Delete context source discovery subscription	68
5.11.6.1	Description	68
5.11.6.2	Use case diagram	68
5.11.6.3	Input data	69
5.11.6.4	Behaviour	69
5.11.6.5	Output data	69
5.11.7	Notification behaviour	69
5.12	Matching Context Source Registrations	70
6	API HTTP binding	71
6.1	Introduction	71
6.2	Global definitions and resource structure	71
6.3	Common behaviours	73
6.3.1	Introduction	73
6.3.2	Error types	73
6.3.3	Reporting errors	74
6.3.4	HTTP request preconditions	74
6.3.5	JSON-LD @context resolution	74
6.3.6	HTTP response common requirements	74

6.3.7	Simplified representation of entities	75
6.3.8	Notification behaviour	75
6.3.9	Csource Notification behaviour	75
6.4	Resource: entities	75
6.4.1	Description	75
6.4.2	Resource definition	75
6.4.3	Resource methods	75
6.4.3.1	POST	75
6.4.3.2	GET	76
6.5	Resource: entities/{entityId}	77
6.5.1	Description	77
6.5.2	Resource definition	78
6.5.3	Resource methods	78
6.5.3.1	GET	78
6.5.3.2	DELETE	79
6.6	Resource: entities/{entityId}/attrs	79
6.6.1	Description	79
6.6.2	Resource definition	79
6.6.3	Resource methods	80
6.6.3.1	POST	80
6.6.3.2	PATCH	80
6.7	Resource: entities/{entityId}/attrs/{attrId}	81
6.7.1	Description	81
6.7.2	Resource definition	81
6.7.3	Resource methods	82
6.7.3.1	PATCH	82
6.7.3.2	DELETE	82
6.8	Resource: csources	83
6.8.1	Description	83
6.8.2	Resource definition	83
6.8.3	Resource methods	83
6.8.3.1	POST	83
6.8.3.2	GET	84
6.9	Resource: csources/{registrationId}	86
6.9.1	Description	86
6.9.2	Resource definition	86
6.9.3	Resource methods	86
6.9.3.1	GET	86
6.9.3.2	PATCH	87
6.9.3.3	DELETE	87
6.10	Resource: subscriptions	88
6.10.1	Description	88
6.10.2	Resource definition	88
6.10.3	Resource methods	88
6.10.3.1	POST	88
6.10.3.2	GET	89
6.11	Resource: subscriptions/{subscriptionId}	90
6.11.1	Description	90
6.11.2	Resource definition	90
6.11.3	Resource methods	90
6.11.3.1	GET	90
6.11.3.2	PATCH	91
6.11.3.3	DELETE	91
6.12	Resource: csourceSubscriptions	92
6.12.1	Description	92
6.12.2	Resource definition	92
6.12.3	Resource methods	92
6.12.3.1	POST	92
6.12.3.2	GET	93
6.13	Resource: csourceSubscriptions/{subscriptionId}	94
6.13.1	Description	94
6.13.2	Resource definition	94

6.13.3	Resource methods.....	94
6.13.3.1	GET.....	94
6.13.3.2	PATCH	95
6.13.3.3	DELETE	96
Annex A (normative):	NGSI-LD identifier considerations	97
A.1	Introduction.....	97
A.2	Entity identifiers.....	97
A.3	NGSI-LD namespace	97
Annex B (normative):	Core NGSI-LD @context definition.....	98
Annex C (informative):	Examples of using the API	100
C.1	Introduction	100
C.2	Entity Representation	100
C.2.1	Property Graph	100
C.2.2	Vehicle Entity.....	101
C.2.3	Parking Entity.....	101
C.2.4	@context	102
C.3	Context Source Registration.....	103
C.4	Context Subscription	104
C.5	HTTP REST API Examples	104
C.5.1	Introduction	104
C.5.2	Create Entity of Type Vehicle	104
C.5.2.1	HTTP Request	104
C.5.2.2	HTTP Response	104
C.5.3	Query Entities.....	105
C.5.3.1	Introduction.....	105
C.5.3.2	HTTP Request	105
C.5.3.3	HTTP Response	105
Annex D (informative):	Transformation Algorithms.....	106
D.1	Introduction	106
D.2	Algorithm for transforming an NGSI-LD Entity into a JSON-LD document (ALG1).....	106
D.3	Algorithm for transforming a NGSI-LD Property into JSON-LD (ALG1.1)	107
D.4	Algorithm for transforming a NGSI-LD Relationship into JSON-LD (ALG1.2).....	108
Annex E (informative):	RDF-compatible specification of NGSI-LD meta-model.....	109
E.1	NGSI-LD Terms and categories: definitions.....	109
E.2	Bridging Property graphs and RDF graphs	109
E.3	Tentative formal definition of NGSI-LD information model.....	110
E.3.1	Introduction	110
E.3.2	Core Meta-Model	110
E.3.3	Cross-Domain Meta-Model.....	110
E.4	Example.....	112
E.5	Complete Ontology in Turtle RDF Syntax.....	113
Annex F (informative):	Gap analysis on the relationship of NGSI-LD and general triple-based queries	117
Annex G (informative):	Roadmap of Functionalities	119

Annex H (informative):	Open Issues.....	121
Annex I (informative):	Conventions and syntax guidelines.....	123
Annex J (informative):	Change history	124
History		125

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/113d38d2-f2b6-464e-8569-ae7ca4dbd466/etsi-gs-cim-004-v1.1.2-2020-06>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Group Specification (GS) has been produced by ETSI Industry Specification Group (ISG) cross-cutting Context Information Management (CIM).

The preliminary API work in the present document was completed in April 2018 and the final NGSI-LD API is now instead standardized in ETSI GS CIM 009 [20].

Modal verbs terminology

In the present document **"shall"**, **"shall not"**, **"should"**, **"should not"**, **"may"**, **"need not"**, **"will"**, **"will not"**, **"can"** and **"cannot"** are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and **"must not"** are **NOT** allowed in ETSI deliverables except when used in direct citation.

Executive summary

The preliminary API work in the present document was completed in April 2018 and the final NGSI-LD API is now instead standardized in ETSI GS CIM 009 [20].

The present document formally describes the Context Information Management API Specification (preliminary). The Context Information Management API allows users to provide, consume and subscribe to context information in multiple scenarios and involving multiple stakeholders. It enables close to real-time access to information coming from many different sources (not only IoT data sources).

Introduction

The preliminary API work in the present document was completed in April 2018 and the final NGSI-LD API is now instead standardized in ETSI GS CIM 009 [20].

The present document defines the Context Information Management API Specification (preliminary). The Context Information Management API allows users to provide, consume and subscribe to context information in multiple scenarios and involving multiple stakeholders.

The present document is labelled "preliminary" because it will be published widely in order to elicit comment and critique from the ICT community, and their comments will be used to modify and improve the later final API specification. The present document contains two annexes describing a list of pending issues and features that are planned to be addressed in the near future. Accordingly, a feedback process is described in the present document.

The ETSI ISG CIM has decided to give the name "NGSI-LD" to the Context Information Management API. The rationale is to reinforce the fact that the present document leverages on the former OMA NGSI 9 and 10 interfaces [i.3] and FIWARE NGSIv2 [i.9] to incorporate the latest advances from Linked Data.

ITeH STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/113d38d2-f2b6-464e-8569-ae7ca4dbd466/etsi-gs-cim-004-v1.1.2-2020-06>

1 Scope

The preliminary API work in the present document was completed in April 2018 and the final NGSI-LD API is now instead standardized in ETSI GS CIM 009 [20].

The purpose of the present document is the (preliminary) definition of a standard API for Context Information Management (NGSI-LD API) enabling close to real-time access to information coming from many different sources (not only IoT data sources). The present document defines how such an API enables applications to perform updates on context, register context providers which can be queried to get updates on context, query information on current and historic context information and subscribe to receive notifications of context changes. The criteria for choice of the API characteristics are based on results in the Use Cases [i.1]. The present document is labelled "preliminary" because it will be published widely in order to elicit comment and critique from the user communities and their comments will be used to modify and improve the later final API specification.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

[1] W3C Recommendation 25 February 2014: "RDF Schema 1.1".

NOTE: Available at <https://www.w3.org/TR/2014/REC-rdf-schema-20140225/>.

[2] W3C Recommendation 16 January 2014: "JSON-LD 1.0 - A JSON-based Serialization for Linked Data".

NOTE: Available at <http://www.w3.org/TR/2014/REC-json-ld-20140116/>.

[3] IETF RFC 7231: "Hypertext Transfer Protocol (HTTP/1.1): Semantics and Content".

[4] IETF RFC 7232: "Hypertext Transfer Protocol (HTTP/1.1): Conditional Requests".

[5] IETF RFC 3986: "Uniform Resource Identifier (URI): Generic Syntax".

[6] IETF RFC 8259: "The JavaScript Object Notation (JSON) Data Interchange Format".

[7] IETF RFC 5988: "Web Linking".

[8] IETF RFC 7946: "The GeoJSON Format".

[9] IETF RFC 8141: "Uniform Resource Names (URNs)".

[10] IETF RFC 7807: "Problem Details for HTTP APIs".

[11] IEEE POSIX 1003.2™-1992: "IEEE Standard for Information Technology - Portable Operating System Interfaces (POSIX®) - Part 2: Shell and Utilities".

[12] IETF RFC 5234: "Augmented BNF for Syntax Specifications: ABNF".

- [13] Unicode® Technical Standard #10: "Unicode Collation Algorithm".
- NOTE: Available at <http://unicode.org/reports/tr10/>.
- [14] Open Geospatial Consortium Inc. OGC 06-103r4: "OpenGIS® Implementation Standard for Geographic information - Simple feature access - Part 1: Common architecture".
- NOTE: Available at https://portal.opengeospatial.org/files/?artifact_id=25355.
- [15] UN/CEFACT Common Codes for specifying the unit of measurement.
- NOTE: Available at http://www.unece.org/fileadmin/DAM/cefact/recommendations/rec20/rec20_Rev9e_2014.xls.
- [16] IETF RFC 7396: "JSON Merge Patch".
- [17] ISO 8601: 2004: "Data elements and interchange formats -- Information interchange -- Representation of dates and times".
- NOTE: Available at http://www.iso.org/iso/catalogue_detail?csnumber=40874.
- [18] IETF RFC 2818: "HTTP Over TLS".
- NOTE: Available at <https://tools.ietf.org/html/rfc2818>.
- [19] IETF RFC 5246: "The Transport Layer Security (TLS) Protocol Version 1.2".
- NOTE: Available at <https://tools.ietf.org/html/rfc5246>.
- [20] ETSI GS CIM 009: "Context Information Management (CIM); NGSI-LD API".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI GR CIM 002: "Context Information Management (CIM); Use Cases (UC)".
- NOTE: Available at https://www.etsi.org/deliver/etsi_gr/CIM/001_099/002/01.01.01_60/gr_CIM002v010101p.pdf.
- [i.2] Void.
- [i.3] OMA OMA-TS-NGSI-Context-Management-V1-0-20100803-C. 03 August 2010: "NGSI Context Management".
- [i.4] ETSI TS 103 264 (V2.1.1): "SmartM2M; Smart Appliances; Reference Ontology and oneM2M Mapping".
- NOTE: Available at http://www.etsi.org/deliver/etsi_ts/103200_103299/103264/02.01.01_60/ts_103264v020101p.pdf.
- [i.5] NGSI-LD Wrapper. Experimental proxy for adaptation between FIWARE and NGSI-LD.
- NOTE: Available at https://github.com/Fiware/NGSI-LD_Wrapper.
- [i.6] Graph Databases: "New Opportunities for Connected Data". O'Reilly 2nd Edition. Webber, Robinson, et al. ISBN:1491930896 9781491930892.